


Future in Connection

2024



hama

List of technical terms / abbreviations

HDR

„HDR“ stands for „High Dynamic Range“ and is a technology for expressing colours and contrasts more vividly.


How does the technology work **with smartphones**?

- With an HDR image, at least three images are captured simultaneously.
- Large differences in brightness in the picture are reproduced in great detail.



eARC

"eARC" is a function that was implemented in the HDMI™ 2.1 standard. It stands for "Enhanced Audio Return Channel" and enables a significantly higher bandwidth for audio transmission via HDMI™ cable. eARC makes it possible to transmit the original audio signal in full resolution via an HDMI™ cable and reproduce the best sound without compromise.



Power Delivery (PD)

USB Power Delivery, or USB PD for short, is a standard for power transmission for USB-C products.

- Enables faster charging with a wide range of devices



S/FTP

The S/FTP cable (Screened Foiled Twisted Pair) is an improved version of the FTP cable. It has better shielding properties because it has two shields.

- Foil shielding
- Braided shielding


This shielding ensures that interference is prevented. Interference causes poor signal transmission quality.



Aramid fibres

"Aramid fibres" are organic synthetic fibres. They consist of individual filaments that are put together to form a thread.

Aramids are characterised by high thermal and chemical resistance, strength and elasticity as well as good flame resistance and dimensional stability.



Hz (refresh rate)


The refresh rate indicates how many images a monitor/TV displays per second. The unit for this is called Hertz (Hz).

A high refresh rate ensures smooth images.



MST


MST is a technology that allows multiple external monitors (with different graphic content) to be connected via a single USB-C port.



AOC

"AOC" means "Active Optical Cable" - this can significantly improve the quality and consistency of audio and video transmission.

It is particularly good for the transmission of digital video and audio, as they have a very high bandwidth. They are also very robust and can be used in environments with a lot of electromagnetic interference.



HEC

HEC is an HDMI Ethernet channel, i.e. a network connection in an HDMI™ cable

They enable the transmission of Internet data at high speeds with better bandwidth. If you use WLAN, you can use HDMI™ Ethernet to get a better, faster and more stable connection.

Explanation of symbols

Item No. Item number	PU Packaging unit	MB Minimum order quantity		
New product Item number	PT Packaging type:	BC Blister card	PO Poly bag	HT Hang tag
		BP Box packaging	ST Strap	HC Hang card
		LA Label	SL Slipcase	HB Hang box

Size information: W x D x H (Width x Depth x Height)



THE FREE HAMA NEWSLETTER

Benefit from exclusive dealer information
← Register here: www.hama.de/newsletter

- ✓ New products
- ✓ Current top issues

- ✓ Exclusive offers
- ✓ Free of charge and without obligation

Content

Computers	13
Adapters & hubs	13
USB	43
Network	59
Multimedia video	69
Multimedia audio	77
Chargers & power supply units.....	81
Tools & power	91
Routers / land line	97
Audio / Video / Aerial	107
TV video	107
Aerial / Sat	125
Audio	145
Specials – FOB only	107
Point of Sale	166
Reference to Computer Bild Selection	168


Future in Connection The cable concept of the future.

- With our newly developed Future in Connection range, we are focusing not only on quality and technology, but also on recyclable packaging. For the sake of our environment, we use FSC-certified paper for all our packaging.
- It is structured on the basis of our existing, tried-and-tested range of high-quality products with their own design. New products from on-trend topics, such as 8K or USB-C, have also been integrated to match.
- Our range covers products for screens, sound, external communication (aerial / SAT, network), tooling, power & cleaning, as well as power supply units and adapters / hubs. On-trend topics such as 8K or USB-C are no longer being allocated strictly to one area of use, but rather are part of the audio/video/aerial range, as well as in multimedia, since these worlds are becoming increasingly networked. The result is a portfolio of almost 600 articles that place the emphasis on the application that is also reflected in its own colour guidance system.



Adapters / hubs

Adapters & hubs




External communication

Network | USB | Aerial/SAT | Telecom land line



Tools & Power

Tools | Power



Display

Monitor | TV



Sound

MM audio | TV audio




The range structure


- The range has been divided up into three different product lines. Entry, Essential line and Prime line: these various product lines have different quality features and guarantee promises, allowing a clear distinction to be made between them.
- The result: The perfect blend of top-sellers and professional articles on the sales wall. Consumers quickly and easily get the ideal solution for almost every problem relating to cables and adapters.
- In the future, there will be no more distinction according to the star system. Instead, distinctions should be made based on „real“ criteria. With the old star system, it was not immediately obvious to consumers why a 3-star product costs more than a 1-star product. „Real“ criteria make a higher price immediately understandable for consumers.



PRIME LINE
30-year warranty



ESSENTIAL LINE
10-year warranty



ENTRY
2-year warranty

Example of HDMI

PRIME LINE

- Reinforced with aramid fibres
High-tech cable sheath
- Robust metal plug
- Maximum transmission quality
- Optimised shielding

WARRANTY
30
YEARS



Ultra-high-speed HDMI™ cable, plug - plug, 8K, metal

Ultra-HD cinema quality 7680x4320 (8K) pixels, high-tech cable sheath reinforced with aramid fibres, robust metal connector with optimum shielding, different packaging design

2.0 m **205239**



ESSENTIAL LINE

- Extra-thin cable
- Short plug design

WARRANTY
10
YEARS



Ultra-high-speed HDMI™ cable, plug - plug, 8K

Ultra-HD cinema quality 7680x4320 (8K) pixels, box packaging

2.0 m **205242**



"Ultra-Slim" high-speed HDMI™ cable, 4K, plug - plug, Ethernet

Ultra-HD cinema quality 4096x2160 (4K) pixels, ultra-slim design, ultra-thin and super-light, box packaging

2.0 m **205075**



High-speed HDMI™ cable, 4K, plug - plug, Ethernet

Ultra-HD cinema quality 4096x2160 (4K) pixels, box packaging

1.5 m **205005**

ENTRY

- Price entry range
- Reliable cables

WARRANTY
2
YEARS




High-speed HDMI™ cable, plug - plug


High-speed HDMI cable, maximum resolution: 1080p, strap


1.5 m **205000**

Packaging structure




1. Value/certificate
2. Article designation
3. Use
4. Item number
5. Optional button
6. Technology buttons
7. Signal direction
8. Optional image with feature explanation
9. Purchase confirmation
10. Technical information



00200504




1 HDMI™
Gold-plated connector
Vergoldeter Stecker




2 HDMI™
Vergoldeter Stecker




3



4



5



6

8

9

4

10

Technical Data / Technische Daten

**8K Ultra HD Video & Audio Cable/
8K Ultra-HD Video & Audio Kabel**

Bandwidth/ Bandbreite	max. 48 Gbps
Resolution/ Auflösung	max. Ultra-HD 8K@60 Hz Ultra-HD 4K@120 Hz WQHD 1440p@240 Hz FullHD 1080p@240 Hz
Feature	HDCP, 3D, CEC, HEC, HDR, ARC, eARC, VRR, QMS, QFT, DSC

High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
Mit Aramidfasern verstärkter Hightech-Kabelmantel: besonders robust, wärmebeständig und langlebig

CS Ultra High Speed HDMI™ Cable
Für connecting monitor, TV, projector, etc.

D Ultra-High-Speed-HDMI™-Kabel
Zum Anschluss von Monitor, TV, Beamer, ...

F Câble HDMI™ ultra-haute vitesse
Permet le raccordement d'un moniteur, d'un téléviseur, d'un projecteur, ... Fiche mâle dorée. Aluminium élégant et robuste. Double blindage. Gaine de câble haute technologie. Gaine de fibres d'aramide : particulièrement robuste, thermoisistante et durable.

E Cable HDMI™ de ultra alta velocidad
Para conectar monitores, televisores, proyectores ... Cables chapadas en oro. Aluminio robusto y elegante. Apartado doble. Cubierta de alta tecnología del cable. La cubierta de alta tecnología del cable está reforzada con fibras de aramida: por ello, es muy robusto, duradero y resistente al calor.

UK Ultra High Speed HDMI™-kabel
Voor aansluiting van monitor, tv, beamer, ... Vergulde stekker. Elegant en robuust aluminium. Dubbel afgeschermd. Hightech-kabelmantel. Hightech-kabelmantel versterkt met aramidevezels: bijzonder robuust, hittebestendig en duurzaam.

CA Cavo HDMI™ ad altissima velocità
Per collegare schermi, TV, proiettori, ... Connettore placcato oro. Alluminio elegante e robusto. Schema a doppia. Guaina del cavo high-tech. Guaina del cavo high-tech rinforzata con fibre di aramide: particolarmente robusta, resistente al calore e a lungo ciclo di vita.

K Kabel HDMI™ o bardzo dużej szybkości transmisji
Do podłączenia monitora, telewizora, projektora itd. Połszniana wtyczka. Eleganckie i solidne aluminium. Podwójne ekranowanie. Nowoczesna osłona kabla. Z nowoczesną osłoną kabla wyposażoną w włókna aramidowe: szczególnie wytrzymała, odporna na wysokie temperatury i trwałą.

H Ultra nagysebességű HDMI™ kábel
Monitor, TV, kivetítő stb. csatlakoztatására. Aranyozott dugó. Elegáns és robusztus alumínium. Kétszeres árnyékolás. Csúcs technológiát képviselő kábelköpeny. Aramidálissal erősített, szűcs technológiát képviselő kábelköpeny: különösen erős, hőálló és hosszú élettartamú.

RO Ultra High Speed HDMI™ Cable
Pentru conectarea unui monitor, televizor, proiector, ... Stecher aurit. Aluminiu elegant și robust. Dublu ecranat. Învveli de cablu hightech. Cu înveli de cablu hightech întărit cu fibre de Aramidă: deosebit de robust, rezistent la temperaturi înalte și durabil.

CS Ultra vysokorychlostní kábel HDMI™
Pro připojení monitoru, TV, Beamer, ... Podzlatý konektor. Eleganční a robustní hliník. Dvojitý stínění. Hightech plášť kabelu. Aramidovými vlákny zesílený high-tech plášť kabelu: obzvláště robustní, odolný vůči teplotě a s dlouhou životností.

CS Ultra vysokorychlostní kábel HDMI™
Pre pripojenie na monitor, TV, projektor, ... Pozlátená zistička. Elegánny a robustný hliník. Dvojnásobné tienenie. High tech opláštenie kabla. S hightech opláštením kabla zosilneným aramidovými vláknami: mimoriadne robustné, tepelne odolné a s dlhou životnosťou.

P Cabo HDMI™ de velocidade ultrarrápida
Para ligação de monitor, TV, Beamer, ... Ficha dourada. Alumínio elegante e resistente. Blindagem dupla. Revestimento do cabo de tecnologia de ponta reforçado com fibras de aramida: robustez excepcional, resistência ao calor e vida útil longa.

S HDMI™-kabel med ultrahög hastighet
För anslutning av monitor, TV, OH-konon m.m. Förgylt stickkontakt. Elegant och robust aluminium. Dubbel skärmad. Högteknologisk kabelmantel. Aramidmerad hightech-kabelmantel. särskilt robust, värmetålig och långlivad.

BS Високоскоростной кабель HDMI™
Для подключения монитора, ТВ, проектора, ... Позолоченный штекер. Элегантный и прочный алюминиевый корпус. Двойное экранирование. Оболочка высококачественного кабеля. Усиленная арамидными волокнами оболочка высококачественного кабеля: особо прочная, термостойкая и долговечная.

UK Ultra visokoa скоростен кабел HDMI™
За свързване на монитор, ТВ, проектор, ... Позлатен штекер. Елегантен и здрав алуминий. Двойно екраниран. Високотехнологична кабелна обвивка. Подсилена високотехнологична кабелна обвивка от арамидни влакна: особена издржљива, топлотопољивна и длаготрайна.


CS Καλώδιο HDMI™ εσφορηκτά υψηλής ταχύτητας
Για σύνδεση οθόνης, τηλεοράσης, ομοειδούς προβολέα, ... Εργασιοκάβιο βύσωνα. Κορμό και σπείρες από υψηλό tech. Διπλό εγkранирование. Αραμιδική επικάλυψη καλώδιου hightech ενισχυμένο με ίνες αραμιδίου: ιδιαίτερα γερά, ανθεκτικά στις υψηλές θερμοκρασίες και με μεγάλη διάρκεια ζωής.

UK Ultra Yüksek Hızlı HDMI™ Kablo
Ekrana, TV, yansıtıcı, ... bağlanma için. Altın kaplamalı soket. Şık ve dayanıklı alüminyum. Çift yalıtım. İleri teknoloji kablo kaplaması. Aramid dokuma kumaşla güçlendirilmiş ileri teknoloji kablo kaplaması son derece sağlam, ısıya dayanıklı ve uzun ömürlü.

UK Ultraospeea HDMI™-kabeli
Náylon, television, videoprojektorin jne. liitântään. Kallattu pistoke. Työlkäs ja kestävää alumiini. Kaksinkertainen suojaus. Huipputekninen johdon väärä. Aramidikuidulla vahvistettu huipputekninen johdon väärä: tukeva, lämmönkestävä ja pitkäikäinen.

Terms of warranty: www.hama.com/warranty
Garantiebestimmungen: www.hama.com/garantie

Hama GmbH & Co KG
86652 Monheim / Germany
www.hama.com





Computers

Adapters & Hubs





Docking stations - smart all-rounders

Notebooks and laptops bring a lot of flexibility to working life. Whether in the office, on the move or working from home - working from anywhere is now possible. However, this also means that all connected devices, such as the mouse, monitor or network connection, have to be set up again at each location. Docking stations provide a remedy:


- **Plug in and get started:**
all devices are connected to the notebook/laptop with just one cable
- **The perfect setup:**
for a healthy sitting position and everything exactly where you need it
- **Efficient working:**
fast data transfer and high resolutions allow you to work without compromise



From 1 to 3 monitors: the right connections for every setup




200139 | USB-C docking station "Connect2Office Stand", notebook stand, 12 ports



200100 | USB-C docking station, "Connect2Office Pro", 10 ports



200133 | USB-C docking station, "Connect2Office Pro", 10 ports




200143 | USB-C hub, "Connect2Mobile", multi-port, LAN/Ethernet, 7 ports



200134 | USB-C hub, "Connect2QiCharge", wireless charging, multi-port, 12 ports



200145 | USB-C docking station "Connect2Office Basic", removable feet, 9 ports



200144 | USB-C hub, multi-port, 6 ports, 3x USB-A, USB-C, HDMI™, LAN/Ethernet



200117 | USB-C hub, multi-port, 5 ports, 3x USB-A, USB-C, HDMI™



200110 | USB-C hub, multi-port, 6 ports, 2x USB-A, USB-C, HDMI™, SD, microSD



200109 | USB-C hub, multi-port, 5 ports, 2x USB-A, USB-C, HDMI™, LAN/Ethernet



200107 | USB-C hub, multi-port, 4 ports, 2x USB-A, USB-C, HDMI™

Docking Stations

ADAPTERS & HUBS

Docking Station

12 ports



"Connect2Office Stand" USB-C Docking Station, Notebook Holder, 12 Ports

hama

Connection	USB-C-plug
USB Standard	USB-3.2 Gen 2
Number of Connections	12 Port(s)

- Super speed Plus data transfer rates of up to 10 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- With MST (Multi-Stream Transport), you can connect three additional monitors to a notebook, for example, and use all four screens at the same time with different content
- Gigabit Ethernet data transfer at up to 1 Gbps
- For perfect, high-resolution, HiFi stereo sound quality
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- The USB-C port is positioned in the centre of the docking station, so it

- works with all notebooks regardless of whether the USB-C socket is on the left or right
- Angled configuration allows convenient position and comfortable working at the desk or on the move
- Collapsible notebook stand for space-saving working or transport
- Rubberised feet for a secure stand without slipping
- Secure stand for laptops up to 15.6" (39.62 cm)
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 2 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer

Anthracite	00200139
12	HB

10 ports



USB-C Docking Station, "Connect2Office Pro", 10 Ports

hama

Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
Number of Connections	10 Port(s)

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports data transfer and charging function (USB-PD)
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- With MST (Multi-Stream Transport), you can connect three additional monitors to a notebook, for example, and use all four screens at the same time with different content
- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Angled configuration allows convenient position and comfortable working at the desk or on the move
- Rubberised feet for a secure stand without slipping

- Plug & Play, no manual software / driver installation required
 - Compatible with Thunderbolt 3/4 (lightning symbol)
 - Power supply via USB
- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 2 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x DisplayPort: for connection to an e.g. monitor, TV or projector
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections

Anthracite	00200100
4	HB



"Connect2Office Basic" USB-C Docking Station, **hama** Removable Feet, 9 Ports

Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
Number of Connections	9 Port(s)

- Super speed data transfer rates of up to 5 Gbps
 - USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
 - For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
 - With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook, for example, and use all three screens at the same time with different content
 - Gigabit Ethernet data transfer at up to 1 Gbps
 - Convenient cable management thanks to handy holder for the connecting cable
 - High-quality and sturdy aluminium housing with a sophisticated finish
 - Great distance between sockets makes it easier to plug in wider USB plugs/dongles
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - Removable feet for space-saving operation or transport
 - Rubberised feet for a secure stand without slipping
 - Plug & Play, no manual software / driver installation required
 - Compatible with Thunderbolt 3/4 (lightning symbol)
 - Power supply via USB
- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 2 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
- | | |
|------------|----------|
| Anthracite | 00200145 |
| | 4 HB |

"Connect2Office Basic" USB-C Docking Station, **hama** Removable Feet, 9 Ports

Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
Number of Connections	9 Port(s)

- Super speed data transfer rates of up to 5 Gbps
 - USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
 - For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
 - Gigabit Ethernet data transfer at up to 1 Gbps
 - SD and micro-SD card reader supports memory cards up to 2 TB
 - High-quality and sturdy aluminium housing with a sophisticated finish
 - Great distance between sockets makes it easier to plug in wider USB plugs/dongles
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - Removable feet for space-saving operation or transport
 - Rubberised feet for a secure stand without slipping
 - Plug & Play, no manual software / driver installation required
 - Compatible with Thunderbolt 3/4 (lightning symbol)
 - Power supply via USB
- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
 - 1 x SD card reader: for e.g. SD, SDHC, SDXC memory cards
 - 1 x microSD card reader: for e.g. microSD, microSDHC, microSDXC memory cards
- | | |
|------------|----------|
| Anthracite | 00200103 |
| | 6 HB |

Cables & Adapters

ADAPTERS & HUBS

USB-C Multiport Adapter

12 ports



USB-C Hub, "Connect2Mac", Multiport for Apple MacBook Air & Pro, 12 ports **hama**

Shade of colour	Silver, White
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
 - USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
 - For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
 - With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook, for example, and use all three screens at the same time with different content
 - Gigabit Ethernet data transfer at up to 1 Gbps
 - SD and micro-SD card reader supports memory cards up to 2 TB
 - For perfect, high-resolution, HiFi stereo sound quality
 - High-quality and sturdy aluminium housing with a sophisticated finish
 - Large socket distance allows problem-free connection even of wide plugs
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - Plug & Play, no manual software / driver installation required
 - Compatible with Thunderbolt 3/4 (lightning symbol)
 - Power supply via USB
- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 1 x VGA: for connection to an e.g. monitor, TV or projector
 - 2 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
 - 1 x SD card reader: for e.g. SD, SDHC, SDXC memory cards
 - 1 x microSD card reader: for e.g. microSD, microSDHC, microSDXC memory cards
- | | | | |
|--|---|----|-----------------|
| | | | 00200133 |
| | 6 | HB | |

10 ports



USB-C Hub, "Connect2QiCharge" Wireless Charging, Multiport, 12 Ports **hama**

Shade of colour	Black, Grey
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Inductive charging technology for the wireless charging of compatible smartphones
 - Super speed data transfer rates of up to 5 Gbps
 - USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
 - For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
 - Gigabit Ethernet data transfer at up to 1 Gbps
 - SD and micro-SD card reader supports memory cards up to 2 TB
 - For perfect, high-resolution, HiFi stereo sound quality
 - Large socket distance allows problem-free connection even of wide plugs
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - Wireless charging (max. 10 W) begins automatically after the smartphone is placed on the charger
 - VGA & HDMI™: for the simultaneous use of two monitors with identical contents
 - Rubberised feet for a secure stand without slipping
 - Plug & Play, no manual software / driver installation required
 - Compatible with Thunderbolt 3/4 (lightning symbol)
 - Power supply via USB
- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C data: for e.g. USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 1 x VGA: for connection to an e.g. monitor, TV or projector
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
- | | | | |
|--|---|----|-----------------|
| | | | 00200134 |
| | 6 | HB | |

9 ports



"CONNECT2Media" USB-C Hub, Multiport, 9 Ports, 2 x HDMI™, USB-A, USB-C, LAN

hama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
 - USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
 - For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
 - With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook, for example, and use all three screens at the same time with different content
 - Gigabit Ethernet data transfer at up to 1 Gbps
 - High-quality and sturdy aluminium housing with a sophisticated finish
 - Large socket distance allows problem-free connection even of wide plugs
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - Plug & Play, no manual software / driver installation required
 - Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 2 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections

			00200142
	6	HB	

7 ports



USB-C Hub, "Connect2Mobile", Multiport, LAN/Ethernet, 7 Ports

hama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
 - USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
 - For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
 - Gigabit Ethernet data transfer at up to 1 Gbps
 - Secure stand for tablets and smartphones up to a size of 7" (17.78 cm) - for comfortable working on the move and at the desk
 - High-quality and sturdy aluminium housing with a sophisticated finish
 - Large socket distance allows problem-free connection even of wide plugs
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - VGA & HDMI™: for the simultaneous use of two monitors with identical contents
 - Plug & Play, no manual software / driver installation required
 - Compatible with Thunderbolt 3/4 (lightning symbol)
 - Power supply via USB
- Connections:
- 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 1 x VGA: for connection to an e.g. monitor, TV or projector
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector

			00200102
	6	HB	

7 ports



USB-C-Hub, "Connect2Mobile V2", Multiport, 7 Ports

hama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- Secure stand for tablets and smartphones up to a size of 7" (17.78 cm) - for comfortable working on the move and at the desk
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

- Connections:
- 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
 - Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards
 - To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.
 - To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.

			00200143
	6	HB	

How a smartphone becomes a computer

Smartphones with a suitable USB-C interface are not nicknamed "mini-computers" for nothing, because together with a monitor and the appropriate hub, they take on the role of a PC and enable mobile and practical work on a large screen.



Multiport-Adapter

5 ports



USB-C Hub, Multiport, 5 Ports, 2 x USB-A, USB-C, HDMI™, LAN/Ethernet

hama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- Convenient cable management thanks to handy holder for the connecting cable
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

- Connections:
- 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD power supply unit, PD power pack
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards
- To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.
- To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.

00200109		
6	HB	

6 ports



USB-C Hub, Multiport, 6 Ports, 2 x USB-A, USB-C, HDMI™, SD, microSD

hama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- SD and micro-SD card reader supports memory cards up to 2 TB
- Convenient cable management thanks to handy holder for the connecting cable
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

- Connections:
- 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD power supply unit, PD power pack
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector
 - 1 x SD card reader: for e.g. SD, SDHC, SDXC memory cards
 - 1 x microSD card reader: for e.g. microSD, microSDHC, microSDXC memory cards
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards
- To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.
- To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.

00200110		
6	HB	

Cables & Adapters

ADAPTERS & HUBS

4 Ports



USB-C Hub, Multiport, 4 Ports, 2 x USB-A, USB-C, HDMI™

hama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse,

- keyboard, printer or PD charger, PD power supply unit, PD power pack
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards
- To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.
- To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.

00200107		
6	HB	

4 Ports



USB-C Hub, Multiport, 4 Ports, 2 x USB-A, USB-C, LAN/Ethernet

hama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD

- power supply unit, PD power pack
 - 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
 - Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards
- To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.

00200108		
6	HB	

4 ports



USB-C hub, 4 ports, 2x USB-A, 2x USB-C, USB 3.2 Gen1, 5 Gbit/s

hama

Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD

power supply unit, PD power pack
 Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards
 To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.

			00200136
	6	HB	

5 ports



USB-C Hub, Multiport, 5 Ports, 3 x USB-A, USB-C, HDMI™

hama

Shade of colour	Black
Connection	USB-C-plug
USB Standard	USB 2.0, USB-3.2 Gen 1

- High-speed data transfer of up to 480 Mbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
 - 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards
 To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.

To use the monitor function over

HDMI™, the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.

			00200117
	6	HB	

6 Ports



USB-C Hub, Multiport, 6 Ports, 3 x USB-A, USB-C, HDMI™, LAN/Ethernet

hama

Shade of colour	Black
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards
To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.

To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.

Connections:


- 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 1 x HDMI™: for connection to an e.g. monitor, TV or projector
- 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
- Plastic housing produced in a resource-saving way from 50% PCR recycled material

			00200144
	6	HB	

The "green" multi-port adapter

High-quality technology in a sustainable housing - this is what our recycling miracle with 6 connections stands for. The plastic housing is made of 50 % recycled PCR material, thus protecting the environment right from the production stage. Inside, the adapter impresses with a new circuit board and enables lightning-fast data transfer as well as high-resolution Ultra HD cinema quality.

Recycled housing



Power Delivery

5 Gbit/s USB 3.2

4K HDMI

1 Gbit/s LAN

USB Hub



hama

USB Hub „4 Ports, USB 3.2 Gen1, 5 Gbit/s, Ultra Slim, incl. USB adapter“

Productline	Prime Line
Connection	USB-C-plug, USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	Bus Powered

- Super speed data transfer rates of up to 5 Gbps
- Slimline housing is especially ideal for mobile and flat devices or when space is limited
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play: no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Anthracite				00200141
		12	HB	



hama

USB Hub "4 Ports, USB 3.2 Gen2, 10 Gbit/s"

Productline	Essential Line
Connection	USB-C-plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 2
Model	Bus Powered

- Super speed Plus data transfer rates of up to 10 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- USB 3.2 Gen 2 is 2 x faster than USB 3.2 Gen 1 and 20 x faster than USB 2.0
- Plug & Play: no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Anthracite				00200105
		6	HB	



hama

USB Hub "4 Ports, USB 3.0, 5 Gbit/s, including USB-C Adapter"

Productline	Essential Line
Connection	USB-C-plug, USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	Bus Powered

- Super speed data transfer rates of up to 5 Gbps
- With an additional USB-C adapter, the hub can also be used for devices with a USB-C interface
- USB 3.2 Gen 1 speed is up to 10x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black				00200116
		6	HB	



hama

USB Hub „4 ports, USB 3.2 Gen1, 5 Gbit/s, incl. USB-C adapter and power supply“

Productline	Essential Line
Connection	USB-C-plug, USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	With Power Supply

- Super speed data transfer rates of up to 5 Gbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- USB-C power supply unit can alternatively also be used to charge tablets and smartphones
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Anthracite				00200138
		6	HB	



hama

USB Hub „7 ports, USB 3.2 Gen1, 5 Gbit/s, incl. USB-C adapter and power supply“

Productline	Essential Line
Connection	USB-C-plug, USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	With Power Supply

- Super speed data transfer rates of up to 5 Gbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- USB-C power supply unit can alternatively also be used to charge tablets and smartphones
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Anthracite										00200137
		6	HB							

hama

USB Hub „4 Ports, USB 3.0, 5 Gbit/s, fast charge, including cable and power supply“

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Removeable
USB Standard	USB 3.0
Model	With Power Supply

- Super speed data transfer rates of up to 5 Gbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- Detachable USB cable for connection to a PC / notebook
- Integrated circuit recognizes the connected device automatically, making it possible to charge nearly all smartphones and tablets
- LED function indicator gives information about the device status
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Supports the quick charging standard USB Battery Charging 1.2 and thus allows a smartphone / tablet to be charged at up to 1.5 Amperes
- USB-3.0 speed is up to 10x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Anthracite										00200115
		6	HB							

hama

USB Hub "4 Ports, USB 2.0, 480 Mbit/s, On / off switch"

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- On/Off switch allows energy-saving use of the devices
- Topside socket allows you to plug USB devices in on the top for added simplicity and convenience
- LED function indicator gives information about the device status
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black										00200118
		6	HB							

hama

USB Hub "4 Ports, USB 2.0, 480 Mbit/s"

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- Topside socket allows you to plug USB devices in on the top for added simplicity and convenience
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black										00200119
White										00200120
		6	HB							



hama

**USB Hub
"4 Ports, USB 2.0,
480 Mbit/s"**

Productline	Entry Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black								00200121
		6	HB					



hama

**USB Hub „4 Ports, USB 2.0,
480 Mbit/s, including cable
and power supply"**

Productline	Entry Line
Connection	USB-Typ-A-Plug
Connection Cable	Removeable
USB Standard	USB 2.0
Model	With Power Supply

- High-speed data transfer of up to 480 Mbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- Detachable USB cable for connection to a PC / notebook
- Plug & Play, no manual software / driver installation required
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black								00200122
		6	HB					



hama

**USB Hub „7 Ports, USB 2.0,
480 Mbit/s, including cable
and power supply"**

Productline	Entry Line
Connection	USB-Typ-A-Plug
Connection Cable	Removeable
USB Standard	USB 2.0
Model	With Power Supply

- High-speed data transfer of up to 480 Mbps
- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- Detachable USB cable for connection to a PC / notebook
- Plug & Play, no manual software / driver installation required
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black								00200123
		6	HB					

Switch



hama

**"Connect2Switch" KVM
Switch, incl. Cable, 4 Ports**

Productline	Essential Line
-------------	----------------

- High-speed data transfer of up to 480 Mbps
- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- High-quality and sturdy metal housing with a stylish appearance
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- No more reconnecting devices between two PCs/notebooks. Quick and simple switchover at the press of a button
- Handy set: the cables needed for immediate operation are already included in the extent of delivery
- Plug & Play, no manual software / driver installation required
- Power supply via USB

Switchable connections:

- 3 x USB-A: for e.g. USB stick, mouse, keyboard, printer, headset
 - 1 x HDMI™: for connection to an e.g. monitor, TV or projector
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

								00200135
		5	HB					

Card Reader



hama

USB Card Reader, USB-C, USB 3.0, SD/microSD, alu

Productline	Prime Line
Connection	USB-C-plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- High-quality and sturdy aluminium housing with a sophisticated finish
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Card reader for reading and writing inserted memory cards
- Suitable for all common SD card formats such as SD/SDHC/SDXC and microSD/microSDHC/microSDXC
- Suitable and tested for USB 3.2 Gen 1, but also works with USB 3.0 and USB 2.0 devices
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Silver				00200131
	6	HB		

hama

"All in One" USB Card Reader, USB-A, USB 3.0

Productline	Essential Line
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows fast data transfer between the card and the PC when used with a UHS-I capable SD card
- Card reader for reading and writing inserted memory cards
- Suitable and tested for USB 3.0, backwards compatible with USB 2.0
- Plug & Play, no manual software / driver installation required
- Power supply via USB

- Memory Cards:
- SD/SDHC/SDXC
 - microSD/microSDHC/microSDXC
 - MMC/MMC Plus/MMC 4.0
 - MS/MS Duo/MS PRO Duo/MS PRO-HG
 - CompactFlash I & II
 - xD picture card
 - Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black				00200128
	6	HB		

hama

"All in One" USB Card Reader, USB-A, USB 2.0

Productline	Essential Line
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- LED function indicator gives information about the device status
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Card reader for reading and writing inserted memory cards
- Allows the exchange of data directly from memory card to memory card
- Plug & Play, no manual software / driver installation required
- Power supply via USB

- Memory Cards:
- SD/SDHC/SDXC
 - microSD/microSDHC/microSDXC
 - MMC/MMC Plus/MMC 4.0
 - MS/MS Duo/MS PRO Duo/MS PRO Duo HG
 - CompactFlash I & II
 - xD picture card
 - Operating system: Windows 11/10/8/7 and Mac OS 10.x

Black, Silver				00200129
	6	HB		

hama

USB Card Reader, OTG, USB-A + Micro-USB, USB 2.0, SD/microSD

Productline	Essential Line
Connection	USB Micro B Plug, USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- High-quality materials and workmanship guarantee excellent transmission quality
- SD and micro-SD card reader supports memory cards up to 2 TB
- Card reader for reading and writing inserted memory cards
- Universal use for static and mobile devices thanks to the combination of USB-A plug and micro-USB plug
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and MAC OS 10.x
- Host/OTG-enabled smartphones and tablets with Android operating system from Android 4.0 and micro-USB interface

Black				00200130
	12	HB		

Combo USB Hub/Card Reader



hama

USB card reader, USB 2.0, SD / microSD, 24 units in display

Productline	Action
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- Card reader for reading and writing inserted memory cards
- Rubberised surface ensures better grip and comfort
- Suitable and tested for USB 2.0, backwards compatible with USB 1.1

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
- Operating system: Windows 11/10/8/7 and Mac OS 10.x

00200132	
24	SC

hama

USB Hub/Card Reader, 5 Ports, 3x USB-A, SD, microSD, incl. USB-C Adapter

Number of USB Ports	3
---------------------	---

- Super speed data transfer rates of up to 5 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- Topside socket allows you to plug USB devices in on the top for added simplicity and convenience
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Card reader for reading and writing inserted memory cards
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Anthracite, Black		00200140
6	HB	

HDMI™ Socket Adapter



hama

HDMI™ Adapter, Mini-HDMI™ Plug - HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Mini-HDMI™ Plug
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures

00200347	
10	HB



hama

HDMI™ Adapter, Micro-HDMI™ Plug - HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Micro-HDMI™ Plug
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures

00200348	
10	HB



hama

HDMI™ Adapter, Socket - Socket 8K

Productline	Essential Line
Connection	HDMI™ Socket
Max. Resolution	8k
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space

00200356	
10	HB

Cables & Adapters

ADAPTERS & HUBS

USB Monitor Adapter



hama

6 in 1 Adapter, "Connect2Go", USB-C, Mini-DisplayPort, HDMI™, VGA

Shade of colour	Grey
-----------------	------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- 6-in-1 adapter can be used in a variety of ways: individually or also in an inter-connected combination
- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Mini-DisplayPort: supports audio / video transmission in Ultra-HD 4K @ 60 Hz resolution
- HDMI™: supports audio / video transmission in Ultra-HD 4K @ 60 Hz resolution
- VGA: supports video transmission in Full-HD 1080p @ 60 Hz resolution
- Compatible with Thunderbolt (lightning symbol)

Combinations:

- 1: USB-C plug - Mini-DisplayPort socket
 - 2: USB-C plug - HDMI™ socket
 - 3: USB-C plug - VGA socket
 - 4: Mini-DisplayPort plug - HDMI™ socket
 - 5: Mini-DisplayPort plug - VGA socket
 - 6: HDMI™ plug - VGA socket
- USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200306		
	12	HB



hama

Video Adapter, USB-C Plug - HDMI™ Socket, Ultra-HD 8K@60 Hz, alu

Shade of colour	Grey
-----------------	------

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for gaming monitors with high screen refresh rate (Hz)
- Compatible with Thunderbolt 3/4 (lightning symbol) USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200303		
	12	HB



hama

Video Adapter, 2 in 1, USB-C Plug - VGA & HDMI™ Socket, Ultra-HD 4K

Shade of colour	Black
-----------------	-------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- VGA & HDMI™: for the simultaneous use of two monitors with identical contents
- HDMI™: supports audio/video transfer in Ultra-HD 4K resolution
- VGA: supports video transfer in Full-HD 1080p resolution
- Compatible with Thunderbolt-3/4 (lightning symbol) USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200313		
	6	HB



hama

Video Adapter, USB-C Plug - HDMI™ Socket, Ultra-HD 4K

Shade of colour	Black
-----------------	-------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-3/4 (lightning symbol) USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200315		
	12	HB



hama

Video Adapter, USB-C Plug - VGA Socket, Full-HD 1080p

Shade of colour	Black
-----------------	-------

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-3/4 (lightning symbol) USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200317		
6	HB	



hama

Video Adapter, USB-C Plug - DVI Socket, Ultra-HD 4K

Shade of colour	Black
-----------------	-------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-3/4 (lightning symbol) USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200316		
12	HB	



hama

Video Adapter, USB-C Plug - DisplayPort Socket, Ultra-HD 4K

Shade of colour	Black
-----------------	-------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-3/4 (lightning symbol) USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200314		
12	HB	

Video adapter



hama

Video Adapter, DisplayPort Plug - HDMI™ Socket, Ultra-HD 4K@60 Hz, alu

Type	DisplayPort
------	-------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00200329	
	12	HB



hama

Video Adapter, 2in1, Mini DisplayPort Plug - VGA & HDMI™ Socket, Ultra-HD 4K

Type	DisplayPort
------	-------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- VGA & HDMI™: for the simultaneous use of two monitors with identical contents
- HDMI™: supports audio/video transfer in Ultra-HD 4K resolution
- VGA: supports video transfer in Full-HD 1080p resolution
- Compatible with Thunderbolt-2 (lightning symbol)

Black				00200330
	10	HB		



hama

Video Adapter, 2 in 1, DisplayPort Plug - VGA & HDMI™ Socket, Ultra-HD 4K

Type	DisplayPort
------	-------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- VGA & HDMI™: for the simultaneous use of two monitors with identical contents
- HDMI™: supports audio/video transfer in Ultra-HD 4K resolution
- VGA: supports video transfer in Full-HD 1080p resolution

Black				00200334
	6	HB		



hama

Video Adapter, DisplayPort Plug - HDMI™ Socket, Ultra-HD 4K

Type	DisplayPort
------	-------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black				00200335
	12	HB		



hama

Video Adapter, Mini DisplayPort Plug - HDMI™ Socket, Ultra-HD 4K

Type	DisplayPort
------	-------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-2 (lightning symbol)

Black				00200332
	12	HB		



hama

Video Adapter, DisplayPort Plug - VGA Socket, Full-HD 1080p

Type	DisplayPort
------	-------------

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00200337
	6 HB



hama

Video Adapter, Mini DisplayPort Plug - VGA Socket, Full-HD 1080p

Type	DisplayPort
------	-------------

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-2 (lightning symbol)

Black	00200333
	10 HB



hama

Video Adapter, DisplayPort Plug - DVI Socket, Ultra-HD 4K

Type	DisplayPort
------	-------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00200336
	10 HB



hama

Video Adapter, Mini DisplayPort Plug - DisplayPort Socket, Ultra-HD 4K

Type	DisplayPort
------	-------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for gaming monitors with high screen refresh rate (Hz)
- Compatible with Thunderbolt-2 (lightning symbol)

Black	00200331
	12 HB



hama

Video Adapter, VGA Plug - DVI Socket, Full-HD 1080p

Type	DVI
------	-----

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-I dual link (24 + 5 pins)

Black	00200341
	10 HB



hama

Video Adapter, DVI Plug - VGA Socket, Full-HD 1080p

Type	DVI
------	-----

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-I single link (18 + 5 pins)

Black	00200340
	10 HB



hama

Video Adapter, HDMI™ Plug - DVI Socket, Ultra-HD 4K

Type	HDMI™-DVI
------	-----------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-I Dual Link (24+5 pins)

Black	00200339
	10 HB



hama

Video Adapter, DVI Plug - HDMI™ Socket, Ultra-HD 4K

Type	HDMI™-DVI
------	-----------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-D Dual Link (24 + 1 pins)

Black	00200338
	10 HB



hama

Video Adapter, HDMI™ Plug - VGA Socket, Audio Socket, Full-HD 1080p

Type	HDMI™-VGA-/Klinke
------	-------------------

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- VGA: supports video transfer in Full-HD 1080p resolution
- 3.5 mm jack: supports audio transfer in stereo sound quality

Black						00200343
		6	HB			



hama

Video Adapter, VGA+USB Plug - HDMI™ Socket, Full HD 1080p

Type	VGA-HDMI™
------	-----------

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- The inserted USB plug is required for the adapter's power supply
- VGA: supports video transmission in full HD 1080p resolution
- USB: supports audio transmission in stereo sound quality

Black						00200342
		6	HB			



hama

Video Adapter, HDMI™ Plug - VGA Socket, Full HD 1080p

Type	VGA-HDMI™
------	-----------

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and workmanship guarantee excellent transmission quality

Black						00200344
		10	HB			

USB Sound Card



hama

Audio Adapter, 2 in 1, USB-C Plug - 3.5 mm Jack / USB-C Socket, Audio+Charg.

- For perfect, high-resolution, HiFi stereo sound quality
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

						00200304
		12	HB			



hama

Audio Adapter, USB-C Plug - 3.5 mm Jack Socket, Equaliser, Microphone

- For perfect, high-resolution, HiFi stereo sound quality
- High-quality materials and workmanship guarantee excellent transmission quality
- Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)
- Three equaliser settings ensure the perfect sound for every style of music and in any environment

Black						00200302
		12	HB			



hama

USB Sound Card, USB Plug - 2 x 3.5 mm Jack Socket, Stereo

USB Standard	USB 2.0
--------------	---------

- Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)
- Reverse polarity protection for the connections thanks to colour coding
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black	00200323
12	HB



hama

Audio Adapter, 2 in 1, USB-C Plug - 2 x USB-C Socket, Audio + Charging

- For perfect, high-resolution, HiFi stereo sound quality
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

Black	00200321
12	HB



hama

Audio Adapter, USB-C Plug - 3.5 mm Jack Socket, Stereo

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00200318
12	HB

RCA Adapter



hama

Audio Adapter, 3.5 mm Jack Plug - RCA Socket, Stereo

Productline	Essential Line
-------------	----------------

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00200350
12	HB



hama

Audio Adapter, 2 in 1, USB-C Plug - 3.5 mm Jack / USB-C Socket, Audio + Cha

- For perfect, high-resolution, HiFi stereo sound quality
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

Black	00200319
12	HB



hama

USB Sound Card, USB-C Plug - 2 x 3.5 mm Jack Socket, Stereo

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00200320
12	HB

Jack Plug Adapter



hama

**Jack Plug Adapter
"2x 3pol. 3,5-mm-Jack-Plug -
4pol. 3,5-mm-Jack-Coupling"**

Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket
------------	--------------------------------------

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black					00200351
		12	HB		



hama

**Jack Plug Adapter
"4pol. 3,5-mm-Jack-Plug - 2x
3pol. 3,5-mm-Jack-Coupling"**

Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket
------------	--------------------------------------

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black					00200352
		12	HB		

hama

Jack Plug Adapter „Audio-Splitter, 3,5-mm-Jack-Plug - 2x 3,5-mm-Jack-Coupling-Stereo“

Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket
------------	--------------------------------------

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black					00200349
		12	HB		

USB Adapter



hama

USB-OTG Adapter, USB-C Plug – USB Socket, USB 3.2 Gen 1, 5 Gbit/s, alu

Quality	Prime
Connection	USB-C-plug, USB-Typ-A-Coupling
USB Standard	USB-3.2 Gen 1
Max. Data Transfer Rate	5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

Grey					00200300
		12	HB		



hama

USB-OTG Adapter, USB-C Plug - USB Socket, USB 3.2 Gen 1, 5 Gbit/s

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Coupling
USB Standard	USB-3.2 Gen 1
Max. Data Transfer Rate	5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

Black					00200312
		12	HB		



hama

USB Adapter, USB-A Plug – USB-C Socket, USB 3.2 Gen 1, 5 Gbit/s

Quality	Essential
Connection	USB-C-Connector, USB-Typ-A-Plug
USB Standard	USB-3.2 Gen 1
Max. Data Transfer Rate	5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power

Black				00200354
		10	HB	



hama

USB OTG Adapter, USB-C Plug - USB Socket, USB 3.2 Gen 1, 5 Gbit/s

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Coupling
USB Standard	USB-3.2 Gen 1
Max. Data Transfer Rate	5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

Black				00200311
		10	HB	



hama

USB OTG Adapter, USB-C Plug - Micro-USB Socket, USB 2.0, 480 Mbit/s

Quality	Essential
Connection	Micro USB Socket, USB-C-plug
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

Black				00200310
		10	HB	



hama

USB-OTG Adapter, Mini-USB Plug - USB Socket, USB 2.0, 480 Mbit/s

Quality	Essential
Connection	USB Mini B Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality workmanship, power and safety
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

Black				00200309
		12	HB	



hama

USB-OTG Adapter, Micro-USB Plug - USB Socket, USB 2.0, 480 Mbit/s

Quality	Essential
Connection	Micro-USB-Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

Black				00200308
		12	HB	



hama

USB OTG Adapter, Micro-USB Plug - USB Socket, USB 2.0, 480 Mbit/s

Quality	Essential
Connection	Micro-USB-Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

Black				00200307
		10	HB	

Network Adapter



hama

Network Adapter "CAT-5e, Gigabit Ethernet, 1 Gbit/s"

Model	CAT 5e
-------	--------

- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed Internet

Silver				00200326
		10	HB	

USB Network Adapter



hama

Network Adapter, USB-C Plug - LAN/Ethernet Socket, Gigabit Ethernet

USB Standard	USB 3.1 Gen 1
--------------	---------------

Network Speed	10/100/1000 Mbps
---------------	------------------

Power Supply	USB Connection
--------------	----------------

- Gigabit Ethernet data transfer at up to 1 Gbps
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black				00200322
		6	HB	



hama

Network Adapter "CAT-6, 1 Gbit/s"

Model	CAT 6
-------	-------

- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality and sturdy metal housing with a stylish appearance
- High-quality materials and workmanship guarantee excellent transmission quality
- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed Internet

Silver				00200327
		10	HB	



hama

Network Adapter, USB Plug - LAN/Ethernet Socket, Gigabit Ethernet

USB Standard	USB 3.0
--------------	---------

Network Speed	10/100/1000 Mbps
---------------	------------------

Power Supply	USB Connection
--------------	----------------

- Gigabit Ethernet data transfer at up to 1 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

Black				00200325
		6	HB	



hama

**Network Adapter, USB Plug
- LAN/Ethernet Socket, Fast
Ethernet**

USB Standard	USB 2.0
Network Speed	10/100 Mbps
Power Supply	USB Connection

- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00200324	
	6	HB

Computers

USB



USB

Why are some USB ports colour-coded?

The colour of the USB plug indicates which USB version it is.

Blue: USB 3.0



White/black: USB 1.0

White/black: USB 2.0



Note, however, that the colour codes are not always uniform, as their use is left to the manufacturers.

The universal interface is now found almost everywhere - whether to connect devices or to supply power. Different speeds are used:

Thunderbolt™ 3+4/ USB4

40 Gbit/s

USB 3.2 Gen 2 x 2

20 Gbit/s

USB 3.2 Gen 2


10 Gbit/s

USB 3.2 Gen 1

5 Gbit/s

USB 2.0


480 Mbit/s



Highlight

200779 | USB-C cable, E-marker, USB4 Gen3, 40 Gbit/s, 5 A, 240 W, 1.00 m

- Supports USB-C Power Delivery (PD) 3.1 Extended Power Range (EPR) Standard with up to 240 W
- This fully equipped USB4 cable can also be used as a USB-C monitor cable
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the an excellent power supply
- Ideal for charging, transferring data and synchronising



USB standards Data transfer and power supply.

Original designation	New designation	Current designation	Data rate	Speed class	Plug (host side)
USB 1.1	–	–	1.5 Mbit/s 12 Mbit/s	Low speed Full speed	Type A Type A
USB 2.0	–	–	480 Mbit/s	Hi speed	Type A + C
USB 3.0	USB 3.1 Gen 1	USB 3.2 Gen 1	5 Gbit/s	Super speed	Type A + C
USB 3.1	USB 3.1 Gen 2	USB 3.2 Gen 2	10 Gbit/s	Super speed +	Type A + C
USB 3.2	–	USB 3.2 Gen 2 x 2	20 Gbit/s	–	Type C
	USB 3.2 Gen 2 x 2	USB 4 Gen 2 x 2	20 Gbit/s	–	Type C
USB 4	–	USB 4 Gen 3 x 2	40 Gbit/s	Enhanced Super speed	Type C

Cables & Adapters

USB

Thunderbolt™ Cable



USB4 Gen3, 40 Gbit/s



USB4 Gen2, 20 Gbit/s



USB 3.2 Gen2, 10 Gbit/s



hama

"USB-C" Thunderbolt-4 Cable, 40 Gbit/s, 5A, 100W, Ultra-HD 8K, 0.80 m

Productline	Essential Line
Shade of colour	Black
Connection	USB-C-plug
Max. Data Transfer Rate	40 Gbit/s
Thunderbolt™-Standard	Thunderbolt™ 4

- Super speed Plus data transfer rates of up to 40 Gbps
- Connected devices are automatically recognized and optimally charged
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped Thunderbolt cable can also be used as a USB-C monitor cable
- Suitable and tested for Thunderbolt-4, compatible with Thunderbolt-3, USB4, USB 3.2 (Gen2 and Gen1) as well as USB 2.0
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

0.8 m	00200659
6	HB

hama

USB Cable „USB-C, E-Marker, USB4 Gen3, 40 Gbit/s, 5A, 240W“, Black

Quality	Essential
Connection	USB-C-plug
USB Standard	USB-4.0

- Super speed Plus data transfer rates of up to 40 Gbps
 - Connected devices are automatically recognized and optimally charged
 - For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
 - Double shielding for good reduction of electromagnetic interference
 - Slimline plug is especially ideal for mobile and flat devices or when space is limited
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - Supports USB-C Power Delivery (PD) 3.1 Extended Power Range (EPR) Standard with up to 240 W
 - This fully equipped USB4 cable can also be used as a USB-C monitor cable
 - Twisted data pairs with an outer sheath made from robust PVC material minimise interference
 - Internal wires made from copper for rapid data transfer and the best supply of power
 - Ideal for charging, transferring data and synchronising
- If used as a monitor cable: USB-C Connection with USB4, DisplayPort Alternate Mode or Thunderbolt-3/4 Support.

1 m	00200779
6	HB

hama

USB Cable „USB-C, E-Marker, USB4 Gen2, 20 Gbit/s, 5A, 240W“, Black

Quality	Essential
Connection	USB-C-plug
USB Standard	USB-4.0

- Super-Speed-Plus data transfers at up to 20 Gbit/s
 - Connected devices are automatically recognized and optimally charged
 - For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
 - Double shielding for good reduction of electromagnetic interference
 - Slimline plug is especially ideal for mobile and flat devices or when space is limited
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - Supports USB-C Power Delivery (PD) 3.1 Extended Power Range (EPR) Standard with up to 240 W
 - This fully equipped USB4 cable can also be used as a USB-C monitor cable
 - Twisted data pairs with an outer sheath made from robust PVC material minimise interference
 - Internal wires made from copper for rapid data transfer and the best supply of power
 - Ideal for charging, transferring data and synchronising
- If used as a monitor cable: USB-C Connection with USB4, DisplayPort Alternate Mode or Thunderbolt-3/4 Support.

2 m	00200788
6	HB

hama

USB Cable "USB 3.2 Gen2, A-Plug - C-Plug, 10 Gbit/s", Black

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB-3.2 Gen 2

- Super speed Plus data transfer rates of up to 10 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

1 m	00200657
6	HB



hama

USB Cable „Full-Featured, USB 3.2 Gen2, C-Plug, E-Marker, 10 Gbit/s“, Black

Quality	Essential
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 2

- Super speed Plus data transfer rates of up to 10 Gbps
 - Connected devices are automatically recognized and optimally charged
 - For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
 - Double shielding for good reduction of electromagnetic interference
 - Slimline plug is especially ideal for mobile and flat devices or when space is limited
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - This fully equipped, full-featured cable can also be used as a USB-C monitor cable
 - Twisted data pairs with an outer sheath made from robust PVC material minimise interference
 - Internal wires made from copper for rapid data transfer and the best supply of power
 - Ideal for charging, transferring data and synchronising
- If used as a monitor cable: USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

1 m				00200656
		6	HB	
2 m				00200787
		6	HB	

USB 3.2 Gen1, 5 Gbit/s



hama

USB Cable "USB 3.2 Gen1, C-Plug - A-Plug, 5 Gbit/s", Black

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.25 m				00200650
		6	HB	
0.75 m				00200651
		6	HB	
1.5 m				00200652
		6	HB	
3 m				00200653
		6	HB	



hama

USB Cable "Full-Featured, USB 3.2 Gen1, 5 Gbit/s", Black

Quality	Essential
Connection	USB-C-Connector, USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully featured extension supports both USB Power Delivery (USB PD) and DisplayPort Alternate Mode (DP AltMode)
- Extension with intelligent chipset for maximum functionality and compatibility
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging as well as transferring and synchronising data

0.5 m				00200782
		6	HB	



hama

USB Cable „USB 3.2 Gen1, C-Plug - Micro-USB-Plug, 5 Gbit/s“, Black

Quality	Essential
Connection	Micro-USB-Plug, USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply

0.25 m				00200654
		6	HB	
0.75 m				00200655
		6	HB	

USB

Cables & Adapters

USB



USB 3.0, 5 Gbit/s



hama

USB Cable „Full-Featured, USB 3.2 Gen1, C-Jack, E-Marker, 5 Gbit/s“, Black

Quality	Essential
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
 - For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
 - Connected devices are automatically recognized and optimally charged
 - Double shielding for good reduction of electromagnetic interference
 - Slimline plug is especially ideal for mobile and flat devices or when space is limited
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - This fully equipped, full-featured cable can also be used as a USB-C monitor cable
 - Twisted data pairs with an outer sheath made from robust PVC material minimise interference
 - Internal wires made from copper for rapid data transfer and the best supply of power
 - Ideal for charging, transferring data and synchronising
- If used as a monitor cable: USB-C Connection with DisplayPort Alternate Mode or Thunderbolt 3/4 Support.

0.75 m				00200648
	6	HB		
1.5 m				00200649
	6	HB		

hama

USB Cable „USB-3.0, A-Plug - A-Coupling, Extension, 5 Gbit/s“, Black

Quality	Essential
Connection	USB-Typ-A-Coupling, USB-Typ-A-Plug
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

1.5 m				00200628
	6	HB		

hama

USB Cable "USB-3.0-A-Plug - USB-3.0-Micro-B-Plug", Black

Quality	Essential
Connection	Micro-USB-Plug, USB-Typ-A-Plug
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

0.75 m				00200626
	6	HB		
1.5 m				00200627
	6	HB		

hama

USB Cable "USB-3.0, A-Plug - A-Plug, 5 Gbit/s", Black

Quality	Essential
Connection	USB-Typ-A-Plug
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

1.5 m				00200624
	6	HB		



hama

USB Cable "USB-3.0, A-Plug - B-Plug, 5 Gbit/s", Black

Quality	Essential
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

1.5 m	00200625
6	HB

USB 2.0, 480 Mbit "Flexi Slim"



hama

USB Adapter "Flexi-Slim, USB-C-Plug - USB-A-Plug, OTG, USB 2.0"

Quality	Essential
Connection	USB-C-Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Supports USB-OTB (USB On The Go)

Green	00200641
Red	00200640
Black	00200638
12	BK



hama

"Flexi-Slim" Micro-USB-OTG Cable, USB 2.0, 480 Mbit/s, 0.15 m

Quality	Essential
Connection	Micro-USB-Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- No bothersome trying out: the plug can be inserted without having to be turned
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Also known as a "Reversible Micro-USB"
- Supports USB-OTG (USB On The Go)

Black	00200613
12	BK



hama

USB Cable „Flexi-Slim, USB-C-Plug - USB-A-Plug, USB 2.0“, Blue Depths

Quality	Essential
Connection	USB-C-Plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.75 m	00200635
12	BK

USB

Cables & Adapters

USB



hama

USB Cable „Flexi-Slim, USB-C-Plug - USB-A-Plug, USB 2.0“, Turtle Green

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.75 m	00200637
12	BK



hama

USB Cable "Flexi-Slim, USB-C-Plug - USB-A-Plug, USB 2.0", Chill

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.75 m	00200636
12	BK



hama

USB Cable „Flexi-Slim, Micro-USB-B-Plug- USB-A-Plug, USB 2.0“, Black

Quality	Essential
Connection	Micro-USB-Plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- No bothersome trying out: the plug can be inserted without having to be turned
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- Also known as a "Reversible Micro-USB"

0.75 m	00200610
12	BK



hama

USB Cable "Flexi-Slim, USB-C-Plug - USB-A-Plug, USB 2.0", Black

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.75 m	00200634
12	BK

USB 2.0, 480 Mbit



hama

USB Cable „for iPhone/iPad with Lightning Connector, USB 2.0, Metall“, Anthracite

Quality	Prime
Connection	Lightning connector, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Elegant metal sheathing for increased stability and longer life
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"

0.75 m	00200501
6	HB

hama

USB-C Cable, USB 2.0, 480 Mbit/s, Metal, 0.75 m

Quality	Prime
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Elegant metal sheathing for increased stability and longer life
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

0.75 m	00200502
6	HB

hama

Micro-USB Cable, USB 2.0, 480 Mbit/s, Metal, 0.75 m

Quality	Prime
Connection	Micro-USB-Plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Elegant metal sheathing for increased stability and longer life
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

0.75 m	00200500
6	HB

hama

USB Cable "USB-2.0, Sub-D-Plug (9-Pin) - USB-A-Plug", Black

Quality	Essential
Connection	Sub-D-Plug, 9-Pin, USB-Typ-A-Plug
USB Standard	USB 2.0

- Double shielding for good reduction of electromagnetic interference
 - Flexible materials guarantee optimum kink protection and prevent cable breakage
 - High-quality materials and workmanship guarantee excellent transmission quality
 - Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

1.5 m	00200622
6	HB

USB

Cables & Adapters

USB



hama

USB Cable „USB-2.0, A-Plug-A-Coupling, 480 Mbit/s, Extension“, Black

Quality	Essential
Connection	USB-Typ-A-Coupling, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

0.75 m				00200618
	6	HB		
1.5 m				00200619
	6	HB		
3 m				00200620
	6	HB		
5 m				00200621
	6	HB		



hama

USB Cable "USB-2.0-A-Plug - USB-Mini-B-Plug", Black

Quality	Essential
Connection	USB Mini B Plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

0.75 m				00200605
	6	HB		
1.5 m				00200606
	6	HB		



hama

USB Cable „2in1, Micro-USB-Plug - USB-A-Plug incl. Adapter to USB-C“, Black

Quality	Essential
Connection	Micro-USB-Plug, USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- 2 in 1: micro-USB plug + USB-C adapter

0.75 m				00200616
	6	HB		



hama

USB Cable „3in1-Micro-USB with Adapter to USB-C & Lightning, USB 2.0“, Black

Quality	Essential
Connection	Lightning connector, USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"
- 3in1: micro-USB plug + USB-C adapter + Lightning adapter

0.75 m				00200617
	6	HB		



hama

USB Cable
"USB-2.0, A-Plug - C-Plug,
480 Mbit/s", Black

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.75 m					00200631
		6	HB		
1.5 m					00200632
		6	HB		
3 m					00200633
		6	HB		



hama

USB Cable
"USB-2.0, A-Plug - Micro-
USB-Plug, 480 Mbit/s", Black

Quality	Essential
Connection	Micro-USB-Plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

0.75 m					00200607
		6	HB		
1.5 m					00200608
		6	HB		
3 m					00200609
		6	HB		



hama

USB Cable
"USB-2.0, C-Plug - A-Plug,
90°, 480 Mbit/s", Black

Quality	Essential
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Space-saving 90° plug for connections in a minimum of space
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.75 m					00200646
		6	HB		



hama

USB Cable
"USB-2.0, A-Plug - A-Plug,
480 Mbit/s", Black

Quality	Essential
Connection	USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

1.5 m					00200601
		6	HB		

USB

Cables & Adapters

USB



hama

**USB Cable
"USB-2.0, A-Plug - B-Plug,
480 Mbit/s", Black**

Quality	Essential
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

1.5 m	00200602
6 HB	
3 m	00200603
6 HB	
5 m	00200604
6 HB	



hama

**USB Cable „for iPhone/iPad
with Lightning Connector,
USB 2.0“, White**

Quality	Essential
Connection	Lightning connector, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"

1.5 m	00200623
6 HB	



hama

**USB Cable
"USB-2.0, C-Plug - B-Plug,
480 Mbit/s", Black**

Quality	Essential
Connection	USB-C-plug, USB-Typ-B-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply

1.5 m	00200642
6 HB	



hama

**USB Cable
"USB-2.0, C-Plug - C-Plug,
480 Mbit/s", Black**

Quality	Essential
Connection	USB-C-plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

0.75 m	00200629
6 HB	
1.5 m	00200630
6 HB	
3 m	00200786
6 HB	



hama

USB Cable
"USB-2.0, C-Plug - Micro-USB-Plug, 480 Mbit/s", Black

Quality	Essential
Connection	Micro-USB-Plug, USB-C-plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.75 m										00200644
			6	HB						



hama

USB Cable
"USB-2.0, C-Plug - Mini-USB-Plug, 480 Mbit/s", Black

Quality	Essential
Connection	USB-C-plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

0.75 m										00200643
			6	HB						



hama

USB Cable „USB-C for Apple iPhone/iPad with Lightning Connector, USB 2.0“, White

Quality	Essential
Connection	Lightning connector, USB-C-plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"

1.5 m										00200645
			6	HB						



USB

hama

USB Cable
"USB 2.0 extension cable, shielded", Grey


Quality	Entry
Connection	USB-Typ-A-Coupling, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m										00200905
			10	BA						
3 m										00200906
			10	BA						

Cables & Adapters

USB



hama

USB Cable
"USB-2.0, USB-A-Plug - USB-B-Plug, gilded", Grey

Quality	Entry
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Gold-plated plug with low contact resistance for secure signal transmission
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m				00200903
	25	BA		



hama

USB Cable
"USB-2.0, USB-A-Plug - USB-B-Plug", Grey

Quality	Entry
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m				00200900
	25	BA		
3 m				00200901
	10	BA		
5 m				00200902
	10	BA		



hama

USB Cable
"USB-2.0, USB-A-Plug - Micro-USB-Plug", Black

Quality	Entry
Connection	Micro-USB-Plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- For charging, transferring data and synchronising

0.9 m				00200904
	25	BA		



hama

USB Cable
"USB-2.0, USB-C-Plug - USB-A-Plug", Black

Quality	Entry
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- For charging, transferring data and synchronising

0.9 m				00200907
	25	BA		

Second Placement



hama

USB Cable „USB 2.0, A plug - B plug, gold-plated, fabric, 24 pieces“, Black, Silver

Quality	Action
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Elegant and flexible fabric jacket for additional kink protection
- Gold-plated plug with low contact resistance for secure signal transmission
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m	00201001
	24 SC



hama

USB Cable „USB 2.0, C plug - A plug, gold-plated, fabric, 24 pieces“, Black, Silver

Quality	Action
Connection	USB-C-plug, USB-Typ-A-Plug
USB Standard	USB 2.0



- High-speed data transfer of up to 480 Mbps
- Elegant and flexible fabric jacket for additional kink protection
- Gold-plated plug with low contact resistance for secure signal transmission
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- For charging, transferring data and synchronising


1.5 m	00201002
	24 SC

USB

Computers

Network






Network

Whenever a signal comes from outside, it must first travel through an antenna or network cable to its intended receiver. Depending on the application, different requirements apply, which Future in Connection covers with a variety of cables.

Network cables
Here, the transfer rate counts.

	Frequency	Transfer rate
CAT 8/G	2,000 MHz	40 Gbit/s
CAT 6A/EA	500 MHz	10 Gbit/s
CAT 6	250 MHz	1 Gbit/s
CAT 5E	100 MHz	1 Gbit/s



Highlight

200691 | Network cable, CAT-8, 40 Gbit/s, S/FTP shielded, halogen-free, 0.50 m

- For connecting a PC, notebook, TV set and gaming console with routers, switches, hubs or wall sockets in order to transfer digital Internet, network data and signals
- Gigabit Ethernet data transfer at up to 40 Gbit/s
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Gold-plated plug with low transfer resistances for reliable signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited



Difference in the various network cables.



(US) category	(EU) class	Bandwidth	Applications	Data rate according to application
Cat 8	G	2000 MHz	40 GBASE-T, 25 GBASE-T	40 Gbit/s
Cat 6A	EA	500 MHz	10 GBASE-T	10 Gbit/s
Cat 6	E	250 MHz	5 GBASE-T	1 Gbit/s
Cat 5e	D	100 MHz	1000 BASE-T, 2.5 GBASE-T	1 Gbit/s
Cat 5	D	100 MHz	100 BASE-TX	100 Mbit/s

Cables & Adapters

NETWORK

Network Cable CAT-8



hama

Network Cable „CAT-8, 40 Gbit/s, S/FTP shielded, halogen-free“, Black

Network Standard	CAT 8
Shielding	S/FTP

- Gigabit Ethernet data transfer at up to 40 Gbps
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/40000 Mbit/s)
- Ideal for the new high-speed Internet

0.5 m	00200691
6 HB	
1.5 m	00200692
6 HB	
3 m	00200693
6 HB	
5 m	00200694
6 HB	

Network Cable CAT-7



hama

Network Cable "CAT-7 PIMF, copper, halogen-free (LSZH)", Orange

Network Standard	CAT 7
Shielding	S/FTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- The inner conductor is made of copper which ensures best transmission properties
- Double shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Fire behaviour according to BauPVo (construction products regulation)
- Bare copper wire AWG 23

10 m	00020097
30	
25 m	00020098
16	
50 m	00020099
8	

Network Cable CAT-6a



hama

Network Cable "CAT-6a, 10 Gbit/s, S/FTP shielded", Black

Network Standard	CAT 6a
Shielding	S/FTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

0.25 m	00200678
6 HB	
0.5 m	00200679
6 HB	
1.5 m	00200680
6 HB	
3 m	00200681
6 HB	
5 m	00200682
6 HB	
10 m	00200683
8 HB	
15 m	00200684
8 HB	



hama

Network Cable "CAT-6a, 10 Gbit/s, U/UTP", White

Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

0.5 m	00200771
6 HB	
1.5 m	00200674
6 HB	
3 m	00200675
6 HB	
5 m	00200676
6 HB	
10 m	00200677
8 HB	



hama

Network Cable
"CAT-6a, 10 Gbit/s, U/UTP, flat", White

Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Space-saving flat ribbon cable, perfectly suited for laying under carpets and in corners
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

5 m				00200685
		6	HB	
10 m				00200686
		6	HB	
15 m				00200687
		6	HB	



hama

Network Cable
"Flexi-Slim, CAT-6a, U/UTP", White

Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

0.75 m				00200688
		12	BK	
1.5 m				00200689
		12	BK	
3 m				00200690
		12	BK	

Network Cable CAT-6 / CAT-5e



hama

Network Cable
"CAT-6, F/UTP shielded", Grey

Network Standard	CAT 6
Shielding	F/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with a jacket made from robust PVC material minimise interference

1.5 m				00200922
		25	BA	
3 m				00200923
		25	BA	
5 m				00200924
		25	BA	
10 m				00200925
		10	BA	
15 m				00200926
		10	BA	
20 m				00200927
		10	BA	
30 m				00200928
		10	BA	



hama

Network Cable
"CAT-5e, 1 Gbit/s, F/UTP shielded", Grey

Network Standard	CAT 5e
Shielding	F/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Additional shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed Internet

1.5 m				00200668
		6	HB	
3 m				00200669
		6	HB	
5 m				00200670
		6	HB	
10 m				00200671
		8	HB	
15 m				00200672
		8	HB	
20 m				00200673
		8	HB	



Second Placement



Fibre Optic Network Cable



hama

Network Cable
"CAT-5e, F/UTP shielded",
Grey

Network Standard	CAT 5e
Shielding	F/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with a jacket made from robust PVC material minimise interference

1.5 m			00200915
	25	BA	
3 m			00200916
	25	BA	
5 m			00200917
	25	BA	
10 m			00200918
	10	BA	
15 m			00200919
	10	BA	
20 m			00200920
	10	BA	
30 m			00200921
	10	BA	

hama

Network Cable
"CAT-5e, U/UTP", Grey

Network Standard	CAT 5e
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Twisted data pairs with a jacket made from robust PVC material minimise interference

1.5 m			00200909
	25	BA	
3 m			00200910
	25	BA	
5 m			00200911
	25	BA	
10 m			00200912
	10	BA	
15 m			00200913
	10	BA	
20 m			00200914
	10	BA	

hama

Network Cable „CAT-6, F/UTP shielded, gold-plated, textil, 14 St.“, Black, Silver

Network Standard	CAT 6
Shielding	F/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Elegant and flexible fabric jacket for additional kink protection
- Gold-plated plug with low contact resistance for secure signal transmission
- Additional shielding for good reduction of electromagnetic interference
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference

3 m			00201003
	14	SC	

hama

Fibre Optic Network Cable
"SC/APC connector - SC/APC connector, 10 Gbps"

Shade of colour	White
-----------------	-------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

2 m			00200749
	6	HB	
6 m			00200781
	6	HB	



hama

Fibre Optic Network Cable "SC/APC connector - SC/UPC connector, 10 Gbps"

Shade of colour	White
-----------------	-------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

2 m				00200748
		6	HB	
6 m				00200780
		6	HB	



hama

Fibre Optic Network Cable "LC/APC-Plug- LC/APC-Plug, 10 Gbit/s"

Shade of colour	White
-----------------	-------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

3 m				00200783
		6	HB	
5 m				00200784
		6	HB	
9 m				00200785
		6	HB	



hama

Fibre Optic Network Cable "LC/APC-Plug - LC/UPC-Plug, 10 Gbit/s"

Shade of colour	White
-----------------	-------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

3 m				00200742
		6	HB	
5 m				00200743
		6	HB	
9 m				00200744
		6	HB	



hama

Fibre Optic Network Cable "LC/APC-Plug - SC/APC-Plug, 10 Gbit/s"

Shade of colour	White
-----------------	-------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

3 m				00200768
		6	HB	
5 m				00200769
		6	HB	
9 m				00200770
		6	HB	



hama


Fibre Optic Network Cable "LC/APC-Plug - SC/UPC-Plug, 10 Gbit/s"

Shade of colour	White
-----------------	-------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

3 m				00200765
	6	HB		
5 m				00200766
	6	HB		
9 m				00200767
	6	HB		

Network Plug



hama

Network Plug, CAT 6a, 10 Gbit/s, Shielded, 10 Pcs

Network Standard	CAT 6a
------------------	--------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- High-quality materials and workmanship guarantee excellent transmission quality

Silver, Transparent	00200772
	8 HB



hama

Network Plug, CAT 6a, 10 Gbit/s, Shielded, Tool-free Installation

Network Standard	CAT 6a
------------------	--------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- Optimised for unterminated reel goods, laying or installation cables with flexible, multi-core or fixed inner wires

Grey	00200773
	8 HB

Network Socket



hama

Network Socket, CAT 6a, 10Gbit/s, Shielded, 2 Ports, Surface-/ Flush-mount.

Shade of colour	Pearly White
-----------------	--------------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- Optimised for unterminated reel goods, laying or installation cables with flexible, multi-core or fixed inner wires

Flush Mounting/Surface Mounting	00200774
	6 HB



hama

Network Socket, CAT 6a, 10 Gbit/s, Shielded, 2 Ports, Flush-mounted

Flush Mounting	00200775
----------------	-----------------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- Optimised for unterminated reel goods, laying or installation cables with flexible, multi-core or fixed inner wires
- For flush installation, compatible with covers of common switch ranges

Flush Mounting	00200775
	6 HB

Network Cable Tester



hama

Network Cable Tester, Conduction Testing Device for 8p8c (RJ45), 6p6c or 6p4c

Connection	RJ45 (8p8c)-Coupling
------------	----------------------

- Master and removable remote unit for checking cables even over long distances or in separate rooms
- Checks wires in the cable for continuity, short circuits, wire reversal and defects
- Connection test with indicator via LEDs for up to 8 individual wires and shielding
- Suitable for cables with 8p8c (RJ45), 6p6c or 6p4c modular connectors

	00200778
	6 HB

Punch Down Tool



hama



LSA punch down tool

- Optimised for un-terminated reel goods, laying and installation cables with a flexible, multi-core or rigid inner wire
- Cores are pressed in with the laying tool and protruding cable ends are automatically cut off
- Tool for solderless, screwless and stripping-free (LSA) connection technology
- Suitable for LSA and LSA+ IDC terminal strips

Grey					00200776
		6	HB		

Computers

Multimedia Video



Cables & Adapters

DisplayPort Cable



MULTIMEDIA VIDEO

hama

DisplayPort Cable
"DP 1.4, Ultra-HD 8K, Alu",
Black

Max. Resolution	8K (7680 x 4320)
Version	1.4

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with a high screen refresh rate (Hz)

2 m	00200505
6	HB

hama

DisplayPort Cable
"DP 1.4, Ultra-HD 8K", Black

Max. Resolution	8K (7680 x 4320)
Version	1.4

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

2 m	00200699
6	HB
3 m	00200709
6	HB

hama

DisplayPort Cable
"DP 2.1, Ultra-HD 8K", Black

Max. Resolution	8K (7680 x 4320)
-----------------	------------------

2 m	00200795
6	HB

hama

DisplayPort Cable
"DP 1.2, Ultra-HD 4K", Black

Max. Resolution	4k (4096 x 2160)
Version	1.2

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

0.75 m	00200695
6	HB
1.5 m	00200696
6	HB
3 m	00200697
6	HB
5 m	00200698
6	HB



hama

DisplayPort Cable "Mini-DP-Plug - DisplayPort-Plug, Ultra-HD 4K", Black

Max. Resolution	4k (4096 x 2160)
Version	1.2

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)
- Compatible with Thunderbolt-2 (lightning symbol)

1.5 m					00200710
		6	HB		



hama

DisplayPort Cable "DP 1.2", Grey

Max. Resolution	4k (4096 x 2160)
Version	1.2

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m					00200929
		10	BA		

HDMI™-Cable



hama

Ultra High Speed HDMI™ Cable, Certified, Ultra-HD 8K, alu, 2.0 m

Productline	Prime Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with a high screen refresh rate (Hz)

2 m					00200504
		6	HB		



hama

HDMI™-Cable "Ultra High Speed, HDMI-Plug - HDMI-Plug, 8K", Black

Productline	Essential Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

2 m					00200700
		6	HB		



hama

**HDMI™-Cable
"High Speed, 4K, Ethernet +
2 HDMI™-adapter", Black**

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI™ for reduced cabling
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)
- 3in1: HDMI™ plug + Mini-HDMI™ (Type C)+ Micro-HDMI™ (Type D)

1.5 m	00200705
6	HB



hama

**HDMI™-Cable „High Speed,
HDMI-Plug - HDMI-Plug, 4K,
Ethernet“, Black**

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI™ for reduced cabling
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

0.75 m	00200701
6	HB
1.5 m	00200702
6	HB
3 m	00200703
6	HB
5 m	00200704
6	HB



hama

**High-Speed HDMI™ Cable,
Plug - Plug, 1.5 m**

Productline	Entry Line
Data Transfer Rate	10.2 Gbit/s

- Transfer of all digital video, audio and copy protection data and signals
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards
- With integrated audio return channel (ARC)

1.5 m	00200930
25	BA

DVI Cable



hama

**DVI Cable
"WQHD 1440p, Dual Link",
Black**

Model	Dual Link
-------	-----------

- For high-resolution WQHD quality up to 2560 x 1440 (1440p) pixels
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- DVI-I Dual Link cable (24 + 5 pins)

1.5 m	00200706
6	HB



hama

DVI Cable, 1.50 m, 10 Pcs

Model	Dual Link
-------	-----------

- For high-resolution WQHD quality up to 2560 x 1440 (1440p) pixels
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- DVI-D Dual Link cable (24 + 1 pins)

1.5 m	10	BA	00200931
-------	----	----	----------

VGA Cable



hama

VGA Cable "Full-HD 1080p", Black

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Impedance of 75 ohms for optimum transmission quality
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug with screws ensures a secure connection and reliable transfer
- Also known as a 15-pin, DB-15, DE-15 or HD-15 plug

1.5 m	6	HB	00200707
3 m	5	HB	00200708



hama

VGA Cable, 1.50 m, 10 Pcs

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Plug with screws ensures a secure connection and reliable transfer
- Also known as a 15-pin, DB-15, DE-15 or HD-15 plug

1.5 m	10	BA	00200932
-------	----	----	----------

Adapter cable



hama

Adapter cable „DisplayPort-St. - HDMI™-St., Ultra-HD 4K@60Hz, Alu“, Black

Productline	Prime Line
-------------	------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m	6	HB	00200506
-------	---	----	----------

Cables & Adapters

MULTIMEDIA VIDEO




hama

Adapter cable „USB-C-Plug - HDMI™-Plug Ultra-HD 4K@60Hz, Alu“, Black

Productline	Prime Line
-------------	------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Compatible with Thunderbolt 3/4 (lightning symbol)
USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

1.5 m				00200507
	6	HB		



hama

Adapter cable "DisplayPort-Plug - DVI-Plug, Ultra-HD 4K", Black

Productline	Essential Line
-------------	----------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference

1.5 m				00200713
	6	HB		



hama

Adapter cable "DisplayPort-Plug- HDMI-Plug, Ultra-HD 4K", Black

Productline	Essential Line
-------------	----------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m				00200712
	6	HB		



hama

Adapter cable "DVI-Plug - HDMI-Plug, Ultra-HD 4K", Black

Productline	Essential Line
-------------	----------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference

1.5 m				00200715
	6	HB		
3 m				00200716
	6	HB		



hama

**Adapter cable
"Mini-DP-Plug - HDMI-Plug,
Ultra-HD 4K", Black**

Productline	Essential Line
-------------	----------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Compatible with Thunderbolt-2 (lightning symbol)

1.5 m	00200711
	6 HB



hama

**Adapter cable
"USB-C-Plug- DisplayPort-
Plug, Ultra-HD 4K", Black**

Productline	Essential Line
-------------	----------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Compatible with Thunderbolt 3/4 (lightning symbol)
USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

1.5 m	00200717
	6 HB



hama

**Adapter cable
"USB-C-Plug - HDMI-Plug,
Ultra-HD 4K", Black**

Productline	Essential Line
-------------	----------------

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Compatible with Thunderbolt 3/4 (lightning symbol)
USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

1.5 m	00200718
	6 HB
3 m	00200719
	6 HB



hama

**Adapter cable
"VGA-Plug - DVI-Plug, Full-
HD 1080p", Black**

Productline	Essential Line
-------------	----------------

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference

1.5 m	00200714
	6 HB

Computers

Multimedia Audio



Cables & Adapters

Jack Cable



hama

**Jack Cable
"Elite, 3,5-mm-Jack-St. - Jack,
Metall, gilded", Anthracite**

- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- High-quality materials for excellent sound quality without interference
- The inner conductor is made of copper which ensures best transmission properties
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.75 m					00200508
		6	HB		

MULTIMEDIA AUDIO



hama

**Jack Cable „3,5-mm-Jack-
Plug. 90° - 3,5-mm-Jack-
Plug., Stereo“, Black**

- High-quality materials for excellent sound quality without interference
- Space-saving 90° plug for connections in a minimum of space
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a jack connection

0.5 m					00200722
		6	HB		
1.5 m					00200723
		6	HB		



hama

**Jack Cable
"Flexi-Slim, 3,5-mm-Jack-
Plug/Plug, gilded", Blue**

- Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- The inner conductor is made of copper which ensures best transmission properties

0.75 m					00200726
		12	BK		



hama

**Jack Cable
"Flexi-Slim, 3,5-mm-Jack-
Plug/Plug, gilded", Green**

- Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- The inner conductor is made of copper which ensures best transmission properties

0.75 m					00200728
		12	BK		



hama

**Jack Cable „3,5-mm-Klinken-
Plug - Coupling, Stereo,
Extension“, Black**

- High-quality materials for excellent sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a jack connection

3 m					00200724
		6	HB		



hama

**Jack Cable
"Flexi-Slim, 3,5-mm-Jack-
Plug/Plug, gilded", Red**

- Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- The inner conductor is made of copper which ensures best transmission properties

0.75 m					00200727
		12	BK		



hama

**Jack Cable
"Flexi-Slim, 3,5-mm-Jack-
Plug/Plug, gilded", Black**

- Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- The inner conductor is made of copper which ensures best transmission properties

0.75 m					00200725
		12	BK		



hama

**Jack Cable „Headset exten-
sion, 4-pin, 3.5 mm jack plug
- coupling“, Black**

- High-quality materials for excellent sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Supports microphone and loudspeaker function
- For devices with a jack connection

1.5 m					00200734
		6	HB		

Jack RCA Cable



hama

Jack RCA Cable "3,5-mm-Jack-Plug - 2 Cinch-Plug, Stereo", Black

Productline Essential Line

- High-quality materials for excellent sound quality without interference
- Colour coding on the inside of the plugs for easy connecting
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1.5 m					00200720
		6	HB		
5 m					00200721
		6	HB		

USB Cable



hama

USB Cable "Audio, USB-C-Plug - 3,5-mm-Jack-Plug, Stereo", Black

Quality	Essential
Connection	3.5 mm Jack Plug, USB-C-plug

- For perfect, high-resolution, HiFi stereo sound quality
- Additional shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)
- Suitable for 3-pin 3.5 mm jack devices

0.75 m					00200729
		6	HB		



hama

USB Cable "Audio, USB-C-Plug - Cinch-Plug, Stereo", Black

Quality	Essential
Connection	USB-C-plug

- For perfect, high-resolution, HiFi stereo sound quality
- Additional shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)

1.5 m					00200730
		6	HB		

Computers

Chargers and power supplies



**FREE
ADAPTER
SERVICE**

Power Pack



Power Pack
"USB-C, Power Delivery (PD), 5-20V",
26800 mAh

Component	USB-Type-C-Cable
-----------	------------------

- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Ideal for quickly charging several devices via USB at the same time
- Elegant and robust aluminium housing
- The power pack provides an energy boost on the go
- Certified cells guarantee the highest safety standard and top quality
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung Galaxy Tab S10, Nintendo Switch
- Can be carried in hand luggage on flights
- Power Pack with integrated LED capacity display
- USB Power Delivery is also known as "USB PD"
- Compatible with Thunderbolt-3/4 (lightning symbol)
- 1 x USB-C, 2 x USB-A

Anthracite	00200012
6	HB

Mains Adapter



"Slim & Light" Universal Car Notebook Power Supply Unit, 15 - 19 V/70W

Productline	Prime Line
Shade of colour	Black
Output Voltage	15 V/16 V/19 V

- High-quality workmanship, power and safety
- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- Compact size for travelling, ideal for on the go
- A total of 8 notebook connectors for various models from popular manufacturers
- Operation via the cigarette lighter socket

70 W	00200008
6	HB



ADDITIONAL ADAPTERS FOR FREE
www.hama.com/adapterservice

FREE ADAPTER SERVICE

Charger & Power Supply Units



Universal Car Notebook Power Supply Unit, 15-24 V/120W

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	15 V/16 V/18 V/19 V/20 V/22 V/24 V

- High-quality workmanship, power and safety
- Hook and loop cable tie enables good cable management without tangled cables
- LED function indicator gives information about the device status
- A total of 8 notebook connectors for various models from popular manufacturers
- Operation via the cigarette lighter socket

120 W	00200009
	6 HB



Universal USB-C Car Notebook Power Supply Unit, Power Delivery (PD), 5-20V/65W

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	5 V - 20 V


- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- Vehicle adapter 12/24 V for power supply in cars, lorries, and camper vans
- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung Galaxy, Nintendo Switch
- USB Power Delivery is also known as "USB PD"
- Compatible with Thunderbolt 3/4 (lightning symbol)

65 W	00200018
	6 HB

CHARGER & POWER SUPPLY UNIT

Charger & Power Supply Units

CHARGER & POWER SUPPLY UNIT




"Slim & Light" Universal Notebook Power Supply Unit, 19V/65W **hama**

Productline	Prime Line
Shade of colour	Black
Output Voltage	19 V

- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- Compact size for travelling, ideal for on the go
- A total of 8 notebook connectors for various models from popular manufacturers

65 W	0020000
6	HB



Universal USB-C Notebook Power Supply Unit, GaN, Power Del. (PD), 5-20V/65W **hama**

Productline	Prime Line
Shade of colour	White
Output Voltage	5 V - 20 V

- High-quality workmanship, power and safety
- Powerful GaN technology: super-efficient with low heat development and all in a compact and lightweight design made possible by components made from gallium nitride
- Maximum compatibility: Power Delivery and Qualcomm® Quick Charge™ 3.0 can be used universally, so are suitable for smartphones, AirPods, tablets, power packs and notebooks
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung Galaxy, Nintendo Switch
- Smartphones charge to 60% power in just 30 minutes
- USB Power Delivery is also known as "USB PD"
- Backwards-compatible with all versions of Power Delivery and Qualcomm® Quick Charge™ 3.0 technology
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Intelligent chip set for safe charging with overload and short-circuit protection
- Quick-charging plug for on the go: small and lightweight power supply unit, fits in every bag and hand luggage
- Compact design does not block other sockets

65 W	00200016
6	HB

Charger & Power Supply Units



Mains Adapter
"Universal, 15-19V", 5.6 A

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	15 V/19 V

- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- A total of 8 notebook connectors for various models from popular manufacturers

90 W	00200003
	6 HB



Mains Adapter
"USB-C, Power Delivery (PD), 5-20V", 4,60 A

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	5 V - 20 V


- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung Galaxy S10, Nintendo Switch
- USB Power Delivery is also known as "USB PD"
- Compatible with Thunderbolt 3/4 (lightning symbol)

92 W	00200007
	6 HB

CHARGER & POWER SUPPLY UNIT

Charger & Power Supply Units

CHARGER & POWER SUPPLY UNIT




Mains Adapter
"Universal, 15-19V", 4.25 A

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	15 V/19 V

- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- A total of 8 notebook connectors for various models from popular manufacturers

65 W	00200002
6	HB



Universal Notebook Power Supply Unit,
12-22 V/90W

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	12 V/14 V/15 V/16 V/18 V/18.5 V/19 V/19.5 V/20 V/21 V/22 V

- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- A total of 8 notebook connectors for various models from popular manufacturers

90 W	00200004
6	HB

Charger & Power Supply Units



Mains Adapter
"USB-C, Power Delivery (PD), 5-20V", 3.25 A

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	5 V - 20 V

- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung Galaxy S10, Nintendo Switch
- USB Power Delivery is also known as "USB PD"
- Compatible with Thunderbolt 3/4 (lightning symbol)

65 W	00200006
	6 HB



Mains Adapter
"Universal, 15-19V", 3 A

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	15 V/19 V

- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- A total of 8 notebook connectors for various models from popular manufacturers

45 W	00200001
	6 HB

CHARGER & POWER SUPPLY UNIT

Charger & Power Supply Units

CHARGER & POWER SUPPLY UNIT



Mains Adapter
"USB-C, Power Delivery (PD), 5-20V", 3 A

hama

Productline	Essential Line
Shade of colour	Black
Output Voltage	5 V - 20 V

- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung Galaxy S10, Nintendo Switch
- USB Power Delivery is also known as "USB PD"
- Compatible with Thunderbolt 3/4 (lightning symbol)

45 W	00200005
6	HB



Universal USB-C Notebook PSU, UK Cable, Power Delivery (PD), 5-20V/65W

hama

Shade of colour	Black
-----------------	-------

- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- Hook and loop cable tie enables good cable management without tangled cables
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung Galaxy Tab S10, Nintendo Switch
- USB Power Delivery is also known as "USB PD"
- Compatible with Thunderbolt 3 (lightning symbol)

65 W	73200006
6	HB

Charging Station



hama

Universal USB-C Charging Station, GaN, 3 Ports, Power Delivery (PD), 5-28V/140W

Connection	USB Socket
Number of USB Ports	3
Charge Technology	Power Delivery/Quick Charge™ 3.0
Charging Method	Connection
Max. Output Power	140 W

- High-quality workmanship, power and safety
- Powerful GaN technology: super-efficient with low heat development and all in a compact and lightweight design made possible by components made from gallium nitride

Black	00200019
	6 HB



hama

Universal USB-C Charging Station, 3 Ports, Power Delivery (PD), 5-20V/65W

Connection	USB Socket
Charge Technology	Power Delivery
Max. Output Power	65 W

- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life

Black	00200017
	6 HB

Charging adapter



hama

USB Car Charger, 2-port, 5V/10.5W

Productline	Essential Line
Connection	Cigarette Lighter Plug, USB-Typ-A-Coupling
Input Voltage Range from/to	12-24 V
Output Voltage/Output Current	5V/ 2,1A
Max. Output Power	10.5 W

- High-quality workmanship, power and safety
- Vehicle adapter 12/24 V for power supply in cars, lorries, and camper vans
- Ideal for quickly charging several devices via USB at the same time
- Allows the supply of power regardless of the notebook / computer or charging of devices
- Operation via the cigarette lighter socket

Black	00200015
	6 HB



hama

USB Charger, 2-port, 5V/10.5W


Productline	Essential Line
Connection	USB-Typ-A-Coupling
Input Voltage Range from/to	100-240 V
Output Voltage/Output Current	5V/ 2,1A
Max. Output Power	10.5 W


- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Ideal for quickly charging several devices via USB at the same time
- Allows the supply of power regardless of the notebook / computer or charging of devices

Black	00200014
	6 HB

Computers

Tools & Power





Sustainable storage solution

Continue to use the hard drive of your old PC with the help of a hard drive housing.

What is a hard drive housing?

A hard drive housing allows external hard drives (HDDs) or SSDs to be connected externally via a USB connection.

In comparison:

M.2:

- High speed
- 5 to 7 times faster read rate than an SSD
- Approx. 70% slimmer than an SSD
- Usually installed in new, high-quality notebooks

SSD: "Solid-State Drive":

- Electronic storage medium
- Fast access times
- Robust structure
- Virtually silent
- Used especially in mobile devices

Highlights



USB hard drive housing
for M.2 SATA and NVMe SSD hard drives
| 00200764



Hama USB hard drive housing
for 2.5" SSD and HDD hard drives
| 00200760



Advantages of a hard drive housing.

A hard drive housing allows an internal hard drive to be used as an independent, external storage solution. This means that the hard drive of an old computer that is no longer used any more to continue being used. No additional software needs to be installed on the PC for this. The hard drive housing also offers physical protection against damage for the storage media.

Cables & Adapters

Hard Drive Adapter



hama

USB hard disk housing for 2.5" SSD and HDD hard disks

Productline	Essential Line
Material	Plastic Material
Model	SATA
Size	2.5"
Power Supply	USB Connection

- Super speed data transfer rates of up to 5 Gbps
- LED function indicator gives information about the device status
- Detachable USB cable for connection to a PC / notebook

Black				00200760
	6	HB		



hama

USB hard disk housing for M.2 SATA and NVMe SSD hard disks

- Super speed Plus data transfer rates of up to 10 Gbps
- LED function indicator gives information about the device status
- High-quality and sturdy aluminium housing with a sophisticated finish
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage

				00200764
	6	HB		

Drive Connection Cable




hama

Drive Connection Cable "5,25" Adapter to SATA"

Connection	5,25" socket, SATA-Plug
------------	-------------------------

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal current adapter

0.15 cm				00200353
	12	HB		



hama

Drive Connection Cable "Serial-ATA III, 6 Gbit/s, internal 90°"

Connection	SATA-Plug
------------	-----------

- Fast read and write speeds of up to 6 Gbit/s
- Locking of the plug ensures a secure connection and reliable data transmission
- Additional shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.6 cm				00200740
	6	HB		

TOOLS & POWER



hama

USB Hard Disk Adapter for 2.5" and 3.5" SSD and HDD Hard Disks

Productline	Essential Line
Material	Plastic Material
Model	SATA, USB 3.0
Size	2.5"/3.5"

- Super speed data transfer rates of up to 5 Gbps
- LED function indicator gives information about the device status
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage

Black				00200761
	6	HB		



hama

Drive Connection Cable "Serial-ATA III, 6 Gbit/s, intern"

Connection	SATA-Plug
------------	-----------

- Fast read and write speeds of up to 6 Gbit/s
- Locking of the plug ensures a secure connection and reliable data transmission
- Additional shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.45 cm				00200739
	6	HB		

Mains Lead



hama

Mains Lead "Euro Plug - 2-Pin Socket (double groove)", Black

Productline	Essential Line
Wire Cross-Section	0.75 mm ²

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.75 m					00200731
		6	HB		
1.5 m					00200732
		6	HB		
2.5 m					00200733
		6	HB		



hama

Power Cable, Swiss Plug - 3-Pin IEC Power Cable, 1.8 m

Productline	Essential Line
Wire Cross-Section	0.75 mm ²

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ideal as a replacement for short, long or faulty original IEC cables
- Suitable for a range of electrical / multi-media devices
- Resilient, long-lasting cable
- VDE tested

1.8 m					00205083
		6	HB		

hama

Mains Cable, Swiss Plug - 3-Pin Socket (Cloverleaf), 1.8 m

Productline	Essential Line
Wire Cross-Section	0.75 mm ²

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ideal as a replacement for short or faulty original cables
- Resilient, long-lasting cable
- VDE tested

1.8 m					00205084
		6	HB		



hama

Mains Lead „Earthing Contact Plug - 3-Pole Cold Device Supply Line“, Black

Productline	Essential Line
Wire Cross-Section	0.75 mm ²

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ideal as a replacement for short, long or faulty original IEC cables
- Suitable for a range of electrical / multi-media devices

1.5 m					00200737
		6	HB		
2.5 m					00200738
		6	HB		

hama

Mains Lead „Plug with Earth Contact - 3-Pin Socket (Cloverleaf)", Black

Productline	Essential Line
Wire Cross-Section	0.75 mm ²

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ideal as a replacement for short or faulty original cables
- Resilient, long-lasting cable
- VDE tested

1.5 m					00200735
		6	HB		
2.5 m					00200736
		6	HB		



hama

Mains Lead „Power Cord, plug with earth contact - 3-pin socket, 1.5 m, 10 pieces“, Black

Productline	Essential Line
Wire Cross-Section	0.75 mm ²

- Ideal replacement for too short or defective original cables
- VDE approved

1.5 m					00029934
		10	BA		

Cooling Paste



hama

ARCTIC MX-2 High-Performance Heat-Conducting Paste

Productline	Essential Line
Density	3.96 g/cm ³
Temperature Range	50°C to 170°C
Viscosity	850 P

- The heat-conducting paste made of carbon micro-particles guarantees extremely high thermal conductivity
- Metal-free and non-electrically-conductive paste, protecting against corrosion and short circuits
- Extremely long-lasting, works for several years without drying out or dissipating

4 g					00200758
		6	HB		

Screwdriver Kit



hama

Mini Screwdriver Set 24 in 1


Productline	Essential Line
-------------	----------------

- Essential for precision mechanical work, e.g. on electronic devices
- The bits are made from high-quality, resilient steel
- Handy and stylish leather-look case
- Fits in any trouser pocket or drawer
- Set consisting of:
 - 1 stable aluminium handle with slip-resistant, ribbed surface
 - 9 "Torque" interchangeable bits (T2 / T3 / T4 / T5 / T6 / T8 / T9 / T10 / T15)

Black	00200762	
	6	HB

TOOLS & POWER

Mounting Frame



hama

Mounting Frame for 2 x 2.5" SSD and HDD Hard Disks in a 3.5" Bay


Productline	Essential Line
Shade of colour	Black
Hard Disk Size	2.5"

- High-quality and sturdy metal frame for better heat conduction from the hard disks
- Pre-drilled holes in the frame for optional attachment of an 80 mm fan
- Incl. 12 screws for immediate mounting / installation in the PC
- Suitable and tested for two 2.5" hard disks
- Simple and quick to install

00200759	
	6 HB

Computers

Router / Landline



Cables & Adapters

Antenna Cable



hama

**Antenna Cable
"for Cablerouter, Network,
F-Stecker, 100 dB", White**

Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Ethernet data transmission of up to 1000 Mbit/s
- Gold-plated plug with low contact resistance for secure signal transmission
- Triple shielding for very good reduction of electromagnetic interference
- Ferrite core for decimating remaining interference and for good signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- Suitable for the current EuroDOCIS 3.1/3.0/2.0/1.1/1.0 cable connection transmission standard
- Recommended for the new high-speed Internet
- Can also be used as a satellite cable for receivers / TVs
- 75 Ohm impedance

3 m	00201132
6	HB

Anti-Twist Adapter



hama

**Anti-Twist Adapter, transpa-
rent / black**

Productline	Essential Line
-------------	----------------

- Gold-plated contacts with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality
- Easy mounting between the handset and handset cable
- The handset cable swivels around 360°
- For telephones with plug-in handset

Transparent/black	00201125
10	HB



hama

**Anti-Twist Adapter, transpa-
rent / white**

Productline	Essential Line
-------------	----------------

- Gold-plated contacts with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality
- Easy mounting between the handset and handset cable
- The handset cable swivels around 360°
- For telephones with plug-in handset

Transparent/white	00201126
8	HB

Fritzbox Adapter



hama

**DSL Adapter for Fritzbox, TAE
Plug - 8p2c Socket (RJ45)**

Productline	Essential Line
-------------	----------------

- High-quality materials and workmanship guarantee excellent transmission quality
- TAE special adapter for Fritzbox cable (00040635)
- Also for adapting a network cable as a connection between the telephone socket and router
- e.g. for IP-based connection, all-IP connection, Annex J connection, NGN connection

Grey	00201121
8	HB

Modular-Adapter



hama

**Modular Adapter, 8p8c So-
cket - 8p8c Socket**

Productline	Essential Line
Model	ISDN

- Gold-plated contacts with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00201129
8	HB



hama

**Modular Adapter, 6p4c So-
cket - 6p4c Socket**


Productline	Essential Line
Model	Modular

- Gold-plated contacts with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00201127
8	HB

ROUTER / LANDLINE

Modular Cable



hama

Extension Cable, 6p6c Modular Plug 6p6c - 6p6c Modular Socket, 6 m

Productline	Essential Line
Model	Flat Cable

- Gold-plated contacts with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality

6 m									00201110
		6	HB						



hama

Modular Cable „DSL-Connect, Modular-Plug 8p4c - Modular-Plug 6p4c“, Black

Productline	Essential Line
Model	Round Cable

- Gold-plated contacts with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- Can also be used within a structured building cabling system

3 m									00201141
		6	HB						
6 m									00201142
		6	HB						



hama

Modular Cable "Plug 6p4c - Plug 6p4c", White

Productline	Essential Line
Model	Round Cable

- Gold-plated contacts with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- E.g. for connecting telephones, faxes or answering machines

3 m									00201133
		6	HB						
6 m									00201134
		6	HB						
10 m									00201135
		6	HB						
15 m									00201136
		6	HB						



hama

Modular Cable "Plug 6p4c - Plug 6p4c", Black

Productline	Essential Line
Model	Round Cable

- Gold-plated contacts with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- E.g. for connecting telephones, faxes or answering machines

3 m									00201137
		6	HB						
6 m									00201138
		6	HB						
10 m									00201139
		6	HB						
15 m									00201140
		6	HB						

Cables & Adapters



hama

Modular Cable
"Handset cable, Modular
plug 4p4c", Black

Productline	Essential Line
Model	Coiled Cord

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal as a replacement for short, long or faulty original handset cables
- Flat, spiral handset cable

1.5 m				00201150
	6	HB		
3 m				00201151
	6	HB		



hama

Modular Cable, 6p4c Plug -
6p4c Plug, 10 m, 25 Pcs.

Productline	Entry Line
Model	Round Cable

- E.g. for connecting telephones, faxes or answering machines

10 m				00201158
	25	BA		



hama

Modular Cable
"ISDN-Telephone-round
cable", Grey

Model	Round Cable
-------	-------------

- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality
- 4-wire round cable, J Y (ST) Y 2x2x0.6 mm
- Bare CCA wire

10 m				00020259
	25			
25 m				00020260
	10			
50 m				00020261
	4			

T+T Cable



hama

Adapter, T+T Plug - 8p4c
Modular Socket

- High-quality materials and workmanship guarantee excellent transmission quality

				00201164
	8	HB		

ROUTER / LANDLINE

TAE Cable



hama

TAE Cable "TAE-F Plug - 6p4c Modular Plug", Black

Productline	Essential Line
Connection	TAE-F Plug

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- Universal fitting for all common telephones

1.5 m	00201145
6 HB	
3 m	00201146
6 HB	
6 m	00201147
6 HB	
10 m	00201148
6 HB	
15 m	00201149
6 HB	



hama

TAE Cable "TAE-F Plug - 8p2c Modular Plug", Black

Productline	Essential Line
Connection	TAE-F Plug

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- Contact layout for centre modular plug (pin 4 + 5)

0.5 m	00201111
6 HB	
3 m	00201112
6 HB	
6 m	00201113
6 HB	
10 m	00201114
6 HB	



hama

TAE Cable "TAE-F Plug - 8p2c Modular Plug", White

Productline	Essential Line
Connection	TAE-F Plug

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- Contact layout for centre modular plug (pin 4 + 5)

3 m	00201118
6 HB	
6 m	00201119
6 HB	
10 m	00201120
6 HB	



hama

TAE Cable "TAE-F Connector - Modular Connector 8p2c, HQ", Black

Productline	Essential Line
Connection	TAE-F Plug

- Gold-plated contacts with low contact resistance for secure signal transmission
- Cable with twisted pairs protects against interference
- The inner conductor is made of copper which ensures best transmission properties
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- High-quality cable, recommended for ADSL and VDSL high-speed Internet
- Moulded strain reliefs, mechanically extremely durable
- Contact layout for centre modular plug (pin 4 + 5)

3 m	00201115
6 HB	
6 m	00201116
6 HB	
10 m	00201117
6 HB	

Cables & Adapters



hama

TAE Cable "TAE-N Plug - 6p2c Modular Plug", Black

Productline	Essential Line
Connection	TAE-N Plug

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- 2-pin cable for special applications
- For devices without standards-compliant signal return

6 m				00201104
		6	HB	
10 m				00201105
		6	HB	



hama

TAE Cable "TAE-N Plug - 6p4c Modular Plug", Black

Productline	Essential Line
Connection	TAE-N Plug

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- 4-pin cable for standard applications
- For devices with standards-compliant signal return

3 m				00201106
		6	HB	
6 m				00201107
		6	HB	



hama

TAE Cable "TAE-N Plug - 6p6c Modular Plug", Black

Productline	Essential Line
Connection	TAE-N Plug

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- 6-pin cable for special applications

6 m				00201108
		6	HB	
10 m				00201109
		6	HB	



hama

TAE Cable "TAE-U Plug - TAE-U Socket", Black

Productline	Essential Line
Connection	TAE-U Plug, TAE-U Socket

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. telephone, answering machine, fax machine or modem

3 m				00201100
		6	HB	
6 m				00201101
		6	HB	
10 m				00201102
		6	HB	
15 m				00201103
		6	HB	

ROUTER / LANDLINE

Telephone Adapter



hama

TAE Distributor, TAE-F Plug - 3 TAE-NFF Sockets

Productline	Essential Line
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. two telephones and one answering machine to a TAE connection socket

Black	00201124
6 HB	



hama

TAE Distributor, TAE-F Plug - 3 TAE-NFN Sockets

Productline	Essential Line
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. a telephone, an answering machine, a fax to a TAE connection socket

Black	00201123
6 HB	



hama

TAE Distributor, TAE-F Plug - 2 TAE-F Sockets

Productline	Essential Line
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. a telephone, an answering machine, a fax to a TAE connection socket

Black	00201131
6 HB	



hama

Telephone Adapter, 6p4c Modular Plug - TAE-F Socket, 0.2 m

Productline	Essential Line
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. telephone to VOIP router and adapters, ISDN systems, etc.

Black	00201130
8 HB	



hama

Adapter, TAE-U Plug - 6p6c Modular Socket

Productline	Essential Line
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- Can be used for both TAE-N and TAE-F sockets

Black	00201122
10 HB	



hama


Adapter, T+T Plug - 6p4c Modular Socket

Productline	Essential Line
-------------	----------------

- High-quality materials and workmanship guarantee excellent transmission quality

Black	00201166
8 HB	

TST Cable




hama

Austrian Connection Cable,
TST Plug - 6p6c Modular
Plug, 3 m, 10 Pcs.

Productline	Entry Line
-------------	------------

- The inner conductor is made of copper which ensures best transmission properties
- 6-pin cable for special applications

3 m	00201154
10 BA	



hama

Austrian Connection Cable,
TST Plug - 6p4c Modular
Plug, 10 m

Productline	Essential Line
-------------	----------------

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality

10 m	00201153
6 HB	



hama

Austrian Connection Cable,
TST Plug - 6p6c Modular
Plug, 3 m

Productline	Essential Line
-------------	----------------

- The inner conductor is made of copper which ensures best transmission properties
- High-quality materials and workmanship guarantee excellent transmission quality
- 6-pin cable for special applications

	00201155
6 HB	

Modular Distributor



hama

Modular Distributor, 6p4c
Socket - 2 6p4c Sockets

Productline	Essential Line
Model	Modular

- Gold-plated contacts with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality

Black	00201128
8 HB	

ROUTER / LANDLINE

Telephone Socket



hama

TAE-NFN Telephone Socket, Surface Mounting

Productline	Essential Line
Connection	TAE-NFN Socket
Installation	Surface Mounting
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- With screw clamps for easy mounting

White	00201143
	6 HB



hama

TAE-NFN Telephone Socket, Flush

Productline	Essential Line
Connection	TAE-NFN Socket
Installation	Flush Mounting
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- With screw clamps for easy mounting

White	00201144
	6 HB

Headset Wired



hama

On-ear headset for cordless phones, 2.5 mm jack

Connection	2.5 mm Jack Plug
Cable Length	1,20 m

- Comfortable and optimal positioning thanks to the flexible microphone arm
- Convenient cable-mounted volume control
- Adjustable headband for superb wearing comfort
- Crystal-clear audio quality
- Can be worn on the right and left
- Compact plug shape, can be used easily on deep-seated sockets

Black, Silver	00201157
	14 HB



hama

In-ear headset for cordless phones, 2.5 mm jack


Connection	2.5 mm Jack Plug
Cable Length	1,20 m

- Mute button allows users to switch the sound off on the microphone quickly
- Comfortable and optimal positioning thanks to the flexible microphone arm
- Mouldable earband for superb wearing comfort
- Crystal-clear audio quality
- Can be worn on the right and left
- Compact plug shape, can be used easily on deep-seated sockets
- Clip on the cable for easy and secure attachment to clothing

Black, Silver	00201156
	6 HB

Audio / Video / Aerial

TV video



Glossary

What does UHD mean?

UHD stands for Ultra-High-Definition and is a collective term for 4K and 8K resolutions. The term is used in the TV industry to indicate when a device has a higher resolution than Full HD. A distinction is made between UHD-1 (4K resolution) and UHD-2 (8K resolution).



Connector types for HDMI cables


There are five different types of HDMI connector: A, B, C, D and E. Plug type A is almost always required, especially for home entertainment equipment. The other connector types are used for notebooks, tablets or in the automoti-

ve industry. There are also cables with straight plugs (180°) and with angled plugs:

- 90° (cable outlet downwards)
- 270° (cable outlet upwards)



Standard



Mini



Micro

HDMI 8K and 4K differences

8K is the successor to 4K and has a resolution of 7,680 x 4,320 pixels. 8K therefore has 4 times more pixels than 4K with 3,840 x 2,160 pixels. The transfer of 8K data is very complex, so that only HDMI version 2.1 offers sufficient bandwidth (up to 48 Gbit/s) and enables transmission in 8K at a refresh rate of 60 Hz.



Full HD
1080 pixels



4K Ultra HD
2160 pixels



8K Ultra HD
4320 pixels

8K in everyday life

8K-capable devices are still very costly at the moment. Media content is also rather rare at the moment. However, the Xbox Series X and the PlayStation 5 are already compatible with 8K and support 8K streaming.

HDMI cable with optical signal transmission

Optical fibre cables, often referred to as "glass fibre cables", allow very long distances of up to 100 metres to be bridged by means of optical-digital signal transmission.

Aerial cable shielding dimensions

Good shielding against interfering signals is important so that the mobile phone, for example, does not cause the picture to flicker. The shielding has a significant influence on the transmission behaviour. As a rule, the shielding is only specified by the manufacturer in the form of a number (dB). The higher the dB value, the better the aerial cable is shielded and the higher the quality. Multiple shielding is necessary especially for longer cable lengths.

HDMI cable shielding

The shielding of an HDMI cable is highly relevant. Poorly shielded HDMI cables can cause the signal to be affected by external sources of interference (e.g. power line). In the worst case, this results in a total loss of the image or visible artefacts on the screen in the form of white pixels.

Console gaming at the highest level

Razor-sharp images, crystal-clear sound and a lightning-fast network connection - you need maximum performance to maximise the gaming experience on your console. All the better if a cable can fulfill all these high requirements. Modern HDMI™ cables are the solution for anyone who loves good console gaming:

- **Picture enjoyment in cinema quality**
8K@60 Hz or 4K@120 Hz ensures lag-free gaming enjoyment in Ultra HD. 120 Hz means the transmission of 120 frames per second, which ensures faster response times and a sharper picture when moving. This is not only more pleasing to the eye but also conducive to fast, top-level gaming - from Fifa to God of War. The active optical technology transmits the data via light waves and enables loss-free 8K data transfer over longer distances. Thanks to Dynamic HDR, every image is optimally displayed.
- **Crystal-clear sound**
Thanks to eARC technology, all audio formats such as Dolby TrueHD, DTS-HD Master Audio and even object-based formats such as Dolby Atmos and DTS:X flow between the screen and the output device without compression. It provides for up to 32 audio channels, including uncompressed 24-bit/192kHz data streams at up to 38 Mbp/s.
- **Fully networked**
Devices connected via the HDMI™ cable are

connected together in a network - so there is no need to connect each individual device to the Internet. The channel makes this possible by transmitting network data at up to 100 Mbit/s.

- **Lightning-fast data transmission**
The high-speed data transfer achieves a peak value of up to 48 Gbit/s and guarantees an optimum data flow for unrestricted gaming enjoyment.






205345 |
Optical, active
HDMI™ cable



HDMI™ in perfection – certified quality from Hama


Ultra-high-speed HDMI™ cables from Hama meet all specified parameters 100%:

- Certified performance
- Ingenious features
- Tested quality
- Attractive design



The certificate

The Ultra High Speed certification ensures that all features of HDMI 2.1 are supported, such as uncompressed 8K@60Hz, 4K@120Hz, a data transfer rate of up to 48 Gbit/s, eARC or dynamic HDR. High-contrast and colour-intensive image transmission is guaranteed. This certification, comprising a QR code and hologram, must be visible on the packaging. This certification can even be scanned and a certified cable verified with the help of the HDMI Cable Certification app.




The inspection process

Hama quality assurance checks the cables regularly with a special inspection device. The cables also have to be submitted to an independent test centre certified by the HDMI Forum. Features tested there include the electromagnetic interference (EMI), in order to reduce the interference of, for example, WAN networks, Bluetooth devices or mobile phones.



The cables



The concept

The certified ultra-high-speed HDMI™ cables are part of the comprehensive Future in Connection cable concept and round off the top end of the HDMI™ cable range.

AVA cable | Video

Ultra-high-speed HDMI™ cable, plug - plug, 8K, metal

205238	(1 m)	Prime line
205239	(2 m)	Prime line
205240	(3 m)	Prime line
205067	(5 m)	Prime line

Ultra-high-speed HDMI™ cable, plug - plug, 8K

205241	(1 m)	Essential line
205242	(2 m)	Essential line
205243	(3 m)	Essential line
205068	(5 m)	Essential line

Computer cable | Video

Ultra-high-speed HDMI™ cable, Ultra-HD 8K, alu

200504	(2 m)	Prime line
--------	-------	------------

Ultra-high-speed HDMI™ cable, Ultra-HD 8K

200700	(2 m)	Essential line
--------	-------	----------------

Cables & Adapters

HDMI™-Cable optical, active



hama

HDMI™-Cable „Ultra High Speed, HDMI Male - HDMI Male, Certified, 8K, Alu“, Black

Productline	Prime Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 7680x4320 (8K) pixels
- Supports high graphics resolutions with 4K @ 120Hz for lag-free gaming enjoyment - ideal for Playstation 5 and Xbox Series X
- AOT transmits HDMI™ signals via fault-immune light waves, allowing the optimised, loss-free transfer of 8K data even over long distances
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- eARC supports the most advanced audio formats without additional audio cables
- 3D transmission due to extended bandwidth
- Gold-plated plug with low contact resistance for secure signal transmission
- High-speed transmission of up to 48 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Transmission of the type of player via ACE (Automatic Content Enhancement)

10 m	00205265
10	8 HB

hama

HDMI™-Cable „Optisch, aktiv, HDMI-Plug - HDMI-Plug, 4K, gilded“, Silver

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- AOT transmits HDMI™ signals via fault-immune light waves, allowing the optimised, loss-free transfer of 4K data even over long distances
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Supports network connections via HDMI™ for reduced cabling
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 - 60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit

10 m	00205274
8	8 HB
15 m	00205275
8	8 HB
20 m	00205276
8	8 HB

HDMI™-Cable



hama

HDMI™-Cable „Ultra High Speed, HDMI Male - HDMI Male, Certified, 8K, Alu“, Black, Grey

Productline	Prime Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1 m	00205238
6	6 HB
2 m	00205239
6	6 HB
3 m	00205240
6	6 HB
5 m	00205067
6	6 HB



hama

HDMI™-Cable „Premium with Ethernet, Plug - Plug, Ferrit, Metall“, Bronz Coffee

Productline	Prime Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Superior premium quality with respect to workmanship and performance
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI™ for reduced cabling
- Robust metal plug with the best shielding for reliable signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Ferrite core for decimating remaining interference and for good signal transmission
- High-quality materials and shielded lines for excellent picture and sound quality without interference

0.75 m	00205024
6	6 HB
1.5 m	00205025
6	6 HB
3 m	00205026
6	6 HB



hama

HDMI™-Cable „Ultra High Speed, HDMI plug - HDMI plug, certified, 8K“, Black

Productline	Essential Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties

1 m				00205241
		6	HB	
2 m				00205242
		6	HB	
3 m				00205243
		6	HB	
5 m				00205068
		6	HB	



hama

HDMI™-Cable „High Speed, HDMI-Plug - HDMI-Plug, 4K, Ethernet, gilded“, Black

Productline	Essential Line
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Ferrite core for decimating remaining interference and for good signal transmission
- Supports network connections via HDMI™ for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- 3D transmission via extended bandwidth
- High speed transmission of up to 10.2 Gbit/s for all image and sound standards from a bandwidth of 340 MHz
- Image resolution: 3840 x 2160 - max. 60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data

15 m				00205010
		10	PO	
7.5 m				00205008
		8	HB	
10 m				00205009
		8	HB	




hama

HDMI™-Cable "Flexi-Slim, 4K, HDMI-Jack - HDMI-Jack, Ethernet", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI™ for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible flat ribbon cable and the extra small plugs

1.5 m				00205013
		6	HB	



hama

HDMI™-Cable „High Speed, HDMI-Plug - HDMI-Plug, 4K, Ethernet“, Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI™ for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks

0.75 m				00205004
		6	HB	
1.5 m				00205005
		6	HB	
3 m				00205006
		6	HB	
5 m				00205007
		6	HB	

Cables & Adapters



hama

HDMI™-Cable „High Speed, HDMI Plug - HDMI Plug, 90°, Ethernet, Gold-Plated“, Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- 3D transmission due to extended bandwidth
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Space-saving 90° plug for connections in a minimum of space
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 - 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- HDMI™ adapter for connecting an HDMI™ Type-A cable to devices with HDMI™ Type-C (mini) socket / HDMI™ Type-D (micro) socket

1.5 m	00205022
6	HB



hama

HDMI™-Cable „High Speed, HDMI-Plug - HDMI-Plug, Ethernet + HDMI-Adapter“, Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission due to extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 - 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- HDMI™ adapter for connecting an HDMI™ Type-A cable to devices with HDMI™ Type-C (mini) socket / HDMI™ Type-D (micro) socket

1.5 m	00205162
6	HB



hama

HDMI™-Cable „High Speed, HDMI Plug - HDMI Plug, Rotatable, Gold-Plated, Ethernet“, Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Rotatable plug for space-saving installation
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 - 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- This cable supports the HDMI™ 2.0b specification

1.5 m	00205011
6	HB



hama

HDMI™-Cable „High Speed, Type A Plug - Type C (Mini) Plug, Ethernet“, Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 - 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)

1.5 m	00205015
6	HB

TV VIDEO



hama

HDMI™-Cable „High Speed, Plug Typ A - Plug Typ D (Micro), Ethernet“, Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4K) pixels
- Supports network connections via HDMI™ for reduced cabling
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 - 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)

1.5 m				00205016
	6	HB		



hama

HDMI™-Cable „Ultra-Slim, High Speed, HDMI-Plug - HDMI-Plug, 4K, Ethernet“, Silver

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Supports network connections via HDMI™ for reduced cabling
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ultra-slim design: ultra-thin and super-lightweight, ideal for mobile devices and when out and about
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Solid full metal housing for protection against outside interference

1 m				00205074
	12	BK		
2 m				00205075
	12	BK		



hama

HDMI™-Cable "High Speed, HDMI Plug - HDMI Plug", Black

Productline	Entry Line
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed

- Transfer of all digital video, audio and copy protection data and signals
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards
- With integrated audio return channel (ARC)

1.5 m				00205000
	25	BA		
3 m				00205001
	25	BA		
5 m				00205244
	15	BA		
10 m				00205280
	10	BA		



hama

HDMI™-Cable „High Speed, HDMI Plug - HDMI Plug, Ethernet, Gold-Plated“, Black

Productline	Entry Line
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed with Ethernet

- Transfer of all digital video, audio and copy protection data and signals
- Gold-plated plug contacts for secure signal transmission thanks to low transfer resistances
- For perfect, high-resolution, Full HD quality (1920 x 1080 pixels)
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Network functionality thanks to integrated Internet / Ethernet channel (HEC); network 100 MB/s
- With integrated audio return channel (ARC)
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards

1.5 m				00205002
	25	BA		
3 m				00205003
	25	BA		

Cables & Adapters

Second Placement



RCA Cable



hama

HDMI™-Cable „High Speed, HDMI Plug - HDMI Plug, Ethernet, Fabric, Gold-Plated“, Black

Productline	Action
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 7680x4320 (8K) pixels
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Elegant and flexible fabric jacket for additional kink protection
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High speed transmission of up to 48 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 - 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz/120Hz, 7680 x 4320 - 30 Hz/60 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)

1.5 m				24	SC	00205445
-------	--	--	--	----	----	----------

hama

HDMI™-Cable „Ultra High Speed, HDMI Male - HDMI Male, Certified, 8K, Alu“

Productline	Action
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- High-quality and sturdy aluminium housing with a sophisticated finish
- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- Ultra-slim design: ultra-thin and super-lightweight, ideal for mobile devices and when out and about
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs

1.5 m				36	SC	00205449
-------	--	--	--	----	----	----------

hama

HDMI™-Cable „High Speed, HDMI Plug - HDMI Plug, Ethernet, Fabric, Gold-Plated“, Black

Productline	Action
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, high-resolution ultra HD cinema quality 4096x2160 (4k) pixels
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Elegant and flexible fabric jacket for additional kink protection
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 - 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)

1.5 m				24	SC	00205444
3 m				14	SC	00205447

hama

RCA Cable „3 RCA Plugs - 3 RCA Plugs, Gold-Plated“, Black

Productline	Essential Line
-------------	----------------

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1.5 m				6	HB	00205150
3 m				6	HB	00205151



hama

RCA Cable „RCA Plug - RCA Plug, Gold-Plated“, Black

Productline	Essential Line
-------------	----------------

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and shielded lines for excellent picture quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Coaxial cable structure reproduces clear treble and rich bass

1.5 m				6	HB	00205148
-------	--	--	--	---	----	----------

TV VIDEO

Adapter cable



hama

Adapter cable „DisplayPort-Plug - HDMI-Plug, Ultra-HD 4K (AVA)“, Black

Productline Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m	00205144
6	HB

hama

Adapter cable "Verbindung HDMI™ Plug - DVI/D Plug", Black

Productline Essential Line

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1.5 m	00205018
6	HB

Jack RCA Cable



hama

Jack RCA Cable "3.5 mm 4-Pin Jack Plug - 3 RCA Plugs", Black

Productline Essential Line

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting

1.5 m	00205154
6	HB

USB Cable



hama

USB Cable "USB-C-Plug - USB-A-Pug, USB 3.2 Gen1", Black

Quality Essential

- Super speed data transfer rates of up to 5 Gbps
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

1.5 m	00205143
6	HB

TV VIDEO

Cables & Adapters

Scart Cable



hama

Scart Cable
"Plug - Plug, Gold-Plated",
Black

Productline	Essential Line
-------------	----------------

- Gold-plated plug with low contact resistance for secure signal transmission
- For devices with Scart connection

1.5 m	00205082
6	HB

RCA Scart Cable



hama

RCA Scart Cable
"Scart-Plug - 3 Cinch-Plug
(Video/Stereo) 2", Black

Productline	Essential Line
-------------	----------------

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting

1.5 m	00205156
6	HB

HDMI™ Socket Adapter



hama

HDMI™ Adapter, Plug - So-
cket, Rotation

Productline	Essential Line
-------------	----------------

Shade of colour	Black
Connection	HDMI™ Plug, HDMI™ Socket
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Rotatable plug for space-saving installation
- Gold-plated plug with low contact resistance for secure signal transmission

00205166	
8	HB



hama

HDMI™ Cable Adapter, Type-
C (Mini) Plug - Type-A Socket,
gold-plated

Productline	Essential Line
-------------	----------------

Shade of colour	Black
Connection	HDMI™ Socket, Mini HDMI™ Plug
Max. Resolution	1080 p
Model	Cable Adapter

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission

00205167	
8	HB

TV VIDEO



hama

Scart Cable
"Plug - Plug", Black

Productline	Entry Line
-------------	------------

- 21-pin - fully occupied

1.5 m	00205081
25	BA



hama

HDMI™ Cable Adapt., Type-D
(Micro) Plug-Type-A Socket,
Ethernet, gold-plated

Productline	Essential Line
-------------	----------------

Shade of colour	Black
Connection	HDMI™ Socket, Micro HDMI™ Plug
Max. Resolution	1080 p
Model	Cable Adapter

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission

00205168	
8	HB



hama

HDMI™ Adapter, Socket -
Socket 8K

Productline	Essential Line
-------------	----------------

Connection	HDMI™ Socket
Max. Resolution	8k
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space

00205173	
8	HB

HDMI™ Angle Adapter



hama

**HDMI™ Angle Adapter
"High Speed, HDMI-Plug -
HDMI-Coupling, 270°"**

Productline Essential Line

- Gold-plated plug with low contact resistance for secure signal transmission
- HDMI™ cable can be routed upwards in order to connect it to the TV set (depending on the location of the socket)
- Prevents kinks in the cable
- Extra-compact design

Black 00205165
8 HB



hama

**HDMI™ Angle Adapter
"High Speed, HDMI-Plug -
HDMI-Coupling, 90°"**

Productline Essential Line

- Gold-plated plug with low contact resistance for secure signal transmission
- Allows the HDMI™ cable to be guided outwards to connect it to the Blu-ray player (depending on the installation site of the socket)
- Prevents kinks in the cable
- Extra-compact design

Black 00205164
8 HB

RCA Adapter




hama

**Video Adapter, 3 RCA Sockets
- 3 RCA Sockets**

Productline Essential Line

- e.g. for extending existing RCA cables
- Compact adapter

Black 00205174
8 HB



hama

**Short Audio Adapter, 3.5 mm
Jack Socket Stereo - 2 x RCA
Socket**

Productline Essential Line

- For connecting smartphones or tablets with high-quality HiFi components, for example
- Compact adapter

Black 00205187
8 HB

USB Monitor Adapter



hama

**Video Adapter, USB-C Plug -
HDMI™ Socket, Ultra-HD 4K**

Shade of colour Black

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt 3/4 (lightning symbol)
USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00205160
6 HB

Video adapter



hama

**Video Adapter, DVI Plug -
HDMI™ Socket, Ultra-HD 4K**

Type HDMI™-DVI

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-D dual link (24 + 1 pins)

00205169
10 HB

Cables & Adapters

Scart S-Video/RCA Adapter



hama

- Video Adapter, S-VHS Socket / 3 RCA Sockets - Scart Plug, 4-Pin

Productline	Essential Line
-------------	----------------

- Universal connection options with IN/OUT switch

Black	00205268	
	8	HB

Special Scart TV Adapter



hama

Adapter for Samsung TV, Scart Socket - Samsung Plug, 4-Pin

Productline	Essential Line
-------------	----------------

Shade of colour	Black
-----------------	-------

- For adaptation of the Scart signal to the Samsung-specific connection

	00205172	
	6	HB

Scart Splitter



hama

Scart Splitter, 3-Way

Productline	Essential Line
-------------	----------------

Cable Length	0.5 m
--------------	-------

- Incl. Scart feed cable

Black	00205170	
	6	HB

Distribution Amplifier



hama

HDMI Splitter, 2-Way

Shade of colour	Black
-----------------	-------

Number of Outputs	2
-------------------	---

HDTV Resolution	max. 1080p
-----------------	------------

Width x Depth x Height	0.6 x 7 cm
------------------------	------------

- Power is conveniently supplied via the USB connection
- Allows simultaneous presentation of a HDMI source (e.g. Blu-ray player) on 2 HDMI players (e.g. flat TV, projector)
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- 4K support for high resolution in 2D and 3D: 4K standard, 4Kx2K (3840x2160 @30 Hz), 1080 p, 720 p, 576 p, 480 p
- Loss-free signal transfer

	00121776	
	12	HB

TV VIDEO

Switch



hama

HDMI™ Switch 2x1

Productline	Essential Line
Width x Depth x Height	5.6 x 6,5 x 2 cm

- Gold-plated plug with low contact resistance for secure signal transmission
- Easy toggling between two HDMI™ sources (manually via the switch on the device)
- HDCP compatible
- Supports resolutions up to 1080 p (up to 60 Hz)
- Plug & Play installation: no software required

Black	00205161
	6 HB



hama

4K-HDMI™ Switch 3x1

Width x Depth x Height	13 x 1.5 x 5.5 cm
Power Supply	External Power Supply optional

- HDMI™ switcher for perfect, high-resolution ultra HD cinema quality
- Elegant and robust aluminium housing
- For connecting up to 3 HDMI™ playback devices (e.g. Blu-ray player, DVD player, TV receiver, computer, tablet PC, Playstation, Xbox) to an HDMI™ device such as TV, monitor, projector
- With remote control for convenient switching between the connected devices
- Supports all resolutions up to max. 3840 x 2160 @ 60 Hz
- Supports the following video formats: 12-bit full HD video, 3D video and 4Kx2k@30/60 Hz ultra HD video

Black	00121770
	6 HB



hama

HDMI™ Toggle Switch, 3 Inputs, 1 Output

Width x Depth x Height	9.5 x 1.3 x 4.7 cm
Power Supply	External Power Supply optional

- For connecting up to 3 HDMI™ playback devices (e.g. Blu-ray, DVD player, TV receiver, computer, tablet PC, Playstation, Xbox) to an HDMI™ device such as TV, monitor, projector
- With remote control for convenient switching between the connected devices
- Supports the following resolutions: 480i/480p/576i/576p/720p/1080i/1080p

Black	00121760
	6 HB

Signal Converter



hama

AV Converter, Scart to HDMI™

Shade of colour	Black
-----------------	-------


- Easily retrofit a scart connection to a flat TV
- Playback in full HD quality (1080 p)
- Scart input for connecting video recorders, set top boxes or DVD players
- Input supports the PAL, NTSC3.58, NTSC 4.43, SECAM, PAL/M and PAL/N TV formats
- HDMI™ output for connection to a flat screen or monitor
- Output is compatible with HDMI™ 1.3 and supports full HD resolution (1080 p)
- Power supply is provided via the USB cable or an external USB power supply unit (not included in the extent of delivery)

	00121775
	6 HB

TV VIDEO

Audio / Video / Antenna

Antenna / Sat



Cables & Adapters

Antenna Cable 120 dB



hama

Antenna Cable „Coax Plug - Coax Socket, metal, gold-plated, 120 dB“, Black, Grey

Screening Rate	120 dB
----------------	--------

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with a 9.5 mm coax connection

1.5 m				00205070
		6	HB	
3 m				00205071
		6	HB	
5 m				00205072
		6	HB	
10 m				00205073
		6	HB	

hama

Antenna Cable "F Plug - F Plug, Metal, Gold-Plated, 120 dB", Black, Grey

Type of Shielding	Quad Shielded
-------------------	---------------

Screening Rate	120 dB
----------------	--------

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with F-connection

1.5 m				00205077
		6	HB	
3 m				00205078
		6	HB	
5 m				00205079
		6	HB	

hama

Antenna Cable "SAT/BK Coaxial Cable, 120 dB", White



Type of Shielding	Quad Shielded
-------------------	---------------

Screening Rate	120 dB
----------------	--------

- BK/SAT cable of extraordinary high quality
- Digital compatibility (BK/SAT)
- Centre conductor: 1.0 mm (copper)
- Quad shielded: 2x aluminium foil + 2x braiding (2x Cu tinned; 24 x 3 x 0.127 mm)
- Outside diameter: approx. 6.9 mm (PVC)
- Insulator diameter: approx. 4.6 mm (PE)
- Continuous meter imprint
- On a plastic reel
- Attenuation dB/100m:
 - At 300 MHz - 9.6 dB
 - At 800 MHz - 18.4 dB
 - At 1750 MHz - 29.6 dB
 - At 2050 MHz - 33.3 dB
 - At 2400 MHz - 36.0 dB
- Screening rate:
 - 30 - 470 MHz - 130 dB
 - 470 - 1000 MHz - 120 dB
 - 1000 - 2450 MHz - 110 dB

100 m				00086625
		100	K.A.	

Antenna Cable 100 dB



hama

Antenna Cable "F Plug - F Plug, gold-plated, 100 dB", White

Type of Shielding	Triple Shielded
-------------------	-----------------

Screening Rate	100 dB
----------------	--------

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with F-connection

1.5 m				00205251
		6	HB	
3 m				00205252
		6	HB	
5 m				00205253
		6	HB	
7.5 m				00205254
		6	HB	
10 m				00205255
		6	HB	

ANTENNA / SAT



hama

**Antenna Cable
"Coax Plug - Coax Socket,
gold-plated, 100 dB", White**

Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with a 9.5 mm coax connection

0.75 m				00205245
		6	HB	
1.5 m				00205246
		6	HB	
3 m				00205247
		6	HB	
5 m				00205248
		6	HB	
7.5 m				00205249
		6	HB	
10 m				00205250
		6	HB	



hama

**Antenna Cable
"Quick F Plug - Quick F Plug,
Gold-Plated, 100 dB"**

Screening Rate	100 dB
----------------	--------

- Quick F plugs can easily be plugged on a socket, screwing not necessary, ideal when frequently changing the location
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Triple shielding for very good reduction of electromagnetic interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Ferrite core for decimating remaining interference and for good signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with F-connection

1.5 m				00205034
		6	HB	
3 m				00205035
		6	HB	

SAT Receiver Connection Set



hama

**SAT Connection Kit ,100 dB,
40 m**

Productline	Essential Line
Set Contents in Pieces	7

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 7-part kit comprising:
 - 1 coax cable (white)
 - 4 F-plugs
 - 2 weather protection covers

				00205043
		8	HB	



hama

**SAT Connection Kit ,100 dB,
20 m**

Productline	Essential Line
Set Contents in Pieces	7

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 7-part kit comprising:
 - 1 coax cable (white)
 - 4 F-plugs
 - 2 weather protection covers

				00205042
		8	HB	

ANTENNA / SAT

Cables & Adapters



hama

**SAT Connection Kit ,100 dB,
10 m**

Productline	Essential Line
Set Contents in Pieces	4

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 4-part kit comprising:
 - 1 coax cable (white)
 - 2 F-plugs
 - 1 weather protection cover

				00205041
	8	HB		

Second Placement



hama

**Antenna Cable „Coax Plug -
Coax Socket, Fabric, Gold-
Plated, 100 dB“, White**

Type of Shielding	Quad Shielded
Screening Rate	100 dB

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with a 9.5 mm coax connection

3 m				00205446
	14	SC		

Antenna Cable 90 dB



hama

**Antenna Cable
"F Plug - F Plug, 90 dB",
White**

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with F-connection

1.5 m				00205063
	6	HB		
3 m				00205064
	6	HB		
5 m				00205065
	6	HB		
7.5 m				00205256
	6	HB		
10 m				00205066
	6	HB		



hama

**Antenna Cable
"F Plug - Coax Socket, 90
dB", White**

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference

1.5 m				00205061
	6	HB		
3 m				00205062
	6	HB		

ANTENNA / SAT



hama

Antenna Cable "F Plug - Coax Plug, 90 dB", White

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference

1.5 m	00205294
6	HB



hama

Antenna Cable "Coax Plug - Coax Socket, 90 dB", White

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

0.75 m	00205044
6	HB
1.5 m	00205045
6	HB
3 m	00205046
6	HB
5 m	00205047
6	HB
7.5 m	00205048
6	HB
10 m	00205049
6	HB
15 m	00205050
5	HB
20 m	00205051
5	HB



hama

Antenna Cable "Coax Plug - Coax Socket, 90 dB", Black

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

1.5 m	00205052
6	HB
3 m	00205053
6	HB
5 m	00205054
6	HB



hama

Antenna Cable "Koax-Plug - Koax-Coupling, 90°, 90 dB", White

Type of Shielding	Triple Shielded
Screening Rate	90 dB

- Space-saving 90° plug for connections in a minimum of space
- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Triple shielding for very good reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Ferrite core for decimating remaining interference and for good signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a 9.5 mm coax connection

1.5 m	00205056
6	HB
3 m	00205057
6	HB
5 m	00205058
6	HB
10 m	00205059
5	HB

Cables & Adapters



hama

**Antenna Cable
"SAT/BK Coaxial Cable, 90
dB", White**

Type of Shielding	Triple Shielded
Screening Rate	90 dB

- High-quality BK/SAT cable
- Suitable for digital use, triple shielded (2x aluminium foil and 1x braiding)
- Inner conductor: 1x 1.0 mm
- Braiding: 64 x 0.12 mm
- Outside diameter: approx. 7 mm, PVC
- Insulator diameter: approx. 4.57 mm, foam-PE
- On plastic reel
- Consecutive meter imprint
- Attenuation dB/100 m:
 - 100 MHz/6.89 dB
 - 300 MHz/11.64 dB
 - 500 MHz/15.09 dB
 - 862 MHz/20.00 dB
 - 1000 MHz/21.49 dB
 - 1750 MHz/29.13 dB
 - 2150 MHz/32.49 dB
 - 2550 MHz/35.33 dB

- Screening rate:
- 30-100 MHz = >95 dB
 - 100-1000 MHz = >90 dB
 - 1000-2300 MHz = >85 dB

100 m				00086669
	100	K.A.		

Antenna Cable 75 dB



hama

**Antenna Cable
"Anschluss-Set, Cable + 2
Coax-Adapters, 3part", White**

Type of Shielding	Double Shielded
Screening Rate	75 dB

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- incl. 2 coax adapters

2 m				00205339
		6	HB	
5 m				00205340
		6	HB	
10 m				00205341
		6	HB	



hama

**Antenna Cable
"F Plug - F Plug, 75 dB",
White**

Type of Shielding	Double Shielded
Screening Rate	75 dB

- Double shielding for good reduction of electromagnetic interference
- Double-shielded (braiding + aluminium foil)

1.5 m				00205037
		25	BA	
3 m				00205038
		25	BA	
5 m				00205039
		25	BA	
10 m				00205040
		25	BA	



hama

**Antenna Cable
"Coax Plug - Coax Socket, 75
dB", White**

Type of Shielding	Double Shielded
Screening Rate	75 dB

- Double-shielded (braiding + aluminium foil)
- Ideal for cable TV

1.5 m				00205028
		25	BA	
3 m				00205029
		25	BA	
5 m				00205030
		25	BA	
10 m				00205031
		25	BA	

ANTENNA / SAT



hama

Antenna Cable
"Coax Plug - RJ45 Plug",
White

Screening Rate	75 dB
----------------	-------

- Double shielding for good reduction of electromagnetic interference
- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ideal for DVB-T

2.5 m	00205032
	6 HB

Broadband Connection Cable



hama

Antenna Cable
"Broadband Connection
Cable"

Type of Shielding	Triple Shielded
-------------------	-----------------

Screening Rate	85 dB
----------------	-------

3 m	00205331
	6 HB
5 m	00205332
	6 HB
9 m	00205333
	6 HB



hama

Antenna Cable
"Broadband connection
cable, DS28 version", White

Type of Shielding	Triple Shielded
-------------------	-----------------

Screening Rate	85 dB
----------------	-------

5 m	00205335
	6 HB

Protective Cap



hama

Protective Sleeve for F-Plug,
2 pcs

Productline	Essential Line
-------------	----------------

Shade of colour	Black
-----------------	-------

Material	Neoprene
----------	----------

- Cable diameter: approx. 5 - 8 mm

	00205209
	8 HB

Antenna Cable



hama

Antenna Cable "Window bushing, F-coupling - F-coupling", White

Type of Shielding	Shielded
-------------------	----------

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Extremely durable, flat cable for bridging windows and doors without drill holes
- For satellite systems or BB/GA
- Digital suitable

0.2 m	00205227
8 HB	

F Coax Adapter



hama

Satellite Receiver Adapter, F-Socket - Coax Socket

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Screwable

- Fully shielded
- Solid-metal housing

00205224
8 HB

hama

Satellite Receiver Adapter, F-Socket - Coax Plug

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Screwable

- Fully shielded
- Solid-metal housing

00205223
8 HB



hama

Satellite Receiver Adapter, F-Plug - Coax Socket

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

- Fully shielded
- Solid-metal housing

00205222
8 HB

hama

Satellite Receiver Adapter, F-Plug - Coax Plug

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

- Fully shielded
- Solid-metal housing

00205221
8 HB

Antenna Connector Set



hama

Antenna Connector Set "F Connector, screwable, 2 Pieces (SAT)"

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- For installation on a satellite receiver cable
- Internal thread optimised

5.5 mm	00205204
5.8 mm	00205272
6.5 mm	00205205
7.0 mm	00205207
8.0 mm	00205208
6.8 mm	00205206
8 HB	



hama

Antenna Connector Set "F-Plug, screwable, 4 Pieces"

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- For installation on a satellite receiver cable
- Internal thread optimised

7.0 mm	00205210
6.8 mm	00205273
8 HB	



hama

F-plug, 7.0 mm, Screw-in, 8 Pcs

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- For installation on a satellite receiver cable
- Internal thread optimised

7.0 mm	00205318
8 HB	



hama

Coax Set, Metal, Plug/Socket, screw attachment

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- Fully shielded
- Made of metal, therefore mechanically extremely durable
- Good strain relief
- Suitable for cable TV

5 - 7 mm	00205211
8 HB	



hama

"Quad/Quadswitch-LNB" Satellite Receiver Connection Kit

Attachment of Inner Conductor	Screwable
-------------------------------	-----------

- Optimized internal thread for best fit of the plug
- Internal thread optimised

6.5 mm	00205314
8 HB	



hama

Satellite Receiver Adapter Kit, F-Plug - Coax Plug/Socket, 2 Pcs

Attachment of Inner Conductor	Pluggable
-------------------------------	-----------

- Set consisting of:
- Satellite receiver adapter F-plug - coax plug (converts a coax plug into an F-plug)
- Satellite receiver adapter F-plug - coax plug (antenna plug becomes an F-plug)
- Fully shielded

00205315	
8 HB	



hama

SAT Rec. Adapter Kit, 2 x F-Plugs and F-Socket - F-Socket Adapter

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- Screw-in F-plug

6.5 mm	00205203
8 HB	



hama

Coax Set, Plug/Socket, Can Be Clamped

Productline	Essential Line
Attachment of Inner Conductor	Clamp Type

- Simple assembly
- Fully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- Excellent strain relief

5 - 7 mm	00205212
8 HB	



hama

Satellite Receiver Adapter Kit F-Plug - Coax Socket / F-Plug - Coax Plug

Attachment of Inner Conductor	Pluggable
-------------------------------	-----------

- Enables the use of high-quality satellite receiver cable F-plugs - F-plug as antenna cable
- For connecting digital satellite receiver to 2-hole satellite receiver boxes with coax (IEC) connections
- Fully shielded

00205313	
8 HB	

Plugs & Sockets

F Socket Adapter



hama

Satellite Receiver Adapter,
F-Plug - F-Socket, 90°

Productline	Essential Line
Connection	F Plug, F Socket

- The body depth of the plug is reduced

Silver	00205226
	8 HB

F Plug



hama

Satellite Receiver Adapter,
F-Socket - F-Socket

Productline	Essential Line
Connection	F Socket

- Suitable for cable TV
- Fully shielded

Silver	00205225
	8 HB

F Plug



hama

Satellite Receiver Adapter,
Quick F-Plug - F-Socket, 90°

Quality	1 Star
---------	--------

- Space-saving 90° adapter for connections in very small spaces
- Quick-F plugs are super easy to attach to the socket without having to screw anything on; ideal if you change locations a lot

Silver	00205312
	8 HB

Coax Adapter



hama

Coax Adapter
"Koax-Plug - Koax-Coupling,
90°"

Productline	Essential Line
Attachment of Inner Conductor	Pluggable

- Compact adapter for space-saving attachment
- Prevents kinks in the cable

Silver	00205202
	8 HB

ANTENNA / SAT



hama

SAT Adapter, F Socket-F
Socket, 2 pcs

Productline	Essential Line
Connection	F Socket

- Suitable for cable TV
- Fully shielded

Silver	00205271
	8 HB



hama

Antenna Adapter, Coax Plug -
Coax Plug

Productline	Essential Line
Attachment of Inner Conductor	Pluggable

- This means that existing cables can continue to be used if connection conditions have changed
- Suitable for cable TV
- Fully shielded

Silver	00205219
	8 HB



hama

Antenna Adapter, Coax Socket - Coax Socket

Productline	Essential Line
Attachment of Inner Conductor	Pluggable

- This allows existing cables to continue being used if the connection conditions have changed
- Suitable for cable TV
- Fully shielded

Silver									00205220
		8	HB						

Coax Cable Connector



hama

Coax Connector, clamp-on

Productline	Essential Line
Shade of colour	White
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	5 - 7 mm

- Internal wire can be clamped
- Screw-on housing
- Good strain relief
- Fully shielded

									00205215
		8	HB						

Coax Coupling



hama

Antenna Socket, Coax, can be clamped

Productline	Essential Line
Attachment of Inner Conductor	Clamp Type
Max. Cable Diameter	5 - 7 mm

- Simple assembly
- Fully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- Excellent strain relief

White									00205214
		8	HB						

Coax Plug



hama

Antenna Plug, Coax, can be clamped

Productline	Essential Line
Connection	Coax Plug, Open
Attachment of Inner Conductor	Clamp Type
Max. Cable Diameter	5 - 7 mm

- Simple assembly
- Fully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- Excellent strain relief

White									00205213
		8	HB						



hama

Antenna Socket, Coax Angle, screw-on

Productline	Essential Line
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	6.0 mm

- Antenna plug for corner connections prevents kinked cables
- Antenna coupling kinked by 90°
- Screw-connectable internal wire

Silver									00205217
		8	HB						



hama

Antenna Plug, Coax Angle, screw-on

Productline	Essential Line
Connection	Coax Plug, Open
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	6.0 mm

- Prevents kinks in the antenna cable
- Antenna plug kinked by 90°
- Screw-connectable internal wire

White									00205216
		8	HB						

Cover plate



hama

2/3-hole cover plate for sat/
aerial socket

Shade of colour	Pure White
Material	Plastic Material

- Dimensions: 80 mm x 80 mm

8 cm	00205317
6 HB	

Antenna Socket



hama

Antenna Terminal Socket, 75
Ohm, Surface-mounted

Productline	Essential Line
Connection for	TV + Radio
Frequency Range	47 - 862 MHz
Model	Terminal Socket

- Return path compatible connection for interactive applications such as DSL via satellite
- Broadband signal sharing to TV and radio connection
- Ideal for home systems
- Suitable for cable TV
- Screening rates: 47 - 470 MHz \geq 75 dB, 470 - 862 MHz M \geq 65 dB

00205229	
6 HB	

Antenna Splitter



hama

Antenna Splitter, Coax Con-
nector – 2 Coax Plugs, Metal

Productline	Essential Line
Shade of colour	Silver
Input	Coaxial
Output	2x Coaxial
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

- Suitable for cable TV
- Solid-metal housing
- Fully shielded

00205236	
8 HB	



hama

Antenna Splitter, Coax Plug -
2 Coax Sockets, Metal

Productline	Essential Line
Shade of colour	Silver
Input	Coaxial
Output	2x F Socket
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

- Suitable for cable TV
- Solid-metal housing
- Fully shielded

00205237	
8 HB	



hama

Broadband Cable Splitter,
3-Way, Fully Shielded

Productline	Essential Line
Shade of colour	Silver
Input	F Socket
Output	3x F Socket
Frequency Range	5 - 862 MHz
Transmission Loss	4 dB +/- 1dB
Isolation	\geq 20 dB

- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference

00205350	
8 HB	



hama

Broadband Cable Splitter, 2 x

Productline	Essential Line
Shade of colour	Silver
Input	F Socket
Output	2x F Socket
Frequency Range	5 - 862 MHz
Transmission Loss	4 dB +/- 1dB
Isolation	\geq 20 dB

- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference

00205230	
8 HB	

wall-mounted frame



hama

Surface-mounted Frame for SAT/Antenna Socket

Shade of colour	Pure White
Material	Plastic Material
Usage	for SAT/Antennendose

- For single-part coverage

00205360		
6	HB	

SAT DiSEqC Switch



hama

SAT-DiSEqC Switch 2-1

Productline	Essential Line
Number of Inputs	2
Number of Outputs	1
DiSEqC-Level	2.0
Frequencyline	950 - 2500 MHz

- Weatherproof due to plastic housing
- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference
- Compliant with DiSEqC Level 2.0
- DC and 22 kHz transmission
- Suitable for outdoor installation

Plastic Material	00205289
6	HB



hama

SAT-DiSEqC Switch 4-1

Productline	Essential Line
Number of Inputs	4
Number of Outputs	1
DiSEqC-Level	2.0
Frequencyline	950 - 2500 MHz

- Weatherproof due to plastic housing
- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference
- Compliant with DiSEqC Level 2.0
- DC and 22 kHz transmission
- Suitable for outdoor installation

Plastic Material	00205290
6	HB

Satellite Socket



hama

Antenna / SAT / BB Socket, Twin End Socket, pure white

Shade of colour	Pure White
Connection Loss	3 dB
Frequency Range	88 MHz - 2400 MHz

- Return path compatible connection for interactive applications such as DSL via satellite
- 4 connections: TV, radio and 2 x SAT
- Frequency range: 5-65 MHz (with feedback channel via TV connection) and 88-2400 MHz
- SAT connection loss: 3 dB +/- 1 dB
- TV connection loss: 3 dB +/- 1 dB
- FM connection loss: 3 dB +/- 1 dB
- For BB/SAT networks
- Ideal for HDTV
- DC supply via F sockets
- Can be used with and without frame
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger

00205354		
6	HB	

SAT Setting Device



hama

Satellite Receiver Finder with LED Display

Productline	Essential Line
Material	Metal

- Attenuator for optimal adjustment of the input signal
- Acoustic signal for signal strength and quality
- 7-stage LED for SAT levels
- Function LED for 22 kHz impulse
- 2 x F connection (coupling)
- Simply plug between the LNB and receiver and adjust until the maximum achievable signal quality is achieved

00205359		
6	HB	



hama

SAT Finder with Analogue Display

Productline	Essential Line
-------------	----------------

- Attenuator for optimal adjustment of the input signal
- Acoustic signal for signal strength and quality
- 2 x F connection (coupling)
- Connecting cable with Quick-F plug for easy attachment
- Digital and HD compatible

00205291		
6	HB	

Inline Amplifier



hama

SAT Inline Amplifier, 20 dB

Productline	Essential Line
Amplification	20 dB
Frequency Range	950 - 2400 MHz

- Fully shielded lines for optimal reduction of electromagnetic interference
- Signal amplification by 20 decibels
- Solid full metal housing for protection against outside interference
- Ideal for HDTV

00205233		
8	HB	

SAT Splitter



hama

AB/SAT Priority Switch

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Impedance	75 Ω
Material	Metal

- Solid full metal housing for protection against outside interference
- Allows the simultaneous connection of 2 satellite receivers (e.g. built-in SAT receiver in the TV and an external hard drive receiver) to one coax cable

00205232		
8	HB	

hama

SAT Splitter, 2-Way, Fully Shielded

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Frequency Range	5 Mhz - 2400 Mhz
Transmission Loss	5 dB +/- 2 dB
Max. Remote Supply Current	500 mA

- Solid full metal housing for protection against outside

00205231		
8	HB	

Universal Receiving Outlet



hama

"SKITU" Universal Antenna Socket, 0 dB Terminal Socket, 4 in 1

Productline	Essential Line
Connection for	TV + SAT + Radio + Telephone + Unicable
Frequency Range	5 Mhz - 2200 Mhz
Model	With Cover and Frame
Usage	Terminal Socket

- Simultaneous use of SAT, cable TV, internet and telephone possible
- Return path compatible connection for interactive applications such as DSL via satellite
- TV, telephone and Internet (Triple) through a single line
- Unicable compatible for use in single cable systems according to EN 50494
- Capable of receiving DVB-S/-C/-T
- Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/telephone)
- The Internet signal is received at the TV socket
- Diode-decoupled connection
- Extended F-socket (installation-friendly)
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- Ideal for HDTV

Technical data:

- Frequency range: 5 to 2,200 MHz

With SAT connection: 950 to 2,200 MHz
Connection loss: <2dB

- For TV connections: 109 to 865 MHz;
- Return channel: 5 to 65 MHz

0 dB			00205288		
6	HB				



hama

Satellite Receiver Splitter, 3-Way, Fully Shielded

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Frequency Range	5 Mhz - 2400 Mhz
Impedance	75 Ω
Transmission Loss	7 dB ± 2 dB
Material	Metal
Max. Remote Supply Current	500 mA

- Solid full metal housing for protection against outside interference

00205351		
8	HB	



hama

"Skitu" Universal Antenna Socket, Transmission Socket, 10 dB, 4 in 1

Productline	Essential Line
Connection for	TV + SAT + Radio + Telephone + Unicable
Frequency Range	5 Mhz - 2200 Mhz
Model	With Cover and Frame
Usage	Through-Way Socket

- Simultaneous use of SAT, cable TV, internet and telephone possible
- Connector capable of operating in the return channel for interactive applications such as internet or telephone via cable modem
- TV, telephone and Internet (Triple) through a single line
- Unicable compatible for use in single cable systems according to EN 50494
- Capable of receiving DVB-S/-C/-T
- Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/telephone)
- The Internet signal is received at the TV socket
- Diode-decoupled SAT connection
- Extended F-socket (installation-friendly)
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- Ideal for HDTV

Technical data:

- Frequency range: 5 to 2,200 MHz


With SAT connection: 950 to 2,200 MHz

- Connection loss: 10 dB/+1.5 dB
- SAT transmission loss <3dB

bei TV-Anschluss: 109 bis 865 MHz

- Rückkanal: 5 bis 65 MHz
- Anschlussdämpfung: 12dB/>-1.0 dB

10 dB	00205355
6	HB



hama

SAT/Antenna Terminal Socket, 0 dB, 4-in-1

Productline	Essential Line
Connection for	TV + SAT + Radio + Telephone + Unicable
Frequency Range	5 Mhz - 2200 Mhz
Material	Die-cast housing
Model	Without cover and frame
Usage	Terminal Socket

- Simultaneous use of SAT, cable TV, internet and telephone possible
- Connector capable of operating in the return channel for interactive applications such as internet or telephone via cable modem
- TV, telephone and Internet (Triple) through a single line
- Unicable compatible for use in single cable systems according to EN 50494
- Capable of receiving DVB-S/-C/-T
- Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/telephone)
- The Internet signal is received at the TV socket
- Diode-decoupled SAT connection
- Extended F-socket (installation-friendly)
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- Ideal for HDTV

Technical data:

- Frequency range: 5 to 2,200 MHz

With SAT connection: 950 to 2,200 MHz

- Connection loss: < 2 dB

With TV connection: 109 to 865 MHz;

- Return channel: 5 to 65 MHz

0 dB	00205316
6	HB

Antenna Amplifier/Antenna Attenuator



hama

BB/CATV Amplifier for 2 Devices

Productline	Essential Line
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 2x22 decibels
- Attenuator for optimal adjustment of the input signal
- For the connection of two receiving devices (TV/radio)
- Built-in 230V/50Hz power pack
- With power LED and On/Off mains switch

White	00205228
6	HB



hama

BB/CATV amplifier, 25 dB, controllable

Productline	Essential Line
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 25 decibels
- Attenuator for optimal adjustment of the input signal
- Plug housing with power LED and On/Off mains switch
- Built-in 230V/50Hz power pack

White	00205234
6	HB

Sheath Current Filter



hama

"Coax" Sheath Current Filter

Screening Rate	75 dB
----------------	-------

- The interconnections between the receiving device and antenna are separated
- Ideal for 100 Hz TV sets
- Easily connect to the receiving device and antenna cable

White	00205361
8	HB

ANTENNA / SAT

TV/FM/DVB-T Antenna



hama

Dipole Antenna, Coax

Productline	Essential Line
Coax Cable Length	1.5 m

- Antenna coupling for radio
- Includes coax plug - coax plug adapter (for TV)

White	00205218
6	HB



hama

DAB+ Dipole Antenna, 1.75 m

Productline	Essential Line
Coax Cable Length	1.75 m

- Suitable for DAB+, FM and DVB-T2 HD
- Antenna coupling for radio
- Includes coax plug - coax plug adapter (for TV)
- Includes F-plug - coax plug SAT adapter

White	00205283
6	HB

Mast Top



hama

Universal Mast Top 40 - 60 mm

Shade of colour	Black
Material	Plastic Material

- For pipe diameters 40 - 60 mm

	00205358
6	HB

SAT Wall Brackets



hama

SAT Wall Bracket, aluminium, distance from the wall: 45 cm

Shade of colour	Aluminium
Material	Aluminium

- Extremely sturdy, in proven L shape
- Non-corroding as made from rust-resistant aluminium

	00044183
10	




hama

SAT Wall Bracket, aluminium, distance from the wall: 25 cm

Shade of colour	Aluminium
Material	Aluminium

- Extremely sturdy, in proven L shape
- Non-corroding as made from rust-resistant aluminium
- TÜV approved

	00044172
10	



hama

SAT Wall Bracket, aluminium, distance from the wall: 35 cm

Shade of colour	Aluminium
Material	Aluminium

- Extremely sturdy, in proven L shape
- Non-corroding as made from rust-resistant aluminium
- TÜV approved

	00044175
10	

ANTENNA / SAT

LNB Adapter



hama

Universal LNB Adapter for Kathrein and Astro SAT Antennas

Material	Plastic Material
SAT Antenna Manufacturer	Astro, Kathrein

- Fast and simple installation
- LNB holder can be used anywhere

00205357		
6	HB	

SAT Receiver Connection Set



hama

SAT Connection Kit, 85 dB, 20 m

Set Contents in Pieces	7
------------------------	---

- Double shielding for good reduction of electromagnetic interference
- Shielded lines for optimum picture and sound quality without interference
- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Impedance: 75 ohms
- Outside diameter: 5.8 mm
- Suitable for digital operation
- 7-part kit comprising:
 - 1 double shielded coax cable (20 m, white)
 - 4 F plugs
 - 2 weather protection sleeves

00056607		
12	SC	



hama

SAT Connection Kit, 85 dB, 10 m

Set Contents in Pieces	4
------------------------	---

- Double shielding for good reduction of electromagnetic interference
- Shielded lines for optimum picture and sound quality without interference
- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Impedance: 75 ohms
- Outside diameter: 5.8 mm
- Suitable for digital operation
- 4-part kit comprising:
 - 1 double shielded coax cable (10 m, white)
 - 2 F plugs
 - 1 weather protection sleeve

00056606		
12	SC	

Stripping Tool



hama

Cable insulator

- For cables with an external diameter up to max. 8.00 mm
- For cables with an internal wire up to a max. diameter of 1.13 mm
- Can be used for external and internal jackets
- Easy to use

00205235		
8	HB	

SAT Multiswitch



hama

"Lypsi SE" SAT Multiswitch,
5/8 NT

Number of Inputs	5
Number of Outputs	8
frequency spectrum terrestrial/SAT	5 - 862 MHz, 47 - 862 MHz, 950 - 2200 MHz
Transmission Loss	6 - 10 dB
Isolation SAT Outputs (min.)	35 dB
Line Voltage	90 - 250 V
Max. Remote Supply Current	500 mA
Power	8 W

- Return path compatible connection for interactive applications via the terrestrial input
- Connection to quadswitch LNB possible
- Decoupling that is especially high for decreased sensitivity to interference from the signal inputs
- With colour coding for easily assigning the cables when connecting the LNB to the multiswitch
- Quad and Quadswitch compatible (22 KHz signal supplied to the LNB)
- With switching power supply for LNB power supply
- Inputs: 4x SAT, 1x terrestrial
- Earth connection: 1x terminal screw
- V/H: 14 V/18 V and 22 KHz switching signal

00044306

12 HB



hama

"Lypsi SE" SAT Multiswitch,
5/6 NT

Number of Inputs	5
Number of Outputs	6
frequency spectrum terrestrial/SAT	5 - 862 MHz, 47 - 862 MHz, 950 - 2200 MHz
Transmission Loss	6 - 10 dB
Isolation SAT Inputs (min.)	35 dB
Isolation SAT Outputs (min.)	35 dB
Line Voltage	90 - 250 V
Max. Remote Supply Current	500 mA
Power	8 W

- Return path compatible connection for interactive applications via the terrestrial input
- Connection to quadswitch LNB possible
- Decoupling that is especially high for decreased sensitivity to interference from the signal inputs
- With colour coding for easily assigning the cables when connecting the LNB to the multiswitch
- Quad and Quadswitch compatible (22 KHz signal supplied to the LNB)
- With switching power supply for LNB power supply
- Inputs: 4x SAT, 1x terrestrial
- Earth connection: 1x terminal screw
- V/H: 14 V/18 V and 22 KHz switching signal

00044307

12 HB

Screw Set



hama

Screw Set with Plugs

- | | |
|------------------------|----|
| Set Contents in Pieces | 12 |
|------------------------|----|
- 4 8 x 80 mm DIN 571 solid metal screws
 - 4 8 mm diameter DIN 9021 shims
 - 4 12 mm diameter plastic plugs for solid materials (concrete, solid brick)

00205352

6 HB

Sealing Tape



hama

Self-sealing sealing tape,
5.0 m

- | | |
|----------------|--------------|
| Material | Caoutchouc |
| Width x Length | 19 x 5000 mm |
| Thickness | 1 mm |
- Rubber insulating tape, permanently elastic
 - Permanently self-sealing, water-tight
 - Highly flexible, can also be used below 0°C
 - Complies with VDE Directive 0530 Type A4

Black

00205356

6 HB

LNB




hama

Universal Single LNB

Noise Factor (typically)	0.3 dB
--------------------------	--------

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- Insulating cap against wind and weather: the high-quality weatherproof rubber grommet protects the connections and ensures consistently good transmission quality
- Easy to connect: the single LNB enables a simple connection for a digital receiver
- For the digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- For connecting a digital receiver or TV with built-in digital receiver
- Ideal for HD, HD+, Full HD, Ultra HD UHD 4K and 8K
- 22 kHz switch between low and high band
- Weather-resistant thanks to weather protection grommet

White	00205370
10	HB



hama

Universal Twin LNB

Noise Factor (typically)	0.3 dB
--------------------------	--------

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the two connections on the Twin LNB, up to 2 digital receivers can be connected
- For the digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- Ideal for HD, HD+, Full HD, Ultra HD UHD 4K and 8K
- 22 kHz switch between low and high band
- Weather-resistant thanks to extendable weatherproof housing

White	00205371
10	HB



hama

Universal Quattro LNB

Noise Factor (typically)	0.3 dB
--------------------------	--------

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the 4 connections on the Quattro LNB, several digital receivers can be connected directly in combination with an external multi-switch
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- Ideal for HD, HD+, FullHD, UltraHD UHD 4K and 8K
- With four fixed outputs (HL/VL/HH/VH)
- Weatherproof thanks to extendable weatherproof housing

White	00205372
10	HB



hama

Universal Quad LNB

Noise Factor (typically)	0.3 dB
--------------------------	--------


- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the built-in multi-switch, up to 4 digital receivers can be connected directly to the Quad-LNB
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- With integrated multi-switch for 4 participants
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- 22 kHz switching between low and high band
- Weatherproof thanks to extendable weatherproof housing

White	00205373
10	SC

ANTENNA / SAT

Audio / Video / Antenna

Audio



Cables & Adapters

ODT Cable



hama

ODT Cable
"Toslink Plug, Metal", Black

Productline	Prime Line
-------------	------------

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- Robust metal plug with the best shielding for reliable signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- High-quality materials for excellent sound quality without interference

1.5 m			6	HB	00205139
3 m			6	HB	00205140



hama

ODT Cable
"Toslink Plug", Black

Productline	Entry Line
-------------	------------

- For devices with a Toslink (ODT) connection

1.5 m			25	BA	00205131
-------	--	--	----	----	----------

Jack RCA Cable



hama

Jack RCA Cable
"3,5-mm-Jack-Plug - 2 Cinch-Plug, Stereo", Black

Productline	Essential Line
-------------	----------------

- High-quality materials for excellent sound quality without interference
- Colour coding on the inside of the plugs for easy connecting

0.75 m					00205109
			6	HB	
1.5 m					00205110
			6	HB	
3 m					00205111
			6	HB	
5 m					00205112
			6	HB	



hama

Jack RCA Cable
"3.5 mm Jack Plug - 2 RCA Plugs", Black

Productline	Entry Line
-------------	------------

- High-quality materials for excellent sound quality without interference
- Colour coding on the inside of the plugs for easy connecting

2 m					00205106
			25	BA	
5 m					00205107
			25	BA	

TV AUDIO



hama

ODT Cable
"Toslink Plug", Black

Productline	Essential Line
-------------	----------------

- Flexible optical fibre cable for fast and interference-free signal transmission
- For devices with a Toslink (ODT) connection

0.75 m					00205133
			6	HB	
1.5 m					00205134
			6	HB	
3 m					00205135
			6	HB	
5 m					00205136
			6	HB	



hama

Jack RCA Cable
"3,5 mm Jack Plug. - 2 RCA Plug, Stereo, gilded", Black

Productline	Essential Line
-------------	----------------

- High-quality materials for excellent sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Form-fitting plug with elevation for a firm hold in every jack socket, also with a bag/cover, for excellent audio quality without interruption
- Colour coding on the inside of the plugs for easy connecting

1.5 m					00205260
			6	HB	
3 m					00205261
			6	HB	

Jack Cable



hama

Jack Cable „3,5-mm-Jack-Plug/Plugr, Stereo, Metal, gilded“, Black, Grey

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- Robust metal plug with the best shielding for reliable signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Gold-plated plug with low contact resistance for secure signal transmission

0.75 m				00205129
	6	HB		
1.5 m				00205130
	6	HB		



hama

Jack Cable "3,5mm jack plug / coupling, stereo", Black

- High-quality materials for excellent sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a jack connection

1.5 m				00205119
	6	HB		
3 m				00205120
	6	HB		
5 m				00205121
	6	HB		



hama

Jack Cable „3,5-mm-Jack-Plug/Plugr, Stereo, gilded, ultraslim“, Black

- High-quality materials for excellent sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.5 m				00205117
	6	HB		
1.5 m				00205118
	6	HB		
3 m				00205263
	6	HB		
5 m				00205264
	6	HB		



hama

Jack Cable „3,5-mm-Jack-Plug. 90° - 3,5-mm-Jack-Plug., Stereo“, Black

- High-quality materials for excellent sound quality without interference
- Space-saving 90° plug for connections in a minimum of space
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a jack connection

0.5 m				00205285
	6	HB		
1.5 m				00205286
	6	HB		



hama

Jack Cable "3.5 mm Jack Plug/Plug, Stereo", Black

- High-quality materials for excellent sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.5 m				00205287
	6	HB		
1.5 m				00205262
	6	HB		
3 m				00205115
	6	HB		
5 m				00205116
	6	HB		



hama

Jack Cable "Flexi-Slim, 3.5 mm Jack Plug 90° - Plug, Stereo", Black

- High-quality materials for excellent sound quality without interference
- Light and space-saving due to the flexible coiled cable and the 90° plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission

0.75 m				00205113
	6	HB		
1.5 m				00205114
	6	HB		



hama

Jack Cable "3,5mm jack plug / coupling, stereo", Black

Structure	2 Wires
-----------	---------

2.5 m				00205104
	25	BA		
5 m				00205105
	25	BA		

RCA Cable



hama

RCA Cable
"2 RCA Plugs - 2 RCA Sockets", Black

Productline	Essential Line
-------------	----------------

- Colour coding on the inside of the plugs for easy connecting
- For devices with an analogue RCA connection

1.5 m				00205259
	6	HB		
3 m				00205094
	6	HB		
5 m				00205095
	6	HB		



hama

RCA Cable
"RCA Plug - RCA Plug, Digital", Black

Productline	Essential Line
-------------	----------------

- High-quality materials for excellent sound quality without interference
- Additional shielding for good reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Colour coding on the inside of the plugs for easy connecting
- For devices with a digital RCA connection

1.5 m				00205098
	6	HB		
3 m				00205099
	6	HB		



hama

RCA Cable
"2 RCA Plugs - 2 RCA Plugs", Black

Productline	Entry Line
-------------	------------

1.5 m				00205085
	25	BA		
2.5 m				00205086
	25	BA		
5 m				00205087
	25	BA		

USB Sound Card



hama

Audio Adapter, USB-C Plug - 3.5 mm Jack Socket, Stereo

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black				00205282
	6	HB		

TV AUDIO



hama

RCA Cable
"2 RCA Plugs - 2 RCA Plugs", Black

Productline	Essential Line
-------------	----------------

- Colour coding on the inside of the plugs for easy connecting
- For devices with an analogue RCA connection

1.5 m				00205257
	6	HB		
3 m				00205258
	6	HB		
5 m				00205093
	6	HB		



hama

RCA Cable
"Subwoofer, Cinch-Plug - 2 Cinch-Plug, gilded", Black

Productline	Essential Line
-------------	----------------

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials for excellent sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Colour coding on the inside of the plugs for easy connecting
- For devices with an RCA connection

5 m				00205097
	6	HB		

Bluetooth Audio Adapter



hama

"Twin" Bluetooth® Audio Transmitter, for two pairs of headphones

Connection	3.5 mm Jack Socket
Max. Range	10 m
Bluetooth Version	3.0 + EDR

- Simultaneous music transfer to two pairs of Bluetooth headphones
- APTX technology for better audio quality despite the limited bandwidth with Bluetooth
- Converts every standard audio player like a hifi system, TV or MP3 player into a Bluetooth transmitter
- Can be paired with every Bluetooth compatible device like headphones, speakers, receivers
- Audio input via the supplied 3.5 mm jack cable (adaptation to RCA possible)
- Auto pairing for user-friendly operation and quick readiness for use
- Power supply via USB e.g. directly on the TV or via a separate power adapter
- Range: up to 10 metres (with a clear view)

Black					00040987
		6	HB		



hama

"Link.it duo" Bluetooth® Adapter, Transmitter & Receiver, Bluetooth Retrofit

Connection	3.5 mm Jack Socket, USB-C-Connector
Max. Range	10 m
Bluetooth Version	5.2

- Many connections lead to Bluetooth: TVs, Hi-Fi systems or projectors can be connected via the 3.5-mm jack connection or via the optical fibre connection without interruption thanks to the Bluetooth adapter
- Transceiver for Bluetooth in both directions: whether it be a Bluetooth transmitter or receiver, two devices can always be connected, e.g. two pairs of headphones with one TV or one pair of headphones with the TV and stereo system
- Handy power supply via USB: Bluetooth adapter draws power directly via the USB-A - USB-C cable through the USB port on the device, e.g. TV set
- Bluetooth in no time: thanks to auto pairing, the Bluetooth transmitter and receiver are quickly ready for use - You simply have to pair the devices once and after this the connection will be established automatically when Bluetooth is activated
- APTX technology for better audio quality despite the limited bandwidth with Bluetooth
- Pair the Bluetooth headphones or Bluetooth speaker with the TV, projector or stereo system without a previous Bluetooth function
- Multi-point - 2 Bluetooth headphones on one audio source (e.g. TV): ideal for people who listen to sound at different volumes but still like to enjoy their favourite series together

Black					00205322
		6	HB		



hama

"Link.it solo" Bluetooth® Audio Receiver

Connection	USB-C-Connector
Max. Range	50 m
Bluetooth Version	5.3

- High-quality materials for excellent sound quality without interference
- Multi-device: two signal sources can be paired simultaneously via Bluetooth, e.g. smartphone, tablet, etc.
- Convenient power supply via the device's USB port
- Also suitable for audio transfer from a micro-SD card
- Pairing of up to 2 audio sources to the music system for streaming different music with 2 different mobile phones, for example
- Auto pairing for convenient operation and fast readiness for use
- Up to 50-metre range (with clear sight)
- Analogue output: 3.5-mm jack
- Power supply via USB, e.g. direct from TV or via a separate power supply unit
- Ideal for micro-SD cards with up to 64 GB storage capacity and FAT32 or exFAT formatting
- Supported audio formats: MP3, WMA, WAV, FLAC, APE

Black					00205321
		40	HB		

ODT Adapter



hama

ODT Adapter, Toslink Plug - Toslink Socket, Gold-Plated, 90°

Productline	Essential Line
-------------	----------------

- Gold-plated plug with low contact resistance for secure signal transmission
- Fibreoptic cable can be routed at the top, bottom or to the side in order to connect the TV set to the amplifier, for example
- Prevents kinks in the cable
- Plug can swivel
- Compact adapter for space-saving attachment

Black					00205177
		8	HB		



hama

ODT Adapter, Toslink Socket - Optical 3.5 mm Plug, gold-plated

Productline	Essential Line
-------------	----------------

- Gold-plated plug with low contact resistance for secure signal transmission
- Compact adapter

Black					00205178
		8	HB		

TV AUDIO

Cables & Adapters

RCA Adapter



hama

Subwoofer Adapter, RCA Plug - 2 RCA Sockets

Productline Essential Line

- Flexible cable adapter

Black				00205183
	8	HB		



hama

Audio Adapter, 2 x RCA Socket - 3.5 mm Jack Plug, Stereo

Productline Essential Line

- Flexible cable adapter

Black				00205185
	8	HB		



hama

RCA Adapter, 2 RCA Sockets - 2 RCA Sockets

Productline Essential Line

- Compact adapter

Black				00205181
	8	HB		



hama

Short Audio Adapter, 3.5 mm Jack Socket Stereo - 2 x RCA Socket

Productline Essential Line

- For connecting smartphones or tablets with high-quality HiFi components, for example
- Compact adapter

Black				00205187
	8	HB		

TV AUDIO



hama

Subwoofer Adapter, 2 RCA Plugs - RCA Socket

Productline Essential Line

- Flexible cable adapter

Black				00205184
	8	HB		



hama

Audio Adapters, 2 RCA Plugs - 3.5 mm Jack Socket Stereo

Productline Essential Line

- Flexible cable adapter

Black				00205186
	8	HB		



hama

Audio Adapter, 2 RCA Sockets - 5-Pin DIN Plug

Productline Essential Line

- Flexible cable adapter

Black				00205189
	8	HB		



hama

Audio Adapter, RCA Socket - RCA Socket

Productline Essential Line

- Compact adapter

Black				00205182
	8	HB		

Jack Scart Adapter



hama

Adapter, Scart Plug - 3.5 mm Jack Socket Stereo

Productline	Essential Line
Shade of colour	Black

		00205171
	6 HB	

MP3/CD Adapter



hama

Vehicle Cassette Adapter for Smartph., MP3 Players, CD Players, 3.5 mm jack

Shade of colour	Black
Connection	3.5 mm Jack Plug

- Connection to the player (headphones or line output) with a 3.5 mm stereo jack plug
- Plug the adapter into the slot like a "normal" cassette and connect the smartphone, MP3/CD/MD player or iPod via the jack plug
- Compatible with all devices having a 3.5 mm jack socket

		00017524
	144 HC	

Mains Lead



hama

Mains Lead "Euro Plug - 2-Pin Socket (double groove)", Black

Productline	Essential Line
Wire Cross-Section	0.75 mm ²

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Also for radios, TVs, DVD/Blu-Ray players, games consoles, PC, monitors, printers

1.5 m			00200747
	6	HB	
2.5 m			00200777
	6	HB	

Jack Plug Adapter



hama

Audio Adapter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket
------------	--------------------------------------

- Space-saving 90° plug for connections in a minimum of space
- Form-fitting plug with elevation for a firm hold in every jack socket, also with a bag/cover, for excellent audio quality without interruption
- Flexible cable adapter

Black			00205190
	8	HB	



hama

Audio Adapter, 2 x 3.5 mm Jack Plug Mono - 3.5 mm Jack Socket Stereo

Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket
------------	--------------------------------------

- Compact adapter
- Suitable for current aircraft models

Black			00205192
	8	HB	

TV AUDIO

Cables & Adapters



hama

Audio Adapter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket
------------	--------------------------------------

- For enjoying the same music in pairs from the MP3 player
- Compact adapter

Black	00205191
8	HB



hama

Audio Adapter, RCA Socket - 6.3 mm Mono Jack Plug

Connection	6.35 mm Jack Plug, RCA Socket
------------	-------------------------------

- Compact adapter

Black	00205188
8	HB



hama

Audio Adapter, 3.5 mm Mono Jack Socket - 6.3 mm Mono Jack Plug

Connection	3.5 mm Jack Socket, 6.35 mm Jack Plug
------------	---------------------------------------

- e.g. for connecting a microphone to a radio device
- Compact adapter

Black	00205195
8	HB



hama

Audio Adapter, 3.5 mm Jack Socket - 6.3 mm Jack Plug, Stereo

Connection	3.5 mm Jack Socket, 6.35 mm Jack Plug
------------	---------------------------------------

- For connecting headphones to HiFi system, for example
- Compact adapter

Black	00205194
8	HB



hama

Audio Adapter, 3.5 mm Jack Socket Stereo

Connection	3.5 mm Jack Socket
------------	--------------------

- Compact adapter
- High-quality design with metal grip body

Silver	00205193
8	HB



hama

Audio Adapter, 3.5 mm Jack Plug Stereo - 2.5 mm Jack Socket Stereo

Connection	2.5 mm Jack Socket, 3.5 mm Jack Plug
------------	--------------------------------------

- e.g. headphones with 2.5 mm connection to an MP3 player with 3.5 mm connection
- Compact adapter

Black	00205199
8	HB



hama

Audio Adapter, 3.5 mm Jack Plug - 6.3 mm Jack Socket, Stereo

Connection	3.5 mm Jack Plug, 6.35 mm Jack Socket
------------	---------------------------------------

- For connecting headphones to an MP3 player, for example
- Compact adapter

Black	00205196
8	HB



hama

Audio Adapter, 2.5 mm Jack Plug - 3.5 mm Jack Socket, Stereo

Connection	2.5 mm Jack Plug, 3.5 mm Jack Socket
------------	--------------------------------------

- Flexible cable adapter

Black	00205197
8	HB

TV AUDIO

Loudspeaker Cable



hama

Loudspeaker Cable
"Open, 2-adrig, Transparent",
10 m

Productline	Entry Line
Structure	2 Wires

- With coloured identifying stripes

2.5 mm ²	00205267
25 BA	
1.5 mm ²	00205142
25 BA	
0.75 mm ²	00205141
25 BA	



hama

Loudspeaker Cable
"Acoustic, transparent", 75 m

Structure	2 Wires
-----------	---------

- Loudspeaker cable, entry-level version
- With consecutive meter imprint
- Wire structure: 0.15 mm
- Bare copper, E-Cu
- Made in Germany
- On "studio" plastic reel, 21 x 20

4 mm ²	00086617
75 K.A.	



hama

Loudspeaker Cable
"Acoustic, transparent", 150 m

Structure	2 Wires
-----------	---------

- Loudspeaker cable, entry-level version
- With consecutive meter imprint
- Wire structure: 0.15 mm
- Bare copper, E-Cu
- Made in Germany
- On "studio" plastic reel, 21 x 20

2.5 mm ²	00086611
150 K.A.	



hama

Loudspeaker Cable
"Acoustic, transparent", 200 m

Structure	2 Wires
-----------	---------

- Loudspeaker cable, entry-level version
- With consecutive meter imprint
- Wire structure: 0.15 mm
- Bare copper, E-Cu
- Made in Germany
- On "studio" plastic reel, 21 x 20

1.5 mm ²	00086607
200 K.A.	



hama

Loudspeaker Cable
"Acoustic, transparent", 300 m

Structure	2 Wires
-----------	---------

- Loudspeaker cable, entry-level version
- With consecutive meter imprint
- Wire structure: 0.20 mm
- Bare copper, E-Cu
- Made in Germany
- On "studio" plastic reel, 21 x 20

0.75 mm ²	00086603
300 K.A.	



hama

Loudspeaker Cable
"Acoustic, white", 200 m

Structure	2 Wires
-----------	---------

- Loudspeaker cable, entry-level version
- With consecutive meter imprint
- Wire structure: 0.25 mm
- Bare copper, E-Cu
- Made in Germany
- On "studio" plastic reel, 21 x 20

1.5 mm ²	00086605
200 K.A.	



hama

Loudspeaker Cable
"Acoustic, white", 300 m

Structure	2 Wires
-----------	---------

- Loudspeaker cable, entry-level version
- With consecutive meter imprint
- Wire structure: 0.20 mm
- Bare copper, E-Cu
- Made in Germany
- On "studio" plastic reel, 21 x 20

0.75 mm ²	00086601
300 K.A.	

Plugs & Sockets

RCA Plug



hama

RCA Plug, Solderable, 2 Pcs

Productline	Essential Line
-------------	----------------

- Sorted by colour: red, black

				00205269
	8	HB		

Jack Plug



hama

3.5 mm Jack Plug, 3-pol. Stereo

Productline	Essential Line
-------------	----------------

Shade of colour	Black
-----------------	-------

- Can be soldered

				00205270
	8	HB		

Banana Plug



hama

Audio Loudspeaker Adapter, Banana Plug, Set of 4

Productline	Essential Line
-------------	----------------

Shade of colour	Gold
-----------------	------

Max. Cable Diameter	6 mm
---------------------	------

- Gold-plated plug with low contact resistance for secure signal transmission
- Screw-in

				00205201
	8	HB		

Speaker Plug



hama

Loudspeaker Plug, Screw-in, 2 Pcs

Productline	Essential Line
-------------	----------------

Shade of colour	Black
-----------------	-------

- Screw-in

				00205200
	8	HB		

ODT Splitter



hama

Optical Splitter, Toslink Socket - 2 Toslink Sockets

Productline	Essential Line
Shade of colour	Black

- Passive optical splitter with compact plastic housing

00205179		
8	HB	

Preamplifier



hama

"PA 506" Stereo Phono Pre-amplifier, with 230 V/50 Hz power supply unit

Shade of colour	Black
-----------------	-------

- Additional power supply unit for power supply
- Gold-plated contacts with low contact resistance for secure signal transmission
- Solid full metal housing for protection against outside interference
- For connecting record players with a magnet system to an audio mixing console or stereo systems with Line/Aux/MD/CD inputs
- Low-noise preamplifier with RIAA equalization
- Also suitable for audio mixing consoles and PC sound cards
- Comes with a power supply unit, 230 V/50 Hz, 300 mA

00040506		
6	HB	

Signal Converter



hama

"AC80" Audio Converter, Digital to Analogue

Shade of colour	Black
-----------------	-------

Voltage of Plug-In Power Supply	5 V
Width x Depth x Height	5 x 4 x 2.5 cm

- Allows retrofitting an analogue audio output for connecting a hifi system, amplifier or a pair of headphones
- Improves the sound quality of digital output devices (e.g. flat TV, DVD player) by sound playback via a hifi system
- Two digital inputs (optical, coaxial) for DVD players, games consoles and computers
- One analogue output (line out) for hi-fi systems, audio amplifiers
- Can be operated with the supplied power supply unit
- Plug & play, no software required

00083180		
6	HB	

Audio/Video Connection Kit



hama

RCA Connection Kit, 2.5 m


Productline	Essential Line
Shade of colour	Black

- Colour coding on the inside of the plugs for easy connecting
- High-quality materials for excellent sound quality without interference
- Audio Cable, 2 RCA Plugs - 2 RCA Plugs, 2.5 m
- Compact adapter, 6.3 mm jack plug, stereo - 3.5 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug, stereo - 2 RCA sockets

2.5 m	00205175	
6	HB	

Cables & Adapters

Jack Connection Set



hama

Jack Connection Kit, 2.5 m

Productline	Essential Line
Shade of colour	Black
Length	250 cm

- High-quality materials for excellent sound quality without interference
- Audio extension cable, 3.5 mm jack plug - 3.5 mm jack socket, stereo, 2.5 m
- Compact adapter, 6.3 mm jack plug - 3.5 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug - 6.3 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug - 2 3.5 mm jack sockets, stereo
- Compact adapter, 3.5 mm jack plug - 3.5 mm jack plug, stereo

TV AUDIO

Second Placement



hama

ODT Cable "Toslink-Plug, Metal, Display"

Productline	Action
-------------	--------

- Flexible optical fibre cable for fast and interference-free signal transmission
- Robust metal plug with the best shielding for reliable signal transmission
- Elegant and flexible fabric jacket for additional kink protection
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

3 m	00205448
	14 SC

00205122	
6	HB

Specials – FOB only



Chip Card Reader



hama

"Single" Chip Card Reader for Smart Cards / ID Cards

Shade of colour	Black
Connection	USB-Typ-A-Plug

- LED function indicator gives information about the device status
- Incl. USB-A - USB-C adapter
- Easy connection via USB cable
- Compact and handy, therefore also practical for use on the move
- Use for online banking, online payments, electronic proof of identity with personal ID, electronic signature, for example

		00053398
	16	HB



hama

"Single" Chip Card Reader for Smart Cards / ID Cards, with USB-C adapter

Shade of colour	Black
Connection	USB-Typ-A-Plug

- LED function indicator gives information about the device status
- Incl. USB/A-USB/C adapter
- Easy connection via USB cable
- Compact and handy, therefore also practical for use on the move
- Use for online banking, online payments, electronic proof of identity with personal ID, electronic signature, for example

		23053398
	16	HB

Antenna Cable



hama

Antenna Cable „Coax Plug - Coax Socket, metal, gold-plated, 120 dB“, Black

Screening Rate	120 dB
----------------	--------

- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- Ferrite core for decimating remaining interference and for good signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with a 9.5 mm coax connection

1.5 m			00205292
	6	HB	
3 m			00205293
	6	HB	



hama

Antenna Cable „Koax-Plug - Koax-Coupling, 90°, with Adapter, 75 dB“, White

Type of Shielding	Double Shielded
Screening Rate	75 dB

- Space-saving 90° plug for connections in a minimum of space
- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug - plug

1.5 m			00205299
	6	HB	
3 m			00205305
	6	HB	



hama

Antenna Cable "Koax-Plug - Koax-Coupling, with Adapter, 75 dB", White

Type of Shielding	Double Shielded
Screening Rate	75 dB

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug - plug

1.5 m			00205295
	6	HB	
3 m			00205296
	6	HB	
5 m			00205297
	6	HB	
10 m			00205298
	6	HB	
15 m			00205304
	5	HB	

SPECIAL ARTICLES




hama

Antenna Cable "Koax-Plug - Koax-Coupling, with Adapter, 75 dB", Black

Type of Shielding	Double Shielded
Screening Rate	75 dB

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug - plug

1.5 m				00205302
		6	HB	
3 m				00205308
		6	HB	



hama

Antenna Cable "Koax-Plug - Koax-Coupling, with Adapter, 85 dB", White

Type of Shielding	Double Shielded
Screening Rate	85 dB

- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- Ferrite core for decimating remaining interference and for good signal transmission
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug - plug

1.5 m				00205300
		6	HB	
3 m				00205301
		6	HB	
5 m				00205307
		6	HB	



hama

Antenna Cable "Koax-Plug - Koax-Coupling, with Adapter, 85 dB", Black

Type of Shielding	Double Shielded
Screening Rate	85 dB

- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- Ferrite core for decimating remaining interference and for good signal transmission
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug - plug

1.5 m				00205303
		6	HB	
3 m				00205306
		6	HB	



hama

Antenna Cable "Coax Plug - Coax Socket, 75 dB", White

Type of Shielding	Double Shielded
Screening Rate	75 dB

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

1.5 m				00205325
		6	HB	
3 m				00205326
		6	HB	
5 m				00205327
		6	HB	
7.5 m				00205328
		6	HB	
10 m				00205329
		6	HB	
15 m				00205330
		5	HB	



hama

Antenna Cable
"Koax-Plug- Koax-Plug, 75 dB", White

Type of Shielding	Double Shielded
Screening Rate	75 dB

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

2 m	00205277	
	6	HB
4 m	00205278	
	6	HB



hama

Antenna Cable
"Koax-Plug - Koax-Plug, gold-plated, Ferrite, 90 dB", White

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Triple shielding for very good reduction of electromagnetic interference
- Ferrite core for decimating remaining interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- For devices with a 9.5 mm coax connection

1.5 m	00205279	
	6	HB



hama

Antenna Cable
"F Plug - F Plug, 90 dB", Black

Screening Rate	90 dB
----------------	-------

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with F-connection

1.5 m	00205309	
	6	HB



hama

Antenna Cable
"Coax Plug - Coax Socket, 75 dB", White

Type of Shielding	Double Shielded
Screening Rate	75 dB

- Double-shielded (braiding + aluminium foil)
- Ideal for cable TV

1.5 m	00056523	
	25	SC

HDMI™-Cable



hama

HDMI™-Cable „High Speed, HDMI Plug - HDMI Plug, Ethernet, Gold-Plated“, Black

Productline	Essential Line
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Transfer of all digital video, audio and copy protection data and signals
- Gold-plated plug contacts for secure signal transmission thanks to low transfer resistances
- For perfect, high-resolution, Full HD quality (4096 x 2160 pixels)
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Network functionality thanks to integrated Internet / Ethernet channel (HEC); network 100 MB/s
- With integrated audio return channel (ARC)
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards

1.5 m				00205342
		6	HB	
3 m				00205343
		6	HB	
5 m				00205344
		6	HB	

hama

HDMI™-Cable "High Speed, HDMI Plug - HDMI Plug", Black

Productline	Essential Line
-------------	----------------

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI™ for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Transfer of all digital video, audio and copy protection data and signals
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards

1.5 m				00205346
		6	HB	



hama

High-Speed HDMI™ Cable, Plug - Plug, Ethernet, gold-plated, 1.5 m

Data Transfer Rate	10.2 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Return of the audio signal without additional audio cable (ODT, RCA etc.)
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Transfer of all digital video, audio and copy protection data and signals
- Gold-plated plug contacts for secure signal transmission thanks to low transfer resistances
- For perfect, high-resolution, full HD quality (4096 x 2160 pixels)
- Colour space: 30/36/48-bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transfer of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards

1.5 m				00056521
		25	SC	



hama

HDMI™-Cable "High Speed, HDMI Male - HDMI Male, 8K", Black

Max. Resolution	8k
-----------------	----

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks

0.5 m				00205281
		6	HB	

Cables & Adapters

RCA Cable



hama

RCA Cable
"2 RCA Plugs - 2 RCA Plugs",
Black

- Colour coding on the inside of the plugs for easy connecting
- For devices with an analogue RCA connection

0.5 m	00205319
0.75 m	00205320
	6 HB

Mains Lead



hama

Power Cable, Italian Plug -
3-Pin IEC Power Cable, 1.5 m

Wire Cross-Section	0.75 mm ²
--------------------	----------------------

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ideal as a replacement for short, long or faulty original IEC cables
- Suitable for a range of electrical / multi-media devices
- Resilient, long-lasting cable
- VDE tested

1.5 m	00200746
	6 HB



hama

Mains Cable, Italian Plug
- 3-Pin Socket (Cloverleaf),
1.5 m

Wire Cross-Section	0.75 mm ²
--------------------	----------------------

- Moulded plugs ensure high mechanical resilience and strain relief
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ideal as a replacement for short or faulty original cables
- Resilient, long-lasting cable
- VDE tested

1.5 m	00200745
	6 HB

Telephone Adapter



hama

Adapter, 3-Pin Plug - 6p4c
Modular Socket

Productline	Essential Line
-------------	----------------

- High-quality materials and workmanship guarantee excellent transmission quality
- For connecting analogue devices with modular plugs to telephone sockets based on the 3-pin Italian standard

White	00201159
	6 HB



hama

Adapter, 3-Pin Plug - 6p4c
Modular Socket

Productline	Essential Line
-------------	----------------

- High-quality materials and workmanship guarantee excellent transmission quality

White	00201160
	6 HB

Network Cable



hama

Network Cable
"CAT-6a, 10 Gbit/s, U/UTP",
White

Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

0.5 m	00200771
	6 HB



hama

Network Cable "Flexi-Slim, CAT-6a, 10 Gbit/s, U/UTP", Black

Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

0.25 m				00200791
		12	BK	
0.5 m				00200792
		12	BK	



hama

Network Cable "Flexi-Slim, CAT-6a, 10 Gbit/s, U/UTP", White

Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

0.25 m				00200789
		12	BK	
0.5 m				00200790
		12	BK	



hama

Network Cable "CAT-5e, 1 Gbit/s, U/UTP", Grey

Network Standard	CAT 5e
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed Internet

1.5 m				00200662
		6	HB	
3 m				00200663
		6	HB	
5 m				00200664
		6	HB	
10 m				00200665
		8	HB	
15 m				00200666
		8	HB	
20 m				00200667
		8	HB	

Modular Distributor



hama

Modular Distributor, 6p4c Plug - 2 x 6p4c Socket

Productline	Essential Line
Model	Modular

- Gold-plated contacts with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality

Black				00201163
		8	HB	

DSL Filter



hama

Ital. DSL Splitter, Tripolar Plug - Tripolar Socket + 6p2c Socket

- High-quality materials and workmanship guarantee excellent transmission quality
- Splits the original signal over two separate sockets (telephone and modem, router with integrated modem)
- Can also be used as a filter to reduce DSL signal interference

			00201162
	6	HB	



hama

DSL Splitter, 6p2c Plug - 2 x 6p2c Socket

- High-quality materials and workmanship guarantee excellent transmission quality
- Splits the original signal over two separate sockets (telephone and modem, router with integrated modem)
- Can also be used as a filter to reduce DSL signal interference

			00201161
	6	HB	



hama

DSL Splitter, 6p2c Plug - 2 x 6p2c Socket

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Splits the original signal over two separate sockets (telephone and modem, router with integrated modem)
- Can also be used as a filter to reduce DSL signal interference
- 6p2c is also known as RJ11


			00200763
	6	HB	

SPECIAL ARTICLES

At the point of sale

Colour coded system for the right product category
Reduces the amount of advice needed

- Easier to understand
- Coordinated design for a homogeneous look
- Modular combination options
- Custom stocking for back walls and gondolas
- Made from sustainable materials



Demo module /board
| 00297604 – 297610




Shop strips
| 00297624 – 297643
| 00297611 – 297614

Striking guidance function for customers




Shelf dividers
| 00297644 – 297653
| 00297615 – 297616

Printed on both sides,
separates topics within the wall



Shop strips



„Video“

99 x 20 cm | 00297624
124 x 20 cm | 00297629
99 x 10 cm | 00297634
124 x 10 cm | 00297639

„Audio“

99 x 20 cm | 00297625
124 x 20 cm | 00297630
99 x 10 cm | 00297635
124 x 10 cm | 00297640

„USB“

99 x 20 cm | 00297628
124 x 20 cm | 00297633
99 x 10 cm | 00297638
124 x 10 cm | 00297643

„Antenna/SAT“

99 x 20 cm | 00297611
124 x 20 cm | 00297612
99 x 10 cm | 00297613
124 x 10 cm | 00297614

„Network“

99 x 20 cm | 00297626
124 x 20 cm | 00297631
99 x 10 cm | 00297636
124 x 10 cm | 00297641

„Adapters/Hubs“

99 x 20 cm | 00297627
124 x 20 cm | 00297632
99 x 10 cm | 00297637
124 x 10 cm | 00297642


„Home Entertainment“

99 x 20 cm | 00297655
124 x 20 cm | 00297656
99 x 10 cm | 00297657
124 x 10 cm | 00297658

„Home Office“

99 x 20 cm | 00297668
124 x 20 cm | 00297669
99 x 10 cm | 00297670
124 x 10 cm | 00297671

Shelf dividers




„Video“

40 x 160 cm | 00297644
25 x 90 cm | 00297649

„Audio“

40 x 160 cm | 00297645
25 x 90 cm | 00297650




„USB“

40 x 160 cm | 00297648
25 x 90 cm | 00297653

„Antenna/SAT“

40 x 160 cm | 00297615
25 x 90 cm | 00297616




„Network“

40 x 160 cm | 00297646
25 x 90 cm | 00297651

„Adapters/Hubs“

40 x 160 cm | 00297647
25 x 90 cm | 00297652



„Home Entertainment“

40 x 160 cm | 00297659
25 x 90 cm | 00297617

„Home Office“

40 x 160 cm | 00297672
25 x 90 cm | 00297673

Demomodul/Tafel




„Video“

45 x 23 cm | 00297604

„Audio“

45 x 23 cm | 00297605



„USB“

45 x 23 cm | 00297610

„Antenna/SAT“

45 x 23 cm | 00297606



„Adapters/Hubs“

45 x 23 cm | 00297608

45 x 23 cm | 00297609



„Network“

45 x 23 cm | 00297607

Wall holder



Wall holder
for shelf dividers
| 00297654

Demo module USB-C Docking Station

Demomodul
USB-C Docking Station
„Connect2Office Stand“,
Dummy, 30 x 30 cm
| 00297835



Reference to Computer Bild Selection

Hook label set



Item No.	Designation	For packaging width
00298480	„Computer Bild Selection“ Hook Label Kit, Set of 5, 10.5 x 17.2 x 18.3 cm	9 cm
00298481	„Computer Bild Selection“ Hook Label Kit, Set of 5, 15.5 x 17.2 x 18.3 cm	14 cm
00298482	„Computer Bild Selection“ Hook Labels, 31 x 17.2 x 18.3 cm	29.5 cm


Notice set



Sticker for marking the packaging



Wobbler for attachment to a shop wall



Wobbler for attachment to demo modules

Item No.	Designation
00298487	Display set „Computer Bild Selection“ consisting of 2 sheets of 95 stickers, 2 wobblers to explain the cooperation and 5 wobblers to attach to the demo module

Company headquarters

Hama GmbH & Co KG
Dresdner Str. 9
86653 Monheim/Bavaria
GERMANY
Tel. +49 9091 502-0
Fax +49 9091 502-274
info.de@hama.com
www.hama.com

www.facebook.com/Hama.Germany

All brand names listed are trade marks of the corresponding companies.
Errors and changes to technology and design are reserved.
Our general terms and conditions of business apply. Printed in Germany.

098344/O4.2024



hama