

March 2022

 $T = \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{i=1}^{n}$

har

Explanation of symbols

	Article	
Qty PT		
Qty Packaging unit	MB	Minimum order quantity
PT Packaging type:	BC	Blister card
	BP	Box packaging
	HT	Hang tag
	РО	Poly bag
	ST	Strap
	HC	Hang card
	LA	Label
	SL	Slipcase
	HB	Hang box



Content

COMPUTER	ADAPTERS & HUBS	
	USB	37
	NETWORK	
	MULTIMEDIA VIDEO	59
	MULTIMEDIA AUDIO	
	POWER	69
	TOOLS	

AUDIO / VIDEO /	TV VIDEO	
ANTENNE	ANTENNA / SAT	 -
	TV AUDIO	

TELCOM / LANDLINE	 123	
SPECIAL ARTICLES	 131	_



FUTURE IN CONNECTION THE CABLE CONCEPT OF THE FUTURE

🗯 With our newly developed Future in Connection range, we are focusing not only on quality and technology, but also on recyclable packaging.

It is structured on the basis of our existing, tried-and-tested range of high-quality products with their own design. New products from on-trend topics, such as 8K or USB-C, have also been integrated to match.

Our range covers products for screens, sound, external communication (antenna / SAT, network), tooling, power, as well as power supply units and adapters / hubs. On-trend topics such as 8K or USB-C are no longer being allocated strictly to one area of use, but rather are part of the audio/video/ antenna range, as well as in multimedia, since these worlds are becoming increasingly networked. The result is a portfolio of almost 600 articles that place the emphasis on the application that is also reflected in its own colour guidance system.



The last to the second

Adapter hubs



WARRANTY **30 YEARS**

WARRANTY

Example of HDMI

PRIME LINE

- High-tech cable sheath reinforced . with aramid fibres
- Robust metal plug •
- Maximum transmission quality
- Optimised shielding



Ultra High Speed HDMI™ Cable, Plug - Plug, 8K, Metal Ultra-HD cinema quality with 7680x4320 (8K) pixels, high-tech cable sheath reinforced with aramid fibres, robust metal plug with the best shielding, different packaging design

2.0 m **205239**

ESSENTIAL LINE

• Extra-flat cable

Short plug design



Ultra High Speed HDMI[™] Cable, Plug - Plug, 8K Ultra High Speed HDMI™ Cable, Plug - Plug, 8K, box packaging

205242 24,99 € 2.0 m 2.0 m



High-Speed HDMI[™] Cable, 4K, Plug - Plug, Ethernet Uultra HD cinema quality 4096x2160 (4k) pixels, box packaging



ENTRY

- Price entry range
- Reliable cables



- Plug High-Speed HDMI Cable, max. Resolution: 1080 p, banderol

1.5 m 205000

WARRANTY

Statutory

5

YEARS

The range structure

The range has been divided up into three different product lines. Entry, Essential Line and Prime Line: these various product lines have different quality features and guarantee promises, allowing a clear distinction to be made between them.



The result: the perfect blend of top-sellers and professional articles on the sales wall. Consumers quickly and easily get the ideal solution for almost every problem relating to cables and adapters.

In the future, there will be no more distinction according to the star system. Instead, distinctions should be made based on "real" criteria. With the old star system, it was not immediately obvious to consumers why a 3-star product costs more than a 2-star product. "Real" criteria make a higher price immediately understandable for consumers.



COMPUTER









FUTURE IN CONNECTION **GLOSSARY**



ſ	
	5
	3
	U

What is Thunderbolt?

Thunderbolt is a high-performance interface. The connection to the system bus is very direct, which enables particularly low latencies. At 40 Gbit/s, Thunderbolt 3 is twice as fast as Thunderbolt 2 and four times as fast as Thunderbolt 1. Thunderbolt 4 is already available on the market.

Which plug types use Thunderbolt?

With Thunderbolt 3, different connectors were introduced: while Thunderbolt 1 or 2 worked with mini display port format connectors, Thunderbolt 3 uses USB-C format connectors.

Is a USB-C cable automatically a Thunderbolt cable?

Although USB-C connectors are used, a USB-C cable is not a Thunderbolt cable. Thunderbolt cables can be recognised by the lightning symbol on the connector. The same applies to Thunderbolt 3 ports: not every USB-C port (as found on many newer notebooks) is a Thunderbolt port. Only if it is marked with a lightning symbol can the port also support Thunderbolt. Conversely, every Thunderbolt 3 port also supports the USB 3.1 protocol.



USB standards Data transmission and power supply



Original designation	New designation	Current designation	Data rate	Speed class	Plug (host page)
			1.5 MBit/s	Low Speed	Тур А
UBS 1.1			12 MBit/s	Full Speed	Тур А
UBS 2.0			480 MBit/s	Hi Speed	Тур А
UBS 3.0	UBS 3.1 Gen 1	UBS 3.2 Gen 1	5 GBit/s	Super Speed	Typ A + C
UBS 3.1	UBS 3.1 Gen 2	UBS 3.2 Gen 2	10 GBit/s	Super Speed +	Typ A + C
UBS 3.2	-	UBS 3.2 Gen 2 x 2	20 GBit/s	-	Тур С
-	UBS 3.2 Gen 2 x 2	UBS 4 Gen 2 x 2	20 GBit/s	-	Тур С
UBS 4	-	UBS 4 Gen 3 x 2	40 GBit/s	Enhanced Super Speed	Тур С



Difference between the various network cables



(US) category	(EU) class	Bandwidth	Applications	Data rate According to application
Cat 5	D	100 MHz	100 BASE-TX	100 Mbit/s
Cat 5e	D	100 MHz	1000 BASE-T, 2.5 GBASE-T	1 Gbit/s
Cat 6	E	250 MHz	5 GBASE-T	1 Gbit/s
Cat 6 _A	E _A	500 MHz	10 GBASE-T	10 Gbit/s
Cat 8	G	2000 MHz	40 GBASE-T, 25 GBASE-T	40 Gbit/s

USB plug types

USB Type A

The USB-A connector is the best known of the USB connectors. It has a rectangular shape and is used to connect most peripherals used today, especially mice and keyboards, to a computer. Characteristic of this connection is that it can only be plugged in in one orientation despite its symmetrical external shape. It is compatible with all USB standards, from USB 1.0 to the latest.

USB Type B

USB B is the peripheral-side connection of USB 2.0 and thus the counterpart to USB A. These interfaces are beeing used on almost all printers, scanners and multifunction printers etc. This makes the USB A-B cable still the most commonly used USB cable in the computer sector.

Mini-USB

This design was developed for small electrical devices such as MP3 players and digital cameras and supports USB 2.0. They have gradually been replaced by micro-USB connectors, which support faster data transfer and higher power consumption in the case of power supplies. This interface is often found on MP3 players or digital cameras.

Micro-USB

Micro-USB is a small connector that is similar in appearance to mini-USB, but has an even more compact design. Micro-USB, on the other hand, is the common standard for older smartphones. These connections can work in both directions, making it possible, for example, to transfer data while the mobile phone is charging.

USB micro Type B with USB 3.1 Gen1 (or 3.0)

This type of connector is mainly found on mobile devices (e.g. external hard drives or card readers) with USB 3.0. Visually, the USB 3.0 Micro B is reminiscent of an extended micro-USB plug, which is basically what it is.

USB-C

USB-C is the latest generation of USB ports and is considered future-proof. The design is extremely flat and symmetrical, so there is no longer a top and bottom (twist-proof). 4K video signals can be transmitted just as quickly as data. This single port supports multiple protocols, including USB 1.1 to USB 3.2 Gen 2x2, DisplayPort, HDMI (via alt modes) and Thunderbolt 3. Wide compatibility makes USB-C extremely versatile, offering enough power (up to 100W) to charge laptops and other end devices

Why are some USB ports colour-coded?

The colour of the USB plug indicates which USB version it is.

- White: USB 1.0
- Black: USB 2.0
- Blue: USB 3.0

Note, however, that the colour codes are not always uniform, as their use is left to the manufacturers.









ADAPTERS & HUBS

Devices don't always speak the same language - Adapters and hubs provide the solution and transport signals over even different interfaces.





HIGHLIGHT



200106 | 12-in-1 USB-C Docking Station with Notebook Stand

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook, for example, and use all three screens at the same time with different content
- Gigabit Ethernet data transfer at up to 1 Gbit/s
- SD and micro-SD card reader supports memory cards up to 2 TB
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Angled configuration allows convenient position and comfortable working at the desk or on the move
- Collapsible notebook stand for space-saving working or transport
- Rubberised feet for a secure stand without slipping
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt-3/4 (lightning symbol)
- Power supply via USB





USB-C Docking Station with Notebook Stand, 12 Ports

hama

USB-C Docking Station, 10 Ports

hama

Productline	Essential Line
Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook, for example, and use all three screens at the same time with different content
- Gigabit Ethernet data transfer at up to 1 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent

16

transmission quality

- Angled configuration allows convenient position and comfortable working at the desk or on the move
- Collapsible notebook stand for space-saving working or transport
 Rubberised feet for a secure stand
- vithout slipping
 Plug & Play, no manual software /
- driver installation required • Compatible with Thunderbolt 3/4
- (lightning symbol)
- Power supply via USB

Connections:

- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 1 x VGA: for connection to an e.g. monitor, TV or projector

12 HB

00200106

Productline Essential Line Shade of colour Anthracite Connection USB-C-plug USB Standard USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports data transfer and charging function (USB-PD)
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook, for example, and use all three screens at the same time with different content
- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Angled configuration allows convenient position and comfortable working at the desk or on the move

- Rubberised feet for a secure stand without slipping
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 2 x HDMI[™]: for connection to an e.g. monitor, TV or projector
- 1 x DisplayPort: for connection to an e.g. monitor, TV or projector

00200100 4 HB

hama Mar

March 2022 INT







USB-C Hub, Multiport, for Apple MacBook Air & Pro, 12 ports

hama

Productline	Essential Line
Shade of colour	Silver, White
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- With MST (Multi-Stream Transport), you can connect two additional monitors to a notebook. for example, and use all three screens at the same time with different content
- Gigabit Ethernet data transfer at up to 1 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- For perfect, high-resolution, HiFi stereo sound quality
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage

- High-quality materials and workmanship guarantee excellent
- transmission quality • Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 1 x VGA: for connection to an e.g. monitor, TV or projector
- 2 x HDMI[™]: for connection to an e.g. monitor, TV or projector
- 1 x LAN/Ethernet: for e.g. cabled Internet / network connections

6 HB

USB-C Docking Station with Removable Feet, 9 Ports

Productline	Essential Line
Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- High-quality and sturdy aluminium housing with a sophisticated finish
- Great distance between sockets makes it easier to plug in wider USB plugs/dongles
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Removable feet for space-saving operation or transport
- Rubberised feet for a secure stand without slipping

- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 1 x HDMI[™]: for connection to an e.g. monitor, TV or projector
- 1 x LAN/Ethernet: for e.g. cabled Internet / network connections
- 1 x SD card reader: for e.g. SD,
- SDHC, SDXC memory cards

hama

• 1 x microSD card reader: for e.g. microSD, microSDHC, microSDXC memory cards

> 00200103 6 HB

00200133







USB-C Hub, Multiport with Wireless Qi Charging, 12 Ports

hama

USB-C Hub, Multiport, 7 Ports, 3 x USB-A, USB-C, VGA, HDMI™, LAN/Ethernet



Productline	Essential Line
Shade of colour	Black, Grey
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Inductive charging technology for the wireless charging of compatible smartphones
- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- For perfect, high-resolution, HiFi stereo sound quality
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Wireless charging (max. 10 W)

- USB-3.2 Gen 1 begins automatically after the smartphone is placed on the charger
- Rubberised feet for a secure stand without slipping
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
 Power cumply via USP
- Power supply via USB
- Connections:
- 4 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C data: for e.g. USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 1 x VGA: for connection to an e.g. monitor, TV or projector
- 1 x HDMI[™]: for connection to an e.g. monitor, TV or projector

6 HB

Productline Essential Line Shade of colour Anthracite Connection USB-C-plug USB Standard USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- Stable holder for tablets and smartphones for comfortable working on the move or at the desk
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- VGA & HDMI[™]: for the simultaneous use of two monitors with identical contents

- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack
- 1 x VGA: for connection to an e.g. monitor, TV or projector
- 1 x HDMI[™]: for connection to an e.g. monitor, TV or projector

6 HB

18 **hama**

March 2022 INT

Qty PT





USB-C Hub, Multiport, 8 Ports, 3 x USB-A, 2 x USB-C, VGA, HDMI™, LAN

hama

USB-C Hub, Multiport, 5 Ports, 2 x USB-A, USB-C, HDMI™, LAN/Ethernet

hama

Productline	Action
Shade of colour	Silver, White
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports data transfer and charging function (USB-PD)
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- Convenient cable management thanks to handy holder for the connecting cable
- VGA & HDMI[™]: for the simultaneous use of two monitors with identical contents
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

- 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C data: for e.g. external hard drive, USB stick, mouse, keyboard, printer

- 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD
- power pack1 x VGA: for connection to an e.g.
- monitor, TV or projector • 1 x HDMI[™]: for connection to an
- e.g. monitor, TV or projector • 1 x LAN/Ethernet: for e.g. cabled
- Internet / network connections Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.
- To use the monitor function over VGA or HDMI[™], the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.

Productline Essential Line Shade of colour Anthracite Connection USB-C-plug

• Super speed data transfer rates of up to 5 Gbps

USB Standard

- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Gigabit Ethernet data transfer at up to 1 Gbps
- Convenient cable management thanks to handy holder for the connecting cable
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)

USB-3.2 Gen 1 • Power supply via USB

Connections:

- 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD power supply unit, PD power pack
- 1 x HDMI[™]: for connection to an e.g. monitor, TV or projector
- 1 x LAN/Ethernet: for e.g. cabled Internet / network connections

hama

6 HB

6 HB

00200111







USB-C Hub, Multiport, 6 Ports, 2 x USB-A, USB-C, HDMI[™], SD, microSD

hama

USB-C Hub, Multiport, 4 Ports, 2 x USB-A, USB-C, HDMI™

hama

Essential Line
Anthracite
USB-C-plug
USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- SD and micro-SD card reader supports memory cards up to 2 TB
- Convenient cable management thanks to handy holder for the connecting cable
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)

- Power supply via USB
- Connections: • 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer
- 1 x USB-C data & power: for e.g. external hard drive, USB stick, mouse, keyboard, printer or PD charger, PD power supply unit, PD power pack
- 1 x HDMI[™]: for connection to an e.g. monitor, TV or projector
- 1 x SD card reader: for e.g. SD, SDHC, SDXC memory cards
- 1 x microSD card reader: for e.g. microSD, microSDHC, microSDXC memory cards

Productiine	Essential Line
Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
• Super speed data transfer rates of	printer

- up to 5 Gbps USB-C socket supports USB Power Delivery (USB PD) and rapid data transfer
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish Large socket distance allows
- problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission guality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

• 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard,

- 1 x USB-C data & power: for e.g. ex-
- ternal hard drive, USB stick, mouse, keyboard, printer or PD charger, PD power supply unit, PD power pack
- 1 x HDMI[™]: for connection to an e.g. monitor, TV or projector Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4. To use the monitor function over HDMI[™], the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.

00200107

6 HB

00200110

Qty PT





USB-C Hub, Multiport, 4 Ports, 2 x USB-A, USB-C, LAN/Ethernet

hama

USB-C Hub, Multiport, 5 Ports, 3 x USB-A, USB-C, HDMI™

Productline Shade of colour Connection

Entry Line
Black
USB-C-plug

hama

	USB Standard	USB 2.0, USB-3.2 Gen 1
- S	 High-speed data transfer of up to 480 Mbps USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels Plug & Play, no manual software / driver installation required Compatible with Thunderbolt 3/4 (lightning symbol) Power supply via USB 	USB Power Delivery (USB PD) or Thunderbolt 3/4. To use the monitor function over HDMI™, the device must support DisplayPort Alternate Mode or Thunderbolt 3/4.
_	Connections: • 3 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer • 1 x USB-C power: for e.g. PD charger, PD power supply unit, PD power pack • 1 x HDMI™: for connection to an e.g. monitor, TV or projector Operating system: Windows	

To use the charging function over USB-C, the device must support

Productline	Essential Line
Shade of colour	Anthracite
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1
 Super speed data transfer rates of up to 5 Gbps USB-C socket supports USB Power 	• 1 x USB-C data & power: for e.g. ex- ternal hard drive, USB stick, mouse, keyboard, printer or PD charger, PD

- Delivery (USB PD) and rapid data transfer
- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Connections:

• 2 x USB-A: for e.g. external hard drive, USB stick, mouse, keyboard, printer

- power supply unit, PD power pack •1 x LAN/Ethernet: for e.g. cabled
- Internet / network connections • Operating system: Windows
- 11/10/8/7 and Mac OS 10.8 upwards To use the charging function over USB-C, the device must support USB Power Delivery (USB PD) or Thunderbolt 3/4.

6 HB

Qty PT

11/10/8/7 and Mac OS 10.8 upwards 00200108



6 HB

00200117

March 2022 INT

USB Devices

ADAPTERS AND HUBS







hama

USB Hub "4 Ports, USB 3.0, 5 Gbit/s, Alu, Ultra Slim"

Productline	Prime Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 3.0
Model	Bus Powered

- Super speed data transfer rates of up to 5 Gbps
- Slimline housing is especially ideal for mobile and flat devices or when space is limited
- High-quality and sturdy aluminium housing with a sophisticated finish
 Large socket distance allows
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- USB-3.0 speed is up to 10x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Power supply via USB

22

• Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

hama

USB Hub "4 Ports, USB 3.2 Gen1, 5 Gbit/s, Alu, Ultra Slim"

Productline	Prime Line
Connection	USB-C-plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	Bus Powered

- Super speed data transfer rates of up to 5 Gbps
- Slimline housing is especially ideal for mobile and flat devices or when space is limited
- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

hama

USB Hub "4 Ports, USB 3.2 Gen2, 10 Gbit/s"

Productline	Essential Line
Connection	USB-C-plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 2
Model	Bus Powered

- Super speed Plus data transfer rates of up to 10 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
 Large socket distance allows
- problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- USB 3.2 Gen 2 is 2 x faster than USB 3.2 Gen 1 and 20 x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- Operating system: Windows
 11/10/8/7 and Mac OS 10.8 upwards

6 HB

00200105

hama

USB Hub "4 Ports, USB 3.0, 5 Gbit/s, fast charge, including cable and power supply"

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Removeable
USB Standard	USB 3.0
Model	With Power Supply

• Super speed data transfer rates of up to 5 Gbps

- Additional power supply unit for a stable, device-neutral supply of power to connected USB devices
- Detachable USB cable for connection to a PC / notebook
- Integrated circuit recognizes the connected device automatically, making it possible to charge nearly all smartphones and tablets
- LED function indicator gives information about the device status
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Supports the quick charging standard USB Battery Charging 1.2 and thus allows a smartphone / tablet to be charged at up to 1.5 Amperes
- USB-3.0 speed is up to 10x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Power is supplied via USB and the power supply unit
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

6 HB

00200115

 Anthracite
 00200114
 Anthracite
 00200101

 12
 HB
 12
 HB
 12
 HB

March 2022 INT

hama

Qty PT









ADAPTERS AND HUBS

hama

USB Hub "4 Ports, USB 2.0, 480 Mbit/s, On / off switch"

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- On/Off switch allows energy-saving use of the devices
- Topside socket allows you to plug USB devices in on the top for added simplicity and convenience
- LED function indicator gives information about the device status
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

hama

USB Hub "4 Ports, USB 2.0, 480 Mbit/s"

Productline	Essential Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- Topside socket allows you to plug USB devices in on the top for added simplicity and convenience
- Large socket distance allows problem-free connection even of
- wide plugs • Flexible materials guarantee opti-
- mum kink protection and prevent cable breakage • High-quality materials and workmanship guarantee excellent
- transmission quality • Plug & Play, no manual software /
- driver installation required • Power supply via USB
- Operating system: Windows
- 11/10/8/7 and Mac OS 10.8 upwards

00200119

00200120

Black

hama

USB Hub "4 Ports, USB 3.0, 5 Gbit/s, including USB-C Adapter"

Essential Line
USB-C-plug, USB- Typ-A-Plug
Integrated
USB-3.2 Gen 1
Bus Powered

- Super speed data transfer rates of up to 5 Gbps
- With an additional USB-C adapter, the hub can also be used for devices with a USB-C interface
- USB 3.2 Gen 1 speed is up to 10x faster than USB 2.0
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

hama

USB Hub "4 Ports, USB 3.2 Gen1, 5 Gbit/s"

Productline	Essential Line
Connection	USB-C-plug
Connection Cable	Integrated
USB Standard	USB-3.2 Gen 1
Model	Bus Powered

- Super speed data transfer rates of up to 5 Gbps
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black 00200118 6 HB

White 6 HB

10 HB

Qty PT

Black

March 2022 INT

00200116

Blac



12 HB

00200112

6 HB

USB Devices | Switches







hama

USB Hub "4 Ports, USB 2.0, 480 Mbit/s"

Productline	Entry Line
Connection	USB-Typ-A-Plug
Connection Cable	Integrated
USB Standard	USB 2.0
Model	Bus Powered

- High-speed data transfer of up to 480 Mbps
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

hama

USB Hub "4 Ports, USB 2.0, 480 Mbit/s, including cable and power supply"

and power suppry		
Productline	Entry Line	Productline
Connection	USB-Typ-A-Plug	Connection
Connection Cable	Removeable	Connection
USB Standard	USB 2.0	USB Standa
Model	With Power Supply	Model
 High-speed data 480 Mbps Additional power a stable, device-n power to connect Detachable USB of tion to a PC / note Plug & Play, no m driver installation Power is supplied power supply uni Operating system 11/10/8/7 and Ma 	supply unit for eutral supply of ed USB devices able for connec- ebook anual software / required via USB and the t	 High-spe 480 Mbp Additiona a stable, power to Detachal tion to a Plug & Pl driver ins Power is power su Operation 11/10/8/²

hama

USB Hub "7 Ports, USB 2.0, 480 Mbit/s, including cable and power supply"

Entry Line
USB-Typ-A-Plug
Removeable
USB 2.0
With Power Supply

- eed data transfer of up to ps
- nal power supply unit for device-neutral supply of o connected USB devices
- ble USB cable for connec-PC / notebook
- Play, no manual software / stallation required
- supplied via USB and the upply unit
- ig system: Windows 7 and Mac OS 10.8 upwards



hama

Switch

KVM Switch, 4 ports, 3 x USB-A, 1 x HDMI[™], incl. cables

Productline Essential Line • High-speed data transfer of up to 480 Mbps • HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels • High-quality and sturdy metal housing with a stylish appearance • Large socket distance allows problem-free connection even of wide plugs • Flexible materials guarantee optimum kink protection and prevent cable breakage • High-quality materials and

- workmanship guarantee excellent transmission quality
- No more reconnecting devices between two PCs/notebooks. Quick and simple switchover at the press of a button
- Handy set: the cables needed for immediate operation are already included in the extent of delivery
- Plug & Play, no manual software / driver installation required
- Power supply via USB

Switchable connections:

- 3 x USB-A: for e.g. USB stick, mouse, keyboard, printer, headset
- 1 x HDMI[™]: for connection to an e.g. monitor, TV or projector Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

5 HB

00200135

6

Black

24

00200121

HB

Black

Blac

00200122

6 HB

Qty PT

6 HB

00200123

Cardreader







hama

USB Card Reader, USB-C, USB 3.0, SD/microSD, alu

Productline	Prime Line
Connection	USB-C-plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0
ood ottailadia	000 010

- Super speed data transfer rates of up to 5 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- High-quality and sturdy aluminium housing with a sophisticated finish
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Card reader for reading and writing inserted memory cards
- Suitable for all common SD card formats such as SD/SDHC/SDXC and microSD/microSDHC/microSDXC
- Suitable and tested for USB 3.2 Gen 1, but also works with USB 3.0 and USB 2.0 devices
- Plug & Play, no manual software / driver installation required
- Power supply via USB

Silve

• Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

10 HB

00200131

Black

hama

USB Card Reader, OTG, USB-A + USB-C, USB 3.0, SD/microSD

Productline	Essential Line
Connection	USB-C-plug, USB- Typ-A-Plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.1 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- High-quality materials and workmanship guarantee excellent transmission quality
- Card reader for reading and writing inserted memory cards
- Suitable for all common SD card formats such as SD/SDHC/SDXC and microSD/microSDHC/microSDXC
- Universal use for static and mobile devices thanks to the combination of USB-A plug and USB-C plug
- Suitable and tested for USB 3.2 Gen 1, but also works with USB 3.0 and USB 2.0 devices
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

12 HB

hama

"All in One" USB Card Reader, USB-A, USB 3.0

Productline	Essential Line
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows fast data transfer between the card and the PC when used with a UHS-I capable SD card
- Card reader for reading and writing inserted memory cards
- Suitable and tested for USB 3.0, backwards compatible with USB 2.0
- Plug & Play, no manual software / driver installation required
- Power supply via USB

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
 MMC/MMC Plus/MMC 4.0
- MS/MS Duo/MS PRO Duo/MS
- PRO-HG
- CompactFlash I & II
- xD picture card

Black

 Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards hama

"All in One" USB Card Reader, USB-A, USB 2.0

Productline	Essential Line
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- LED function indicator gives information about the device status
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission guality
- Card reader for reading and writing inserted memory cards
- Allows the exchange of data directly from memory card to memory card
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Memory Cards:
- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
- MMC/MMC Plus/MMC 4.0
- MS/MS Duo/MS PRO Duo/MS PRO Duo HG
- CompactFlash I & II
- xD picture card
- Operating system: Windows
- 11/10/8/7 and Mac OS 10.x

 O0200128
 Black, Silver
 00200129

 6
 HB
 6
 HB

00200127

hama

25



Cardreader | USB Devices



hama

USB Card Reader, OTG, USB-A + Micro-USB, USB 2.0, SD/microSD

Productline	Essential Line
Connection	USB Micro B Plug, USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- High-quality materials and workmanship guarantee excellent transmission quality
- SD and micro-SD card reader supports memory cards up to 2 TB
- · Card reader for reading and writing inserted memory cards
- Universal use for static and mobile devices thanks to the combination of USB-A plug and micro-USB plug
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and MAC OS 10.x
- Host/OTG-enabled smartphones and tablets with Android operating system from Android 4.0 and micro-USB interface



hama

USB card reader, USB 2.0, SD / microSD, 24 units in display

Productline	Action
Connection	USB-Typ-A-Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- SD and micro-SD card reader supports memory cards up to 2 TB
- · Card reader for reading and writing inserted memory cards
- Rubberised surface ensures better grip and comfort • Suitable and tested for USB 2.0,
- backwards compatible with USB 1.1

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
- Operating system: Windows 11/10/8/7 and Mac OS 10.x

Combo USB Hub/Card Reader



hama

USB Hub/Card Reader, 5 Ports, 3 x USB-A, SD, microSD

Productline
Number of USB Ports
 High-speed data 480 Mbps Topside socket all USB devices in on simplicity and cor SD and micro-SD ports memory cal

- High-quality and sturdy aluminium housing with a sophisticated finish
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Card reader for reading and writing inserted memory cards
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

6 HB

00200124

Black



hama

USB OTG Hub / Card Reader, 3 Ports, USB-A, SD, microSD, incl. USB-A Adapter

Productline	Essential Line				
Number of USB Ports	1				
High-speed data 480 Mbps					
 SD and micro-SD ports memory car 					
Large socket dista problem-free con					
wide plugs • Flexible materials guarantee opti- mum kink protection and prevent					
cable breakage • High-quality materials and					
workmanship guarantee excellent transmission quality					
Card reader for reading and writing inserted memory cards					
Plug & Play, no manual software / driver installation required					
Power supply via USB Supports USP OTP (USP On The G					

- Supports USB-OTB (USB On The Go) • Operating system: Windows
- 11/10/8/7 and Mac OS 10.8 upwards • Smartphone / tablet must support

00200125

12 HB

USB On The Go (USB OTG)

00200130 12 HB

26

Silver, White

00200132

24 SC

USB Devices | Cables & Adapters



hama

USB-C Hub/Card Reader, 3 ports, USB-A, SD, microSD

Productline

Number of USB Ports

• High-speed data transfer of up to 480 Mbps

Essential Line

- SD and micro-SD card reader supports memory cards up to 2 TB
- Large socket distance allows problem-free connection even of wide plugs
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Card reader for reading and writing inserted memory cards
- Plug & Play, no manual software / driver installation required
- Power supply via USB
- Supports USB-OTB (USB On The Go) • Operating system: Windows
- 11/10/8/7 and Mac OS 10.8 upwards • Smartphone / tablet must support USB On The Go (USB OTG)



HDMI[™] Socket Adapter

hama

HDMI™ Adapter, Mini-HD-MI™ Plug - HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Mini HDMI™ Plug
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures

		00200347
10	HB	
		1
hama	1	d.
	ľ	

hama

HDMI™ Adapter, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures

10 HB

Black	00200126			
		12	HB	



hama

HDMI™ Adapter, Micro-HD-MI™ Plug - HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line		
Shade of colour	Black		
Connection	HDMI™ Socket, Micro HDMI™ Plug		
Max. Resolution	4k (4096 x 2160)		
Model	Compact Adapter		

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures

			00200348
	10	HB	



ADAPTERS AND HUBS

hama

Pro

DisplayPort Adapter

DisplayPort Adapter "to HDMI™, Ultra-HD 4K@60Hz, Alu"

oductline	Prime Line
	resolution ultra-HE

cinema quality with 4096x2160 (4K) pixels

- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

Black	00200329		
	12	HB	



hama

Productline

DisplayPort Adapter "2in1 to VGA & HDMI™, Ultra-HD 4K"

Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

ack			00200334	
		6	HB	

27

00200346

Bla

hama

DisplayPort Adapter "2in1-Mini to VGA & HDMI™, Ultra-HD 4K"

Productline

Black

 For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels

Essential Line

00200330

- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

10 HB



hama

DisplayPort Adapter "to DVI, Ultra-HD 4K"

Productline

• For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels

Essential Line

- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black			00200336
	10	HB	



hama

DisplayPort Adapter "to HDMI™, Ultra-HD 4K"

Productline Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-guality materials and workmanship guarantee excellent transmission quality

lack			00200335
	12	HB	

hama

Productline

space is limited

cable breakage

Black

DisplayPort Adapter

"to VGA, Full-HD 1080p"

For high-resolution full HD quality

up to 1920 x 1080 pixels (1080p)

Slimline plug is especially ideal for

mobile and flat devices or when

• Flexible materials guarantee opti-

• High-quality materials and

transmission quality

mum kink protection and prevent

workmanship guarantee excellent

10 HB

Essential Line

00200337



hama

DisplayPort Adapter "Mini to DisplayPort, Ultra-**HD 4K**"

Productline Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-guality materials and workmanship guarantee excellent transmission quality

Black			00200331	
		12	HB	



hama

DisplayPort Adapter "Mini to HDMI™, Ultra-HD 4K"

Essential Line Productline

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage



hama

DisplayPort Adapter "Mini to VGA, Full-HD "d0800

Productline **Essential Line** • For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)

- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

:k	00200333		
	6	HB	



hama

DisplayPort Adapter "Ultra-HD 4K"

Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for gaming monitors with high screen refresh rate (Hz)

Blac

High-quality materials and
workmanship guarantee excellent
transmission quality

Black			00200332
	12	HB	





HDMI[™] VGA/Jack Adapter



hama

DVI Adapter

DVI Adapter "DVI-Plug - VGA-Coupling, Full-HD 1080p"

Productline

• For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)

Essential Line

- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-I single link (18 + 5 pins)

Black			00200340	
		10	HB	



HDMI[™] DVI Adapter

hama

HDMI[™] DVI Adapter "DVI-Plug - HDMI-Coupling, Ultra-HD 4K"

Productline Essential Line

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-D Dual Link (24 + 1 pins)



hama

Ultra-HD 4K"

Productline

pixels

HDMI[™] DVI Adapter

• High-quality materials and

• DVI-I Dual Link (24+5 pins)

transmission quality

"HDMI-Plug - DVI-Coupling,

• For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K)

workmanship guarantee excellent

Essential Line

hama

HDMI[™] VGA/Jack Adapter "to VGA, Full-HD 1080p"

Productline

• For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)

Essential Line

• High-quality materials and workmanship guarantee excellent transmission quality

Black			00200344
	10	HB	





DVI Adapter "VGA-Plug - DVI-Coupling, Full-HD 1080p"

Productline

• For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)

Essential Line

- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-I dual link (24 + 5 pins)

Black 00200341 10 HB

10 HB

Black

00200338

Qty PT

Black

March 2022 INT

10 HB

00200339



VGA-HDMI[™] Converter



hama

Video Adapter, VGA+USB Plug - HDMI[™] Socket, Full HD 1080p

Productline	Essential Line
• For high-resolution	on full HD quality

- tion full HD quality up to 1920 x 1080 pixels (1080p) • Flexible materials guarantee opti-
- mum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- The inserted USB plug is required for the adapter's power supply
- VGA: supports video transmission in full HD 1080p resolution
- USB: supports audio transmission in stereo sound quality

hama

Video Adapter, HDMI™ Plug - VGA Socket, Audio Socket, Full-HD 1080p

Productline Essential Line

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- VGA: supports video transfer in Full-HD 1080p resolution
- 3.5 mm jack: supports audio transfer in stereo sound quality

Video Adapter Set, 6 in 1, USB-C, Mini-DisplayPort, HDMI™, VGA, alu



hama

e	Prime Line
colour	Anthracite
n	USB-C-plug
fect, high-resolution ultra-HD quality with 4096x2160 (4K) dapter can be used in a of ways: individually or also ter-connected combination uality and sturdy aluminium g with a sophisticated finish ated plug with low contact ice for secure signal ssion materials guarantee opti- nk protection and prevent reakage uality materials and anship guarantee excellent ssion quality splayPort: supports audio / ansmission in Ultra-HD 4K @ esolution A: supports audio / video ssion in Ultra-HD 4K @ 60 Hz on upports video transmission in 1080p @ 60 Hz resolution tible with Thunderbolt (light-	1: USB-C plug - mini-DisplayPort socket 2: USB-C plug - HDMI TM socket 3: USB-C plug - VGA socket 4: Mini-DisplayPort plug - HDMI TM socket 5: Mini-DisplayPort plug - VGA socket 6: HDMI TM plug - VGA socket USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.
mbol)	00200306

12 HB

Combinations:

00200343

10 HB



USB-C Multiport Adapter

6 HB

Black

00200342

Black

Qty PT

USB-C Monitor Adapter









hama

Video Adapter, USB-C Plug - HDMI™ Socket, Ultra-HD 4K@60 Hz, alu

Productline

• For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels

Prime Line

- High-quality and sturdy aluminium housing with a sophisticated finish
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-3/4 (lightning symbol) USB-C Connection with DisplayPort
- Alternate Mode or Thunderbolt -3/4 Support.

hama

Video Adapter, 2 in 1, USB-C Plug - VGA & HDMI™ Socket, Ultra-HD 4K

Productline Essential Line Shade of colour Black • For perfect, high-resolution ultra-HD

- For perfect, high-resolution ditra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- VGA & HDMI™: for the simultaneous use of two monitors with identical contents
- HDMI™: supports audio/video
- transfer in Ultra-HD 4K resolution • VGA: supports video transfer in Full-
- HD 1080p resolution • Compatible with Thunderbolt-3/4

(lightning symbol) USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200313

6 HB

Qty PT

hama

Video Adapter, USB-C Plug - HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line		
Shade of colour	Black		
• For perfect, high-resolution ultra-HD cinema guality with 4096x2160 (4K)			

- cinema quality with 4096x2160 (4K) pixels • Slimline plug is especially ideal for
- Slimine plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-3/4 (lightning symbol)

USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

hama

Video Adapter, USB-C Plug -VGA Socket, Full-HD 1080p

Productline	Essential Line			
Shade of colour	Black			
• For high-resolution full HD quality				

- up to 1920 x 1080 pixels (1080p) • Slimline plug is especially ideal for
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-3/4 (lightning symbol)

USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

00200305 12 HB

March 2022 INT

00200315

12 HB



10 HB

00200317

Cables & Adapters | USB Devices



hama

Video Adapter, USB-C Plug -DVI Socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt-3/4 (lightning symbol) USB-C Connection with DisplayPort

Alternate Mode or Thunderbolt -3/4 Support.



hama

HD 4K

Productline

pixels

Shade of colour

space is limited

cable breakage

Video Adapter, USB-C Plug -

• For perfect, high-resolution ultra-HD

• Slimline plug is especially ideal for

mobile and flat devices or when

• Flexible materials guarantee opti-

mum kink protection and prevent

workmanship guarantee excellent

• Compatible with Thunderbolt-3/4

USB-C Connection with DisplayPort

Alternate Mode or Thunderbolt -3/4

• High-quality materials and

transmission quality

(lightning symbol)

Support.

cinema quality with 4096x2160 (4K)

Essential Line

Black

DisplayPort Socket, Ultra-



hama

USB Sound Card

Audio Adapter, USB-C Plug - 3.5 mm Jack Socket, Equaliser, Microphone

Productline Prime Line

- For perfect, high-resolution, HiFi stereo sound quality
- High-quality materials and workmanship guarantee excellent transmission guality
- Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)
- Three equaliser settings ensure the perfect sound for every style of music and in any environment

Black			00200302
	12	HB	
			\mathbf{i}

hama

Audio Adapter, 2 in 1, USB-C Plug - 3.5 mm Jack / USB-C Socket, Audio+Charg.

Productline Prime Line

- For perfect, high-resolution, HiFi stereo sound quality
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- High-quality and sturdy aluminium housing with a sophisticated finish
- · Gold-plated plug with low contact resistance for secure signal transmission



hama

USB Sound Card, USB Plug - 2 x 3.5 mm Jack Socket, Stereo

Productline	Essential Line
USB Standard	USB 2.0

- Outstanding sound quality thanks to high-guality digital/analogue converter (DAC)
- Reverse polarity protection for the connections thanks to colour coding
- Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

Black				00200323
		12	HB	
		/		/
	18			/



hama

Productline

USB Sound Card, USB-C Plug - 2 x 3.5 mm Jack Socket, Stereo

Essential Line

00200320

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

00200314 00200316 00200304 10 HB 12 HB 12 HB 12 HB

USB Devices | Cables & Adapters



hama

Productline

Audio Adapter, 2 in 1, USB-C Plug - 3.5 mm Jack / USB-C Socket, Audio + Cha

Essential Line

• For perfect, high-resolution, HiFi stereo sound quality

- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

Black			00200319
	12	HB	



hama

Audio Adapter, 2 in 1, USB-C Plug - 2 x USB-C Socket, Audio + Charging

Productline Essential Line

- For perfect, high-resolution, HiFi stereo sound quality
- USB-C socket supports USB Power Delivery (USB PD) and therefore allows charging via a USB-C power supply unit
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage

Black

			00200321
	12	HB	



hama

RCA Adapter

Audio Adapter, 3.5 mm Jack Plug - RCA Socket, Stereo

Productline	Essential Line
• For perfect, high-	

- stereo sound qualitySlimline plug is especially ideal for
- mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black			00200350
	12	HB	



ADAPTERS AND HUBS

hama

Jack Plug Adapter

Jack Plug Adapter "2x 3pol. 3,5-mm-Jack-Plug - 4pol. 3,5-mm-Jack-Coupling"

- Productline Essential Line

 For perfect, high-resolution, HiFi
 stereo sound quality
 Slimling plug is especially ideal for
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black			00200351
	12	HB	



hama

Productline

Jack Plug Adapter "4pol. 3,5-mm-Jack-Plug - 2x 3pol. 3,5-mm-Jack-Coupling"

Essential Line

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black			00200352
	12	HB	



hama

Audio Adapter, USB-C Plug - 3.5 mm Jack Socket, Stereo

Essential Line

Productline

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black 00200318



hama

Jack Plug Adapter "Audio-Splitter, 3,5-mm-Jack-Plug - 2x 3,5-mm-Jack-Coupling-Stereo"

Productline

line Essential Line

- For perfect, high-resolution, HiFi stereo sound quality
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

Black			00200349	
	12	HB		



USB Adapter



hama

USB-OTG Adapter, USB-C Plug – USB Socket, USB 3.2 Gen 1, 5 Gbit/s, alu

Prime Line
USB-C-plug, USB- Typ-A-Coupling
USB-3.2 Gen 1
5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality and sturdy aluminium housing with a sophisticated finish
 Gold-plated plug with low contact
- resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

hama

USB OTG Adapter, USB-C Plug - Micro-USB Socket, USB 2.0, 480 Mbit/s

Productline	Essential Line
Connection	Micro USB Socket, USB-C-plug
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

hama

USB-OTG Adapter, Mini-USB Plug - USB Socket, USB 2.0, 480 Mbit/s

Productline	Essential Line
Connection	USB Mini B Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s
 High-speed data i 480 Mbps Slimline plug is es mobile and flat de space is limited Flexible materials mum kink protect cable breakage High-quality work and safety Internal wires ma for rapid data trai supply of power Supports USB-OT 	specially ideal for evices or when guarantee opti- tion and prevent kmanship, power de from copper nsfer and the best

Grey

00200310

10 HB

Blac

00200309

12 HB

Blac

00200300

12 HB









hama

USB-OTG Adapter, Micro-USB Plug - USB Socket, USB 2.0, 480 Mbit/s

Productline	Essential Line
Connection	Micro-USB-Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

Black

hama

USB OTG Adapter, Micro-USB Plug - USB Socket, USB 2.0, 480 Mbit/s

Productline	Essential Line
Connection	Micro-USB-Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

hama

USB-OTG Adapter, USB-C Plug - USB Socket, USB 3.2 Gen 1, 5 Gbit/s

Productline	Essential Line
Connection	USB-C-plug, USB- Typ-A-Coupling
USB Standard	USB-3.2 Gen 1
Max. Data Transfer Rate	5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)

hama

USB Adapter, USB-A Plug -USB-C Socket, USB 3.2 Gen 1, 5 Gbit/s

Productline	Essential Line
Connection	USB-C-Connector, USB-Typ-A-Plug
USB Standard	USB-3.2 Gen 1
Max. Data Transfer Rate	5000 Mbit/s

- Super speed data transfer rates of up to 5 Gbps
- High-quality materials and workmanship guarantee excellent transmission guality
- Internal wires made from copper for rapid data transfer and the best supply of power

Black

00200308

12 HB

March 2022 INT

00200312

Black



00200354

10 HB

hama

10 HB

00200307

Black

12 HB



hama

Network Adapter "CAT-5e, Gigabit Ethernet, 1 Gbit/s"

Network Adapter

Productline Essential Line Model CAT 5e

- Gigabit Ethernet data transfer at up to 1 Gbps
- High-quality materials and workmanship guarantee excellent
- transmission quality • Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed Internet

Silve

00200326 10 HB



USB Network Adapter

hama

Network Adapter, USB-C Plug - LAN/Ethernet Socket, Gigabit Ethernet

Productline	Essential Line
USB Standard	USB 3.1 Gen 1
Network Speed	10/100/1000 Mbps
Power Supply	USB Connection

- Gigabit Ethernet data transfer at up to 1 Gbps
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent

Black			00200322
	6	HB	



hama

Network Adapter, USB Plug - LAN/Ethernet Socket, Fast Ethernet

Productline	Essential Line
USB Standard	USB 2.0
Network Speed	10/100 Mbps
Power Supply	USB Connection

- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and

Bla

ck			00200324
	6	HB	

- Super speed data transfer rates of up to 5 Gbps • High-quality materials and
- workmanship guarantee excellent transmission quality

hama

Gen 1, 5 Gbit/s

Productline

Connection

Rate

USB Standard

Max. Data Transfer

USB OTG Adapter, USB-C

Plug - USB Socket, USB 3.2

Essential Line

USB-C-plug, USB-

Typ-A-Coupling

USB-3.2 Gen 1

5000 Mbit/s

- Internal wires made from copper for rapid data transfer and the best supply of power
- Supports USB-OTB (USB On The Go)



hama

Network Adapter "CAT-6, 1 Gbit/s"

Productline	Essential Line
Model	CAT 6
 Gigabit Ethernet of to 1 Gbps High-quality and ing with a stylish High-quality mate workmanship gua transmission qual 	sturdy metal hous- appearance erials and irantee excellent

- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed Internet 00200327

10 HB

10 HB

hama

Network Adapter, USB Plug - LAN/Ethernet Socket, **Gigabit Ethernet**

Productline	Essential Line
USB Standard	USB 3.0
Network Speed	10/100/1000 Mbps
Power Supply	USB Connection

- Gigabit Ethernet data transfer at up to 1 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent

Black				00200325
		6	HB	

00200311

Silver








The universal interface is now found almost everywhere - whether to connect devices or to supply power. Different speeds are used:



. .

3

Thunderbolt[™] 3 The USB-C that does it all



200660 | "USB-C" Thunderbolt-3 Cable, 40 Gbit/s, 5A, 100W, Ultra-HD 5K, 0.50 m

- For connecting a PC, notebook, MacBook, charger with external hard drive, tablet, smartphone, power pack, Bluetooth speaker, game controller or monitor in order to transfer digital data, audio, video, Ethernet and power
- Super speed Plus data transfer rates of up to 40 Gbit/s
- Connected devices are automatically recognized and optimally charged
- For perfect, high-resolution ultra-HD cinema quality with 5120x2880 (5K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped Thunderbolt cable can also be used as a USB-C monitor cable
- Suitable and tested for Thunderbolt-3, compatible with USB4, USB 3.2 (Gen2 and Gen1) as well as USB 2.0
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- · Ideal for charging, transferring data and synchronising







hama

"USB-C" Thunderbolt-3 Cable, 40 Gbit/s, 5A, 100W, Ultra-HD 5K, 0.50 m

Productline	Essential Line
Shade of colour	Black
Connection	USB-C-plug
Max. Data Transfer Rate	40 Gbit/s
Thunderbolt™- Standard	Thunderbolt™ 3

- Super speed Plus data transfer rates of up to 40 Gbps
- Connected devices are automatically recognized and optimally charged
- For perfect, high-resolution ultra-HD cinema quality with 5120x2880 (5K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped Thunderbolt cable can also be used as a USB-C monitor cable
- Suitable and tested for Thunderbolt-3, compatible with USB4, USB 3.2 (Gen2 and Gen1) as well as **USB 2.0**
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

"USB-C" Thunderbolt-3 Cable, 20 Gbit/s, 5A, 100W, Ultra-HD 4K, 1.00 m

Productline	Essential Line
Shade of colour	Black
Connection	USB-C-plug
Max. Data Transfer Rate	20 Gbit/s
Thunderbolt™- Standard	Thunderbolt™ 3

- Super-Speed-Plus data transfers at up to 20 Gbit/s
- Connected devices are automatically recognized and optimally charged
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped Thunderbolt cable can also be used as a USB-C monitor cable
- Suitable and tested for Thunderbolt-3, compatible with USB4, USB 3.2 (Gen2 and Gen1) as well as **USB 2.0**
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB Cable "Full-Featured, USB 3.2 Gen2, C-Plug, E-Marker, 10 Gbit/s", Black

Productline	Essential Line				
Connection	USB-C-plug				
USB Standard	USB-3.2 Gen 2				
• Super speed Plus data transfer rates					

- of up to 10 Gbps
- Connected devices are automatically recognized and optimally charged
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-guality materials and workmanship guarantee excellent transmission quality
- This fully equipped, full-featured cable can also be used as a USB-C monitor cable
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising If used as a monitor cable: USB-C

Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

6 HB

hama

USB Cable "USB 3.2 Gen2, A-Plug - C-Plug, 10 Gbit/s", Black

Productline	Essential Line					
Connection	USB-C-plug, USB- Typ-A-Plug					
USB Standard	USB-3.2 Gen 2					
• Super speed Plus data transfer rates						

- of up to 10 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-guality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

6 HB

00200657

0.5 m 00200660 00200661 6 HB 6 HB

hama 40

00200656



hama

USB Cable "USB-3.0, A-Plug - A-Coupling, Extension, 5 Gbit/s", Black

Productline	Essential Line					
Connection	USB-Typ-A-Coupling, USB-Typ-A-Plug					
USB Standard	USB 3.0					
• Cuper speed data transfer rates of						

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB Cable "USB-3.0, A-Plug - A-Plug, 5 Gbit/s", Black

Productline	Essential Line
Connection	USB-Typ-A-Plug
USB Standard	USB 3.0

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB Cable "USB-3.0, A-Plug - B-Plug, 5 Gbit/s", Black

Productline	Essential Line			
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug			
USB Standard	USB 3.0			
• Super speed data transfer rates of				

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB Cable "USB-3.0-A-Plug - USB-3.0-Micro-B-Plug", Black SB

Productline	Essential Line				
Connection	Micro-USB-Plug, USB-Typ-A-Plug				
USB Standard	USB 3.0				
USB StandardUSB 3.0• Super speed datatransfer rates of up to 5 Gbps• Double shielding for good reduction of electromagnetic interference• Flexible materials guarantee optimum kink protection and prevent cable breakage• High-quality materials and 					

- rial minimise interferenceInternal wires made from copper for rapid data transfer and the best
- for rapid data transfer and the best supply of power

													0.75 m			00200626
														6	HB	
1.5 r	n			00200628	1.5 m			00200624	1.5 m			00200625	1.5 m			00200627
		6	HB			6	HB			6	HB			6	HB	
		v				°.				v				Ũ		

hama

USB Cable "Full-Featured, USB 3.2 Gen1, C-Jack, E-Marker, 5 Gbit/s", Black

Productline	Essential Line
Connection	USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Connected devices are automatically recognized and optimally charged
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped, full-featured cable can also be used as a USB-C monitor cable
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising If used as a monitor cable: USB-C Connection with DisplayPort Alternate Mode or Thunderbolt -3/4 Support.

0.75 m			00200648
	6	HB	
1.5 m			00200649
	6	HB	

hama

USB Cable "USB 3.2 Gen1, C-Plug - A-Plug, 5 Gbit/s", Black

Productline	Essential Line
Connection	USB-C-plug, USB- Typ-A-Plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data

0.25 m

0.75 m

1.5 m

3 m

transfer and excellent power supply • Ideal for charging, transferring data and synchronising

6 HB

6 HB

6 HB

6 HB

00200650

00200651

00200652

00200653

hama

USB Cable "USB 3.2 Gen1, C-Plug - Micro-USB-Plug, 5 Gbit/s", Black

Productline	Essential Line
Connection	Micro-USB-Plug, USB-C-plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply

hama

USB Cable "Full-Featured, USB 3.2 Gen1, C-Plug - C-Coupling, 5 Gbit/s", Black

Productline	Essential Line	
Connection	USB-C-Connector, USB-C-plug	
USB Standard	USB-3.2 Gen 1	

- Super speed data transfer rates of up to 5 Gbps
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Connected devices are automatically recognized and optimally charged
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-guality materials and workmanship guarantee excellent transmission quality
- This fully featured extension supports both USB Power Delivery (USB PD) and DisplayPort Alternate Mode (DP AltMode)
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

6 HB

00200647

0.25 m			00200654	
	6	HB		
0.75 m			00200655	0.5 m
	6	HB		

hama 42 March 2022 INT

USB 2.0 480 Mbit "Flexi Slim"





hama

USB Adapter "Flexi-Slim, USB-C-Plug -USB-A-Plug, OTG, USB 2.0"

Productline	Essential Line
Connection	USB-C-plug, USB- Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Supports USB-OTB (USB On The Go)

hama

"Flexi-Slim" Micro-USB-OTG Cable, USB 2.0, 480 Mbit/s, 0.15 m

Productline	Essential Line
Connection	Micro-USB-Plug, USB-Typ-A-Coupling
USB Standard	USB 2.0
Max. Data Transfer Rate	480 Mbit/s

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- No bothersome trying out: the plug can be inserted without having to be turned
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
 Internal wires made from copper
- for rapid data transfer and the best supply of power

12 BK

Also known as a "Reversible Micro-USB"
Supports USB-OTG (USB On The Go)

Black

hama

USB Cable "Flexi-Slim, Micro-USB-B-Plug- USB-A-Plug, USB 2.0", Black

Productline	Essential Line	
Connection	Micro-USB-Plug, USB-Typ-A-Plug	
USB Standard	USB 2.0	
High-speed data transfer of up to 480 Mbps Light and space-saying due to the		

- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- No bothersome trying out: the plug can be inserted without having to be turned
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

6 BK

 Also known as a "Reversible Micro-USB"

hama

USB Cable "Flexi-Slim, USB-C-Plug - USB-A-Plug, USB 2.0", Blue Depths

Productline	Essential Line	
Connection	USB-C-plug, USB- Typ-A-Plug	
USB Standard	USB 2.0	
• High-speed data transfer of up to		

- High-speed data transfer of up to
 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data
- transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

12 BK

hama

00200635

43

Green			00200641
Red			00200640
Black			00200638
Blue			00200639
	12	BK	

00200613

0.75 m

March 2022 INT

00200610

0.75 n





USB 2.0 480 Mbit



hama

USB Cable "Flexi-Slim, USB-C-Plug -USB-A-Plug, USB 2.0", Chill

Productline	Essential Line	
Connection	USB-C-plug, USB- Typ-A-Plug	
USB Standard	USB 2.0	
• High-speed data transfer of up to		

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data
- and synchronising

hama

USB Cable "Flexi-Slim, USB-C-Plug - USB-A-Plug, USB 2.0", Turtle Green

Productline	Essential Line	
Connection	USB-C-plug, USB- Typ-A-Plug	
USB Standard	USB 2.0	
 High-speed data transfer of up to 480 Mbps Light and space-saving due to the ultra thin, flexible cable and the 		

- Gold-plated plug with low contact resistance for secure signal
- transmission • Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data
- transfer and excellent power supply • Ideal for charging, transferring data
- and synchronising

12 BK

00200637

hama

USB Cable "Flexi-Slim, USB-C-Plug -USB-A-Plug, USB 2.0", Black

Productline	Essential Line	
Connection	USB-C-plug, USB- Typ-A-Plug	
USB Standard	USB 2.0	
• High-speed data transfer of up to		

- High-speed data transfer of up to 480 Mbps
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Gold-plated plug with low contact resistance for secure signal transmission
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

12 BK

00200634

0.75 m

00200501

6 HB

hama

USB Cable "for iPhone/iPad with Lightning Connector, USB 2.0, Metall", Anthracite

44 **ћата** ма

12 BK

00200636

0.75 m

March 2022 INT

0.75 m

Qty PT

0.75 m



USB-C Cable, USB 2.0, 480 Mbit/s, Metal, 0.75 m

Productline	Prime Line
Connection	USB-C-plug, USB- Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Elegant metal sheathing for increased stability and longer life
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

hama

Micro-USB Cable, USB 2.0, 480 Mbit/s, Metal, 0.75 m

Productline	Prime Line
Connection	Micro-USB-Plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- High-quality and sturdy aluminium housing with a sophisticated finish
- Elegant metal sheathing for increased stability and longer life
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent
- transmission quality • Twisted data pairs with an outer
- sheath made from robust PVC material minimise interferenceInternal wires made from copper for rapid data transfer and the best
- supply of powerIdeal for charging, transferring data and synchronising

6 HB

Qty PT

00200500

0.75 m

hama

USB Cable "2in1, Micro-USB-Plug - USB-A-Plug incl. Adapter to USB-C", Black

Productline	Essential Line		
Connection	Lightning connector, Micro-USB-Plug, USB-C-plug, USB- Typ-A-Plug		
USB Standard USB 2.0			
 High-speed data transfer of up to 480 Mbps Double shielding for good reduction of electromagnetic interference Slimline plug is especially ideal for mobile and flat devices or when space is limited Flexible materials guarantee opti- 			

- Flexible materials guarantee optimum kink protection and prevent cable breakage
 Uish guality materials and
- High-quality materials and workmanship guarantee excellent transmission guality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- 2 in 1: micro-USB plug + USB-C adapter



hama

USB Cable "3in1-Micro-USB with Adapter to USB-C & Lightning, USB 2.0", Black

Productline	Essential Line	
Connection	Lightning connector, USB-C-plug, USB- Typ-A-Plug	
USB Standard	USB 2.0	
 High-speed data transfer of up to 480 Mbps Double shielding for good reduction of electromagnetic interference Slimline plug is especially ideal for mobile and flat devices or when space is limited Flexible materials guarantee optimum kink protection and prevent cable breakage High-quality materials and 		

- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"
- 3in1: micro-USB plug + USB-C adapter + Lightning adapter

0.75 m 00200502

0.75 m

March 2022 INT

6 HB

00200616

0.75 n



6 HB

00200617



hama

USB Cable "for iPhone/iPad with Lightning Connector, USB 2.0", White

Productline	Essential Line
Connection	Lightning connector, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"

hama

USB Cable "USB-2.0, A-Plug-A-Coupling, 480 Mbit/s, **Extension**", Black

Productline	Essential Line	
Connection	USB-Typ-A-Coupling, USB-Typ-A-Plug	
USB Standard	USB 2.0	
High-speed data transfer of up to 480 Mbps		

- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB Cable "USB-2.0, A-Plug - A-Plug, 480 Mbit/s", Black

Productline	Essential Line
Connection	USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power

hama

USB Cable "USB-2.0, A-Plug - B-Plug, 480 Mbit/s", Black

Productline	Essential Line
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug
USB Standard	USB 2.0
rial minimise inter • Internal wires ma	for good reduction ic interference guarantee opti- ion and prevent erials and arantee excellent ity s with an outer n robust PVC mate- rference

1.5 m			00200602
	6	HB	
3 m			00200603
	6	HB	
5 m			00200604
	6	HB	



6 HB

1.5 m 00200623 6 HB

Qty PT

6 HB

00200601

1.5 m



USB Cable "USB-2.0, A-Plug - C-Plug, 480 Mbit/s", Black

Productline	Essential Line	
Connection	USB-C-plug, USB- Typ-A-Plug	
USB Standard	USB 2.0	

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
 High-quality materials and
- workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

hama

USB Cable "USB-2.0, A-Plug - Micro-USB-Plug, 480 Mbit/s", Black

Productline	Essential Line	
Connection	Micro-USB-Plug, USB-Typ-A-Plug	
USB Standard	USB 2.0	
• High-speed data transfer of up to		

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission guality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best

Ideal for charging, transferring data

supply of power

and synchronising

hama

USB Cable "USB-2.0-A-Plug - USB-Mini-B-Plug", Black

Productline	Essential Line	
Connection	USB Mini B Plug, USB-Typ-A-Plug	
USB Standard	USB 2.0	
 rial minimise inter Internal wires margina for rapid data transupply of power 	for good reduction ic interference guarantee opti- cion and prevent erials and arantee excellent ity s with an outer n robust PVC mate- rference de from copper nsfer and the best	
 Ideal for charging, transferring data 		

 Ideal for charging, transferring data and synchronising

hama

USB Cable "USB-2.0, C-Plug - A-Plug, 90°, 480 Mbit/s", Black

Productline	Essential Line
Connection	USB-C-plug, USB- Typ-A-Plug
USB Standard	USB 2.0
 High-speed data t 480 Mbps Space-saving 90° tions in a minimu Double shielding of electromagneti Slimline plug is es mobile and flat de space is limited Flexible materials mum kink protect cable breakage High-quality mate workmanship gua transmission qual Twisted data pair made from robust minimise interfere Copper internal w transfer and excel Ideal for charging and synchronising 	plug for connec- m of space for good reduction ic interference specially ideal for evices or when guarantee opti- tion and prevent erials and arantee excellent ity s with outer jacket t PVC material ence vires for rapid data llent power supply , transferring data

0.75 m			00200631
	6	HB	
1.5 m			00200632
	6	HB	
3 m			00200633
	6	HB	

0.75 m			00200607
	6	HB	
1.5 m			00200608
	6	HB	
3 m			00200609
	6	HB	

0.75 m 00200605 6 HB 1.5 m 6 HB

6 HB

47

JSB

0.75 m

hama

hama

USB Cable "USB-2.0, C-Plug - B-Plug, 480 Mbit/s", Black

Productline	Essential Line	
Connection	USB-C-plug, USB- Typ-B-Plug	
USB Standard	USB 2.0	
• High-speed data transfer of up to		

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply

hama

USB Cable "USB-2.0, C-Plug - C-Plug, 480 Mbit/s", Black

Productline	Essential Line	
Connection	USB-C-plug	
USB Standard	USB 2.0	
• High-speed data transfer of up to		

- 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper
 for regid data transfer and the ba
- for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising

6 HB

6 HB

00200629

00200630

hama

USB Cable "USB-2.0, C-Plug - Micro-USB-Plug, 480 Mbit/s", Black

Productline	Essential Line
Connection	Micro-USB-Plug, USB-C-plug
USB Standard	USB 2.0
والأعال والمحاج والملاحة	

- High-speed data transfer of up to 480 Mbps
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

00200644

0.75 m

hama

USB Cable "USB-2.0, C-Plug - Mini-USB-Plug, 480 Mbit/s", Black

Productline	Essential Line
Connection	USB-C-plug
USB Standard	USB 2.0
 High-speed data 1 480 Mbps Double shielding of electromagneti Slimline construct suitable for mobil smartphones, tab Flexible materials mum kink protect cable breakage High-quality mate workmanship gua transmission qual Twisted data pair 	for good reduction ic interference tion is especially e devices such as lets and notebooks guarantee opti- tion and prevent erials and grantee excellent ity
made from robust	t PVC material
	ince

- Copper internal wires for rapid data transfer and excellent power supply
- Ideal for charging, transferring data and synchronising

00200643

6 HB

1.5 m 00200642

48

0.75 m

1.5 m

6 HB

0.75 n







JSB

hama

USB Cable "USB-2.0, Sub-D-Plug (9-Pin) - USB-A-Plug", Black

Productline	Essential Line	
Connection	Sub-D-Plug, 9-Pin, USB-Typ-A-Plug	
USB Standard	USB 2.0	
Double chielding for good reduction		

- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference Operating system: Windows 11/10/8/7 and Mac OS 10.8 upwards

1.5 m

hama

USB Cable "USB-C for Apple iPhone/iPad with Lightning Connector, USB 2.0", White

Productline	Essential Line
Connection	Lightning connector, USB-C-plug
USB Standard	USB 2.0
 High-speed data i 480 Mbps Double shielding of electromagneti Slimline plug is es mobile and flat de space is limited 	for good reduction ic interference specially ideal for

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Copper internal wires for rapid data
- transfer and excellent power supply • Ideal for charging, transferring data and synchronising
- Suitable and tested for "Made for iPhone/iPad/iPod"

hama

USB Cable "USB-2.0, USB-A-Plug -Micro-USB-Plug", Black

Productline	Entry Line
Connection	Micro-USB-Plug, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

hama

USB Cable "USB-2.0, USB-A-Plug -USB-B-Plug", Grey

Productline	Entry Line
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

•	For charging, transferring data and
	synchronising

						1.5 m		00200900
							25 BA	
						3 m		00200901
							10 BA	
00200622	1.5 m	00200645	0.9 m		00200904	5 m		00200902
6 HB	6 HB			25 BA			10 BA	









hama

USB Cable "USB-2.0, USB-A-Plug -UBS-B-Plug, gilded", Grey

Productline	Entry Line	
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug	
USB Standard	USB 2.0	
- Illink an earl data too of our to		

- High-speed data transfer of up to 480 Mbps
- Gold-plated plug with low contact resistance for secure signal transmission
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

hama

USB Cable "USB-2.0, USB-C-Plug - USB-A-Plug", Black

Productline	Entry Line
Connection	USB-C-plug, USB- Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- For charging, transferring data and synchronising

hama

USB Cable "USB 2.0 extension cable, shielded", Grey

Productline	Entry Line
Connection	USB-Typ-A-Coupling, USB-Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

hama

USB Cable "USB 2.0, A plug - B plug, gold-plated, fabric, 24 pieces", Black, Silver

Productline	Action		
Connection	USB-Typ-A-Plug, USB-Typ-B-Plug		
USB Standard	USB 2.0		
 High-speed data transfer of up to 480 Mbps Elegant and flexible fabric jacket for 			

- additional kink protection • Gold-plated plug with low contact resistance for secure signal transmission
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

1.5 m 25 BA

50

00200903

hama

25 BA

March 2022 INT

0.9 m

Qty PT

1.5 m

3 m

00200907

00200905

00200906

1.5 m

00201001

24 SC

10 BA

10 BA

JSB





hama

USB Cable "USB 2.0, C plug - A plug, gold-plated, fabric, 24 pieces", Black, Silver

Productline	Action
Connection	USB-C-plug, USB- Typ-A-Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Elegant and flexible fabric jacket for additional kink protection
- Gold-plated plug with low contact resistance for secure signal transmission
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- For charging, transferring data and synchronising

hama

USB Cable "USB4 Gen3, eMarker, 40 Gbit/s", Black

Productline	Essential Line		
Connection	USB-C-plug		
USB Standard	USB4		
 Super speed Plus data transfer rates of up to 40 Gbps Connected devices are automatically recognized and optimally charged 			

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- This fully equipped USB4 cable can also be used as a USB-C monitor cable
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- Ideal for charging, transferring data and synchronising If used as a monitor cable: USB-C Connection with USB4, DisplayPort Alternate Mode or Thunderbolt 3/4 support.

6 HB

Qty PT

00200658

1.5 m 00201002 24 SC

0.8 m







EXTERNAL COMMUNICATION

Whenever a signal comes from outside, it must first travel through an antenna or network cable to its intended receiver. Depending on the application, different requirements apply, which Future in Connection covers with a variety of cables.





Network cable: here, the transfer rate counts

	Frequency	Transfer Rate
CAT 8/G	2.000 MHz	40 Gbit/s
CAT 6A/EA	500 MHz	10 Gbit/s
CAT 6	250 MHz	1 Gbit/s
CAT 5E	100 MHz	1 Gbit/s

Antenna cable: shielding makes all the difference

Shielding	Screening rate
4-way shielding	120 dB
3-way shielding	100 dB
2-way shielding	90 dB

200691 | Network Cable, CAT 8, 40 Gbit/s, S/FTP Shielded, Halogen-free, 0.50 m

- For connecting PCs, notebooks, TVs, gaming consoles and routers, switches, hubs or wall sockets, for transmitting digital Internet, network data and signals
- Gigabit Ethernet data transfer at up to 40 Gbit/s
- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire - providing more safety
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/ 40000 Mbit/s)
- Ideal for the new high-speed Internet



hama 56

Essential Line

CAT 6a U/UTP

00200685

00200686

00200687

6 HB

6 HB

6 HB







hama

Network Cable "CAT-6a, 10 Gbit/s, U/UTP", White

Productline	Essential Line
Network Standard	CAT 6a
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 10 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

hama

Network Cable "CAT-6, F/UTP shielded", Grey

Productline	Entry Line
Network Standard	CAT 6
Shielding	F/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with a jacket made from robust PVC material

minimise interference

hama

Network Cable "CAT-5e, F/UTP shielded", Grey

Productline	Entry Line
Network Standard	CAT 5e
Shielding	F/UTP
Shiciang	

• Gigabit Ethernet data transfer at up to 1 Gbps

- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with a jacket made from robust PVC material minimise interference

hama

Network Cable "CAT-5e, U/UTP", Grey

Productline	Entry Line
Network Standard	CAT 5e
Shielding	U/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Twisted data pairs with a jacket made from robust PVC material minimise interference

1.5 m			00200674
	6	HB	
3 m			00200675
	6	HB	
5 m			00200676
	6	HB	
10 m			00200677
	8	HB	
10 m	8	HB	0020067



1.5 m 00200915 25 8A 3 m 25 8A 2 m 00200917 5 m 25 8A 5 m 25 8A 10 m 25 8A 10 m 60200918 15 m 00200918 15 m 00200918 20 m 8A 20 m 90200919 30 m 90200920 30 m 90200921				
3 m 00200916 25 8A 5 m 00200917 25 8A 10 m 25 10 m 00200918 10 m 8A 15 m 00200919 10 m 8A 20 m 10 10 m 8A 20 m 00200920 10 m 8A 30 m 00200921	1.5 m		00200915	
25 8A 5 m 00200917 25 8A 10 m 25 10 m 00200918 10 m 6A 15 m 00200918 10 m 8A 20 m 00200920 10 m 8A 30 m 00200921		25	BA	
5 m 00200917 25 BA 00200918 10 m 00200918 10 BA 00200919 15 m 00200919 10 BA 00200920 20 m 00200920 30 m 00200921	3 m			00200916
25 BA 10 m 00200918 10 BA 15 m 00200919 10 BA 20 m 00200920 10 BA 30 m 00200921		25	BA	
10 m 00200918 10 8A 15 m 00200919 10 8A 20 m 00200920 10 8A 30 m 00200921	5 m			00200917
10 BA 15 m 00200919 10 BA 20 m 00200920 10 BA 30 m 00200921		25	BA	
15 m 00200919 10 8A 20 m 00200920 10 8A 30 m 00200921	10 m			00200918
10 BA 20 m 00200920 10 BA 30 m 00200921		10	BA	
20 m 00200920 10 BA 30 m 00200921	15 m			00200919
10 BA 30 m 00200921		10	BA	
30 m 00200921	20 m			00200920
		10	BA	
10 BA	30 m			00200921
		10	BA	

1.5 m		00200909	
	25	BA	
3 m			00200910
	25	BA	
5 m			00200911
	25	BA	
10 m			00200912
	10	BA	
15 m			00200913
	10	BA	
20 m			00200914
	10	BA	

NETWORK

Network Cable "CAT-5e, 1 Gbit/s, F/UTP,

Shielded", Gro	ey	
Productling	Entr	Lino

Productline	Entry Line
Network Standard	CAT 5e
Shielding	F/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Additional shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed Internet

1.5 m		00200668		
		6	HB	
3 m				00200669
		6	HB	
5 m				00200670
		6	HB	
10 m				00200671
		8	HB	
15 m				00200672
		8	HB	
20 m				00200673
		8	HB	

hama

Network Cable "CAT-6, F/ UTP shielded, gold-plated, textil, 14 St.", Black, Silver

Productline	Action
Network Standard	CAT 6
Shielding	F/UTP

- Gigabit Ethernet data transfer at up to 1 Gbps
- Elegant and flexible fabric jacket for additional kink protection
- Gold-plated plug with low contact resistance for secure signal transmission
- Additional shielding for good reduction of electromagnetic interference
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference

14 SC

3 m

00201003





MULTIMEDIA VIDEO

hama

DisplayPort Cable

DisplayPort Cable "DP 1.4, Ultra-HD 8K, Alu", Black

Productline	Prime Line
Max. Resolution	8K (7680 x 4320)
Version	1.4

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with a high screen refresh rate (Hz)

hama

DisplayPort Cable "DP 1.4, Ultra-HD 8K", Black

Productline	Essential Line
Max. Resolution	8K (7680 x 4320)
Version	1.4

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission guality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

hama

DisplayPort Cable "DP 1.2, Ultra-HD 4K", Black

Productline	Essential Line
Max. Resolution	4k (4096 x 2160)
Version	1.2

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

6 HB

6 HB

6 HB

6 HB

00200695

00200696

00200697

00200698

1.5 m

hama

DisplayPort Cable "Mini-DP-Plug - DisplayPort-Plug, Ultra-HD 4K", Black

Productline	Essential Line
Max. Resolution	4k (4096 x 2160)
Version	1.2

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with outer jacket made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

00200710

6 HB

• Compatible with Thunderbolt-2 (lightning symbol)

00200505 2 m

6 HB

60

hama March 2022 M

0.75 m

1.5 m

3 m

5 m





hama

1.5 m

00200929

10 BA

DisplayPort Cable "DP 1.2", Grey

Productline	Entry Line
Version	1.2

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Additional shielding for good reduction of electromagnetic interference
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference

hama

Ultra High Speed HDMI™ Cable, Certified, Ultra-HD 8K, alu, 2.00 m

Productline	Prime Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI[™] for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with a high screen refresh rate (Hz)

Qty PT

hama

HDMI[™]-Cable "Ultra High Speed, HDMI-Plug - HDMI-Plug, 8K", Black

Productline	Essential Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI[™] for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- Gold-plated plug with low contact resistance for secure signal transmission
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

hama

HDMI[™]-Cable "High Speed, 4K, Ethernet + 2 HDMI[™]-adapter", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)
- 3in1: HDMI[™] plug + Mini-HDMI[™] (Type C)+ Micro-HDMI[™] (Type D)

		00200504	2 m	2 m		00200700	1.5 m			
6	HB				6	HB			6	HB

March 2022 NT

00200705

hama

HDMI[™]-Cable "High Speed, HDMI-Plug - HDMI-Plug, 4K, Ethernet", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- Double shielding for good reduction of electromagnetic interference
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Ideal for gaming monitors with high screen refresh rate (Hz)

0.75 m			00200701
	6	HB	
1.5 m			00200702
	6	HB	
3 m			00200703
	6	HB	
5 m			00200704
	6	HB	

62

hama

Productline

signals

standards

nel (ARC)

Data Transfer Rate

Plug - Plug, 1.5 m

High-Speed HDMI[™] Cable,

• Transfer of all digital video, audio

• High-speed transfer of up to 10.2

Gbit/s for all picture and sound

• With integrated audio return chan-

and copy protection data and

Entry Line

10.2 Gbit/s





hama

DVI Cable "WQHD 1440p, Dual Link", Black

	Productline	Essential Line
ĺ	Model	Dual Link
	• For high recolutio	

- For high-resolution WOHD guality up to 2560 x 1440 (1440p) pixels
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- DVI-I Dual Link cable (24 + 5 pins)

hama

DVI Cable, 1.50 m, 10 Pcs

Productline	Entry Line
Model	Dual Link

- For high-resolution WQHD guality up to 2560 x 1440 (1440p) pixels
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- DVI-D Dual Link cable (24 + 1 pins)

	1.5 m		00200706		
		6 HB			
0930	WQHD c resolutio This is w from in t standarc 1,440 pi length a therefor 4K resol in PC mo	Wide Quad Hig forresponds to 1 on of 720p HD (where the word the name. Acco d has a resoluti xels and a ratio nd width of 16: e sits between ution and is co onitors measuri 82 inches.	our times the HD Ready). Quad comes rdingly, this on of 2,560 x between 9. WQHD Full HD and mmonly used	1.5 m	

00200931 10 BA

1.5 m

hama March 2022 INT

25 BA

0020

Qty PT



Qty PT

March 2022 INT

63

hama







Cables & Adapters | USB Devices



MULTIMEDIA AUDIO



Jack Cable "Flexi-Slim, 3,5-mm-Jack-Plug/Plug, gilded", Green hama

Stereo

Productline

Audio Adapter, USB-C

Plug - 3.5 mm Jack Socket,

• For perfect, high-resolution, HiFi

Slimline construction is especially

• Flexible materials guarantee opti-

mum kink protection and prevent

suitable for mobile devices such as

smartphones, tablets and notebooks

stereo sound quality

cable breakage

Essential Line

Productline Essential Line

- Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- The inner conductor is made of copper which ensures best transmission properties

0.75 m				00200728
		12	BK	
	4		a	
	Ú		Ů	
	Ĩ		Ĩ	
	I			
han	1 č	3		
Jack Cab	le			

"Flexi-Slim, 3,5-mm-Jack-Plug/Plug, gilded", Red

Productline

0.75 m

 Gold-plated plug with low contact resistance for secure signal transmission

Essential Line

00200727

- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- The inner conductor is made of copper which ensures best transmission properties

12 BK

Ĩ	

hama

USB Cable "Audio, USB-C-Plug - 3,5-mm-Jack-Plug, Stereo", Black

 High-quality materials and workmanship guarantee excellent transmission quality Black 00205282 G HB O0205282 For perfect, high-resolution, Hill stereo sound quality Additional shielding for good re tion of electromagnetic interfer Slimline plug is especially ideal mobile and flat devices or wher space is limited Flexible materials guarantee op mum kink protection and preve cable breakage High-quality materials and workmanship guarantee excellent transmission quality Outstanding sound quality thar to high-quality digital/analogue converter (DAC) Suitable for 3-pin 3.5 mm jack devices 	
transmission quality Black 00205282 For perfect, high-resolution, Hill stereo sound quality Additional shielding for good re tion of electromagnetic interfer Slimline plug is especially ideal mobile and flat devices or wher space is limited Flexible materials guarantee op mum kink protection and preve cable breakage High-quality materials and workmanship guarantee excelle transmission quality Outstanding sound quality thar to high-quality digital/analogue converter (DAC) Suitable for 3-pin 3.5 mm jack devices	ine
 Black Black G HB O0205282 Additional shielding for good retion of electromagnetic interfer Slimline plug is especially ideal mobile and flat devices or when space is limited Flexible materials guarantee op mum kink protection and preve cable breakage High-quality materials and workmanship guarantee excelle transmission quality Outstanding sound quality thar to high-quality digital/analogue converter (DAC) Suitable for 3-pin 3.5 mm jack devices 	ıg
ack Cable "Elite, 3,5-mm-	reduc- rrence I for n pti- ent ent nks
lack-St Jack, Metall, gilded", Anthracite	
Productline Prime Line	
 Robust metal plug with the best shielding for reliable signal transmission Gold-plated plug with low contact resistance for secure signal transmission High-quality materials for excellent sound quality without interference The inner conductor is made of cop- per which ensures best transmission properties 	
0.75 m 00200508 0.75 m 00200	

hama

USB Cable "Audio, USB-C-Plug - Cinch-Plug, Stereo", Black

Productline	Essential Line			
Connection	USB-C-plug			
• For perfect, high-resolution, HiFi				

- stereo sound quality Additional shielding for good reduc-
- tion of electromagnetic interference ilimline plug is especially ideal for
- nobile and flat devices or when space is limited
- lexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Outstanding sound quality thanks to high-quality digital/analogue converter (DAC)

6 HB

March 2022 INT

6 HB



6 HB

00200730







hama

Power Pack "USB-C, Power Delivery (PD), 5-20V", 26800 mAh

Productline	Essential Line
Component	USB-Type-C-Cable

- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Ideal for guickly charging several devices via USB at the same time

Anthracite			00200012
	6	HB	



Car Notebook Power Supply Unit



hama

"Slim & Light" Universal Car Notebook Power Supply Unit, 15 - 19 V/70W

Productline	Prime Line			
Output Voltage	15 V/16 V/19 V			
Max. Output Current	4.5 A			
 High-quality workmanship, power and safety 				

- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- · Compact size for travelling, ideal for on the go
- A total of 8 notebook connectors for various models from popular manufacturers
- Operation via the cigarette lighter socket





hama

Universal Car Notebook Power Supply Unit, 15-24 V/120W

Productline	Essential Line				
Output Voltage	15 V/16 V/18 V/19 V/20 V/22 V/24 V				
Max. Output Current 6 A					
 High-quality workmanship, power and safety Hook and loop cable tie enables good cable management without tangled cables 					
 LED function indicator gives infor- 					

- LED function indicator gives information about the device status
- A total of 8 notebook connectors for various models from popular manufacturers
- Operation via the cigarette lighter socket



hama

Universal USB-C Car Notebook Power Supp. Unit, Power Delivery (PD), 5-20V/70W

Productline
Output Voltage
Max. Output Current
 High-quality work and safety The integrated IC tects connected d and optimized chargin the battery thus end service life Easy and quick conther USB-C plug the both sides Vehicle adapter 11 supply in cars, lor vans Hook and loop can good cable manage tangled cables USB power socket nal USB devices weight deal for all device via USB, e.g. note smartphone, power Also for Apple Ma Galaxy S10, Nintee USB Power Delivee "USB PD" Compatible with (lightning symbol)

00200010

6 HB

Black

00200009

6 HB

Black

Blac

00200008

6 HB

Charger & Power Supply Units







"Power" Car DC/AC Inverter, 150 W + USB

Productline	Essential Line		
Max. Output Perfor- mance	300 W		
Output Frequency	50 Hz		
Output Voltage	230 V		
Permanent Output Performance	150 W		

- High-quality workmanship, power and safety
- Device is suitable for plugs with earth contacts
- USB power socket supplies additional USB devices with power
- Suitable for most notebook power supply units, multimedia, audio and video equipment
- Ideal for long car journeys when the battery of the notebook, tablet and console is drained
- Connect the power supply unit on the device to be charged to the inverter and charge via the cigarette lighter socket
- The inverter operates regardless of the device and can be used with most socket-based power supply units, which means that no devicespecific car chargers are needed
- Leakage current protection circuit, ensuring maximum safety for users
- Suitable for devices with Euro and earthed plugs
- Operation via the cigarette lighter socket in the car
- Output voltage AC: 230V/50Hz (modified sinus)
- Peak output power 300 W

Silver

• Permanent output power: 150 W

6



Universal USB-C Notebook Power Supply Unit, GaN, Power Del. (PD), 5-20V/65W

Productline	Prime Line
Output Voltage	5 V - 20 V
Max. Output Current	3.25 A

- High-quality workmanship, power and safety
- Powerful GaN technology: superefficient with low heat development and all in a compact and lightweight design made possible by components made from gallium nitride
- The integrated IC automatically detects connected devices for efficient
- and optimized charging
 Optimized charging process saves the battery thus extending its
- service life • Easy and quick connection thanks to
- the USB-C plug that can be used on both sides
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung Galaxy, Nintendo Switch
- USB Power Delivery is also known as "USB PD"





hama

"Slim & Light" Universal Notebook Power Supply Unit, 19V/65W

Productline	Prime Line
Output Voltage	19 V
Max. Output Current	3.42 A

- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- Compact size for travelling, ideal for on the go
- A total of 8 notebook connectors for various models from popular manufacturers





hama

Mains Adapter "USB-C, Power Delivery (PD), 5-20V", Black

Productline	Essential Line
Output Voltage	5 V - 20 V
Max. Output Current	4,60 A

- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Easy and quick connection thanks to the USB-C plug that can be used on both sides
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Also for Apple MacBook, Samsung
- Galaxy S10, Nintendo Switch • USB Power Delivery is also known as "USB PD"
- Compatible with Thunderbolt 3/4 (lightning symbol)

ower: 150 W	 Compatible with Thunderl (lightning symbol) 	bolt 3/4			92 W		00200007
	(lightilling symbol)					6 HB	
					65 W		00200006
						6 HB	
00200013	65 W 0	0200016 65 V	W	00200000	45 W		00200005
НВ	6 HB		6 HB			6 HB	

Charger & Power Supply Units





hama

POWER

Mains Adapter "Universal, 15-19V", Black

Productline	Essential Line
Output Voltage	15 V, 19 V
Max. Output Current	5.6 A

- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- A total of 8 notebook connectors for various models from popular manufacturers





hama

Universal Notebook Power Supply Unit, 12-22 V/90W

	Productline	Essential Line		
	Output Voltage	12 V, 14 V, 15 V, 16 V, 18 V, 18.5 V, 19 V, 19.5 V, 20 V, 21 V, 22 V		
	Max. Output Current	4 A		

- High-quality workmanship, power and safety
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- USB power socket supplies additional USB devices with power
- LED function indicator gives information about the device status
- A total of 8 notebook connectors for various models from popular
- manufacturers





hama

Universal USB-C Charging Station, Power Delivery (PD), 5-20V/65W

· //	
Productline	Essential Line
Output Voltage	5 V - 20 V
Max. Output Current	3.25 A

- High-quality workmanship, power and safety
- The integrated IC automatically detects connected devices for efficient and optimized charging
- Optimized charging process saves the battery thus extending its service life
- Ideal for quickly charging several devices via USB at the same time
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Hook and loop cable tie enables good cable management without tangled cables
- LED function indicator gives information about the device status
- Ideal for all devices that are charged via USB, e.g. notebook, tablet, smartphone, power pack, console
- Stable holder for secure, spacesaving and upright / vertical positioning of the Power charging station
- Also for Apple MacBook, Samsung Galaxy Tab S10, Nintendo Switch
- USB Power Delivery is also known as "USB PD"

6 HB

00200011

- Compatible with Thunderbolt 3/4 (lightning symbol)
- 2 x USB-C, 2 x USB-A

USB Vehicle Charging Adapter



hama

USB Car Charger, 2-port, 5V/10.5W

Productline	Essential Line		
Connection	Cigarette Lighter Plug, USB-Typ-A- Coupling		
Output Voltage/ Output Current	5V/ 2,1A		
Max. Output Power	10.5 W		

- High-quality workmanship, power and safety
- Vehicle adapter 12/24 V for power supply in cars, lorries, and camper vans
- Ideal for quickly charging several

Bla

ck			00200015		
		6	HB		

03 W			00200002	
	6	HB		
45 W			00200001	90 \
	6	HB		

6 HB

90 W

00200003

65 W

00200004

6 HB
Charger & Power Supply Units | Cables & Adapters







Cables & Adapters | Tools





Mains Lead "Euro Plug - 2-Pin Socket (double groove)", Black

- Productline Essential Line Sturdy plugs and moulded strain
- reliefs, mechanically resilient • Flexible materials guarantee opti-
- mum kink protection and prevent cable breakage
- Also for radios, TVs, DVD/Blu-Ray players, games consoles, PC, monitors, printers

0.75 m			00200731
	6	HB	
1.5 m			00200732
	6	HB	
2.5 m			00200733
	6	HB	





hama

USB hard disk housing for 2.5" SSD and HDD hard disks

Productline	Essential Line
Material	Plastic Material
Model	SATA
Size	2.5"
Power Supply	USB Connection

- Super speed data transfer rates of up to 5 Gbps
- LED function indicator gives information about the device status
- Detachable USB cable for connection to a PC / notebook
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for mobile use of an internal SSD/HDD hard disk on an external USB port
- Suitable and tested for SATA (Serial-ATA) interfaces with SATA III (3.0), SATA II (2.0) and SATA I (1.0)
- Plug & Play, no manual software / driver installation required
- For the installation of hard disks with a height of max. 9.50 mm
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB

Blac

• 2 in 1: USB-A plug + USB-C adapter

6 HB

00200760

hama 76

6 HB

6 HB

Tools | Installation









hama

USB hard disk housing for M.2 SATA and NVMe SSD hard disks

- Super speed Plus data transfer rates of up to 10 Gbps
- LED function indicator gives information about the device status
 High-guality and sturdy aluminium
- high-quality and study automitidin housing with a sophisticated finish
 Detachable USB cable for connec-
- tion to a PC / notebook • Flexible materials guarantee optimum kink protection and prevent
- cable breakage • High-quality materials and workmanship guarantee excellent transmission quality
- Ideal for mobile use of an internal M.2 SATA & NVMe SSD hard disk on an external USB port
- Suitable and tested for SATA (serial ATA) and NVMe (non-volatile memory express) M.2 SSD hard disks
- Compatible with M.2 SATA SSD: B+M Key or M.2 NVMe-SSD: B+M Key and M Key
- Suitable for the following M.2 SSD hard disk sizes: 2242 (22 x 42 mm), 2260 (22 x 60 mm) and 2280 (22 x 80 mm)
- Plug & Play, no manual software / driver installation required
- Compatible with Thunderbolt 3/4 (lightning symbol)
- Power supply via USB
- 2 in 1: USB-A plug + USB-C plug

hama

Drive Connection Cable "5,25" Adapter to SATA"

Productline	Essential Line
Connection	5,25" socket, SATA- Plug

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Internal current adapter

hama

Drive Connection Cable "Serial-ATA III, 6 Gbit/s, intern"

Productline	Essential Line
Connection	SATA-Plug

• Fast read and write speeds of up to 6 Gbit/s

- Locking of the plug ensures a secure connection and reliable data transmission
- Additional shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Also known as SATA III, SATA 3.0 or Serial-ATA III/3.0

hama

Drive Connection Cable "Serial-ATA III, 6 Gbit/s, internal 90°"

Productline	Essential Line
Connection	SATA-Plug

• Fast read and write speeds of up to 6 Gbit/s

FOOLS

- Locking of the plug ensures a secure connection and reliable data transmission
- Additional shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Also known as SATA III, SATA 3.0 or Serial-ATA III/3.0

		00200764
6	HB	

12 HB

0.15 cm

6 HB

0.45 cm

6 HB

March 2022 INT

0.6 cm

hama

Tools | Installation



Screwdriver Kit

ounting Frame







hama

ARCTIC MX-2 High-Performance Heat-Conducting

Paste

TOOLS

Essential Line
3.96 g/cm ³
50°C to 170°C
850 P

 The heat-conducting paste made of carbon micro-particles guarantees extremely high thermal conductivity

- Metal-free and non-electricallyconductive paste, protecting against corrosion and short circuits
- Extremely long-lasting, works for several years without drying out or dissipating
- Handily packaged in a reusable syringe
- Contents: 4 g (sufficient for around 20 applications)
- Viscosity: 850 Poise
- Density: 3.96 g/cm³

hama

Mini Screwdriver Set 24 in 1

Productline Essential Line

- Essential for precision mechanical work, e.g. on electronic devices
- The bits are made from high-quality, resilient steel
- \bullet Handy and stylish leather-look case
- Fits in any trouser pocket or drawer
- Set consisting of:
- 1 stable aluminium handle with slipresistant, ribbed surface
 9 "Torque" interchangeable bits
- (T2 / T3 / T4 / T5 / T6 / T8 / T9 / T10 / T15)
- 4 "Hexagon socket" interchangeable bits (H1.5 / H2.0 / H2.5 / H3.0)
 3 "Phillips head" interchangeable
- bits (PH1.5 / PH 2.0 / PH 3.0)
 3 "Slot-head" interchangeable bits
- Slot-head interchangeable bits (SL1.5 / SL2.0 / T7 / T8 / T9 / SL3.0)
 "Pentalobe" interchangeable bits
- (PL0.8 / PL1.2 / PL1.6)
- 2 "Tri-Wing-head" interchangeable bits (0.6Y / 2.5Y)

6 HB

hama

Mounting Frame for 2 x 2.5" SSD and HDD Hard Disks in a 3.5" Bay

Productline	Essential Line
Shade of colour	Black
Hard Disk Size	2.5 "

- High-quality and sturdy metal frame for better heat conduction from the hard disks
- Pre-drilled holes in the frame for optional attachment of an 80 mm fan
- Incl. 12 screws for immediate mounting / installation in the PC
 Suitable and tested for two 2.5"
- hard disks
- Simple and quick to install

6 HB

78

hama

00200758

March 2022 INT

Black

00200762

00200759

6 HB





AUDIO / VIDEO / ANTENNE





FUTURE IN CONNECTION GLOSSARY

What does UHD mean?

Display

UHD stands for Ultra-High-Definition and is a collective term for 4K and 8K resolutions. The term is used in the TV industry to indicate when a device has a higher resolution than Full HD. A distinction is made between UHD-1 (4K resolution) and UHD-2 (8K resolution).

Source

HDMI 8K and 4K differences

8K is the successor to 4K and has a resolution of 7,680 x 4320 pixels. 8K therefore has 4 times more pixels than 4K with 3,840 x 2,160 pixels. The transfer of 8K data is very complex, so that only HDMI version 2.1 offers sufficient bandwidth (up to 48 Gbit/s) and enables transmission in 8K at a refresh rate of 60 Hz.





Full HD 1080 pixels



4K Ultra HD 2160 pixels



8K / Full Ultra HD 4320 pixels

Connector types for HDMI cables

There are five different types of HDMI connector: A, B, C, D and E. Plug type A is almost always required, especially for home entertainment equipment. The other connector types are used for notebooks, tablets or in the automotive industry. There are also cables with straight plugs (180°) and with angled plugs:

- 90° (cable outlet downwards)
- 270° (cable outlet upwards)





8K in everyday life

8K-capable devices are still very costly at the moment. Media content is also rather rare at the moment. However, the Xbox Series X and the PlayStation 5 are already compatible with 8K and support 8K streaming.

HDMI cable shielding

The shielding of an HDMI cable is highly relevant. Poorly shielded HDMI cables can cause the signal to be affected by external sources of interference (e.g. power line). In the worst case, this results in a total loss of the image or visible artefacts on the screen in the form of white pixels.

HDMI cable with optical signal transmission

Optical fibre cables, often referred to as "glass fibre cables", allow very long distances of up to 100 metres to be bridged by means of optical-digital signal transmission.

Antenna cable shielding dimensions

Good shielding against interfering signals is important so that the mobile phone, for example, does not cause the picture to flicker. The shielding has a significant influence on the transmission behaviour. As a rule, the shielding is only specified by the manufacturer in the form of a number (dB). The higher the dB value, the better the antenna cable is shielded and the higher the quality. Multiple shielding is necessary especially for longer cable lengths.









DISPLAY

Whether a PC monitor or TV - the display is the heart of every home cinema and every computer.





Optical Technology

Optical, Active HDMI[™] Cable, Plug-Plug, 8K, Gold-Plated, 3 m

- tellite receiver and TV set
- nema quality 7680x4320 (8K) pixels
- waves, allowing the optimised, loss-free transfer of 8K data even over long distances
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Robust metal plug with the best shielding for reliable
- and prevent cable breakage
- Integrated channel for transmitting network data with up to 100 Mbit/s
- eARC supports the most advanced audio formats without additional audio cables
- 3D transmission via extended bandwidth
- High-speed transmission of up to 48 Gbit/s for all image and sound standards from a bandwidth of 600
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD au-
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)
- With connection identifier on the plugs (source dis-

HDMI™ IN PERFECTION -CERTIFIED QUALITY FROM HAMA

- Ultra High Speed HDMITM cables from Hama meet all specified parameters 100%:
- Certified performance
- Tested quality
- Ingenious features
- Attractive design





THE CERTIFICATE

The Ultra High Speed certification ensures that all features of HDMI 2.1 are supported, such as uncompressed 8K@60Hz, 4K@120Hz, a data transfer rate of up to 48 Gbit/s, eARC or dynamic HDR. High-contrast and colour-intensive image transmission is guaranteed. This certification, comprising a QR code and hologram, must be visible on the packaging. This certification can even be scanned and a certified cable verified with the help of the HDMI Cable Certification app.

THE INSPECTION PROCESS

Hama quality assurance checks the cables regularly with a special inspection device. The cables also have to be submitted to an independent test centre certified by the HDMI Forum. Features tested there include the electromagnetic interference, in order to reduce the interference of, for example, WAN networks, Bluetooth devices or mobile phones.

THE CABLE



THE CONCEPT

The certified Ultra High Speed HDMITM cables are part of the comprehensive "Future in Connection" cable concept and round off the range of HDMITM cables.

AVA Cable | Video Ultra High Speed HDMI™ cable, plug - plug, 8K, metal

205238 (1 m) Prime Line 205239 (2 m) Prime Line 205240 (3 m) Prime Line

Ultra High Speed HDMI™ cable, plug - plug, 8K

205241 (1 m) Essential Line 205242 (2 m) Essential Line 205243 (3 m) Essential Line

Computer cable | Video Ultra High Speed HDMI™ cable, Ultra-HD 8K, alu

200504 (2 m) Prime Line

Ultra High Speed HDMI™ cable, Ultra-HD 8K

200700 (2 m) Essential Line

THE PACKAGING

Apart from the Ultra High Speed certification, the most important product features are also immediately visible, which reduces the need to give advice. The sustainable box packaging without magnets is FSC certified.

Summary

Ultra High Speed HDMI[™] cables from Hama are inspected multiple times and independently for their quality and function. This certification puts them ahead of other manufacturers who may advertise the features, but are unable to present the certification. A clear sales advantage for us!





HDMI[™]-Cable "Optical, active, HDMI-Plug - HDMI-Plug, 8K, gilded", Black

Productline	Prime Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment

IV VIDEO

- AOT transmits HDMI™ signals via fault-immune light waves, allowing the optimised, loss-free transfer of 8K data even over long distances
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI[™] for reduced cabling
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Integrated channel for transmitting network data with up to 100 Mbit/s
- eARC supports the most advanced audio formats without additional audio cables
- 3D transmission via extended bandwidth
- High-speed transmission of up to 48 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Colour space: 30/36/48 bit

3 m			00205345
	6	HB	

hama

HDMI[™]-Cable "Ultra High Speed, HDMI-Plug - HDMI-Plug, 8K, Metall", Black, Grey

Productline	Prime Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI[™] for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1 m			00205238
	6	HB	
2 m			00205239
	6	HB	
3 m			00205240
	6	HB	

hama

HDMI[™]-Cable "Premium with Ethernet, Plug - Plug, Ferrit, Metall", Bronze Coffee

Productline	Prime Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Superior premium quality with respect to workmanship and performance
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- Robust metal plug with the best shielding for reliable signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Ferrite core for decimating remaining interference and for good signal transmission

0.75 m			00205024
	6	HB	
1.5 m			00205025
	6	HB	
3 m			00205026
	6	HB	

hama

HDMI[™]-Cable "Ultra High Speed, HDMI-Plug - HDMI-Plug, 8K", Black

Productline	Essential Line
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties

1 m			00205241
	6	HB	
2 m			00205242
	6	HB	
3 m		00205243	
	6	HB	



hama

HDMI™-Cable "High Speed, HDMI-Plug - HDMI-Plug, 4K, Ethernet, gilded", Black

Productline	Essential Line
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Ferrite core for decimating remaining interference and for good signal transmission
- Supports network connections via HDMI[™] for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- 3D transmission via extended bandwidth
- High speed transmission of up to 10.2 Gbit/s for all image and sound standards from a bandwidth of 340 MHz
- Image resolution: 3840 x 2160 max. 60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit

15 m			00205010
	10	РО	
7.5 m			00205008
	8	HB	
10 m			00205009
	8	HB	

hama

HDMI™-Cable "Flexi-Slim, 4K, HDMI-Jack -HDMI-Jack, Ethernet", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Slimline construction is especially suitable for mobile devices such as
- smartphones, tablets and notebooks
 Gold-plated plug with low contact resistance for secure signal
- Light and space-saving due to the
- ultra thin, flexible flat ribbon cable and the extra small plugs

n	00205013

6 HB

1.5 r

hama

HDMI[™]-Cable "High Speed, HDMI-Plug - HDMI-Plug, 4K, Ethernet", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI[™] for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks



hama

HDMI[™]-Cable "High Speed, HDMI Plug - HDMI Plug, 90°, Ethernet, Gold-Plated", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- 3D transmission due to extended bandwidth
- High-quality materials and shielded lines for excellent picture and sound quality without interference

IV VIDEO

- Space-saving 90° plug for connections in a minimum of space
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 up to 60 Hz, 4096 x 2160 24 Hz
- Colour space: 30/36/48 bit

hama

• Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data

6 HB

1.5 m



HDMI[™]-Cable "High Speed, HDMI-Plug - HDMI-Plug, Ethernet + HDMI-Adapter", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels

TV VIDE(

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission due to extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)

6 HB

hama

HDMI[™]-Cable "High Speed, HDMI Plug - HDMI Plug, Rotation, Gold-Plated, Ethernet", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and shielded lines for excellent picture and sound guality without interference
- Rotatable plug for space-saving installation
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
 Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dol-
- by Digital Plus, True HD and dts-HD audio data • Transmission of the type of
- player via ACE (Automatic Content Enhancement) • HDMI™ CEC support (Consumer
- HDMI[™] CEC support (Consume Electronics Control)

6 HB

00205011

hama

HDMI[™]-Cable "High Speed, Type A Plug - Type C (Mini) Plug, Ethernet", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)

6 HB

00205015

1.5 m

hama

HDMI[™]-Cable "High Speed, Plug Typ A - Plug Typ D (Micro), Ethernet", Black

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- Supports network connections via HDMI[™] for reduced cabling
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)

6 HB

00205016

92 **hama** March 2022 INT

00205162

1.5 m

1.5 m





hama

HDMI[™]-Cable "Optisch, aktiv, HDMI-Plug - HDMI-Plug, 4K, gilded", Silver

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- AOT transmits HDMI[™] signals via fault-immune light waves, allowing the optimised, loss-free transfer of 4K data even over long distances
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Supports network connections via HDMI[™] for reduced cabling
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 60 Hz, 4096 x 2160 - 24 Hz

10 m			00205274
	8	HB	
15 m			00205275
	8	HB	
20 m			00205276
	8	HB	

hama

HDMI™-Cable "Ultra-Slim, High Speed, HDMI-Plug - HD-MI-Plug, 4K, Ethernet", Silver

Productline	Essential Line
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Supports network connections via HDMI[™] for reduced cabling
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ultra-slim design: ultra-thin and super-lightweight, ideal for mobile devices and when out and about
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Solid full metal housing for protection against outside interference

hama

HDMI™-Cable "High Speed, HDMI Plug -HDMI Plug", Black

Productline	Entry Line
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed

- Transfer of all digital video, audio and copy protection data and signals
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards
- With integrated audio return channel (ARC)

hama

HDMI[™]-Cable "High Speed, HDMI Plug - HDMI Plug, Ethernet, Gold-Plated", Black

Productline	Entry Line
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed with Ethernet

- Transfer of all digital video, audio and copy protection data and signals
- Gold-plated plug contacts for secure signal transmission thanks to low transfer resistances
- For perfect, high-resolution, Full HD quality (1920 ×1080 pixels)
- Colour space: 30/36/48 bit
 Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Network functionality thanks to integrated Internet / Ethernet channel (HEC); network 100 MB/s
- With integrated audio return channel (ARC)
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards

1.5 m			00205000
	25	BA	
3 m			00205001
	25	BA	
5 m			00205244
	15	BA	
10 m			00205280
	10	BA	

1.5 m			00205002
	25	BA	
3 m			00205003
	25	BA	
	25		

hama

6 BK

6 BK

1 m

2 m

00205020

00205021



1.5 m 00205445

 1.5 m
 00205444

 24
 SC

 3 m
 00205447

 14
 SC

IV VIDEO

00205018

6 HB

1.5 m

00205148

6 HB

1.5 m





hama

RCA Scart Cable "Scart-Plug - 3 Cinch-Plug (Video/Stereo) 2", Black

Productline

• High-quality materials and shielded lines for excellent picture and sound quality without interference

Essential Line

- · Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting



hama

HDMI[™] Adapter, Plug -Socket, Rotation

е		Productline
	our	Shade of co
g, et		Connectior
50)	ition	Max. Resol
ter		Model
	luon	

• For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels

 Rotatable plug for space-saving installation

8 HB

00205166



HDMI[™] Cable Adapter, Type-C (Mini) Plug - Type-A Socket, gold-plated

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Mini HDMI™ Plug
Max. Resolution	1080 p
Model	Cable Adapter

• For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)

• High-quality materials and shielded lines for excellent picture and sound quality without interference

8 HB

00205167



hama

HDMI[™] Angle Adapter "High Speed, HDMI-Plug -HDMI-Coupling, 270°"

Productline	Essential Line

- Gold-plated plug with low contact resistance for secure signal transmission
- HDMI[™] cable can be routed upwards in order to connect it to the TV set (depending on the location of the socket)
- Prevents kinks in the cable
- Extra-compact design

k				00205165
		8	HB	
	-	_	-	
				A
			2	

hama

Productline

HDMI[™] Angle Adapter "High Speed, HDMI-Plug -HDMI-Coupling, 90°"

Essential Line

- Gold-plated plug with low contact resistance for secure signal transmission
- Allows the HDMI[™] cable to be quided outwards to connect it to the Blu-ray player (depending on the installation site of the socket)
- Prevents kinks in the cable
- Extra-compact design

Blac

		00205164
8	HB	

hama HDMI[™] Cable Adapt., Type-D (Micro) Plug-Type-A Socket, Ethernet,gold-plated Essential Line Productline Shade of colour Black HDMI™ Socket, Micro HDMI™ Plug Connection Max. Resolution g 0801 Model Cable Adapter • For high-resolution full HD quality

up to 1920 x 1080 pixels (1080p) • High-quality materials and shielded lines for excellent picture and sound quality without interference

8 HB

00205168

1.5 m 00205156 6 HB

96

Black





Qty PT

March 2022 INT



Cables & Adapters | Amplifiers & Splitters | Switches



98 **hama** Mar

AUDIO / VIDEO / ANTENNA





- Coax Socket, metal, goldplated, 120 dB", Black, Grey

Productline	Prime Line	Proc
Screening Rate	120 dB	Туре
heat-resistant and 120 decibel screet layers each of hig + shielding foil) fe electromagnetic i High-quality mate lines for excellent quality without in Quad-shielding for tion of electromag Coaxial cable stru- clear treble and ri Robust metal plug best shielding for transmission Gold-plated plug resistance for sec transmission Easy to lay thanks environment-frier Flexible materials mum kink protect cable breakage	s: especially sturdy, d long-lasting ning rate (two h-density braiding or protection from nterference erials and shielded picture and sound iterference or optimum reduc- gnetic interference icture reproduces ch bass g with the reliable signal with low contact ure signal s to the elastic, ndly TPE material guarantee opti- ion and prevent ole fabric jacket for rotection	Scree • Hii, wii he • 12 lay + : ele • Hii, lin qu • Qu too • Coo cle • Roo be tra • Goo res tra • Ela en • Fle ad • Fle •

ANTENNA / SAT

1.5 m			00205070
	6	HB	
3 m			00205071
	6	HB	
5 m			00205072
	6	HB	
10 m			00205073
	6	HB	

Plug, Metal, Gold-Plated, 120 dB", Black, Grey

Productline	Prime Line
ype of Shielding	Quad Shielded
creening Rate	120 dB

- igh-tech cable sheath reinforced vith aramid fibres: especially sturdy, eat-resistant and long-lasting
- 20 decibel screening rate (two yers each of high-density braiding shielding foil) for protection from lectromagnetic interference
- igh-quality materials and shielded nes for excellent picture and sound uality without interference
- uad-shielding for optimum reducon of electromagnetic interference
- oaxial cable structure reproduces ear treble and rich bass
- obust metal plug with the est shielding for reliable signal ansmission
- old-plated plug with low contact sistance for secure signal ansmission
- asy to lay thanks to the elastic, nvironment-friendly TPE material
- lexible materials guarantee optinum kink protection and prevent
- able breakage egant and flexible fabric jacket for dditional kink protection
- or devices with F-connection

1.5 m			00205077
	6	HB	
3 m			00205078
	6	HB	
5 m			00205079
	6	HB	

"F Plug - F Plug, gold-plated, 100 dB", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with F-connection

hama

Antenna Cable "Coax Plug - Coax Socket, gold-plated, 100 dB", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with a 9.5 mm coax connection

1.5 m			00205251
	6	HB	
3 m			00205252
	6	HB	
5 m			00205253
	6	HB	
7.5 m			00205254
	6	HB	
10 m			00205255
	6	HB	

	_		
0.75 m			00205245
	6	HB	
1.5 m			00205246
	6	HB	
3 m			00205247
	6	HB	
5 m			00205248
	6	HB	
7.5 m			00205249
	6	HB	
10 m			00205250
	6	HB	







hama

Antenna Cable "Coax Plug - Coax Socket, Fabric, Gold-Plated, 100 dB", White

Productline	Action
Type of Shielding	Quad Shielded
Screening Rate	100 dB

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with a 9.5 mm coax connection

hama

SAT Connection Kit, 100 dB, 20 m

Productline	Essential Line		
Set Contents in Pieces	7		
• Quad shielding for ontinum rodus			

- Quad-shielding for optimum reduction of electromagnetic interference
- High-guality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 7-part kit comprising:
- 1 coax cable (white)
- 4 F-plugs
- 2 weather protection covers

hama

SAT Connection Kit, 100 dB, 10 m

Productline	Essential Line
Set Contents in Pieces	4

- Quad-shielding for optimum reduction of electromagnetic interference
- High-guality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm • HDTV-compatible
- 4-part kit comprising:
- 1 coax cable (white)
- 2 F-plugs
- 1 weather protection cover

hama

SAT Connection Kit, 100 dB, 40 m

Productline	Essential Line
Set Contents in Pieces	7

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 7-part kit comprising:
- 1 coax cable (white) • 4 F-plugs
- 2 weather protection covers
- ANTENNA / SAT

3 m 00205446 00205042 00205041 00205043 14 SC 8 HB 8 HB 8 HB



00205256

00205066

6 HB

6 HB

6 HB

7.5 m

10 m

6 HB

6 HB

1.5 m

3 m

15 m

20 m

00205061

00205062

6 HB

3 HB

5 HB

00205050

00205051

3 m

5 m

6 HB

6 HB

6 HB

00205053

00205054







Broadband Connection

hama

Antenna Cable "Koax-Plug - Koax-Coupling, 90°, 90 dB", White

Productline	Essential Line
Screening Rate	90 dB

- Space-saving 90° plug for connections in a minimum of space
- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Triple shielding for very good reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Ferrite core for decimating remaining interference and for good signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a 9.5 mm coax connection

hama

Antenna Cable "F Plug - F Plug, 75 dB", White

Entry Line
Double Shielded
75 dB

- Double shielding for good reduction of electromagnetic interference
- Double-shielded (braiding + aluminium foil)

hama

Antenna Cable "Coax Plug - Coax Socket, 75 dB", White

Productline	Entry Line
Type of Shielding	Double Shielded
Screening Rate	75 dB

• Double-shielded (braiding + alumi-

nium foil) Ideal for cable TV

hama

Antenna Cable **"Broadband Connection** Cable"

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	85 dB

1.5 m			00205056
	6	HB	
3 m			00205057
	6	HB	
5 m			00205058
	6	HB	
10 m			00205059
	6	HB	

1.5 m			00205037	
		25	BA	
3 m				00205038
		25	BA	
5 m			00205039	
		25	BA	
10 m				00205040
		25	BA	

00205028
00205029
00205030
00205031

3 m			00205331
	6	HB	
5 m			00205332
	6	HB	
9 m			00205333
	6	HB	

Cables & Adapters | Protection Hoods







Antenna Cable





hama

Satellite Receiver Adapter, F-Socket - Coax Socket

Productline	Essential Line
Attachment of Inner Conductor	Screwable

• Fully shielded

Silver

Solid-metal housing

hama

Antenna Cable "Broadband connection cable, DS28 version", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	85 dB



Protective Sleeve for F-Plug, 2 pcs

Productline	Essential Line
Shade of colour	Black
Material	Neoprene
Cable diameter: a	nnrov 5 - 8 mm

• Cable diameter: approx. 5 - 8 mm



"Window bushing, F-coup-

ling - F-coupling", White

- Extremely durable, flat cable for bridging windows and doors without drill holes
- For satellite systems or BB/GA
- Digital suitable

hama

Antenna Cable

			00205224
	8	HB	



hama

Satellite Receiver Adapter, F-Socket - Coax Plug



ANTENNA / SAT

 3 m
 00205334

 6
 HB

 5 m
 00205335

 6
 HB

 9 m
 6
 HB

 9 m
 6
 HB



00205209

8 HB

Cables & Adapters | Plugs & Sockets



Plugs & Sockets



hama

Satellite Receiver Adapter, F-Socket - F-Socket

ctline Essential Line	Productline
ection F Socket	Connection
ection F Socket	Connection

8 HB

00205225

- Suitable for cable TV
- Fully shielded

Silver



Coax Adapter "Koax-Plug - Koax-Coupling, 90°"

Productline		Es	ssential Line
Attachment of Conductor	of Inner		Pluggable
 Compact a attachmer Prevents k 	nt		5
Silver			00205202
Silver			00203202
	8	HB	

hama

Productline

Conductor

Attachment of Inner

Antenna Adapter, Coax Plug - Coax Plug

This means that existing cables can continue to be used if connection conditions have changed
Suitable for cable TV
Fully shielded

Essential Line

Pluggable



hama

Antenna Adapter, Coax Socket - Coax Socket

Essentia	I Line	Pro
Plugga	able	At Co
	ection o	Ma • Ir • G • F
002	05220	Wł
НВ		
	Plugga ng cables to if the conno- hanged TV	hanged . TV

hama

Coax Connector, clamp-on

Attachment of Inner Conductor Screwable Max. Cable Diameter 5 - 7 mm • Internal wire can be clamped • Screw-on housing • Good strain relief • Fully shielded	Conductor Max. Cable Diameter • Internal wire can be • Screw-on housing	5 - 7 mm
Internal wire can be clamped Screw-on housing Good strain relief	 Internal wire can be Screw-on housing 	5 ,
• Screw-on housing • Good strain relief	 Screw-on housing 	clamped
	e e e e e e e e e e e e e e e e e e e	

8 HB

00205215





Plugs & Sockets | Electrical Installation





hama

Antenna Connector Set "F Connector, screwable, 2 Pieces (SAT)"

 Productline
 Essential Line

 • Installation on a satellite receiver cable
 •

• Internal thread optimised

5.5 mm			00205204
5.8 mm			00205272
6.5 mm			00205205
6.8 mm			00205206
7.0 mm			00205207
8.0 mm			00205208
	8	HB	



ANTENNA / SAT

hama

Antenna Connector Set "F-Plug, screwable, 4 Pieces"

Productline	Essential Line
 Installation on a s cable Internal thread op 	

6.8 mm			00205273
7.0 mm			00205210
	8	HB	



hama

SAT Rec. Adapter Kit, 2 x F-Plugs and F-Socket - F-Socket Adapter

Productline	Essential Line
Attachment of Inner Conductor	Screwable

8 HB

00205203

6,5 mm

Screw-in F-plug

6.5 mm



hama

"Quad/Quadswitch-LNB" Satellite Receiver Connection Kit

Attachment of Inner Conductor

• Optimized internal thread for best fit of the plug

00205314

Internal thread optimised



hama

Antenna Terminal Socket, 75 Ohm, Surface-mounted

Productline	Essential Line
Connection for	TV + Radio
Frequency Range	47 - 862 MHz
Model	Terminal Socket

- Return path compatible connection for interactive applications such as DSL via satellite
- Broadband signal sharing to TV and radio connection
- Ideal for home systems
- Suitable for cable TV
- Screening rates: 47 470 MHz >=
- 75 dB, 470 862 MHz M >= 65 dB

hama

Satellite Receiver Adapter Kit, F-Plug - Coax Plug/Socket, 2 Pcs



00205315

6 HB

108 **hama** March 2022 INT

Qty PT
Electrical Installation

Antenna Splitter



hama

Antenna Splitter, Coax Connector – 2 Coax Plugs, Metal

Productline	Essential Line
Shade of colour	Silver
Input	Coaxial
Output	2x Coaxial
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

• Suitable for cable TV

Solid-metal housing

• Fully shielded



hama

Broadband Cable Splitter, 2 x

Essential Line
Silver
F Socket
2x F Socket
5 - 862 MHz
4 dB +/- 1dB
>= 20 dB

• Solid full metal housing for protection against outside interference

- Fully shielded lines for optimal reduction of electromagnetic
- interference

8 HB



hama SAT-DiSEqC Switch 2-1

Productline	Essential Line
Number of Inputs	2
Number of Outputs	1
DiSEqC-Level	2.0
Frequencyline	950 - 2500 MHz

Weatherproof due to plastic housing
 Solid full metal housing for protec-

- tion against outside interference • Fully shielded lines for optimal reduction of electromagnetic interference
- Compliant with DiSEqC Level 2.0

۰D	C a	nd	22	kHz	transmi	ssion
						0000500

Plastic Material	00205289		
	6	HB	



hama

SAT Setting Device

SAT Finder with Analogue Display

Productline	Essential Line

- Attenuator for optimal adjustment of the input signal
- Acoustic signal for signal strength and quality
- 2 x F connection (coupling)
- Connecting cable with Quick-F plug for easy attachment
- Digital and HD compatible

		00205291
6	HB	



8 HB

00205236

hama

Antenna Splitter, Coax Plug - 2 Coax Sockets, Metal

Productline	Essential Line
Productime	Essential Line
Shade of colour	Silver
Input	Coaxial
Output	2x F Socket
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

• Suitable for cable TV

Solid-metal housing

• Fully shielded

8 HB



hama

SAT-DiSEqC Switch 4-1

Productline	Essential Line
Number of Inputs	4
Number of Outputs	1
DiSEqC-Level	2.0
Frequencyline	950 - 2500 MHz

- Weatherproof due to plastic housing • Solid full metal housing for protec-
- tion against outside interference • Fully shielded lines for optimal reduction of electromagnetic interference
- Compliant with DiSEqC Level 2.0
- DC and 22 kHz transmission

DC and Z	ZKH	z trar	ISMI	ssion
Plastic Mate	00205290			
		6	HB	

March 2022 NT

hama

Electrical Installation | Amplifiers & Splitters | Antennas



hama

SAT Inline Amplifier, 20 dB

Productline	Essential Line
Amplification	20 dB
Frequency Range	950 - 2400 MHz

- Fully shielded lines for optimal reduction of electromagnetic interference
- Signal amplification by 20 decibels • Solid full metal housing for protec-
- tion against outside interference • Ideal for HDTV

		00205233
8	HB	



hama

SAT Splitter

AB/SAT Priority Switch

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Impedance	75 Ω
Material	Metal

Solid full metal housing for protection against outside interference
Allows the simultaneous connection of 2 satellite receivers (e.g. built-in

00205232

			~	
4	An	and a	1/3	
	11000	and for		

8 HB

hama

SAT Splitter, 2-Way, Fully Shielded

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Frequency Range	5 Mhz - 2400 Mhz
Transmission Loss	5 dB +/- 2 dB
Max. Remote Supply Current	500 mA

• Solid full metal housing for protection against outside interference

> 00205231 8 HB



hama

Socket, 4 in 1

Productline

Connection for

Frequency Range

DSL via satellite

EN 50494

telephone)

TV socket

Jäger • Ideal for HDTV Technical data:

MH₇

MHz;

• Extended F-socket (installation-friendly)

through a single line

Model

Usage

"SKITU" Universal Anten-

na Socket, 0 dB Terminal

Simultaneous use of SAT, cable TV, internet and telephone possible
Return path compatible connection for interactive applications such as

• TV, telephone and Internet (Triple)

• Unicable compatible for use in single cable systems according to

 Capable of receiving DVB-S/-C/-T
 Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/

• The Internet signal is received at the

• Diode-decoupled SAT connection

• Suitable for covers compliant with German standards, e.g. for Bush +

• Frequency range: 5 to 2,200 MHz With SAT connection: 950 to 2,200

For TV connections: 109 to 865

Connection loss: <2dB

Essential Line

TV + SAT + Radio

+ Telephone + Unicable

5 Mhz - 2200 Mhz

With Cover and

Frame

Terminal Socket

١



a Amplifier/Antenna Atten

hama

BB/CATV Amplifier for 2 Devices

Productline	Essential Line
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 2x22 decibels
- Attenuator for optimal adjustment of the input signal
- For the connection of two receiving devices (TV/radio)
- Built-in 230V/50Hz power pack

Vhite			00205228
	6	HB	



hama

BB/CATV amplifier, 25 dB, controllable

Productline	Essential Line
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 25 decibelsAttenuator for optimal adjustment
- Attendator for optimal adjustment of the input signal • Plug bousing with power LED and
- Plug housing with power LED and On/Off mains switch

6 HB

00205234

Built-in 230V/50Hz power pack

Whit

0 dB			00205288	
	6	HB		

Antennas

TV/FM/DVB-T Antenna		
hama		
Dipole Antenna, Coax		
Productline Essential Line Coax Cable Length 1.5 m		
 Antenna coupling for radio Includes coax plug - coax plug adapter (for TV) 		
White 00205218 6 HB		
hama		<
DAB+ Dipole Antenna, 1.75 m		
Productline Essential Line Coax Cable Length 1.75 m		
 Suitable for DAB+, FM and DVB-T2 HD Antenna coupling for radio Includes coax plug - coax plug adapter (for TV) Includes F-plug - coax plug SAT adapter 		
White 00205283 6 HB		







TV AUDIO



• High-quality materials for excellent sound quality without interference

Essential Line

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a jack connection

1.5 m			00205119
	6	HB	
3 m			00205120
	6	HB	
5 m			00205121
	6	HB	



- High-quality materials for excellent sound quality without interference
- Space-saving 90° plug for connections in a minimum of space • Flexible materials guarantee opti-
- mum kink protection and prevent cable breakage
- For devices with a jack connection

0

1

.5 m			00205285
	6	HB	
.5 m			00205286
	6	HB	

Productline	Essential Line

- High-quality materials for excellent sound quality without interference
- Light and space-saving due to the flexible coiled cable and the 90° pluas
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.75 m			00205113
	6	HB	
1.5 m			00205114
	6	HB	







hama

"2 RCA Plugs - 2 RCA Plugs", Black

Productline Entry Line

00205085			1.5 m
	BA	25	
00205086			2.5 m
	BA	25	
00205087			5 m
	BA	25	



hama

Travel Adapter Kit, 4-Part

Productline	Essential Line
Shade of colour	Black
Length	120 cm

- High-guality materials for excellent sound quality without interference
- Practical roll-up organizer for avoiding cable clutter
- Kit comprising: • 2 x 3.5 mm jack plug mono - 3.5 mm jack socket stereo compact adapter
- Special design for connecting stereo headphones on aircraft
- 3.5 mm jack plug 2 x 3.5 mm jack socket compact adapter, stereo
- Two headphones in one output
- 3.5 mm jack plug 6.3 mm jack socket compact adapter, stereo
- For connecting 6.3 mm plugs to portable devices (CD players, MP3 players)
- Roll-up cable, 1.2 m, 3.5 mm jack plug - 3.5 mm jack socket, stereo
- Extendable cable for transmitting audio signals

```
00205180
6 HB
```

hama 116 March 2022 INT

IV AUDIO

hama

Jack Connection Kit, 2.5 m

Productline	Essential Line
Shade of colour	Black
Length	250 cm

- High-quality materials for excellent sound quality without interference
- Audio extension cable, 3.5 mm jack plug - 3.5 mm jack socket, stereo, 2.5 m
- Compact adapter, 6.3 mm jack plug - 3.5 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug - 6.3 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug - 2 3.5 mm jack sockets, stereo
- Compact adapter, 3.5 mm jack plug - 3.5 mm jack plug, stereo

hama

RCA Connection Kit, 2.5 m

Productline	Essential Line
Shade of colour	Black

- Colour coding on the inside of the plugs for easy connecting
- High-quality materials for excellent sound quality without interference Audio Cable, 2 RCA Plugs - 2 RCA Plugs, 2.5 m
- · Compact adapter, 6.3 mm jack plug, stereo - 3.5 mm jack socket, stereo
- · Compact adapter, 3.5 mm jack plug, stereo - 2 RCA sockets



hama

ODT Adapter, Toslink Plug -Toslink Socket, Gold-Plated, 90°

Productline Essential Line

- Gold-plated plug with low contact resistance for secure signal transmission
- Fibreoptic cable can be routed at the top, bottom or to the side in order to connect the TV set to the amplifier, for example
- Prevents kinks in the cable
- Plug can swivel
- Compact adapter for space-saving attachment



cket - Optical 3.5 mm Plug, gold-plated



hama

Subwoofer Adapter, RCA Plug - 2 RCA Sockets

Productline	Essential Line
• Flexible cable ada	pter

Black			00205183
	8	HB	
)
han	3		
Subwoo Pluas - R		-	er, 2 RCA t





Qty PT

00205122

6 HB

2.5 m



Qty PT

hama

March 2022 INT

118



March 2022 M **hama** 119

Cables & Adapters | Plugs & Sockets



hama

Audio Adapter, 3.5 mm Jack Plug - 6.3 mm Jack Socket, Stereo

- Productline Essential Line
- For connecting headphones to an MP3 player, for example
- Compact adapter

Black



Audio Adapter, 2.5 mm Jack Plug - 3.5 mm Jack Socket, Stereo

Productline Essential Line

8 HB

00205197

• Flexible cable adapter



hama

Loudspeaker Cable "Open, 2-adrig, Transparent", 10 m

Productline	Entry Line
Structure	2 Wires
• With coloured ide	entifving stripes



hama RCA Plug, Solderable, 2 Pcs

Essential Line

• Sorted by colour: red, black

Productline

		00205267
25	BA	
		00205142
25	BA	
		00205141
25	BA	
	25	25 BA

		00205269
8	HB	



00205196

Black

Audio Adapter, 3.5 mm Jack Socket - 6.3 mm Jack Plug, Stereo

TV AUDIO

• For connecting headphones to HiFi system, for example • Compact adapter





"Open, 2-adrig, Transparent", 20 m

Productline	Entry Line
Structure	2 Wires

With coloured identifying stripes

25 BA

00205266

120

Qty PT

0.75 mm²

Plugs & Sockets







TELCOM / LANDLINE









TELCOM / LANDLINE





FELCOM / LANDLINE



hama

TAE Distributor, TAE-F Plug - 2 TAE-F Sockets

Productline	Essential Line	
Model	TAE	

- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. a telephone, an answering machine, a fax to a TAE connection socket

6 HB

00201131

Black



hama

Adapter, TAE-U Plug - 6p6c Modular Socket

Productline	Essential Line
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- Can be used for both TAE-N and TAE-F sockets

8 HB

00201122



hama

Austrian Connection Cable, TST Plug - 6p6c Modular Plug, 3 m, 10 Pcs.

Productline Entry Line • The inner conductor is made of copper which ensures best transmission properties

• 6-pin cable for special applications

hama

Austrian Connection Cable, TST Plug - 6p4c Modular Plug, 10 m

Productline Essential Line • The inner conductor is made of copper which ensures best transmission properties

 High-quality materials and workmanship guarantee excellent transmission quality

hama

Black

Telephone Adapter, 6p4c Modular Plug - TAE-F Socket, 0.2 m

Productline	Essential Line
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- e.g. telephone to VOIP router and adapters, ISDN systems, etc.

Black

128

 8
 HB

Qty PT

00201154

10 BA

10 m

6

00201153

3 m

TELCOM / LANDLINE

Cables & Adapters | Electrical Installation | Headsets



hama

Austrian Connection Cable, TST Plug - 6p6c Modular Plug, 3 m

Productline

• The inner conductor is made of copper which ensures best transmission properties

Essential Line

00201155

6 HB

Black

- High-quality materials and workmanship guarantee excellent transmission quality
- 6-pin cable for special applications



hama

Modular Distributor

Modular Distributor, 6p4c Socket - 2 6p4c Sockets

Productline	Essential Line
Model	Modular

- Gold-plated contacts with low contact resistance for secure signal transmission
- High-quality materials and workmanship guarantee excellent transmission quality

8 HB

00201128



TAE-NFN Telephone Socket, Surface Mounting

Productline	Essential Line
Connection	TAE-NFN Socket
Installation	Surface Mounting
Model	TAE

• High-quality materials and workmanship guarantee excellent transmission quality

• With screw clamps for easy mounting

White		00201143
	6 HE	3
	111	
han	na	
TAE-NFN Flush	Telepho	ne Socket,



Telephone Headset

hama

On-ear headset for cordless phones, 2.5 mm jack

Productline	Essential Line
Connection	2.5 mm Jack Plug
Impedance (Head- phone)	2200 Ω
Model	Mono
Sensitivity (Micro-	-32 dB +/- 3 dB

- · Comfortable and optimal positioning thanks to the flexible microphone arm
- Convenient cable-mounted volume control
- Adjustable headband for superb wearing comfort
- Crystal-clear audio quality
- Can be worn on the right and left
- Compact plug shape, can be used easily on deep-seated sockets

FELCOM / LANDLINE

Productline	Essential Line
Connection	TAE-NFN Socket
Installation	Flush Mounting
Model	TAE

- High-quality materials and workmanship guarantee excellent transmission quality
- With screw clamps for easy mounting

White 00201144 6 HB

Headsets



hama

In-ear headset for cordless phones, 2.5 mm jack

Productline	Essential Line
Connection	2.5 mm Jack Plug
Impedance (Head- phone)	32 Ω
Model	Mono
Sensitivity (Micro- phone)	-32 dB +/- 3 dB

- Mute button allows users to switch the sound off on the microphone quickly
- Comfortable and optimal positioning thanks to the flexible microphone arm
- Mouldable earband for superb wearing comfort
- Crystal-clear audio quality
- Can be worn on the right and left
- Compact plug shape, can be used easily on deep-seated sockets
- Clip on the cable for easy and secure attachment to clothing

Black, Silver

130 **hama** March 2022 INT

6 HB

00201156

Qty PT





Special FOB Articles







hama

Antenna Cable, Coax Plug – Coax Socket, 75 dB, white

Screening Rate	75 dB
Type of Shielding	Double Shielded
Shade of colour	White

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

h	а	n	77	3
	- 1		-	

Network Cable, Cat 5e, 1 Gbit/s, U/UTP

Network Standard	CAT 5e
Shielding	U/UTP
Shade of colour	Grey

- Gigabit Ethernet data transfer at up to 1 Gbit/s
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for Gigabit Ethernet (10/100/1000 Mbit/s)
- Ideal for the new high-speed
 Internet

hama

Network Cable, Cat 6a, 10 Gbit/s, U/UTP

Network Standard	CAT 6a
Shielding	U/UTP
Shade of colour	White

- Gigabit Ethernet data transfer at up to 10 Gbps
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Twisted wire pairs with an outer sheath made from robust PVC material minimise interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet

15 m		00205330		
		5	BC	
10 m				00205329
		6	BC	
7.5 m				00205328
		6	BC	
5 m				00205327
		6	BC	
3 m				00205326
		6	BC	
1.5 m				00205325
		6	BC	

	_			
20 m				00200667
		8	BC	
15 m				00200666
		8	BC	
10 m				00200665
		8	BC	
5 m				00200664
		6	BC	
3 m				00200663
		6	BC	
1.5 m				00200662
		6	BC	

132 **hama** March 2022 INT

Qty PT

0.5 r

6 BC

00200771

Special Articles for IT

Antenna Cable







Antenna Cable, Coax Plug - Coax Socket, Metal, Gold-Plated, 120 dB

Screening Rate	120 dB
Shade of colour	Black

- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
 Packust match plug with the
- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- Ferrite core for decimating remaining interference and for good signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection

15 m

10 m

5 m

3 m

1.5 m

• For devices with a 9.5 mm coax connection

3 m			00205293
	6	BC	
1.5 m			00205292
	6	BC	

Antenna Cable with Adapter, 75 dB

hama

Screening Rate75 dBShade of colourWhite

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug





hama

Antenna Cable, with Adapter, 75 dB

Screening Rate	75 dB			
Shade of colour	White			

- Space-saving 90° plug for connections in a minimum of space
- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug

hama

Antenna Cable, with Adapter, 85 dB

Screening Rate	85 dB
Type of Shielding	Double Shielded
Shade of colour	White

- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- Ferrite core for decimating remaining interference and for good signal transmission
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug

				5 m	5 m			00205307
						6	BC	
n			00205305	3 m				00205301
	6	BC				6	BC	
m			00205299	1.5 m				00205300
	6	BC				6	BC	

PU PT

00205304

00205298

00205297

00205296

00205295

3 m

1.5

6 BC

6 BC

6 BC

6 BC

6 BC

hama 133

Special Articles for IT





hama

Antenna Cable, with Adapter, 75 dB

Screening Rate	75 dB
Type of Shielding	Double Shielded
Shade of colour	Black

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection
- Includes coax adapter, plug plug



Power Cable, Italian Plug - 3-Pin IEC Power Cable, 1.5 m

- Sturdy plugs and moulded strain reliefs, mechanically resilient
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ideal as a replacement for short, long or faulty original IEC cables
 Suitable for a range of electrical /
- multi-media devices • Resilient, long-lasting cable • VDE tested

1.5 m				00200746
1.5 11		6	BC	00200740
han				•
Mains Ca 3-Pin So 1.5 m				
 Sturdy plu reliefs, me Flexible m mum kink cable brea Ideal as a faulty orig Resilient, VDE teste 	echanic aterial protec akage replac jinal ca long-la	cally ls gu ction eme able	v res uara n ar ent i s	silient Intee opti- Id prevent for short or



SAT Connection Cable, F-Plug - F-Plug, 1.5 m, 90 dB, black

Screening Rate	90 dB
Shade of colour	Black

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with F-connection

1.5 m			00205309
	6	BC	



DSL Filter

hama

DSL Splitter, 6p2c Plug -2 x 6p2c Socket

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Splits the original signal over two separate sockets (telephone and modem, router with integrated modem)
- Can also be used as a filter to reduce DSL signal interference

00200763

6 BC

• 6p2c is also known as RJ11

3 m

1.5 m

134 **hama** March 2

6 BC

6 BC

00205308

00205302

March 2022 INT

1.5 m

Qty PT

00200745

6 BC

Special Articles for UK









Telephone Jack Adapter

hama

Antenna Cable, Coax Plug – Coax Plug, 75 dB

Screening Rate	75 dB
Shade of colour	Black

- 75-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

4 m

2 m

hama

Antenna Cable, Coax Plug – Coax Plug, gld-pltd, Ferrite, 90dB

90 dB
Double Shielded
White

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromag-
- netic interference
 Triple shielding for very good reduc-
- tion of electromagnetic interference • Ferrite core for decimating remai-
- ning interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- For devices with a 9.5 mm coax connection

hama

Telephone Extension Cable "T/EXT10M", 10 m, UK, White

hama

Telephone Jack Adapter "T/BLAD", 1x Plug on 2x Socket, UK, White

S
ш
U
Ľ
\triangleleft
_
\triangleleft
5
ш
6
5

135

 00205278
 00205278
 10 m
 00200752

 0
 6
 BC

 0
 6
 BC

 1.5 m
 00205279

 5 m
 00200751

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

 00200752
 00200752

hama

Special Articles for UK

Phone/ADSL Filter Adapter









hama

Phone/ADSL Filter Adapter "T/ADSL", UK, White hama Power Cable "ML5/MP", UK, Black



Power Cable "ML2/MP5A", 1.9m, UK, Black

hama

Power Cable "ML3/MP", 1.9m, UK, Black

6 BC

00200754

1.9 m

6 BC

00200755

Qty PT

6 BC

1.9 m

00200756

1.9 m

00200757

6 BC

Special Articles for FR

hama

Fibre Optic Network Cable

Fibre-optic Network Cable, SC/APC Plug - SC/UPC Plug, 10 Gbit/s

Shade of colour

• Gigabit Ethernet data transfer at up to 10 Gbit/s

White

- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed
 Internet
- Also known as an optical fibre cable

hama

Fibre-optic Network Cable, SC/APC Plug - SC/APC Plug, 10 Gbit/s

Shade of colour

• Gigabit Ethernet data transfer at up to 10 Gbit/s

White

- Specially polished contact surfaces with perfect fit for lossless transition
- to avoid refractions of light • Slimline plug is especially ideal for
- mobile and flat devices or when space is limited • Flexible materials guarantee opti-
- mum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000
- Mbit/s) • Ideal for the new high-speed
- Internet
- Also known as an optical fibre cable

hama

Antenna Cable

Antenna Connection Kit, Antenna Cable, 2 Coax Adapters, 3-Part

Screening Ra Type of Shiel			75 dB
Type of Shiel			
	ding	Dou	uble Shielded
Shade of cold	our		White
+ shieldin electroma	g foil) f ignetic i ielding magnet es with a n	or pro interfe for go ic inte a 9.5 r	od reduction rference
10 m			00205341
10 m	6	BC	00205341
10 m 5 m	6	BC	00205341
	6	BC	



2 m 00200748

2 m

PU PT

6 BC

00200749

March 2022 INT



Special Articles for CH



Fibre Optic Network Cable

Fibre Optic Network Cable "LC/APC-Plug - LC/UPC-Plug, 10 Gbit/s"

Shade of colour

• Gigabit Ethernet data transfer at up to 10 Gbps

White

- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre

hama

Fibre Optic Network Cable "LC/APC-Plug - SC/APC-Plug, 10 Gbit/s"

Shade of colour

• Gigabit Ethernet data transfer at up to 10 Gbps

White

- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000
- Mbit/s) • Ideal for the new high-speed
- InternetAlso known as an optical fibre cable

hama

Fibre Optic Network Cable "LC/APC-Plug - SC/UPC-Plug, 10 Gbit/s"

Shade of colour

• Gigabit Ethernet data transfer at up to 10 Gbps

White

- Halogen-free cables (LSZH) are flame-retardant and release no corrosive or toxic gases and hardly any smoke in the event of a fire providing more safety
- Specially polished contact surfaces with perfect fit for lossless transition to avoid refractions of light
- Slimline plug is especially ideal for mobile and flat devices or when space is limited
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Immune to electrical and magnetic interference
- Suitable and tested for the Gigabit Ethernet (10/100/1000/10000 Mbit/s)
- Ideal for the new high-speed Internet
- Also known as an optical fibre cable

9

3

5

) m			00200744
	6	HB	
3 m			00200742
	6	HB	
5 m			00200743
	6	HB	

 9 m
 00200770

 6
 HB

 5 m
 00200769

 6
 HB

 3 m
 00200768

 6
 HB

 9 m
 6

 9 m
 6

 9 m
 6

 9 m
 9

5 m			00200766
	6	HB	
3 m			00200765
	6	HB	
9 m			00200767
	6	HB	







- Colour coded system for the right product category
 - Reduces the amount of advice needed - Easier to understand
- Coordinated design for a homogeneous look
- Modular combination options
- Custom stocking for back walls and gondolas
- Made from sustainable materials



DEMO MODULE / BOARD

297604 - 297610

SHELF DIVIDERS 297644 - 297653

297615 - 297616 Printed on both sides, separates topics within the wall

SHOP STRIPS 297624 - 297643 297611 - 297614

Striking guidance function for customers



hama. VIDEO



	Video	Audio	Network	Adapters / hubs
Shop strips	Aurea VIDEO	Aurea	Anorma NETZWEAK	Aurea ADAPTER 1 HUBS
99 x 20 cm	297624	297625	297626	297627
124 x 20 cm	297629	297630	297631	297632
99 x 10 cm	297634	297635	297636	297637
124 x 10 cm	297639	297640	297641	297642
Shelf dividers	10 01 17			
40 x 160 cm	297644	297645	297646	297647
25 x 90 cm	297649	297650	297651	297652
Demo module / board				
	297604	297605	297607	297608
				297609

	USB	Antenna / SAT	Home Entertainment	Home Office
Shop strips	Aarra. <u>USB</u>	Awrea ANTENINE I SAT		Awaya esertorise HOME OFFICE
99 x 20 cm	297628	297611	297655	297668
124 x 20 cm	297633	297612	297656	297669
99 x 10 cm	297638	297613	297657	297670
124 x 10 cm	297643	297614	297658	297671
Shelf dividers	18 8/	10 0/		
40 x 160 cm	297648	297615	297659	297672
25 x 90 cm	297653	297616	297617	297673
Demo module / board	L 100-			

L + Ho. Horizonta L + Horizonta L	
 297610	297606

Wall bracket for shelf dividers







HOOK LABEL SET





Item No.	Designation	For packaging width
298480	"Computer Bild Selection" Hook Label Kit, Set of 5, 10.5 x 17.2 x 18.3 cm	9 cm
298481	"Computer Bild Selection" Hook Label Kit, Set of 5, 15.5 x 17.2 x 18.3 cm	14 cm
298482	"Computer Bild Selection" Hook Labels, 31 x 17.2 x 18.3 cm	29.5 cm

NOTICE SET



Sticker for marking the packaging





Wobbler for attachment to a shop wall

Wobbler for attachment to demo modules

Item No. Designation

298487	Display set "Computer Bild Selection" consisting of 2 sheets of 95 stickers, 2 wobblers to explain the
	cooperation and 5 wobblers to attach to the demo module



Flag





Ceiling hangers



Carpet



Floor signpost

hama

Headquarters

Hama GmbH & Co KG Dresdner Str. 9 86653 Monheim/Bayern Germany Tel. +49 9091 502-0 Fax +49 9091 502-274 info.de@hama.com www.hama.com

098344/03.2022

www.facebook.com/Hama.Germany

.

4 007249 983442

ARC FE LE

FREE BUTT

In e