
TV



Contents

Cables	3
Converters & Amplifiers	39
TV Mounts	41
TV-Reception	63
Remote Controls	97
Soundbars	101
Headphones & Speakers	103
Beamer Accessories	105
Cleaning & Care	109

Explanation of footnotes



Cables







HDMI[™]-Cable "Ultra High Speed, HDMI Male - HDMI Male, Certified, 8K, Alu"

Productline	Prime Line
Shade of colour	Black, Grey
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1 m			00205238
	60	НВ	
2 m			00205239
	40	НВ	
3 m			00205240
	40	НВ	
5 m			00205067
	24	НВ	



hama

Ultra High Speed HDMI™ Cable, Certified, Plug - Plug, 8K, Alu, 10 m

Productline	Prime Line
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 7680x4320 (8K) pixels
- Supports high graphics resolutions with 4K @ 120Hz for lag-free gaming enjoyment - ideal for Playstation 5 and Xbox Series X
- AOT transmits HDMI™ signals via fault-immune light waves, allowing the optimised, loss-free transfer of 8K data even over long distances
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- eARC supports the most advanced audio formats without additional audio cables
- 3D transmission due to extended bandwidth
- Gold-plated plug with low contact resistance for secure signal transmission
- High-speed transmission of up to 48 Gbit/s for all image and sound standards from a bandwidth of 600 MHz

10 m			00205265
	10	НВ	






hama

HDMI™-Cable "Premium with Ethernet, Plug - Plug, Ferrit, Metall"

Productline	Prime Line
Shade of colour	Bronze Coffee
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Superior premium quality with respect to workmanship and performance
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI™ for reduced cabling
- 3D transmission due to extended bandwidth
- Robust metal plug with the best shielding for reliable signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Ferrite core for decimating remaining interference and for good signal transmission
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission





hama

HDMI™-Cable "Ultra High Speed, HDMI plug - HDMI plug, certified, 8K"

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) nixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space.
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Superior premium quality with respect to workmanship and performance
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties

1 m			00205241
	60	НВ	
2 m			00205242
	40	НВ	
3 m			00205243
	40	НВ	
5 m			00205068
	24	НВ	

Cables & Adapters



hama

HDMI™-Cable "High Speed, HDMI-Plug - HDMI-Plug, 4K, Ethernet, gilded"

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Supports network connections via HDMI™ for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 max. 60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data

15 m			00205010
	10	ВА	
7.5 m			00205008
	12	НВ	
10 m			00205009
	12	НВ	




hama

HDMI™-Cable "High Speed, HDMI-Plug -HDMI-Plug, 4K, Ethernet"

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Supports network connections via HDMI™ for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks



Qty PT



hama

HDMI™-Cable "Ultra-Slim, High Speed, HDMI-Plug -HDMI-Plug, 4K, Ethernet"

Productline	Essential Line
Shade of colour	Silver
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Supports network connections via HDMI™ for reduced cabling
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ultra-slim design: ultra-thin and super-lightweight, ideal for mobile devices and when out and about
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Solid full metal housing for protection against outside interference

12 BK

12 BK



hama

High Speed HDMI™ Cable, Plug - Plug, Ethernet, 1.5 m + HDMI™ adapter

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and shielded lines for excellent picture and sound quality without interference

 Styre of the audio pixel without.
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- 3D transmission due to extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24
 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- HDMI[™] adapter for connecting an HDMI[™] Type-A cable to devices with HDMI[™] Type-C (mini) socket / HDMI[™] Type-D (micro) socket

1.5 m			00205162
	6	НВ	


00205074



"Flexi-Slim" High-Speed HDMI™ Cable, 4K, Plug -Plug, Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Return of the audio signal without an additional audio cable (ODT, RCA,
- Supports network connections via HDMI™ for reduced cabling
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- · Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible flat ribbon cable and the extra small plugs



High-speed HDMI™ cable, plug - plug, 90°, Ethernet, gold-plated, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- 3D transmission due to extended bandwidth
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Space-saving 90° plug for connections in a minimum of space
- Flexible materials guarantee optimum kink protection and prevent cable
- · Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- · 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 up to 60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)

1.5 m			00205022
	60	НВ	






hama

High Speed HDMI™ Cable, Plug-Plug, Rotation, goldplated, Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Rotatable plug for space-saving
- · Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable
- Integrated channel for transmitting
- network data with up to 100 Mbit/s • 3D transmission due to extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer **Electronics Control)**
- This cable supports the HDMI™ 2.0b specification



Qty PT





hama

High Speed HDMI™ Cable, Plug Type-A - Plug Type-C (Mini), Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- · HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Gold-plated plug with low contact resistance for secure signal transmission
- · Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)

1.5 m			00205015	
		60	НВ	



6

60 HB





Cables & Adapters





hama

High-Speed HDMI™ Cable, Type-A Plug - Type-D Plug (Micro), Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- · HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- · Supports network connections via HDMI™ for reduced cabling
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Gold-plated plug with low contact resistance for secure signal transmission
- · Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- · Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)

1.5 m		00205016		
		60	НВ	





hama

HDMI™-Cable "Optisch, aktiv, HDMI-Plug -HDMI-Plug, 4K, gilded"

Productline	Essential Line
Shade of colour	Silver
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- AOT transmits HDMI™ signals via fault-immune light waves, allowing the optimised, loss-free transfer of 4K data even over long distances
- · HDR optimises the display of contrast, colour depth, brightness and sharpness for vibrant pictures
- Supports network connections via HDMI™ for reduced cabling
- · Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Integrated channel for transmitting network data with up to 100 Mbit/s
- · Return of the audio signal without an additional audio cable (ODT, RCA,
- 3D transmission via extended bandwidth
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit

10 m			00205274
	8	НВ	
15 m			00205275
	8	HR	





hama

Ultra High Speed HDMI™ Cable, Plug-Plug, 8K, Metal, 2.0 m

Productline	Essential Line
Shade of colour	Black, Grey
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K)
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dvnamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable
- · Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties





hama

Ultra High Speed HDMI™ Cable, Certified, Plug - Plug, 8K, Metal, 3m

Productline	Essential Line
Shade of colour	Black, Grey
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K)
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dvnamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Robust metal plug with the best shielding for reliable signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties

00305150	3 m	0030501
	8 1	НВ

10 HB









High-Speed HDMI™ Cable, 4K, Plug - Plug, Ethernet, 1.5 m, Gold-plated

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Picture and sound are transferred perfectly and without interference thanks to separately shielded lines
- A picture experience as in the cinema: perfect and in high resolution, ensured by 4k Ultra HD with 4096 x 2160 pixels
- Using an HDMI™ cable, network data can be transferred from an Internetconnected device to a second device without an additional network cable
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- Gold-plated plug with low contact resistance for secure signal transmission
- 3D transmission
- Up to 18 Gbit/s at 600 MHz bandwidth
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Transfer of Dolby Digital Plus, True HD, dts HD and other audio data
- HDMI™ CEC support (Consumer Electronics Control)

hama

High-Speed HDMI™ Cable, 4K, plug - plug, Ethernet, 1.5 m

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Picture and sound are transferred perfectly and without interference thanks to separately shielded lines
- A picture experience as in the cinema: perfect and in high resolution, ensured by 4k Ultra HD with 4096 x 2160 pixels
- Using an HDMI™ cable, network data can be transferred from an Internetconnected device to a second device without an additional network cable
- One audio cable less with the audio return channel: HDMI™ can send and return audio signals – for example, to the soundbar connected to the receiver
- 3D transmission
- Up to 18 Gbit/s at 600 MHz bandwidth
- Image resolution: 3840 x 2160 24
 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Transfer of Dolby Digital Plus, True HD, dts HD and other audio data
- HDMI™ CEC support (Consumer Electronics Control)

hama

HDMI™-Cable "High Speed, HDMI Plug -HDMI Plug, Ethernet"

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- Picture and sound are transferred perfectly and without interference thanks to separately shielded lines
- A picture experience as in the cinema: perfect and in high resolution, ensured by 4k Ultra HD with 4096 x 2160 pixels
- Using an HDMI™ cable, network data can be transferred from an Internetconnected device to a second device without an additional network cable
- One audio cable less with the audio return channel: HDMI™ can send and return audio signals – for example, to the soundbar connected to the receiver
- 3D transmission
- Up to 18 Gbit/s at 600 MHz bandwidth
- Image resolution: 3840 x 2160 24
 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Transfer of Dolby Digital Plus, True HD, dts HD and other audio data
- HDMI™ CEC support (Consumer Electronics Control)

hama

HDMI™-Cable "High Speed, HDMI Plug -HDMI Plug"

Productline	Essential Line
Shade of colour	Black
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed

- Transfer of all digital video, audio and copy protection data and signals
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards
- With integrated audio return channel (ARC)

1.5 m			00305007
	10	НВ	

1.5 m			00305004
	10	НВ	

6 HB 00305006	3 m			00305005	
			6	НВ	
O LID	5 m				00305006
о пр				LID	

Qty PT

1.25 m			00305149
	5	ВА	







HDMI™-Cable "High Speed, HDMI Plug -**HDMI Plug"**

Productline	Entry Line
Shade of colour	Black
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed

- Transfer of all digital video, audio and copy protection data and signals
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards
- With integrated audio return channel (ARC)









hama

HDMI™-Cable "High Speed, HDMI Plug - HDMI Plug, Ethernet, Gold-Plated"

Productline	Entry Line
Shade of colour	Black
Data Transfer Rate	10.2 Gbit/s
Max. Resolution	1080 p
Version	High Speed with Ethernet

- Transfer of all digital video, audio and copy protection data and signals
- Gold-plated plug contacts for secure signal transmission thanks to low transfer resistances
- For perfect, high-resolution, Full HD quality (1920 x 1080 pixels)
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- · Network functionality thanks to integrated Internet / Ethernet channel (HEC); network 100 MB/s
- With integrated audio return channel (ARC)
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)
- High-speed transfer of up to 10.2 Gbit/s for all picture and sound standards

1114	113	I-	C

Ultra High Speed HDMI™ Cable, Certified, Plug - Plug, 8K, alu, 1.5 m

Productline	Action
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	Ultra High Speed with Ethernet

- HDMI™ cable for perfect, highresolution ultra HD cinema quality 7680x4320 (8K) pixels
- Resolutions of 8K @ 60 Hz / 4K @ 120 Hz for delay-free gaming enjoyment
- Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour space
- Supports network connections via HDMI™ for reduced cabling
- eARC supports the most advanced audio formats without additional audio cables
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- High-quality and sturdy aluminium housing with a sophisticated finish
- · Robust metal plug with the best shielding for reliable signal transmission
- · Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- Ultra-slim design: ultra-thin and super-lightweight, ideal for mobile devices and when out and about
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs

1.5 m	1.5 m		00205449	
		36	SC	

hama


High Speed HDMI™ Cable, Plug-Plug, 8K, Ethernet, Fabric, Gold-plated, 1.5 m

Productline	Action
Shade of colour	Black
Data Transfer Rate	48 Gbit/s
Max. Resolution	8k
Version	High Speed with Ethernet

- HDMI™ cable for perfect, highresolution ultra HD cinema quality 7680x4320 (8K) pixels
- · Dynamic HDR allows every image to be reproduced with the best individual results for depth, sharpness, brightness, contrast and extended colour
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Elegant and flexible fabric jacket for additional kink protection
- Flexible materials guarantee optimum kink protection and prevent cable
- High speed transmission of up to 48 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz/120Hz, 7680 x 4320 - 30 Hz/60 Hz
- · Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- · Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)

1.5 m			00205445	
		24	SC	





Qty PT





HDMI™-Cable "High Speed, HDMI Plug - HDMI Plug, Ethernet, Fabric, Gold-Plated"

Productline	Action
Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Elegant and flexible fabric jacket for additional kink protection
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600 MHz
- Image resolution: 3840 x 2160 24
 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transfer of 8PCM, Dolby Digital, DTS, MPEG, DVD audio, SACD, Dolby Digital Plus, True HD and dts-HD audio data
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer Electronics Control)

1.5 m			00205444
	24	SC	
3 m			00205447
3 M			00205447

hama

HDMI™-Cable "High Speed, HDMI Plug - HDMI Plug, Ethernet, Gold-Plated"

Shade of colour	Black
Data Transfer Rate	18 Gbit/s
Max. Resolution	4k (4096 x 2160)
Version	High Speed with Ethernet

- A picture experience as in the cinema: perfect and in high resolution, ensured by 4k Ultra HD with 4096 x 2160 pixels
- Picture and sound are transferred with the highest quality and without interference thanks to high-quality materials and shielded lines
- A gold-plated plug guarantees secure and interference-free signal transmission
- Using an HDMI[™] cable, network data can be transferred from an Internetconnected device to a second device without an additional network cable
- One audio cable less with the audio return channel: HDMI™ can send and return audio signals – for example, to the soundbar connected to the receiver
- 3D transmission
- Up to 18 Gbit/s at 600 MHz bandwidth
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Transfer of Dolby Digital Plus, True HD, dts-HD and other audio data
- HDMI™ CEC support (Consumer Electronics Control)
- This cable supports the HDMI™ 2.0b specification

1.5 m			00182005
	6	BK	





HDMI™ Cable Adapter, Type-C (Mini) Plug - Type-A Socket, gold-plated

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Mini HDMI™ Plug
Max. Resolution	1080 p
Model	Cable Adapter

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and shielded lines for excellent picture and sound quality without interference

		00205167
180	НВ	



hama

HDMI[™] Cable Adapt., Type-D (Micro) Plug-Type-A Socket, Ethernet,gold-plated

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket, Micro HDMI™ Plug
Max. Resolution	1080 p
Model	Cable Adapter

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and shielded lines for excellent picture and sound quality without interference

			00205168
	180	НВ	

Qty PT



hama

HDMI™ Adapter, Socket -Socket

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket
Max. Resolution	4k (4096 x 2160)
Model	Compact Adapter

For transmitting digital video data and digital audio data

			00205163
	288	НВ	



hama

HDMI™ Adapter, Socket -Socket 8K

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket
Max. Resolution	8k
Model	Compact Adapter

 For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels

		00205173
288	НВ	

Cables & Adapters




hama

HDMI™ Adapter, Socket -Socket 8K

Productline	Essential Line
Shade of colour	Black
Connection	HDMI™ Socket
Max. Resolution	8k
Model	Compact Adapter

 For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels





hama

HDMI™ Adapter, Type-A Socket - Type-C (Mini)/D (Micro) Plug, gold-plated

Shade of colour

• For high-resolution	full	HD	quality	up

- · For high-resolution full HD quality uր to 1920 x 1080 pixels (1080p)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)

		00305020
20	НВ	





hama

High-Speed HDMI™ Angle Adapter, Plug - Socket, 270°

Productline	Essential Line
Shade of colour	Black

- Gold-plated plug with low contact resistance for secure signal transmission
- HDMITM cable can be routed upwards in order to connect it to the TV set (depending on the location of the socket)
- Prevents kinks in the cable
- Extra-compact design

		00205165
8	НВ	



hama

High-Speed HDMI™ Angle Adapter, Plug - Socket, 90°

Productline	Essential Line
Shade of colour	Black

- Gold-plated plug with low contact resistance for secure signal transmission
- Allows the HDMI[™] cable to be guided outwards to connect it to the Blu-ray player (depending on the installation site of the socket)
- Prevents kinks in the cable
- Extra-compact design

		00205164
180	НВ	





hama

Connecting Cable, HDMI™ Plug - DVI/D Plug, 1.5 m

Productline	Essential Line

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1.5 m		00205018	
	40	НВ	





hama

Video Adapter, DVI Plug -HDMI™ Socket, Ultra-HD 4K

Productline	Essential Line
Туре	HDMI™-DVI

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and workmanship guarantee excellent transmission quality
- DVI-D dual link (24 + 1 pins)

		00205169
10	НВ	



пата

Productline

Video Cable, DisplayPort Plug - HDMI™ Plug, Ultra-HD 4K, 1.50 m

• For perfect, high-resolution ultra-HD
cinema quality with 4096x2160 (4K)
nivole

Essential Line

- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality

1.5 m		00205144	
	40	НВ	

Audio Splitter



Distribution Amplifier



hama

4K HDMI™ Splitter, 1 In 2 Out

Shade of colour	Black
Number of Outputs	2
HDTV Resolution	Max. 2160p
Width x Depth x Height	6.55 x 1.6 x 5.55 cm

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Supports high graphics resolutions with 4K @ 30Hz
- Convenient power supply via the device's USB port

		00205284
6	HB	





hama

4K-HDMI™ Switch 3x1

Productline	Essential Line
Shade of colour	Black
Width x Depth x Height	13 x 1.5 x 5.5 cm

- HDMI™ switcher for perfect, highresolution ultra HD cinema quality
- Elegant and robust aluminium housing
 For connecting up to 3 HDMI™ play-
- For connecting up to 3 HDMI[™] playback devices (e.g. Blu-ray player, DVD player, TV receiver, computer, tablet PC, Playstation, Xbox) to an HDMI[™] device such as TV, monitor, projector

		00121770
6	НВ	



hama

4K HDMI™ 3x1 Toggle Switch, 3x HDMI™ Socket -1x HDMI™ Pluq

Productline	Essential Line
Shade of colour	Black

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) nixels
- High-quality materials and shielded lines for excellent picture quality without interference
- LED function indicator gives information about the device status

			00205101
8	ŀ	НВ	



hama

8K-HDMI™ switch
"bidirectional", 1 In 2 Out/
2 In 1 Out

Productline	Essential Line
Shade of colour	Black

- For perfect, high-resolution ultra-HD cinema quality with 7680x4320 (8K) pixels
- 3D transmission due to extended bandwidth
- LED function indicator gives information about the device status
- Supports high graphics resolutions with 4K @ 120Hz for lag-free gaming enjoyment - ideal for Playstation 5 and Xbox Series X

			00205324
	8	НВ	



hama

HDMI™ Toggle Switch, 3 Inputs, 1 Output

Productline	Essential Line
Shade of colour	Black
Width x Depth x Height	9.5 x 1.3 x 4.7 cm

- For connecting up to 3 HDMI™ playback devices (e.g. Blu-ray, DVD player, TV receiver, computer, tablet PC, Playstation, Xbox) to an HDMI™ device such as TV, monitor, projector
- With remote control for convenient switching between the connected devices

		00121760
6	НВ	

hama

"AE90" HDMI-Audio Extractor, HDMI™ to Audio, Toslink, 3.5 mm Jack, silver

Input	HDMI™ Socket
Width x Depth x Height	5.8 x 1.6 x 5.3 cm

- Return of the audio signal without an additional audio cable (ODT, RCA, etc.)
- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) nixels
- High-quality and sturdy aluminium housing with a sophisticated finish
- Convenient power supply via the device's USB port
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Allows HDMI sources without their own audio output to be connected, e.g. Amazon Fire Stick, Apple TV, Wii U or Chromecast, to audio devices
- Listen to music or the radio without switching the TV on
- Flexibility in terms of audio output: integrate various audio systems such as sound bars, headphones or home cinema systems
- Better sound quality without latency: separation of audio and video for targeted audio output
- Supports various audio formats (PCM2, 5.1, 7.1, Dolby 5.1, DTS 5.1, D-TrueHD, DTS-HD) and audio outputs (Toslink and 3.5 jack).
- Supports video formats up to 4k@30Hz

		00205100
6	НВ	



Switches | Cables & Adapters



HDMI™ Switch 2x1

Productline	Essential Line
Shade of colour	Black
Width x Depth x Height	5.6 x 6,5 x 2 cm

- Gold-plated plug with low contact resistance for secure signal transmission
- Easy toggling between two HDMI™ sources (manually via the switch on the device)
- HDCP compatible
- Supports resolutions up to 1080 p (up to 60 Hz)

		00205161
40	НВ	



4K HDMI™ 2x1 Toggle Switch, 2x HDMI™ Socket -1x HDMI™ Plug

Productline	Essential Line
Shade of colour	Black

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- High-quality materials and shielded lines for excellent picture quality without interference
- Gold-plated contacts with low contact resistance for secure signal transmission
- LED function indicator gives information about the device status

			00305019
	10	HR	



ODT Cable "Toslink Plug, Metal"

Productline	Prime Line

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- Robust metal plug with the best shielding for reliable signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- High-quality materials for excellent sound quality without interference

1.5 m			00205139
		_	
	6	НВ	
3 m			00205140
	40	НВ	



ODT Cable
"Toslink Plug"

Productline	Essential Line

• Flexible optical fibre cable for fast and interference-free signal transmission

Black			00305024	
		12	НВ	



hama

4K HDMI™ 2x1 Toggle Switch, 2x HDMI™ Socket -1x HDMI™ Pluq

Productline	Essential Line		
Shade of colour	Black		

- For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) nixels
- High-quality materials and shielded lines for excellent picture quality without interference
- LED function indicator gives information about the device status

		00205323
40	НВ	



ODT Cable
"Toslink Plug"

Productline	Essential Line

• Flexible optical fibre cable for fast and interference-free signal transmission

For devices with a Toslink (ODT) connection

0.75 m			00205133
	96	НВ	
1.5 m			00205134
	60	НВ	
3 m			00205135
	60	НВ	
5 m			00205136
	6	НВ	

July 2025 is



Audio Optical Fibre Cable, ODT Plug (Toslink), 1.5 m

Productline	Entry Line

For devices with a Toslink (ODT) connection

Black			00205131
	25	BA	



Audio Optical Fibre Cable, ODT Plug (Toslink), Metal, 3.0 m

Productline Action

- Flexible optical fibre cable for fast and interference-free signal transmission
- Robust metal plug with the best shielding for reliable signal transmission
- Elegant and flexible fabric jacket for additional kink protection
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage

3 m			00205448	
		14	SC	



hama

ODT Adapter, Toslink Plug -Toslink Socket, Gold-Plated,

Productline Essential I

- Gold-plated plug with low contact resistance for secure signal transmission
- Fibreoptic cable can be routed at the top, bottom or to the side in order to connect the TV set to the amplifier, for example
- Prevents kinks in the cable
- Plug can swivel
- Compact adapter for space-saving attachment

Black	Black			
	8	HR		



hama

Optical Splitter, Toslink Socket - 2 Toslink Sockets

Productline	Essential Line
Shade of colour	Black

Passive optical splitter with compact plastic housing





hama

RCA Cable
"2 RCA Plugs - 2 RCA
Sockets", Black

Productline	Essential Line
Colour coding on t	he inside of the
plugs for easy con	necting

For devices with an analogue RCA connection



hama

ODT Cable
"Toslink Plug, Gold-Plated"

- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible optical fibre cable for fast and interference-free signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible optical fibre cable for fast and interference-free signal transmission.

miterieren		ود عاق	iliai c	
0.75 m			00179210	
		6	НВ	
1.5 m				00179211
		6	НВ	
3 m				00179212
		6	НВ	




hama

ODT Adapter, Toslink Socket
- Optical 3.5 mm Plug, goldplated

Productline	Essential Line
-------------	----------------

- Gold-plated plug with low contact resistance for secure signal transmission
- Compact adapter

Black			00205178
	8	НВ	



Cables & Adapters









hama

RCA Cable
"2 RCA Plugs - 2 RCA Plugs",
Black

Productline Essential Line

- Colour coding on the inside of the plugs for easy connecting
- For devices with an analogue RCA connection

hama

RCA Cable
"3 RCA Plugs - 3 RCA Plugs,
Gold-Plated", Black

Productline

Essential Line

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting
- For devices with an audio/video RCA connection

hama

RCA Cable
"RCA Plug - RCA Plug, Digital", Black

Productline

Essential Line

- High-quality materials for excellent sound quality without interference
- Additional shielding for good reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Colour coding on the inside of the plugs for easy connecting
- For devices with a digital RCA connection

hama

Subwoofer Cable, RCA Plug - 2 RCA Plugs, gold-plated, 5.0 m

Productline

Essential Line

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials for excellent sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Colour coding on the inside of the plugs for easy connecting
- For devices with an RCA connection

1.5 m			00205257
	90	НВ	
3 m			00205258
	60	НВ	
5 m			00205093
	48	НВ	

1.5 m			00205150
	6	НВ	

Qty PT

1.5 m			00205098	
	90	НВ		

5 m			00205097
	48	НВ	









RCA Cable
"2 RCA Plugs - 2 RCA Plugs",
Black

Productline

Essential Line

• The sound is transferred perfectly and without interference thanks to shielded lines

hama

Audio/Video Cable, 3 RCA plugs - 3 RCA plugs, goldplated, 3.0 m

Productline Essential Line

- Gold-plated plug with low contact resistance for secure signal transmission
- High-quality materials and shielded lines for excellent picture and sound quality without interference

hama

Audio Extension Cable, 2 RCA Plugs - 2 RCA Sockets, 5.0 m

Essential Line

Productline

• The sound is transferred perfectly and without interference thanks to shielded lines

hama

RCA Cable
"2 RCA Plugs - 2 RCA Plugs",
Black

Productline Entry Line

1.5 m			00305033
	115	НВ	
2			00205024
3 m			00305034

00305034	3 m	3 m			00305014
			8	НВ	

5 m			00305035	5 m
	8	НВ		

1.5 m			00205085
	25	ВА	
2.5 m			00205086
	25	ВА	
5 m			00205087
	25	ВА	





Video Adapter, 3 RCA Sockets - 3 RCA Sockets

Productline	Essential Line

• e.g. for extending existing RCA cables

Compact adapter



Audio Adapter, 2 x RCA Socket - 3.5 mm Jack Plug, Stereo

Productline	Essential Line
-------------	----------------

• Flexible cable adapter



Subwoofer Adapter, RCA Plug - 2 RCA Sockets

Productline Essential Line

• Flexible cable adapter



hama


Audio Adapter, RCA Socket - RCA Socket

Productline	Essential Line

· Compact adapter

Black			00205174	
		0	ЦΒ	





Black				00205182
		8	HR	



Subwoofer Adapter, 2 RCA Plugs - RCA Socket

Productline	Essential Line
-------------	----------------

• Flexible cable adapter



Audio Adapters, 2 RCA Plugs
- 3.5 mm Jack Socket Stereo

Productline Essential Line

• Flexible cable adapter



hama

Short Audio Adapter, 3.5 mm Jack Socket Stereo - 2 x RCA Socket

Productline	Essential Line

- For connecting smartphones or tablets with high-quality HiFi components, for example
- Compact adapter

hama	

Audio adapters, 2 RCA plugs - 3.5 mm stereo jack socket

• Flexible cable adapter

ck			00205187	Black			
		280	HR				12

July 2025 is

Black			00205184	
	8	НВ		

Black			00205186
	288	НВ	



Cables & Adapters

Jack RCA Cable



Jack RCA Cable "3,5-mm-Jack-Plug - 2 Cinch-Plug, Stereo", Black

Essential Line

- High-quality materials for excellent sound quality without interference
- Colour coding on the inside of the plugs for easy connecting
- Flexible materials guarantee optimum kink protection and prevent cable breakage









hama

Jack RCA Cable "3,5 mm Jack Plug. - 2 RCA Plug, Stereo, gilded", Black

Essential Line

- High-quality materials for excellent sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Form-fitting plug with elevation for a firm hold in every jack socket, also with a bag/cover, for excellent audio quality without interruption
- Colour coding on the inside of the plugs for easy connecting

hama

Connecting Cable, 3.5 mm 4-Pin Jack Plug - 3 RCA Plugs, 1.5 m

Productline

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting
- For devices with a 4-pin jack connection

hama

Audio/Video Cable, 4-pin 3.5 mm Jack Plug - 3 RCA Plugs, 1.5 m

Productline

Essential Line

- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- For devices with a 4-pin jack connection

0.75 m			00205109
	90	НВ	
1.5 m			00205110
	90	НВ	
3 m			00205111
	90	НВ	
5 m			00205112
	60	HR	

1.5 m			00205260
	90	НВ	
3 m			00205261
	125	НВ	

1.5 m			00205154	
	6	НВ		

1.5 m			00305016
	8	н нв	

Cables & Adapters











hama

Audio Cable, 3.5 mm Jack Plug - 2 RCA Plugs, Stereo, 1.5 m

Productline

1.5 m

ccantial Lina

• The sound is transferred perfectly and without interference thanks to shielded lines

hama

Jack RCA Cable "3,5-mm-Jack-Plug - 2 Cinch-Plug", Black

Productline

Entry Line

hama

Jack RCA Cable
"AluLine, 3.5 mm Jack 2x RCA Plug, Stereo", Silver

- Gold-plated plug with low contact resistance for secure signal transmission
- Extra-small plug housings in a professional high-end design, their design and size is perfect for compact MP3 players and smartphones
- Inner conductor made of oxygen-free copper for improved transmission properties
- Elegant and flexible fabric jacket for additional kink protection
- Elegant and robust aluminium housing
- With colour coding inside


hama

Jack RCA Cable
"2 RCA Plugs - 3.5 mm Stereo
Jack Plug", Black

 The sound is transferred perfectly and without interference thanks to shielded lines

				2 m			00205106
					25	ВА	
			00305031	5 m			00205107
	6	LID			25	DΛ	

1 m	00080864		
	6	НВ	
2 m			00080865
	6	HB	



Plugs & Sockets | Cables & Adapters





Scart S-Video/RCA Adapter

RCA Plug

- Video Adapter, S-VHS Socket / 3 RCA Sockets - Scart Plug, 4-Pin

Productline	Essential Line
Shade of colour	Black

• Universal connection options with IN/

RCA Plug, Solderable, 2 Pcs

hama

Productline	Essential Line

• Sorted by colour: red, black

hama

Video Cable, Scart Plug -3 RCA Plugs (Video/Stereo), 1.5 m

Productline Essential Line

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting

hama

Video Cable, Scart Plug -3 RCA Plugs (Video/Stereo), 1.5 m

• High-quality materials and shielded lines for excellent picture and sound quality without interference



			00205269
	8	HR	

00205156 60 HB



Jack Cable "3,5-mm-Jack-Plug/Plugr, Stereo, Metal, gilded", Grey, Black

Productline	Prime Line
Productline	Prime Line

- · High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- · Robust metal plug with the best shielding for reliable signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- · Gold-plated plug with low contact resistance for secure signal transmission

0.75 m		00205129
	144 HB	
1.5 m		00205130
	144 HB	



Jack Cable

"3.5 mm Jack Plug/Plug, Stereo", Black

Productline	Essential Line

- High-quality materials for excellent sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

0.5 m				00205287
	14	14	НВ	
1.5 m				00205262
	14	14	НВ	
3 m				00205115
	14	14	НВ	
5 m				00205116
	9	0	НВ	



Jack Cable "Flexi-Slim, 3.5 mm Jack Plug 90° - Plug, Stereo", Black

Productline	Essential Line

- High-quality materials for excellent sound quality without interference
- Light and space-saving due to the flexible coiled cable and the 90° plugs
- Flexible materials guarantee optimum kink protection and prevent cable
- Gold-plated plug with low contact resistance for secure signal transmission

0.75 m				00205113
	6	1	НВ	
1.5 m			00205114	
	6		НВ	



Jack Cable "3,5mm jack plug / coupling, stereo", Black

Productline	Entry Line
Structure	2 Wires

2.5 m			00205104
	25	BA	
5 m			00205105
	25	RΑ	



Jack Cable "3,5mm jack plug / coupling, stereo", Black

Productline	Essential Line

- · High-quality materials for excellent sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a jack connection

1.5 m			00205119	
		90	НВ	
3 m				00205120
		60	НВ	
5 m				00205121
		60	НВ	



"AluLine" Connecting Cable, 3.5 mm jack, plug - 90° plug, 0.75 m

Structure	2 Wires
Type of Shielding	Double Shielded
Special Feature	Gold-Plated/Textile cable

- Gold-plated plug with low contact resistance for secure signal transmission
- · Extra-small plug housings in a professional high-end design, their design and size is perfect for compact MP3 players and smartphones
- Elegant and robust aluminium housing
- · Elegant and flexible fabric jacket for additional kink protection

0.75 m			00080874	
		6	НВ	



Jack Cable "3,5-mm-Jack-Plug. 90° - 3,5-mm-Jack-Plug., Stereo", Black

Productline	Essential Line

- High-quality materials for excellent sound quality without interference
- Space-saving 90° plug for connections in a minimum of space
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with a jack connection

0.5 m			00205285
	144	НВ	
1.5 m			00205286
	144	НВ	



Productline

Plug/Plugr, Stereo, gilded, ultraslim", Black

 High-quality materials for excellent
sound quality without interference
• Flexible materials guarantee optimu
kink protection and prevent cable
breakage

Essential Line

0.5 m			00205117
	144	НВ	
1.5 m			00205118
	144	НВ	
3 m			00205263
	144		
	144	НВ	
5 m	144	НВ	00205264
5 m	90	НВ	00205264



"Flexi-Slim" Audio Cable, 3.5 mm Jack Plug - Plug, Stereo, 1.5 m

Special Feature

Gold-Plated

- High-quality materials and shielded lines for excellent sound quality without interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Gold-plated plug with low contact resistance for secure signal transmission
- Form-fitting plug with elevation for a firm hold in every jack socket, also with a bag/cover, for excellent audio quality without interruption


1.5 m			00179277
	6	ЦΒ	



hama

Jack Cable
"3.5 mm Jack Plug/Plug,
Stereo", Black

 The sound is transferred perfectly and without interference thanks to shielded lines





hama

Audio Cable, 3.5 mm Jack Plug - Plug, Stereo, Gold-Plated, Ultra-thin, 0.5 m

П	Special Feature	Gold-Plated

- High-quality materials for excellent sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- For devices with a jack connection



hama

Jack Cable
"3,5mm jack plug / coupling,
stereo", Black

 The sound is transferred perfectly and without interference thanks to shielded lines

2.5 m			00305029
	7	НВ	
5 m			00305030
	Q	HR	



hama

Jack Cable
"3,5mm jack plug / coupling,
stereo", Black

 The sound is transferred perfectly and without interference thanks to shielded lines

5 m			00182071
	6	BK	



Audio Adapter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Productline	Essential Line
Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket

- Space-saving 90° plug for connections in a minimum of space
- Form-fitting plug with elevation for a firm hold in every jack socket, also with a bag/cover, for excellent audio quality without interruption
- Flexible cable adapter

Black			00205190
	180	НВ	



hama

Audio Adapter, 2 x 3.5 mm Jack Plug Mono - 3.5 mm Jack Socket Stereo

Productline	Essential Line
Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket

- Compact adapter
- Suitable for current aircraft models

Black			00205192
	288	НВ	







Audio Adapter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Productline	Essential Line
Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket

- For enjoying the same music in pairs from the MP3 player
- Compact adapter



00205191





Audio Adapter, 3.5 mm Jack Socket Stereo

Productline	Essential Line
Connection	3.5 mm Jack Socket

- Compact adapter
- High-quality design with metal grip body






hama

Audio Adapter, RCA Socket - 6.3 mm Mono Jack Plug

Productlin	e	Essential Line
Connectio	n	6.35 mm Jack Plug, RCA Socket

· Compact adapter





hama

Audio Adapter, 3.5 mm Jack Plug Stereo - 2.5 mm Jack Socket Stereo

Productline	Essential Line
Connection	2.5 mm Jack Socket,

- e.g headphones with 2.5 mm connection to an MP3 player with 3.5 mm connection
- Compact adapter



Qty PT



hama

Audio Adapter, 3.5 mm Mono Jack Socket - 6.3 mm Mono Jack Plug

Productline	Essential Line
Connection	3.5 mm Jack Socket, 6.35 mm Jack Plug

- e.g. for connecting a microphone to a radio device
- Compact adapter

Black				00205195	
	2	88	НВ		



hama

Audio Adapter, 3.5 mm Jack Plug - 6.3 mm Jack Socket, Stereo

Productline	Essential Line
Connection	3.5 mm Jack Plug,

- For connecting headphones to an MP3 player, for example
- Compact adapter

Black			00205196
	288	НВ	



hama

Audio Adapter, 3.5 mm Jack Socket - 6.3 mm Jack Plug, Stereo

Productline	Essential Line
Connection	3.5 mm Jack Socket, 6.35 mm Jack Plug

- For connecting headphones to HiFi system, for example
- Compact adapter

Black			00205194
	288	ЦΒ	



Audio Adapter, 2.5 mm Jack Plug - 3.5 mm Jack Socket, Stereo

Productline	Essential Line
Connection	2.5 mm Jack Plug, 3.5

• Flexible cable adapter

Black			00205197
	8	НВ	



Audio Adapter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Conne	ection	3.5 mm Jack Plug, 3.5
Comin	ction	mm Jack Socket

• Gold-plated plug with low contact resistance for secure signal transmission



hama

Audio Adapter, 3.5 mm Jack Plug - 2 x 3.5 mm Jack Socket, Stereo

Connection 3.	.5 mm Jack Plug, 3.5 mm Jack Socket
---------------	--

• For enjoying the same music in pairs from the MP3 player

00305036

Compact adapter



hama

Audio Adapter, 3.5 mm Jack Socket - 6.3 mm Jack Plug, Stereo

Connection	3.5 mm Jack Socket, 6.35 mm Jack Plug
------------	--

• For connecting headphones to HiFi system, for example

00305037

Compact adapter



hama

Jack Connection Kit, 2.5 m

Productline	Essential Line
Shade of colour	Black
Length	250 cm

- High-quality materials for excellent sound quality without interference
- Audio extension cable, 3.5 mm jack plug - 3.5 mm jack socket, stereo, 2.5 m
- Compact adapter, 6.3 mm jack plug -3.5 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug 6.3 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug -2 3.5 mm jack sockets, stereo
- Compact adapter, 3.5 mm jack plug -3.5 mm jack plug, stereo

Black			00179280
	12	BK	



hama

Audio Adapter, 3.5 mm Jack Plug Stereo - 2 x RCA Socket

Connection	3.5 mm Jack Plug, 3.5 mm Jack Socket
------------	---

- For connecting smartphones or tablets with high-quality HiFi components, for example
- Compact adapter




hama

Audio Adapter, 3.5 mm Jack Plug - 6.3 mm Jack Socket, Stereo

Connection	3.5 mm Jack Plug,
Connection	6.35 mm Jack Socket

- For connecting headphones to an MP3 player, for example
- · Compact adapter

Black			00305038
	20	НВ	



hama

Cables & Adapters









hama

Jack Connection Kit, Stereo, 2.5 m

Productline	Essential Line
Shade of colour	Black
Length	2.5 cm

- High-quality materials for excellent sound quality without interference
- · Audio extension cable, 3.5 mm jack plug - 3.5 mm jack socket, stereo, 2.5 m
- · Compact adapter, 6.3 mm jack plug -3.5 mm jack socket, stereo
- · Compact adapter, 3.5 mm jack plug -6.3 mm jack socket, stereo
- · Compact adapter, 3.5 mm jack plug -2 3.5 mm jack sockets, stereo
- · Compact adapter, 3.5 mm jack plug -3.5 mm jack plug, stereo

Travel Adapter Kit, Audio, 4-part

Shade of colour	Black
High-quality mater	rials for excellent
sound quality with	out interference

- Practical roll-up organizer for avoiding cable clutter Kit comprising:
- 2 x 3.5 mm jack plug mono 3.5 mm jack socket stereo compact adapter
- Special design for connecting stereo headphones on aircraft
- 3.5 mm jack plug 2 x 3.5 mm jack socket compact adapter, stereo
- · Two headphones in one output
- 3.5 mm jack plug 6.3 mm jack socket compact adapter, stereo
- For connecting 6.3 mm plugs to portable devices (CD players, MP3 players)
- Roll-up cable, 1.2 m, 3.5 mm jack plug - 3.5 mm jack socket, stereo
- · Extendable cable for transmitting audio signals

Jack RCA Cable "3,5-mm-Jack-Plug - 2 Cinch-Plug, Stereo", Black

Productline	Essential Line

- · High-quality materials for excellent sound quality without interference
- Colour coding on the inside of the plugs for easy connecting
- Flexible materials guarantee optimum kink protection and prevent cable breakage

hama

Jack RCA Cable "3,5 mm Jack Plug. - 2 RCA Plug, Stereo, gilded", Black

Productline	Essential Line		
High-quality materials for excellent			

- sound quality without interference • Gold-plated plug with low contact resistance for secure signal transmission
- Form-fitting plug with elevation for a firm hold in every jack socket, also with a bag/cover, for excellent audio quality without interruption
- · Colour coding on the inside of the plugs for easy connecting

0.75 m			00205109
	90	НВ	
1.5 m			00205110
	90	НВ	
3 m			00205111
	90	НВ	
5 m			00205112
	60	НВ	

0.75 m				00205109
		90	НВ	
1.5 m				00205110
		90	НВ	
3 m				00205111
	9	90	НВ	
5 m				00205112
		60	HR	

1.5 m			00205260
	90	НВ	
3 m			00205261
	125	НВ	









Connecting Cable, 3.5 mm 4-Pin Jack Plug - 3 RCA Plugs, 1.5 m

Productline Essential Line

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Colour coding on the inside of the plugs for easy connecting
- For devices with a 4-pin jack connection

hama

Audio/Video Cable, 4-pin 3.5 mm Jack Plug - 3 RCA Plugs, 1.5 m

Productline	Essential Line
Troductimic	ESSCITUAL EITIC

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- For devices with a 4-pin jack connection

hama

Audio Cable, 3.5 mm Jack Plug - 2 RCA Plugs, Stereo, 1.5 m


• The sound is transferred perfectly and without interference thanks to shielded lines

Jack RCA Cable "3,5-mm-Jack-Plug - 2 Cinch-Plug", Black

Productline	Entry Line

1.5 m			00305016
	8	НВ	

1.5 m			00305031	
	6	НВ		







Cables & Adapters | Charger & Power Supply Units





Jack RCA Cable "AluLine, 3.5 mm Jack -2x RCA Plug, Stereo", Silver

- · Gold-plated plug with low contact resistance for secure signal transmission
- · Extra-small plug housings in a professional high-end design, their design and size is perfect for compact MP3 players and smartphones
- Inner conductor made of oxygen-free copper for improved transmission properties
- · Elegant and flexible fabric jacket for additional kink protection
- · Elegant and robust aluminium housing
- · With colour coding inside



hama

Jack RCA Cable "2 RCA Plugs - 3.5 mm Stereo Jack Plug", Black

• The sound is transferred perfectly and without interference thanks to shielded lines



hama

USB Charger, USB-A Power Supply Unit, Universal Adapter, LED Display, 6 W, black

- · Charging process optimized for the device which guarantees maximum charging speed
- Optimized charging process saves the battery thus extending its service life
- The USB charger automatically detects connected devices and charges them as efficiently as possible
- Automatic overload and overheating protection as well as short-circuit protection helps safeguard connected devices

			00223372
	60	НВ	



"Universal" USB Charger, 2.1A, 12 pieces in a display

Connection	Euro Plug, USB Type A female/female		
Charge Technology	None		
Input Voltage Range from/to	100-240 V		
Max. Output Power	10.5 W		

- Twin power with max. 2.1 A power supply for simultaneous charging of two devices
- Charging current of max. 2.1 A for quick charging

Black				00014198
		12	SC	



USB Charger, 5V/1A

Connection	Euro Plug, USB Type A female/female
Charge Technology	None
Input Voltage Range from/to	100-240 V
Max. Output Power	5 W

- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- · Ideal for travel (a laptop or computer is not required for recharging the battery)

Black	Black			00012108
		10	SC	




2-port Charger, USB-A Power Supply Unit, 2.4 A, Universal Adapter, 12 W

Connection	USB Type A female/
Connection	female
Charge Technology	None
Input Voltage Range from/to	100-240 V
Max. Output Power	12 W

- with 2 integrated USB-A sockets: ideal for all devices that are charged and operated via USB, e.g. tablet, smartphone, power pack, console
- Charging current of max. 2.4 A (2x 1.2 A) for fast charging

Black			00223371
	60	НВ	















"Link.it solo" Bluetooth® Adapter, Receiver, Retrofit Bluetooth to the HiFi

Shade of colour	Black
Connection	USB-C-Connector
Max. Range	50 m
Bluetooth Version	5.3

- Bluetooth connectivity via a jack: the loudspeaker and HiFi system can be easily and universally connected to the Bluetooth adapter using the 3.5 mm jack connection
- For two audio sources: the Bluetooth receiver allows two devices to be connected, e.g. two mobile phones with one loudspeaker or one stereo system - entirely without having to reconnect and retrofit Bluetooth
- · Your favourite sounds from the microSD card: enjoy your play list from a microSD card on the HiFi system without any need for a card reader, etc.
- Handy power supply via USB: the Bluetooth adapter draws power directly via the USB-A to USB-C cable through the USB port on a power strip
- · Bluetooth in no time: thanks to auto pairing, the Bluetooth receiver is quickly ready for use - You simply have to pair the devices once and after this the connection will be established automatically when Bluetooth is activated
- You do not need to observe any system requirements, simply plug in and go
- Up to 50-metre range (with clear sight)
- The Bluetooth receiver can also be powered via a separate USB power supply unit through a power socket

			00205321
	40	НВ	

hama

USB-C Cable, USB-C Plug -USB-A Plug, USB 3.2 Gen 1, 5 Gbit/s, 1.50 m

Productline	Essential Line
Connection	USB-C-plug, USB-Typ- A-Plug
USB Standard	USB-3.2 Gen 1

- Super speed data transfer rates of up to 5 Gbps
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · High-quality materials and workmanship quarantee excellent transmission
- Twisted data pairs with an outer sheath made from robust PVC material minimise interference
- Internal wires made from copper for rapid data transfer and the best supply of power
- · Ideal for charging, transferring data and synchronising

hama

Video adapter, USB-C plug -HDMI™ socket, Ultra-HD 4K

Productline	Essential Line
Shade of colour	Black

- · For perfect, high-resolution ultra-HD cinema quality with 4096x2160 (4K) pixels
- Slimline construction is especially suitable for mobile devices such as smartphones, tablets and notebooks
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- Compatible with Thunderbolt 3/4 (lightning symbol) USB-C connection with DisplayPort Alternate Mode (DP Alt Mode), Thunderbolt 3/4 or USB-4 support.

"Link.it duo" Bluetooth® Adapter, Transmitter & Receiver, Bluetooth Retrofit

Shade of colour	Black
Connection	3.5 mm Jack Socket, USB-C-Connector
Max. Range	10 m
Bluetooth Version	5.2

- Many connections lead to Bluetooth: TVs, Hi-Fi systems or projectors can be connected via the 3.5-mm jack connection or via the optical fibre connection without interruption thanks to the Bluetooth adapter
- · Transceiver for Bluetooth in both directions: whether it be a Bluetooth transmitter or receiver, two devices can always be connected, e.g. two pairs of headphones with one TV or one pair of headphones with the TV and stereo system
- · Handy power supply via USB: Bluetooth adapter draws power directly via the USB-A - USB-C cable through the USB port on the device, e.g. TV set
- · Bluetooth in no time: thanks to auto pairing, the Bluetooth transmitter and receiver are quickly ready for use - You simply have to pair the devices once and after this the connection will be established automatically when Bluetooth is activated
- APTX technology for better audio quality despite the limited bandwidth
- · Pair the Bluetooth headphones or Bluetooth speaker with the TV, projector or stereo system without a previous Bluetooth function

1.5 m			00205143
	6	НВ	

		00205160
144	НВ	

_			
h	n	15	





Bluetooth® Audio Transmitter for Aircraft and Universal. 10 h, with AUX, wh

Shade of colour	White
Connection	USB-C-Connector
Max. Range	7 m
Bluetooth Version	5.3
Max. Operating Time	10 h

- · One jack plug on the universal transmitter is fixed, while the second can be folded in and out as required, enabling you to connect your headphones to all audio devices with an AUX out port, whether it be on a plane or in the gym, to an MP3 player or a games console
- The Bluetooth transmitter has an additional audio output (3.5 mm jack) for connecting cabled headphones, allowing you to use the audio transmitter with both Bluetooth headphones and cabled headphones
- · Powerful lithium polymer battery for hours of play time - up to 10 hours of listening enjoyment, ideal for intercontinental and long-haul flights
- Full mobility thanks to battery mode: fast charging within 2.5 hours via the USB-C interface
- The LED function indicator lights up blue when the Bluetooth connection is active and red during the charging process
- · Thanks to its compact dimensions, the ultra-lightweight Bluetooth transmitter in trouser pocket format is always handy and really does fit in any hand luggage or bags

00014171



Scart Connecting Cable, Plug - Plug, gold-plated, 1.5 m

1	Productline			Esse	ntial Line	
	Gold-plated	plua	with	low	contact	re-

sistance for secure signal transmission • For devices with Scart connection

1.5 m			00205082
	32	HR	



hama

Scart Connecting Cable, Plug - Plug, 1.5 m, black

Productline	Entry Line

• 21-pin - fully occupied



1.25 m, black

· High-quality materials and shielded lines for excellent picture and sound quality without interference





Scart Cable "Plug - Plug", Black

- Picture and sound are transferred with the highest quality and without interference thanks to high-quality materials and separately shielded lines
- This 21-pin plug always fits

3 m			00182020
	22	BK	



hama

Video Cable, Scart Plug -3 RCA Plugs (Video/Stereo), 1.5 m

Productline	Essential Line		
High-quality mater lines for excellent page 1.			

- quality without interference · Gold-plated plug with low contact resistance for secure signal transmission
- Impedance of 75 ohms for optimum transmission quality
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- · Colour coding on the inside of the plugs for easy connecting

		00182020	1.5 r
22	BK		







Video Cable, Scart Plug -3 RCA Plugs (Video/Stereo), 1.5 m

• High-quality materials and shielded lines for excellent picture and sound quality without interference



- Video Adapter, S-VHS Socket / 3 RCA Sockets - Scart Plug, 4-Pin

Productline	Essential Line
Shade of colour	Black

• Universal connection options with IN/ OUT switch

00205268



Scart Splitter, 3-Way

Productline	Essential Line
Shade of colour	Black
Cable Length	0.5 m

00205170

• Incl. Scart feed cable



Universal Switchable Power Supply Unit, Adjustable, 1000mA, 12W, max. 12V, 8 Adapters


Shade of colour	Black
Output Voltage	3 V/4,5 V/5 V/6,0 V/9 V/12 V

- Automatic overload and overheating protection as well as short-circuit protection helps safeguard connected devices
- Whether it's plus or minus: Reversible polarity gives you flexibility depending on the requirements of your electronic
- LED function indicator: The pilot light shows whether the power supply is getting electricity
- 100 240 V mains connection suitable for worldwide use in conjunction with country-specific adapter
- Low energy consumption in standby
- Adjustable power supply unit with high efficiency: 12 W/max. 1000 mA across all voltage ranges 3V / 4.5V / 5V / 6V / 9V / 12V
- · Settings can be made using the voltage selector switch
- With 8 adapter plugs:
- 2 jack plugs: 2.5 and 3.5 mm
- 6 DC plugs: 0.75 x 2.35 / 1.0 x 3.0 / 1.3 x 3.5 / 1.7 x 4.0 / 2.1 x 5.0 / 2.5 x 5.5 mm

12 W			00223614	
		6	НВ	

00305015

Charger & Power Supply Units



Mains Adapter "Universal, adjustable, 7 adapters", 1.5 A

Shade of colour	Black
Output Voltage	3 V/4,5 V/5 V/6,0 V/7,5 V/9 V/12 V


- Automatic overload and overheating protection as well as short-circuit protection helps safeguard connected devices
- Whether it's plus or minus: Reversible polarity gives you flexibility depending on the requirements of your electronic
- LED function indicator: The pilot light shows whether the power supply is getting electricity
- 100 240 V mains connection suitable for worldwide use in conjunction with country-specific adapter
- Low energy consumption in standby
- Adjustable power supply unit with high efficiency: max. 18.0W | 3V/2.1A | 4.5V/2.1A | 5V/2.1A | 6V/1.5A | 7.5V/1.5A | 9V/1.5A | 12V/1.5A
- · Settings can be made using the switch kev
- With 7 adapter plugs:
- 2 USB adapters: 1x micro-USB plug, 1x USB-A socket
- 5 DC plugs: 1.35 x 3.5 / 1.7 x 4.0 / 2.1 x 5.0 / 1.5 x 5.5 / 2.5 x 5.5 mm



- Power Supply Unit for Cars, Adjustable, 3000mA, 36W, max. 12V, Stabilis. 8 Adapters

Shade of colour	Black
Output Voltage	12 V

- LED function indicator: The pilot light shows whether the power supply is getting electricity
- The separate power supply unit housing means a more powerful supply of electricity
- No confusion of connections since reverse polarity-protected
- Input: direct current max. 14 V
- · Adjustable power supply unit with high efficiency: output 1.5/3.0/4.5/6.0/7.5/9/12 V stabilised
- · Settings can be made using the voltage selector switch
- Max. output current 3000 mA
- · With 8 adapter plugs:
- 2 jack plugs: 2.5 and 3.5 mm
- 6 DC plugs: 0.7 x 2.35 / 1.0 x 3.0 / 1.3 x 3.5 / 1.7 x 4.0 / 2.1 x 5.0 / 2.5 x 5 5 mm



Mains Adapter "Universal, adjustable, 7 adapters", 0.3 A

Shade of colour	Black
Output Voltage	3 V/4,5 V/5 V/6,0 V/7,5 V/9 V/12 V

- · Automatic overload and overheating protection as well as short-circuit protection helps safeguard connected devices
- Whether it's plus or minus: Reversible polarity gives you flexibility depending on the requirements of your electronic
- LED function indicator: The pilot light shows whether the power supply is getting electricity
- 100 240 V mains connection suitable for worldwide use in conjunction with country-specific adapter
- Low energy consumption in standby
- · Adjustable power supply unit with high efficiency: max. 3.6W | 3V/600mA | 4.5V/600mA | 5V/600mA | 6V/500mA | 7.5V/480mA | 9V/400mA 12V/300mA
- Settings can be made using the switch
- · With 7 adapter plugs:
- 2 jack plugs: 2.5 and 3.5 mm
- 5 DC plugs: 1.35 x 3.5 / 1.7 x 4.0 / 2.1 x 5.0 / 1.5 x 5.5 / 2.5 x 5.5 mm



Mains Adapter "Universal, adjustable, 7 adapters", 0.6 A

Shade of colour	Black
Output Voltage	3 V/4,5 V/5 V/6,0 V/7,5 V/9 V/12 V

- · Automatic overload and overheating protection as well as short-circuit protection helps safeguard connected devices
- Whether it's plus or minus: Reversible polarity gives you flexibility depending on the requirements of your electronic
- LED function indicator: The pilot light shows whether the power supply is getting electricity
- 100 240 V mains connection suitable for worldwide use in conjunction with country-specific adapter
- · Low energy consumption in standby
- Adjustable power supply unit with high efficiency: max. 7.2W | 3V/1.0A | 4.5V/1.0A | 5V/1.0A | 6V/1.0A | 7.5V/0.9A | 9V/0.8A | 12V/0.6A
- Settings can be made using the switch
- With 7 adapter plugs:
- 2 jack plugs: 2.5 and 3.5 mm
- 5 DC plugs: 1.35 x 3.5 / 1.7 x 4.0 / 2.1 x 5.0 / 1.5 x 5.5 / 2.5 x 5.5 mm


18 W			00223615
6 HB			
24 W			00223616
	6	ЦΒ	

36 W			00223619
	6	НВ	

3.6 W			00223611
	6	НВ	

7.2 W			00223612
	6	НВ	





Mains Adapter "Universal, adjustable, 7 adapters", 1 A

Shade of colour	Black
Output Voltage	3 V/4,5 V/5 V/6,0 V/7,0 V/9 V/12 V

- Automatic overload and overheating protection as well as short-circuit protection helps safeguard connected devices
- Whether it's plus or minus: Reversible polarity gives you flexibility depending on the requirements of your electronic device
- LED function indicator: The pilot light shows whether the power supply is getting electricity
- 100 240 V mains connection suitable for worldwide use in conjunction with country-specific adapter
- Low energy consumption in standby mode
- Adjustable power supply unit with high efficiency: max. 12.0W | 3V/2.0A | 4.5V/2.0A | 5V/2.0A | 6V/1.5A | 7.5V/1.5A | 9V/1.3A | 12V/1.0A
- Settings can be made using the switch key
- · With 7 adapter plugs:
- 2 USB adapters: 1x micro-USB plug, 1x USB-A socket
- 5 DC plugs: 1.35 x 3.5 / 1.7 x 4.0 / 2.1 x 5.0 / 1.5 x 5.5 / 2.5 x 5.5 mm



Mains Adaptor

Mains Adapter "Universal, adjustable, 7 adapters", 2.25 A

Shade of colour	Black
Output Voltage	3 V/4,5 V/5 V/7,5 V/9 V/12 V

- Automatic overload and overheating protection as well as short-circuit protection helps safeguard connected devices
- Whether it's plus or minus: Reversible polarity gives you flexibility depending on the requirements of your electronic device
- LED function indicator: The pilot light shows whether the power supply is getting electricity
- 100 240 V mains connection suitable for worldwide use in conjunction with country-specific adapter
- Low energy consumption in standby

 mode
- Adjustable power supply unit with high efficiency: max. 27W/max. 2250 mA across all voltage ranges 3V / 4.5V / 5V / 6V / 7.5V /9V / 12V
- Settings can be made using the switch key
- · With 7 adapter plugs:
- 2 USB adapters: 1x micro-USB plug, 1x USB-A socket
- 5 DC plugs: 1.35 x 3.5/1.7 x 4.0/2.1 x 5.0/1.5 x 5.5/2.5 x 5.5 mm



hama

Universal Switchable Power Supply Unit, Adjustable, 3000mA, 36W, max. 15V, 7 Adapters

Shade of colour	Black
Output Voltage	5 V/6,0 V/7,5 V/9 V/12 V/13,5 V/15 V

- Automatic overload and overheating protection as well as short-circuit protection helps safeguard connected devices
- Whether it's plus or minus: Reversible polarity gives you flexibility depending on the requirements of your electronic device
- LED function indicator: The pilot light shows whether the power supply is getting electricity
- 100 240 V mains connection suitable for worldwide use in conjunction with country-specific adapter
- Low energy consumption in standby mode
- Adjustable power supply unit with high efficiency: at 5.0 - 6.0 - 7.5 - 9.0 - 12,0V DC max. 3000 mA / at 13.5 - 15.0V DC max. 2400 mA
- Settings can be made using the switch key
- With 7 adapter plugs:
- 2 USB adapters: 1x micro-USB plug, 1x USB-A socket
- 5 DC plugs: 1.35 x 3.5 / 1.7 x 4.0 / 2.1 x 5.0 / 1.5 x 5.5 / 2.5 x 5.5 mm



hama

Cable Protection Box "Maxi"

Material	Plastic Material
Cable Diamter	20 mm
Width x Depth x Height	40 x 15.6 x 13.5 cm

- Plastic box with cable slots on both sides for easy storage and to protect against dust and dirt
- Safely stored socket strip and cables protect children and pets from danger
- Rubber feet for a non-slip grip
- Ideal for the office and home for a stylish look at the desk, TV, etc.

White			00020662	
		6	SC	




hama

Cable Protection Box
"Maxi, for Steckdosenleiste,
40 x 15,6 x 13,5 cm"

Material	Plastic Material
Cable Diamter	20 mm
Width x Depth x Height	40.6 x 15.6 x 13.5 cm

 Effective protection: the cable box hides the socket strip, plugs and cables from curious children's hands and pets such as cats, dogs and rodents, thereby protecting people, animals and technology

White			00221011
Black			00221012
	8	SC	





36 W			00223618
	6	НВ	

Qty PT



"Maxi" Cable Box, Integr. Cable Guide in Cover, 40.0 x 15.5 x 13.8 cm, white

Material	Plastic Material
Cable Diamter	20 mm
Width x Depth x Height	40 x 15.5 x 13.8 cm

 Effective protection: the cable box hides the socket strip, plugs and cables from curious children's hands and pets such as cats, dogs and rodents, thereby protecting people, animals and technology

White			00221013
	8	SC	



hama

Round Cable Box, Wall Mounting, Integrated Cable Guide, 18.0 x 5.5 cm, whit

Material	Plastic Material
Width x Depth x Height	18 x 5.5 cm

- Effective protection: the cable box hides plugs and cables from curious children's hands and pets such as cats, dogs and rodents, thereby protecting people, animals and technology
- Practical cable guide on the sides for charging cable: charge smartphones and devices and keep them handy

White			00221014
	20	НВ	



hama

"Mini" Cable Box, For Power Strip, 23.5 x 11.5 x 12, white

Material	Plastic Material
Cable Diamter	15 mm
Width x Depth x Height	23.5 x 11.5 x 12 cm

 Effective protection: the cable box hides the socket strip, plugs and cables from curious children's hands and pets such as cats, dogs and rodents, thereby protecting people, animals and technology

White			00221010
	12	SC	



hama

Hook And Loop Cable Tie, Reusable, 12 x 200 mm, black. 20 Pcs

Material	Nylon/Polypropylene (PP)
Max. Bundle Diameter	4 cm

- The connection can be released and re-engaged ad lib.
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00221008
	18	НВ	



hama

Hook And Loop Cable Tie, Reusable, 10 x 125 mm, black, 20 Pcs

Material	Nylon
----------	-------

- The connection can be released and re-engaged ad lib.
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00221009
	14	НВ	



hama

Cable Tie Set, 2.5 x 100 / 150 / 200 mm, black, 150 Pcs

Material	Plastic Material
Max. Bundle Diameter	5 cm

- Resistant to alcohols, oils, greases, water, paints, varnishes, automotive fuels, etc.
- Self-locking cable ties with disposable fastener for permanent bundling or fixation

Black			00221002
	20	НВ	



hama

Hook And Loop Cable Tie with Eyelet, Reusable, 20 x 250 mm, Coloured, 9 Pcs

Material	Nylon
Max. Bundle Diameter	6 cm

- Ideal for sorting power, audio and video cables, for example, by colour
- The connection can be released and re-engaged ad lib.
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black/Green/Re	ed			00221006
		20	НВ	



Hook and Loop Cable Tie, Reusable, 12 x 145 mm, coloured, 12 Pcs

Material	Nylon
Max. Bundle Diameter	3.5 cm

- Ideal for sorting power, audio and video cables, for example, by colour
- The connection can be released and re-engaged ad lib.
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black/Blue/Red			00221005
	14	HR	



Hook and Loop Tie, Reusable, 16 x 215 mm, Coloured, 5 Pcs

Material	Nylon
Max. Bundle Diameter	6 cm

- Ideal for sorting power, audio and video cables, for example, by colour
- The connection can be released and re-engaged ad lib.
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black/Blue/Gr	een/f	Red/Ye	llow	00221004
		18	НВ	



hama

Cable Tie with Label Field, 98 mm, natural, 25 Pcs

Material	Plastic Material		
Max. Bundle Diameter	2.5 cm		

- Order in the cable tangle: writeable surface for a better cable overview
- Resistant to alcohols, oils, greases, water, paints, varnishes, automotive fuels, etc.
- Self-locking cable ties with disposable fastener for permanent bundling or fixation

Nature			00221003
	14	HR	



hama

Cable Tie, 3.5 x 140 mm, black, 50 Pcs

Material	Plastic Material		
Max. Bundle Diameter	3.5 cm		

- Resistant to alcohols, oils, greases, water, paints, varnishes, automotive fuels, etc.
- Self-locking cable ties with disposable fastener for permanent bundling or fixation
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00220999
	14	НВ	



hama

Hook and Loop Cable Ties, 215 mm, coloured

Material	Nylon
Max. Bundle Diameter	6 cm

- Ideal for sorting power, audio and video cables, etc. by colour
- Plastic cable ties with hook and loop fastener
- Soft and flexible nature; avoids damage to the connected surfaces, therefore suitable for sensitive materials like optical conductors
- The connection can simply be severed and then connected again when required

Black/Blue/Green/Red/Yellow		00020535	
	10	НС	



hama

Cable Tie, 4.8 x 300 mm, black, 50 Pcs

Material	Plastic Material
Max. Bundle Diameter	7.6 cm

- Resistant to alcohols, oils, greases, water, paints, varnishes, automotive fuels, etc.
- Self-locking cable ties with disposable fastener for permanent bundling or fixation
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00221001
	20	НВ	



hama

Cable Tie, 4.8 x 200 mm, black, 50 Pcs

Material	Plastic Material
Max. Bundle Diameter	5 cm

- Resistant to alcohols, oils, greases, water, paints, varnishes, automotive fuels, etc.
- Self-locking cable ties with disposable fastener for permanent bundling or fixation
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00221000
	20	НВ	

Cable Holder/Fastener



hama

Cable Holder, Self-Adhesive, 2 Pcs., white

Shade of colour	White
Material	Thermoplastic Rubber (TPR)

- 3M adhesive tape on the back for mounting e.g. on the back of equipment, desks, etc.
- Special design and non-slip material ensure secure grip of loose cables
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood

		00221015
20	НВ	



hama

Cable Duct
"Aluminum, square,
110x5x2.6 cm"

Material	Aluminium
Width x Length	5 x 110 cm

- Stylish, sturdy aluminium housing for special protection of your cables
- Screw or glue e.g. to the back of equipment, desks, etc.
- Space for up to 8 cables such as image, data, audio or power cables

Black			00220987
White			00220989
Silver			00220986
	20	НВ	



hama

Cable Duct
"PVC, self-adhesive, half-round, 100x7x2.1 cm"

Material	Plastic Material
Width x Length	7 x 100 cm

- Space for up to 8 cables such as image, data, audio or power cables
- The upper part is simply clipped onto the lower part and can be quickly removed if necessary
- 3M adhesive strips for quick attachment e.g. to the back of equipment, desks, etc.

Black			00220985
White			00220984
	12	НВ	



hama

Metal Cable Duct, Magnetic, 90 x 5.6 x 1.6 cm, black

Material	Steel
Width x Length	5.6 x 90 cm

- Replace cables any time without assembly work: the magnetic cover can be removed and reattached again whenever it needs to be
- Space for up to 5 cables such as image, data, audio or power cables
- Easy mounting and secure hold: by means of screws or 3M adhesive strips, e.g. on the back of equipment, desks, etc.

Black			00220992	
	1	10	НВ	



hama

Cable Holder, Self-Adhesive, 2 Pcs., white

Shade of colour	White
Material	Thermoplastic Rubber

- Self-adhesive for attaching to the rear of devices, desks, etc.
- The special design and non-slip TPR material keep loose cables in place
- The organiser helps to avoid tangled cables
- Charging cables of smartphones, notebooks or headphones are ready at hand at all times

		00020568
20	BK	



hama

Cable Duct
"Alu, semicircular,
110x3.3x1.8 cm"

Material	Aluminium
Width x Length	3.3 x 110 cm

- Stylish, sturdy aluminium housing for special protection of your cables
- Screw or glue e.g. to the back of equipment, desks, etc.
- Space for up to 5 cables such as image, data, audio or power cables

White			00220988
Black			00220990
Silver			00220991
	10	HR	



hama

Metal Cable Duct for Screw or Glue Mounting, Magnetic, 90 cm, black

Material	Steel
Width x Length	5.6 x 90 cm

- Replace cables any time without assembly work: the magnetic cover can be removed and reattached again whenever it needs to be
- The cable duct offers sufficient space for all types of image, data, audio or power cable: max. 5 cables, e.g. 1 x power, 1 x antenna, 2 x HDMI™, 1 x network

Black			00020680
	12	SC	



hama

Flexible Cable Duct, Selfadhesive, Semicircular, 180 x 6 x 1 cm, PVC, grey

Material	Polyvinyl Chloride (PVC)
Width x Length	6 x 180 cm

- Ideal for mounting e.g. on slightly curved or not quite flat surfaces
- 3M adhesive strips for quick attachment, e.g. to the floor, back of equipment, etc.
- Space for a cable up to 10 mm in diameter

Grey			00220983	
		16	НВ	



Cable Duct, 4 Pcs, Self-adhesive, Semicircular, 100 x 1.1 x 1 cm, PVC, whit

Material	Polyvinyl Chloride (PVC)
Width x Length	1.1 x 100 cm

- Thanks to its paintable surface, it can be adapted to any wall paint colour
- 3M adhesive strips for quick attachment e.g. to the back of equipment, desks. etc.
- Space for up to 2 cables such as image, data, audio or power cables
- The upper part is simply clipped onto the lower part and can be quickly removed if necessary

White			00220980
	20	HR	



hama

Cable Duct, 3 Pcs, Self-adhesive, Square, 100 x 2.1 x 1 cm, PVC, white

Material	Polyvinyl Chloride (PVC)
Width x Length	2.1 x 100 cm

- Thanks to its paintable surface, it can be adapted to any wall paint colour
- 3M adhesive strips for quick attachment e.g. to the back of equipment, desks. etc.
- Space for up to 3 cables such as image, data, audio or power cables
- The upper part is simply clipped onto the lower part and can be quickly removed if necessary

White			00220981
	20	НВ	



hama

Flexible Cable Duct, Selfadhesive, Semicircular, 180 x 3 x 1 cm, PVC, grey

Material	Polyvinyl Chloride (PVC)
Width x Length	3 x 180 cm

- Ideal for mounting e.g. on slightly curved or not quite flat surfaces
- 3M adhesive strips for quick attachment, e.g. to the floor, back of equipment, etc.
- Space for a cable up to 10 mm diameter

Grey			00220982
	32	HR	



Flexible Spiral Cable Conduit, Universal, 20 mm, 2.5 m, black

Plastic Material
250 cm
20 mm

- For wrapping and bundling several cables in a single tube: for tidiness at home or in the office
- Quick and easy cable tidying thanks to the supplied pull-in tool

Black			00220996
	8	НВ	



hama

Cable Duct Kit, 4 Pcs, Selfadhesive, 1 m, Incl. Connecting Pieces, white

Material	Polyvinyl Chloride (PVC)	
Width x Length	2.4 x 100 cm	

- Left, right, top, bottom: the cable duct can be routed in all directions and around any corner thanks to the flexible connecting pieces, allowing it to adapt to your individual home situation and ensure that cables are hidden away neatly and tidily
- Thanks to its paintable surface, it can be adapted to any wall paint colour

White			00221017
	16	НВ	



hama

Metal Cable Duct for Sticking, Magnetic, 55 cm, black

Material	Steel
Width y Length	5 x 55 cm

- Replace cables any time without assembly work: the magnetic cover can be removed and reattached again whenever it needs to be
- The cable duct offers sufficient space for all types of image, data, audio or power cable: max. 8 cables, e.g. 1 x power, 2 x USB, 2 x HDMI™, 1 x network, 2 x audio

Black			00020681
	30	SC	



hama

Metal Cable Duct, Magnetic, 55 x 5 x 3.2 cm, black

Material	Steel
Width x Length	5 x 55 cm

- Replace cables any time without assembly work: the magnetic cover can be removed and reattached again whenever it needs to be
- Space for up to 8 cables such as image, data, audio or power cables
- Easy mounting and secure hold: by means of screws or 3M adhesive strips, e.g. on the back of equipment, desks, etc.

Black		00220993		
		24	НВ	



hama

Flexible Spiral Cable Conduit, Universal, 25 mm, 2 m, black

Material	Plastic Material
Length	200 cm
Max. Bundle Diameter	25 mm

- For wrapping and bundling several cables in a single tube: for tidiness at home or in the office
- Quick and easy cable tidying thanks to the supplied pull-in tool

Black			00220998
	24	НВ	

Mounting Materials



hama

Flexible Fabric Cable Conduit, Universal, 20 - 40 mm, 1.8 m, black

Material	Plastic (PET) (UV- Resistant)
Length	180 cm
Max. Bundle Diameter	40 mm

- For wrapping and bundling several cables in a single tube: for tidiness at home or in the office
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00220995
	40	НВ	



hama

Flexible Spiral Cable Conduit, Universal, 30 mm, 1.5 m, black

Material	Plastic Material
Length	150 cm
Max. Bundle Diameter	30 mm

- For wrapping and bundling several cables in a single tube: for tidiness at home or in the office
- Quick and easy cable tidying thanks to the supplied pull-in tool

Black			00220997
	8	НВ	



hama

Flexible Spiral Cable Conduit, Universal, 7.5 - 30 mm, 2.5 m, black

Material	Polyethylene (PE)
Length	250 cm
Max. Bundle Diameter	30 mm

- For wrapping and bundling several cables in a single tube: for tidiness at home or in the office
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00220994
	12	НВ	





hama

Hook and Loop Strap, universal, 1 m, black

Shade of colour	Black
Material	Nylon
Width x Length	1.9 x 100 cm

- Soft and flexible nature; avoids damage to the connected surfaces, therefore suitable for sensitive materials like optical conductors
- The connection can simply be severed and then connected again when required
- Can be cut to size; can also be sewn
- Makes especially durable fix winding possible
- Resistant to alcohols, oil, grease, water





hama

Hook and Loop Strap Two-Sided, Universal, 1.9 x 100 cm, black

Shade of colour	Black
Material	Nylon
Width x Length	1.9 x 100 cm

- The connection can be released and re-engaged ad lib.
- The hook-and-eye tape can be cut to size as required and is also suitable for sewing
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Bundle and secure cables quickly and easily: the bundle width can be individually adjusted with the hook and look cable tie, also particularly durable securing wrapping possible
- Suitable for a wide range of applications in the home, garden, workshop or hobby
- The double-sided back-to-back hook and loop strap has a hook side and a loop side so it can be used flexibly
- Soft and flexible material structure: protects the connected surfaces from damages and therefore is especially suited for sensitive materials as such as fibre-optic cables
- Resistant to alcohol, oils, grease and water
- Washable at temperatures up to 40 °C

			00020543				00221007	
	10	НС			14	НВ		

Converters & Amplifiers



















11d111d

"AC90" Audio Converter, Digital to Analogue

hama

hama

RCA Connection Kit, 2.5 m

Productline	Essential Line
Shade of colour	Black

- Colour coding on the inside of the plugs for easy connecting
- High-quality materials for excellent sound quality without interference Audio Cable, 2 RCA Plugs - 2 RCA Plugs, 2.5 m
- Compact adapter, 6.3 mm jack plug, stereo - 3.5 mm jack socket, stereo
- Compact adapter, 3.5 mm jack plug, stereo - 2 RCA sockets
- 2 x compact adapters, RCA socket -RCA socket

AV Converter, Scart to HDMI™

Shade of colour	Black
Voltage of Plug-In Power Supply	5 V
Width x Depth x Height	8.8 x 2.5 x 5.7 cm

- Easily retrofit a scart connection to
- Playback in full HD quality (1080 p)
- Scart input for connecting video recorders, set top boxes or DVD players
- Input supports the PAL, NTSC3.58, NTSC 4.43, SECAM, PAL/M and PAL/N TV formats
- HDMI™ output for connection to a flat screen or monitor
- Output is compatible with HDMI™
 1.3 and supports full HD resolution
 (1080 p)
- Power supply is provided via the USB cable or an external USB power supply unit (not included in the extent of delivery)

"AC80" Audio Converter, Digital to Analogue

Shade of colour	Black
Voltage of Plug-In Power Supply	5 V
Width x Depth x Height	5 x 4 x 2.5 cm

- Allows retrofitting an analogue audio output for connecting a hifi system, amplifier or a pair of headphones
- Improves the sound quality of digital output devices (e.g. flat TV, DVD player) by sound playback via a hifi system
- Two digital inputs (optical, coaxial) for DVD players, games consoles and computers
- One analogue output (line out) for hi-fi systems, audio amplifiers
- Can be operated with the supplied power supply unit
- Plug & play, no software required

Voltage of Plug-In Power Supply Width x Depth x 4.91 x 5,738 x

- Allows retrofitting an analogue audio output for connecting a hifi system, amplifier or a pair of headphones
- Improves the sound quality of digital output devices (e.g. flat TV, DVD player) by sound playback via a hifi system
- The solution for connecting newer devices with digital connections such as flat-screen TVs, Blu-Ray players, DVD players, games consoles or PCs to an older hi-fi system with analogue connections
- Two digital inputs (optical, coaxial) for e.g. DVD players, games consoles and computers
- One analogue output (line out) for hi-fi systems, audio amplifiers
- Plug & play, no software required
- Power supply via USB on the flatscreen TV etc. or via a USB power supply unit

2.5 m			00205175
	6	НВ	

			00121775
	6	НВ	

		00083180
6	НВ	

		00205198
6	НВ	

TV Mounts



Wall brackets



hama

TV Wall Bracket, Tilting, 122 cm (48") to 25 kg, Wall Spacing 2.9 cm

Maximum Load Capacity	25 kg
Maximum swivel range	0°
Rotation	0 °
Tilt +/-	0 / 10 °
VESA (from-to)	50x50 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability







hama

TV Wall Bracket, Rigid, 117 cm (46") to 25 kg, Wall Spacing 2.5 cm

Maximum Load Capacity	25 kg
Maximum swivel range	0°
Rotation	0 °
Tilt +/-	0 / 0 °
VESA (from-to)	50x50 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 117 cm (19" - 46")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 200 x 200
- With small spirit level for easy and quick installation

Black			00220803
	20	SC	






hama

TV Wall Bracket, Rigid, 122 cm (48") to 25 kg, Wall Spacing 2.3 cm

Maximum Load Capacity	25 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0 / 0 °
VESA (from-to)	50x50 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 200 x 200
- With small spirit level for easy and quick installation



Qty PT





hama

TV Wall Bracket, Rigid, Theft Protection, 165 cm (65") up to 50 kg

Maximum Load Capacity	50 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	100x100 - 400x400
Field of Application	Public
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Fix/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- With the theft protection device, you can secure the TV using a padlock and block the unlocking system
- A pull on the release cords releases the mechanism and the TV can be removed
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00220858
	6	SC	





TV Wall Bracket, Rigid, 191 cm (75") to 40 kg, Wall Spacing 2.5 cm

Maximum Load Capacity	40 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	50x50 - 600x400
Field of Application	Private
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 600 x 400
- With small spirit level for easy and quick installation

Black			00220811	
		10	SC	





hama

TV Wall Bracket, Tilting, 191 cm (75") to 40 kg, Wall Spacing 2.8 cm

Maximum Load Capacity	40 kg
Maximum swivel range	0°
Rotation	0 °
Tilt +/-	0 / 10 °
VESA (from-to)	100x100 - 600x400
Field of Application	Private
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00220814
	10	SC	

Qty PT





hama

TV Wall Bracket, Tilting, 165 cm (65") to 35 kg, Wall Spacing 2.8 cm

Maximum Load Capacity	35 kg
Maximum swivel range	0 °
Rotation	0°
Tilt +/-	0 / 12 °
VESA (from-to)	100x100 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the

living space

- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your
- needs without any tools at all
 Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00220810
	16	SC	





hama

TV Wall Bracket, Rigid, 191 cm (75") to 40 kg, Wall Spacing 2.3 cm

Maximum Load Capacity	40 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	50x50 - 600x400
Field of Application	Private
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 600 x 400
- With small spirit level for easy and quick installation

Black			00220813
	10	SC	





TV Wall Bracket, Rigid, 191 cm (75") to 40 kg, Wall Spacing 2.5 cm

Maximum Load Capacity	40 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	50x50 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 400 x 400
- With small spirit level for easy and quick installation

Black			00220807
	10	SC	





hama

TILT TV Wall Bracket, 191 cm (75"), black

Maximum Load Capacity	35 kg
Maximum swivel range	0°
Rotation	0 °
Tilt +/-	0 / 10 °
VESA (from-to)	75x75 - 400x400
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Tilting

- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Optimal positioning of the flat panel display in every room
- Supports all VESA standards up to 400 x 400
- \bullet Up to -10° continuous tilt






hama

TV Wall Bracket, Rigid, Theft Protection, 229 cm (90") up to 50 kg

Maximum Load Capacity	50 kg
Maximum swivel range	0°
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	100x100 - 600x400
Field of Application	Public
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- With the theft protection device, you can secure the TV using a padlock and block the unlocking system
- A pull on the release cords releases the mechanism and the TV can be removed
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood







hama

TILT "Ultraslim" TV Wall Bracket, 229 cm (90"), 600 x 400, Flat, anthracite

Maximum Load Capacity	80 kg
Rotation	3 °
Tilt +/-	0 / 15 °
VESA (from-to)	50x50 - 600x400
Field of Application	Private
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Tilting

- Ultra-slim and discreet: with the low wall distance of 2 cm, the TV bracket integrates unobtrusively into your living environment, saves space and gives you plenty of freedom for design
- For the perfect viewing angle, even from a sofa or bed: the TV wall bracket can be tilted continuously by -15° and adapts to your individual needs whether you are sitting or lying down
- Extremely strong: stable construction with dual arm allows the secure attachment of TV sets with a weight of up to 80 kg and a screen diagonal of up to 90"
- Innovatively constructed: the design of the wall bracket is adapted to ultraflat TVs and is perfect for particularly flat screens such as OLED TVs
- Reliable mounting of TV sets with VESA standard from 50x50 to 600x400
- Great views thanks to 2 different height settings: after mounting the wall bracket, the TV set can be adjusted to 2 different heights on the bracket

Anthracite, Grey			00220846
	4	SC	

00118069

10 SC






TV Wall Bracket, Rigid, 229 cm (90") to 60 kg, Wall Spacing 2.5 cm

Maximum Load Capacity	60 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	50x50 - 800x400
Field of Application	Private
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 800 x 400
- With small spirit level for easy and quick installation

Black			00220815
	8	SC	





hama

TV Wall Bracket, Rigid, 229 cm (90") up to 100 kg, Wall Distance 2.6 cm

Maximum Load Capacity	100 kg
Maximum swivel range	0°
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	50x50 - 800x400
Field of Application	Private
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Extremely strong: stable design allows the secure attachment of TV sets with a weight of up to 100 kg and a screen size of up to 90"
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00220842
	4	SC	

Qty PT






hama

TV Wall Bracket, Tilt, 254 cm (100") up to 75 kg

Maximum Load Capacity	75 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0 / 12 °
VESA (from-to)	100x100 - 800x600
Field of Application	Private
Recommended Screen Size	117 - 254 cm (46" - 100")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Extremely resilient: stable design allows the secure attachment of TV sets with a weight of up to 75 kg and a screen size of up to 100 inches
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Flat TV wall bracket allows modern and compact living space design
- Cable manager provides organisation and necessary strain relief
- Vibration dampers for the ultimate sound experience
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- The drilling template means easy marking of the drill holes without having to hold the bracket up against the wall







hama

TV Wall Bracket, Rigid, 254 cm (100") to 75 kg, Wall Spacing 2.1 cm

Maximum Load Capacity	75 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	100x100 - 800x600
Field of Application	Private
Recommended Screen Size	117 - 254 cm (46" - 100")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Extremely resilient: stable design allows the secure attachment of TV sets with a weight of up to 75 kg and a screen size of up to 100 inches
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Vibration dampers for the ultimate sound experience
- The drilling template means easy marking of the drill holes without having to hold the bracket up against the wall
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220817	
		6	SC	





TV Wall Bracket, Rigid, 165 cm (65") to 35 kg, Wall Spacing 2.3 cm

Maximum Load Capacity	35 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	0/0°
VESA (from-to)	75x75 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- · Supports all VESA standards up to 400 x 400
- With small spirit level for easy and quick installation

46

Black			00220809
	16	SC	





hama

TILT TV Wall Bracket, 3 Stars, 117 cm (46"), black

Maximum Load Capacity	25 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	5 / 15 °
VESA (from-to)	50x50 - 200x200
Recommended Screen Size	48 - 117 cm (19" - 46")
Version	Tilting

- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- · Especially suited for ultra flat televisions, allows optimal positioning of the flat panel display in any room
- Supports all VESA standards up to 200 x 200
- Continuous +5/-15° tilt





TV Wall Bracket, Tilting, 117 cm (46") up to 25 kg

Maximum Load Capacity	25 kg
Maximum swivel range	0°
Rotation	0°
Tilt +/-	5 / 15 °
VESA (from-to)	50x50 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 117 cm (19" - 46")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- · Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- · FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 200 x 200
- Continuous +5/-15° tilt
- · With small spirit level for easy and quick installation

Black			00220804	
	10	SC		





hama

TV Wall Bracket, Tilt, 191 cm (75") up to 40 kg

Maximum Load Capacity	40 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	5 / 15 °
Field of Application	Private
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- · Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- · FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- · Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 600 x 400
- Continuous +5/-15° tilt
- · With small spirit level for easy and quick installation

Black			00220812	
		5	SC	






00108715

10 SC





TV Wall Bracket, Tilt, 191 cm (75") up to 40 kg

Maximum Load Capacity	40 kg
Maximum swivel range	0 °
Rotation	0°
Tilt +/-	5 / 15 °
VESA (from-to)	50x50 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Tilting
VCISIOII	

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- · Supports all VESA standards up to 400 x 400
- Continuous +5/-15° tilt
- · With small spirit level for easy and quick installation

Black	00220808		
	10	SC	





TILT TV Wall Bracket, 3 Stars, 191 cm (75"), black

Maximum Load Capacity	35 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	5 / 15 °
VESA (from-to)	50x50 - 600x400
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Tilting

- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Especially suited for ultra flat televisions, allows optimal positioning of the flat panel display in any room
- Supports all VESA standards up to 600 x 400
- Continuous +5/-15° tilt




hama

TV Wall Bracket, Tilting, 305 cm (120") to 100 kg, Wall Spacing 2.8 cm

Maximum Load Capacity	100 kg
Tilt +/-	5 / 12 °
VESA (from-to)	50x50 - 1100x600
Field of Application	Private
Recommended Screen Size	94 - 304,8 cm (37" - 120")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- · Extremely strong: stable design allows the secure attachment of TV sets with a weight of up to 100 kg and a screen size of up to 120"
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 1100 x 600
- Up to -12/+5° continuous tilt



July 2025 is





TV Wall Bracket, Tilt, Theft Protection, 203 cm (80") up to 50 kg

Maximum Load Capacity	50 kg
Maximum swivel range	0 °
Rotation	0 °
Tilt +/-	5 / 10 °
VESA (from-to)	100x100 - 600x400
Field of Application	Public
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- With the theft protection device, you can secure the TV using a padlock and block the unlocking system
- A pull on the release cords releases the mechanism and the TV can be removed
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00220862
	4	SC	

00108717





TV Wall Bracket, Tilt, 191 cm (75") up to 60 kg

Maximum Load Capacity Maximum swivel range Rotation 0 ° Tilt +/- VESA (from-to) Field of Application Recommended Screen Size 94 - 191 cm (37" -75") Version Filting		
range 0 ° Rotation 0 ° Tilt +/- 5 / 15 ° VESA (from-to) 50x50 - 800x400 Field of Application Private Recommended Screen 94 - 191 cm (37" - 75")	maximam zoda	60 kg
Tilt +/- 5 / 15 ° VESA (from-to) 50x50 - 800x400 Field of Application Private Recommended Screen 5ize 94 - 191 cm (37" - 75")	maximum switci	0 °
VESA (from-to) 50x50 - 800x400 Field of Application Private Recommended Screen 94 - 191 cm (37" - 75")	Rotation	0 °
Field of Application Private Recommended Screen 94 - 191 cm (37" Size -75")	Tilt +/-	5 / 15 °
Recommended Screen 94 - 191 cm (37" Size - 75")	VESA (from-to)	50x50 - 800x400
Size -75")	Field of Application	Private
Version Tilting	necommenaca sercem	
	Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 800 x 400
- Continuous +5/-15° tilt
- With small spirit level for easy and quick installation

Black			00220816	
		5	SC	






hama

TV Wall Bracket, Tilt, Theft Protection, 165 cm (65") up to 50 kg

Maximum Load Capacity	50 kg
Maximum swivel range	0 °
Rotation	0°
Tilt +/-	5 / 10 °
VESA (from-to)	100x100 - 400x400
Field of Application	Public
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- With the theft protection device, you can secure the TV using a padlock and block the unlocking system
- A pull on the release cords releases the mechanism and the TV can be removed
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood








hama

TV Wall Bracket, Tilting, 66 cm (26") up to 30 kg

30 kg
0 °
0°
10 / 15 °
75x75 - 100x100
Private
25 - 66 cm (10" - 26")
Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Also suitable for Amazon Echo Show
 15
- Supports all VESA standards up to 100 x 100
- Up to $+10^{\circ}/-15^{\circ}$ continuous tilt







hama

TV Wall Bracket, Rigid, 305 cm (120") to 100 kg, Wall Spacing 2.8 cm

Maximum Load Capacity	100 kg
VESA (from-to)	50x50 - 1100x600
Field of Application	Private
Recommended Screen Size	94 - 304,8 cm (37" - 120")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Extremely strong: stable design allows the secure attachment of TV sets with a weight of up to 100 kg and a screen size of up to 120"
- Flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Supports all VESA standards up to 1100 x 600
- With small spirit level for easy and quick installation
- Design developed in Germany

Black			00220843
	5	SC	









Ultraslim Rigid TV Wall Bracket, 229 cm (90") up to 80 kg, Extra-flat, anth

Maximum Load Capacity	80 kg
Rotation	3 °
VESA (from-to)	50x50 - 600x400
Field of Application	Private
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Fix

- Ultra-slim and discreet: with the low wall distance of 1.45 cm, the TV bracket integrates unobtrusively into your living environment, saves space and gives you plenty of freedom for design ideas
- Extremely strong: stable construction with dual arm allows the secure attachment of TV sets with a weight of up to 80 kg and a screen diagonal of up to 90"
- Innovatively constructed: the design of the wall bracket is adapted to ultraflat TVs and is perfect for particularly flat screens such as OLED TVs
- Reliable mounting of TV sets with VESA standard from 50x50 to 600x400
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- Including spirit level for fast and easy mounting
- After the installation, the mount can be aligned horizontally on the wall by means of oblong holes
- Great views thanks to 2 different height settings: after mounting the wall bracket, the TV set can be adjusted to 2 different heights on the bracket

Anthracite			00220845
	4	SC	





hama

TV Wall Bracket for Portrait and Landscape Format, 203 cm (80"), black

Maximum Load Capacity	50 kg
Rotation	360°
VESA (from-to)	200x200 - 600x400
Recommended Screen Size	94 - 203 cm (37" - 80")
Version	Rotatable

- 360° function for portrait and landscape format: with the rotation function, you can flexibly adapt the TV to the way you use it - ideal for conference and presentation rooms, trade fair construction and video walls
- Unobtrusive mount makes the bracket disappear inconspicuously behind the television
- For mounting on a wall by means of dowels and screws
- For mounting via the VESA holes on the back of the TV
- Tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Easy handling: pull on the unlocking cord to release the fixing mechanism, then set the TV in the desired portrait or landscape format, release the cord and allow it to engage
- Tested according to the criteria of a recognise testing body for use in public places, such as in hotels or conference rooms
- Exceptionally convenient and spacesaving for optimal positioning of the flat screen TV in every room
- Supports all VESA standards up to 600 x 400



Qty PT





hama

TV Wall Bracket, Portrait and Landscape Format, 203 cm (80") up to 50 kg

Maximum Load Capacity	50 kg
Rotation	360 °
VESA (from-to)	200x200 - 600x400
Field of Application	Public
Recommended Screen Size	94 - 203 cm (37" - 80")
Version	Rotatable

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- 360° function for portrait and landscape format: with the rotation function, you can flexibly adapt the TV to the way you use it - ideal for conference and presentation rooms, trade fair construction and video walls
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Exceptionally convenient and spacesaving for optimal positioning of the flat screen TV in every room







hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 165 cm (65") up to 35 kg

Maximum Load Capacity	35 kg
Maximum swivel range	180 °
Rotation	3 °
Tilt +/-	2 / 12 °
VESA (from-to)	200x200 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220833
	3	SC	





TV Wall Bracket, Swivel, Tilt, Extra-flat, 122 cm (48") up to 25 kg

Maximum Load Capacity	25 kg
Maximum swivel range	180 °
Rotation	6°
Tilt +/-	3 / 12 °
VESA (from-to)	100x100 - 200X200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Ultra-flat TV wall bracket allows modern and compact living space design
- With the very small wall spacing, the TV bracket blends unobtrusively into the living space
- Cable manager provides organisation and necessary strain relief
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally





hama

TV Wall Bracket, Swivel, Tilt, 66 cm (26") up to 15 kg

Maximum Load Capacity	15 kg
Maximum swivel range	180 °
Rotation	0 °
Tilt +/-	5 / 12 °
VESA (from-to)	75x75 - 100x100
Field of Application	Private
Recommended Screen Size	25 - 66 cm (10" - 26")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel or tilt. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood





hama

TV Wall Bracket, Swivel, Tilt, Theft Protection, 122 cm (48"), 20 kg

Maximum Load Capacity	20 kg
Maximum swivel range	180 °
Rotation	6°
Tilt +/-	5 / 15 °
VESA (from-to)	75x75 - 200x200
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- With the theft protection device, you can secure the TV using a padlock and block the unlocking system
- A pull on the release cords releases the mechanism and the TV can be removed
- For a tidy living environment: Cable management guides the cables tidily behind the TV set, avoiding cable spaghetti and saving space. The cable guide also protects the cable against breakage thanks to strain relief
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally

Qty PT

00220864






hama

TV Wall Bracket, Swivel, Tilt, 122 cm (48") up to 20 kg


Maximum Load Capacity	20 kg
Maximum swivel range	180 °
Rotation	0 °
Tilt +/-	5 / 12 °
VESA (from-to)	75x75 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel or tilt. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00220821
	6	SC	



hama









TV Wall Bracket, Swivel, Tilt, 165 cm (65") up to 20 kg

Maximum Load Capacity	20 kg
Maximum swivel range	180 °
Rotation	0 °
Tilt +/-	5 / 12 °
VESA (from-to)	75x75 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel or tilt. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

00220823






hama

TV Wall Bracket, Swivel, Tilt, 122 cm (48") up to 35 kg

Maximum Load Capacity	35 kg
Maximum swivel range	180 °
Rotation	6°
Tilt +/-	10 / 15 °
VESA (from-to)	75x75 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel or tilt. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away



Qty PT



hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 165 cm (65") up to 30 kg

Maximum Load Capacity	30 kg
Maximum swivel range	130 °
Rotation	6 °
Tilt +/-	15 / 15 °
VESA (from-to)	100x100 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- The drilling template means easy marking of the drill holes without having to hold the bracket up against the wall
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220832
	5	SC	





hama

Wall brackets "Fullmotion, 165 cm (65"), 3 Stars"

Maximum Load Capacity	35 kg
Maximum swivel range	180°
Rotation	3 °
Tilt +/-	2 / -12 °
VESA (from-to)	200x200 - 400x400
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Cable manager provides organisation and necessary strain relief
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Especially suited for ultra flat televisions, allows optimal positioning of the flat panel display in any room
- Supports all VESA standards up to 400 x 400
- Up to +2/-12° continuous tilt
- \bullet Swivel range on 3 hinges: up to 180°

White			00118675	
		2	SC	







Wall brackets "pivotable, tiltable, extendable, 165 cm (65") up to 35 kg, 3 joints"

Maximum Load Capacity	35 kg
Maximum swivel range	180°
Rotation	3 °
Tilt +/-	2 / -12 °
VESA (from-to)	200x200 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220834
White			00220835
	2	SC	





FULLMOTION TV Wall Bracket, 3 Stars, 165 cm (65"), 2 arms, ultra-long

Maximum Load Capacity	25 kg
Maximum swivel range	180 °
Rotation	3 °
Tilt +/-	2 / 12 °
VESA (from-to)	200x200 - 400x400
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- An extra long arm makes it possible to turn TVs at a 90° angle to the wall
- Especially suited for ultra flat televisions, allows optimal positioning of the flat panel display in any room
- Supports all VESA standards up to 400 x 400
- Up to $+2^{\circ}/-12^{\circ}$ continuous tilt
- Swivel range on 3 hinges: up to 180°
- Up to 80 cm wall distance





hama

TV Wall Bracket, Swivel, Extendable, Long Arm, 165 cm (65"), up to 25 kg

Maximum Load Capacity	25 kg
Maximum swivel range	180 °
Rotation	3 °
Tilt +/-	2 / 12 °
VESA (from-to)	200x200 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- From the sofa to the kitchen: with this extra-long arm, the TV can be swivelled 180° to the wall, enabling you to follow your favourite programme from any angle in open-plan living
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- For a tidy living environment: Cable management guides the cables tidily behind the TV set, avoiding cable spaghetti and saving space. The cable guide also protects the cable against breakage thanks to strain relief
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally







hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 191 cm (75") up to 45 kg

Maximum Load Capacity	45 kg
Maximum swivel range	180 °
Rotation	3 °
Tilt +/-	2 / 12 °
VESA (from-to)	200x200 - 600x500
Field of Application	Private
Recommended Screen Size	94 - 191 cm (37" - 75")
Version	Swivelling/Tilting
	- /

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- · For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220836
	2	SC	











TV Wall Bracket, Swivel, Tilt, Pull-out, 229 cm (90") up to 75 kg

Maximum Load Capacity	75 kg
Maximum swivel range	120 °
Rotation	6 °
Tilt +/-	2 / 10 °
VESA (from-to)	300x100 - 800x600
Field of Application	Private
Recommended Screen Size	117 - 229 cm (46" - 90")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Extremely resilient: stable design allows the secure attachment of TV sets with a weight of up to 75 kg and a screen size of up to 229 cm (90 inches)
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Perfectly matched to the background: This TV wall bracket with wall plate and support arms in white and TV mounting plate in black matches the room design and TV colour
- Vibration dampers for the ultimate sound experience
- Cable manager provides organisation and necessary strain relief
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all

Black, White			00220838
	1	SC	





hama

TV Wall Bracket, Swivel, Tilt, Extra-flat, 122 cm (48") up to 25 kg


Maximum Load Capacity	25 kg
Maximum swivel range	180 °
Rotation	6 °
Tilt +/-	3 / 12 °
VESA (from-to)	100x100 - 200X200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Ultra-flat TV wall bracket allows modern and compact living space design
- With the very small wall spacing, the TV bracket blends unobtrusively into the living space
- Cable manager provides organisation and necessary strain relief
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally

Black			00220847
	8	SC	

Qty PT





hama

TV Wall Bracket, OLED, Flat, Swivel, Pull-out, 229 cm (90") up to 50 kg

Maximum Load Capacity	50 kg
Maximum swivel range	120 °
Rotation	6°
Tilt +/-	3 / 12 °
VESA (from-to)	100x100 - 600x400
Field of Application	Private
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Extendible/Swivel- ling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Innovatively designed: the design of the wall bracket is coordinated with the VESA standard of OLED TVs so that the adapter plate fits flush with the housing.
- Aesthetic and agile: with the small wall distance of 2.3 cm, the TV bracket and its ultra-flat profile blends in unobtrusively with the living space, ensuring full mobility in all directions
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Extremely strong: stable construction with dual arm allows the secure attachment of TV sets with a weight of up to 50 kg and a screen diagonal of up to 90"

Black			00220852
	3	SC	









hama

Wall brackets "pivotable, tiltable, long arm, 165 cm (65") up to 50 kg"

Maximum Load Capacity	50 kg
Maximum swivel range	180 °
Rotation	6 °
Tilt +/-	3 / 12 °
VESA (from-to)	100x100 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- From the sofa to the kitchen: with this extra-long arm, the TV can be swivelled 180° to the wall, enabling you to follow your favourite programme from any angle in open-plan living
- Aesthetic and agile: with the small wall distance of 4.6 cm, the TV bracket and its ultra-flat profile blends in unobtrusively with the living space, ensuring full mobility in all directions
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Reliable mounting of TV sets with VESA standard from 100x100 to 400x400

Black			00220853
Black, White			00220854
	2	SC	





Wall brackets "pivotable, tiltable, extendable, 122 cm (48") up to 20 kg"

Maximum Load Capacity	20 kg
Maximum swivel range	180 °
Rotation	0 °
Tilt +/-	5 / 12 °
VESA (from-to)	75x75 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black, White			00220855
	6	SC	
Black			00220822
	6	SC	






hama

TV Wall Bracket, Swivel, Tilt, Theft Protection, 122 cm (48"), 25 kg

Maximum Load Capacity	25 kg
Maximum swivel range	180 °
Rotation	6°
Tilt +/-	5 / 15 °
VESA (from-to)	75x75 - 200x200
Field of Application	Public
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- With the theft protection device, you can secure the TV using a padlock and block the unlocking system
- A pull on the release cords releases the mechanism and the TV can be removed
- For a tidy living environment: Cable management guides the cables tidily behind the TV set, avoiding cable spaghetti and saving space. The cable guide also protects the cable against breakage thanks to strain relief
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally








hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 165 cm (65") up to 25 kg

Maximum Load Capacity	25 kg
Maximum swivel range	180 °
Rotation	0°
Tilt +/-	5 / 12 °
VESA (from-to)	75x75 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood







hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 305 cm (120"), up to 100 kg

Maximum Load Capacity	100 kg
Maximum swivel range	150 °
Rotation	5 °
Tilt +/-	5 / 12 °
VESA (from-to)	300x100 - 800x600
Field of Application	Private
Recommended Screen Size	94 - 304,8 cm (37" - 120")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Extremely strong: stable design allows the secure attachment of TV sets with a weight of up to 100 kg and a screen size of up to 120"
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Flat TV wall bracket allows modern and compact living space design
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220839
	1	SC	





FULLMOTION "Professional" TV Wall Bracket, 165 cm (65"), 400x400, black


Maximum Load Capacity	40 kg
Maximum swivel range	180 °
Rotation	8°
Tilt +/-	5 / 10 °
VESA (from-to)	300x200 - 400x400
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling

- Tested safety: exacting stress, stability and functional tests guarantee high quality standards
- With the theft protection device, you can secure the TV using a padlock
- The TV can be hung in the bracket and secured with the fixing bar without any additional tools
- Removal of the fixing bar releases the mechanism and the TV can be removed
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Tested according to the criteria of a recognise testing body for use in public places, such as in hotels or conference rooms

2 SC

00118072





hama

TV Wall Bracket, Swivel, Tilt, Theft Protection, 165 cm (65"), 40 kg

Maximum Load Capacity	40 kg
Maximum swivel range	180°
Rotation	8 °
Tilt +/-	5 / 10 °
VESA (from-to)	300x200 - 400x400
Field of Application	Public
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- With the theft protection device, you can secure the TV using a padlock and block the unlocking system
- A pull on the release cords releases the mechanism and the TV can be removed
- For a tidy living environment: Cable management guides the cables tidily behind the TV set, avoiding cable spaghetti and saving space. The cable guide also protects the cable against breakage thanks to strain relief
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally

Black			00220860
	2	SC	

Qty PT





hama

TV Wall Bracket, Swivel, Tilt, Theft Protection, 203 cm (80"), 40 kg

Maximum Load Capacity	40 kg
Maximum swivel range	180 °
Rotation	8°
Tilt +/-	5 / 10 °
VESA (from-to)	300x200 - 600x400
Field of Application	Public
Recommended Screen Size	94 - 203 cm (37" - 80")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- With the theft protection device, you can secure the TV using a padlock and block the unlocking system
- A pull on the release cords releases the mechanism and the TV can be removed
- For a tidy living environment: Cable management guides the cables tidily behind the TV set, avoiding cable spaghetti and saving space. The cable guide also protects the cable against breakage thanks to strain relief
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally

Black			00220863
	2	SC	

July 2025 is





hama

FULLMOTION "Professional" TV Wall Bracket, 203 cm (80"), 600 x 400, black

Maximum Load Capacity	40 kg
Maximum swivel range	180 °
Rotation	8°
Tilt +/-	5 / 10 °
VESA (from-to)	300x200 - 600x400
Recommended Screen Size	94 - 203 cm (37" - 80")
Version	Swivelling

- Tested safety: exacting stress, stability and functional tests guarantee high quality standards
- With the theft protection device, you can secure the TV using a padlock
- The TV can be hung in the bracket and secured with the fixing bar without any additional tools
- Removal of the fixing bar releases the mechanism and the TV can be removed
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Tested according to the criteria of a recognise testing body for use in public places, such as in hotels or conference rooms

Black			00118075
	2	SC	







TV Wall Bracket, Swivel, Tilt, Extra-flat, 165 cm (65") up to 30 kg

Maximum Load Capacity	30 kg
Maximum swivel range	180 °
Rotation	6°
Tilt +/-	6/6°
VESA (from-to)	100x100 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- · Ultra-flat TV wall bracket allows modern and compact living space design
- · With the very small wall spacing, the TV bracket blends unobtrusively into the living space
- Cable manager provides organisation and necessary strain relief
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally





hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 66 cm (26") up to 25 kg

Maximum Load Capacity	25 kg
Maximum swivel range	180 °
Rotation	6 °
Tilt +/-	10 / 15 °
VESA (from-to)	75x75 - 100x100
Field of Application	Private
Recommended Screen Size	25 - 66 cm (10" - 26")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- · Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away





TV Wall Bracket, Swivel, Tilt, Pull-out, 122 cm (48") up to 35 kg

Maximum Load Capacity	35 kg
Maximum swivel range	180 °
Rotation	6 °
Tilt +/-	10 / 15 °
VESA (from-to)	75x75 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- · Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away





TV Wall Bracket, Swivel, Tilt, Pull-out, 165 cm (65") up to 35 kg

Maximum Load Capacity	35 kg
Maximum swivel range	180 °
Rotation	6 °
Tilt +/-	10 / 15 °
VESA (from-to)	75x75 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- · For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- · Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- · Cable manager provides organisation and necessary strain relief
- · Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

19	Black		00220825	Black		00220827		
	0	5.0				4	cc	


Qty PT

Black			00220828
	4	SC	





0022084











Wall brackets "pivotable, tiltable, extendable, 165 cm (65") up to 35 kg (with Velcro cable tie)"

Maximum Load Capacity	35 kg
Maximum swivel range	180 °
Rotation	6°
Tilt +/-	15 / 15 °
VESA (from-to)	100x100 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- The drilling template means easy marking of the drill holes without having to hold the bracket up against the wall
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220829
Black, White			00220856
	4	SC	

hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 213 cm (84") up to 50 kg

Maximum Load Capacity	50 kg
Maximum swivel range	150 °
Rotation	6 °
Tilt +/-	15 / 15 °
VESA (from-to)	100x100 - 600x400
Field of Application	Private
Recommended Screen Size	81 - 213 cm (32" - 84")
Version	Extendible/Swivel- ling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- The drilling template means easy marking of the drill holes without having to hold the bracket up against the wall
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220831
	4	SC	

Qty PT

hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 165 cm (65") up to 40 kg

Maximum Load Capacity	40 kg
Maximum swivel range	160 °
Rotation	6°
Tilt +/-	15 / 15 °
VESA (from-to)	100x100 - 400x400
Field of Application	Private
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Extendible/Swivel- ling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- The drilling template means easy marking of the drill holes without having to hold the bracket up against the wall
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220830
	4	SC	

hama

TV Wall Bracket, Swivel, Tilt, Pull-out, 191 cm (75"), up to 40 kg

Maximum Load Capacity	40 kg
Maximum swivel range	180 °
Rotation	6 °
Tilt +/-	15 / 10 °
VESA (from-to)	75x75 - 600x400
Field of Application	Private
Recommended Screen Size	81 - 191 cm (32" - 75")
Version	Extendible/Rotatable/ Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220910
	4	SC	






TV Wall Bracket, Swivel, Tilt, Pull-out, 122 cm (48"), up to 25 kg

Maximum Load Capacity	25 kg
Maximum swivel range	180 °
Rotation	3 °
Tilt +/-	12 °
VESA (from-to)	50x50 - 200x200
Field of Application	Private
Recommended Screen Size	48 - 122 cm (19"-48")
Version	Swivelling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- · Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally
- Cable manager provides organisation and necessary strain relief
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away



58





hama

TV Wall Bracket, Swivel, Tilt, Extra-flat, 229 cm (90") up to 40 kg

Maximum Load Capacity	40 kg
Maximum swivel range	120 °
Rotation	6 °
Tilt +/-	3 / 12 °
VESA (from-to)	100x100 - 600x400
Field of Application	Private
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Extendible/Swivel- ling/Tilting

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality
- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- · Ultra-flat TV wall bracket allows modern and compact living space design
- With the small wall spacing, the TV bracket blends unobtrusively into the living space
- Cable manager provides organisation and necessary strain relief
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- If the TV bracket has been mounted slightly at an angle on the wall, the position of the TV can be corrected by a few degrees horizontally

В	Black			00220850	
			3	SC	





hama

FULLMOTION "Ultraslim" TV Wall Bracket, 600x400, 229 cm (90"), black

Maximum Load Capacity	50 kg
Maximum swivel range	60 °
Rotation	2 °
Tilt +/-	10 °
VESA (from-to)	200x200 - 600x400
Field of Application	Private
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Extendible/Swivel- ling/Tilting

- · Ultra-slim and discreet: with the low wall distance of 2.3 cm, the TV bracket integrates unobtrusively into your living environment, saves space and gives you plenty of freedom for design ideas
- · For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Extremely strong: stable construction with dual arm allows the secure attachment of TV sets with a weight of up to 50 kg and a screen diagonal of up to 90"
- Innovatively constructed: the design of the wall bracket is adapted to ultraflat TVs and is perfect for particularly flat screens such as OLED TVs
- For a tidy living environment: Cable management guides the cables tidily behind the TV set, avoiding cable spaghetti and saving space. The cable guide also protects the cable against breakage thanks to strain relief
- · Reliable mounting of TV sets with VESA standard from 200x200 to 600x400

3 SC

00220851





hama

FULLMOTION TV Wall Bracket, 600x500, 229 cm (90") up to 50 kg, Fully Mobile

Maximum Load Capacity	50 kg
Maximum swivel range	120 °
Rotation	3 °
Tilt +/-	2 / 12 °
VESA (from-to)	200x200 - 600x500
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Swivelling

- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Extremely strong: stable construction with dual arm allows the secure attachment of TV sets with a weight of up to 50 kg and a screen diagonal of up to 90"
- Reliable mounting of TV sets with VESA standard from 200x200 to 600x500
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- · For a tidy living environment: Cable management guides the cables tidily behind the TV set, avoiding cable spaghetti and saving space. The cable guide also protects the cable against breakage thanks to strain relief
- · Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all

Black		00118067	
	2	SC	











TV Wall Bracket, Swivel, Tilt, Pull-out, 229 cm (90") up to 50 kg

Maximum Load Capacity	50 kg
Maximum swivel range	120 °
Rotation	3 °
Tilt +/-	2 / 12 °
VESA (from-to)	200x200 - 600x500
Field of Application	Private
Recommended Screen Size	94 - 229 cm (37" - 90")
Version	Swivelling

- For the perfect viewing angle: this TV bracket adapts to your individual needs, whether they be for swivel, tilt or pull-out. This is how home entertainment works
- Extremely strong: stable construction with dual arm allows the secure attachment of TV sets with a weight of up to 50 kg and a screen diagonal of up to 90"
- Reliable mounting of TV sets with VESA standard from 200x200 to 600x500
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- For a tidy living environment: Cable management guides the cables tidily behind the TV set, avoiding cable spaghetti and saving space. The cable guide also protects the cable against breakage thanks to strain relief
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all

Black			00220837
	2	SC	





hama

Wall bracket for Apple TV HD (4th Gen.)/4K (1st/2nd/3rd Gen.), Magnetic

Attachment	Magnet
Material	Steel

- Magnetic bracket allows modern and compact living space design
- Mounted on the wall, the bracket blends unobtrusively into the living space
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

Black			00220890	
		80	НВ	



hama

Universal Screen Shelf for TV and Monitors, 30.0 x 12.7 cm, black

Attachment	No Attachment
Material	Plastic Material
Maximum Load Capacity	6 kg

- Space-saving: the shelf is attached directly to the TV or PC monitor, meaning you do not have to block off any other surfaces
- Everything in one place: shelf for accessories such as remote control, sound bar or decoration

Black	Black			00220889
		20	SC	

Qty PT





hama

TV Ceiling Mount, Swivel, Height-adjustable, 117 cm (46") up to 20 kg

Shade of colour	Black	
Material	Steel	
Max. Ceiling distance to vertical strut	47.1 cm	
Maximum Load Capacity	20 kg	
Min. Ceiling Distance to vertical Strut	26.6 cm	
Version	Full Motion/Swivelling	

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Always the right viewing angle: the TV can be turned in the preferred direction thanks to the 100°-swivel joint
- Enjoy the best views: the TV ceiling bracket is infinitely height-adjustable, so you can move your TV set to the perfect height for that real home cinema feeling
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Space-saving integration into your individual living environment: with the stable universal TV wall bracket for sloping roofs and ceiling mounting, the TV can be placed anywhere in the room in a free-floating and flexible manner
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away

		00220876
4	SC	







hama

TV Ceiling Bracket Swivel, Height-adjustable, 400x400, 165 cm (65"), blk

Shade of colour	Black	
Material	Steel	
Maximum Load Capacity	40 kg	
Version	Swivelling	

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Nothing gets in the way: the TV bracket is suitable for installation on the ceiling as well as on sloping roofs, making TV stands and extra furniture superfluous
- No expensive accidents: with the TV bracket for the ceiling, the expensive flat screen is securely fastened out of the reach of children and pets and will not get accidentally damaged
- Always the right viewing angle: the TV can be turned in the preferred direction thanks to the 100°-swivel joint
- Enjoy the best views: the TV ceiling bracket is infinitely height-adjustable, so you can move your TV set to the perfect height for that real home cinema feeling
- Secured attachment ensures a sturdy hold and prevents the TV from being unhinged or falling down inadvertently
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all

		00220877
8	SC	





TV Ceiling Mount, Swivel, Tilt, 165 cm (65") up to 50 kg

Shade of colour	Black
Material	Steel
Max. Ceiling distance to vertical strut	155.1 cm
Maximum Load Capacity	50 kg
Min. Ceiling Distance to vertical Strut	105.1 cm
Version	Full Motion

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Always the right viewing angle: the TV can be turned in any direction thanks to the 360° swivel joint
- Cable manager provides organisation and necessary strain relief
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all





hama

Pedestal "Easel freestanding, height adjustable, 191 cm (75")"

Material	Steel
VESA Standard	300 x 200, 300 x 300, 400 x 200, 400 x 300, 400 x 400, 600 x 400
Recommended Screen Size	94 - 191 cm (37" - 75")
Version	Fix

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- The modern and minimalist easel design of the TV stand makes your TV a special home accessory
- Cable clips for tidy cable management with strain relief
- Everything included: with the diverse mounting accessories, including screw kit, you can get started right away

Black			00220870
White			00220871
Walnut			00220872
	2	SC	






hama

Free-standing TV Stand, Swivel, Height-adjustable, 229 cm (90") up to 50 kg

Material	Metal	
Tube Diameter	3.5 cm	
VESA Standard	$\begin{array}{c} 50x50,75x75,100 \\ x100,100x150,100 \\ x200,150x150,200 \\ x100,200x200,200 \\ x300,200x400,300 \\ x200,300x300,300 \\ x400,400x200,400 \\ x300,400x400,400 \\ x600,600x200,600 \\ x300,600x400,600 \\ x600,700x400,800 \\ x400,800x500,800 \\ x600,900x600 \end{array}$	
Recommended Screen Size	152 - 228,6 cm (60" - 90")	
Version	Swivelling/Tilting	

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Always the right viewing angle: the TV can be turned in the preferred direction thanks to the 180° swivel joint on the TV stand
- Excellent views thanks to 7 different height settings
- Hidden cable guide for improved appearance
- Everything included: with the diverse mounting accessories, including screw kit, you can get started right away








hama

Free-standing TV Stand, Swivel, Height-adjustable, 165 cm (65") up to 35 kg

VESA Standard	100 x 100, 100 x 200, 200 x 100, 200 x 200, 200 x 300, 300 x 100, 300 x 200, 300 x 300, 300 x 400, 400 x 200, 400 x 300, 400 x 400
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality
- Always the right viewing angle: the TV can be turned in the preferred direction thanks to the 60°-swivel joint
- Excellent views thanks to 3 different height settings
- Hidden cable guide for improved appearance
- Everything included: with the diverse mounting accessories, including screw kit, you can get started right away
- If the TV is mounted at a slight angle, the position of the TV can be subsequently corrected horizontally by a few degrees

Black			00220868	
		2	SC	











TV Stand, Swivel, Tilt, Heightadjustable, 165 cm (65") up to 40 kg

Material	Steel	
VESA Standard	200 x 200, 300 x 200, 300 x 300, 400 x 200, 400 x 300, 400 x 400, 600 x 400	
Recommended Screen Size	81 - 165 cm (32"- 65")	
Version	Swivelling/Tilting	

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Fully mobile alternative for fixed original TV stands, ensuring a perfectly aligned viewing angle
- 5 different height settings for positioning the TV at the ideal height
- Hidden cable guide for improved appearance
- Modern TV stand as an eye-catcher for any style of interior design
- Everything included: with the diverse mounting accessories, including screw kit, you can get started right away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Ideal as a space-saving and stylish replacement for positioning on slimline pieces of furniture

Black			00220869
	3	SC	





hama

TV Stand, Swivel, Heightadjustable, 165 cm (65") up to 40 kg

Material	Glass/Steel
VESA Standard	200 x 200, 200 x 300, 300 x 100, 300 x 200, 300 x 300, 300 x 400, 400 x 200, 400 x 300, 400 x 400, 600 x 200, 600 x 300, 600 x 400
Recommended Screen Size	81 - 165 cm (32"- 65")
Version	Swivelling

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Fully mobile alternative for fixed original TV stands, ensuring a perfectly aligned viewing angle
- Always the right viewing angle: the TV can be turned in the preferred direction thanks to the 60°-swivel joint
- Excellent views thanks to 3 different height settings
- Hidden cable guide for improved
 appearance
- Everything included: with the diverse mounting accessories, including screw kit, you can get started right away
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Ideal as a space-saving and stylish replacement for positioning on slimline pieces of furniture

Black		00220867	
	3	SC	

Qty PT





hama

TV Stand, Swivel, Heightadjustable, 140 cm (55") up to 30 kg

Material	Glass/Steel
VESA Standard	100 x 100, 100 x 200, 200 x 100, 200 x 200, 200 x 300, 300 x 100, 300 x 200, 300 x 300, 300 x 400, 400 x 200, 400 x 300, 400 x 400
Recommended Screen Size	81 - 140 cm (32" - 55")
Version	Swivelling

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Fully mobile alternative for fixed original TV stands, ensuring a perfectly aligned viewing angle
- Always the right viewing angle: the TV can be turned in the preferred direction thanks to the 60°-swivel joint
- Excellent views thanks to 3 different height settings
- Hidden cable guide for improved appearance
- Everything included: with the diverse mounting accessories, including screw kit, you can get started right away
- If the TV is mounted at a slight angle, the position of the TV can be subsequently corrected horizontally by a few degrees
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00220866
	4	SC	





hama

"Trolley" TV Stand with Castors, up to 100", Heightadjustable, black

Shade of colour	Black
Material	Aluminium
Width x Depth x Height	68.3 x 109.4 x 168,5 cm
Max. Loading Capaci- ty of the Base	25 kg
Recommended Screen Size	124 - 254 cm (49" -100")

- TV stand with castors can be moved around the room as required for easy transport
- Simply set the desired height for the screen, for the perfect viewing angle
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- Tested according to the criteria of a recognised testing body for use in public places, such as in hotels, conference rooms, authorities or trade fairs
- With the theft protection device, you can secure the TV using a padlock
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Cable manager provides organisation and necessary strain relief
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

		00220875
1	SC	



"Trolley" TV Stand with Castors, up to 75", Heightadjustable, black

Shade of colour	Black
Material	Steel
Width x Depth x Height	88.4 x 66.6 x 154,7 cm
Max. Loading Capaci- ty of the Base	50 kg
Recommended Screen Size	81 - 191 cm (32" - 75")

- TV stand with castors can be moved around the room as required for easy
- Simply set the desired height for the screen, for the perfect viewing angle
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory quarantee
- · Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality
- Tested according to the criteria of a recognised testing body for use in public places, such as in hotels, conference rooms, authorities or trade fairs
- Quick and easy to position every time: with just one action, you can orientate the TV spontaneously to match your needs - without any tools at all
- Cable manager provides organisation and necessary strain relief
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

		00220874
1	SC	





hama

Universal Turntable, XL, 40 cm diameter, black

Maximum Load Capacity	100 kg
Width x Depth x Height	40 x 40 x 2 cm

- · Can be rotated 360 degrees for optimal alignment
- Turn even heavy objects up to 100 kg effortlessly into the desired position
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00220893
	12	SC	



hama

Universal Turntable, S, 25 cm Diameter, black

Maximum Load Capacity	60 kg
Width x Depth x Height	25 x 25 x 2 cm

- Can be rotated 360 degrees for optimal alignment
- Turn even heavy objects up to 60 kg effortlessly into the desired position
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black			00220891
	24	SC	



hama

Universal Turntable, L, 30 cm diameter, black

Maximum Load Capacity	80 kg
Width x Depth x Height	30 x 30 x 2 cm

- Can be rotated 360 degrees for optimal alignment
- Turn even heavy objects up to 80 kg effortlessly into the desired position
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Black	00220892			
		20	SC	

Qty PT

TV-Reception















Antenna Cable "F Plug - F Plug, Metal, Gold-Plated, 120 dB", Grey, Black

Productline	Prime Line
Type of Shielding	Quad Shielded
Screening Rate	120 dB

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heat-resistant and long-lasting
- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Robust metal plug with the best shielding for reliable signal transmission
 Gold-plated plug with low contact re-
- sistance for secure signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with F-connection

hama

Antenna Cable "Coax Plug -Coax Socket, metal, goldplated, 120 dB", Grey, Black

Productline	Prime Line
Type of Shielding	Quad Shielded
Screening Rate	120 dB

- High-tech cable sheath reinforced with aramid fibres: especially sturdy, heatresistant and long-lasting
- 120 decibel screening rate (two layers each of high-density braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Quad-shielding for optimum reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- Robust metal plug with the best shielding for reliable signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with a 9.5 mm coax connection

hama

Window Conduit, F-Socket -F-Socket

Productline	Essential Line
Type of Shielding	Shielded
Screening Rate	75 dB

- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Extremely durable, flat cable for bridging windows and doors without drill holes
- For satellite systems or BB/GA
- Digital suitable

hama

Antenna Cable
"Broadband Connection
Cable", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	85 dB

1.5 m			00205077
	40	НВ	
3 m			00205078
	32	НВ	
5 m			00205079
	32	НВ	

1.5 m			00205070
	40	НВ	
3 m			00205071
	32	НВ	
5 m			00205072
	32	НВ	
10 m			00205073

НВ					
	00205073	0.2 m			00205227
НВ			180	НВ	

3 m			00205331
	40	НВ	
5 m			00205332
	6	НВ	

Cables & Adapters









hama

Antenna Cable
"F Plug - F Plug, 90 dB",
White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with F-connection

hama

Antenna Cable
"F Plug - Coax Socket,
90 dB", White

Productline	Essential Line			
Type of Shielding	Double Shielded			
Screening Rate	90 dB			

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference

hama

Antenna Cable "F Plug - F Plug, gold-plated, 100 dB", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with F-connection

hama

Antenna Cable
"Coax Plug - Coax Socket,
90 dB", White

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

1.5 m			00205063
	90	НВ	
3 m			00205064
	60	НВ	
5 m			00205065
	32	НВ	
7.5 m			00205256
	6	НВ	
10 m			00205066
	24	HR	

1.5 m	00205061		
	90	НВ	
3 m			00205062
	6	НВ	

1.5 m			00205251
	40	НВ	
3 m			00205252
	32	НВ	
5 m			00205253
	24	НВ	
7.5 m			00205254
	24	НВ	
10 m			00205255
	24	НВ	

0.75 m			00205044
	6	НВ	
1.5 m			00205045
	60	НВ	
3 m			00205046
	60	НВ	
5 m			00205047
	32	НВ	
10 m			00205049
	24	НВ	
15 m			00205050
	20	НВ	
20 m			00205051
	20	HR	









Antenna Cable "Coax Plug - Coax Socket, 90 dB", Black

Productline	Essential Line
Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

hama

Antenna Cable "Koax-Plug - Koax-Coupling, 90°, 90 dB", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	90 dB

- Space-saving 90° plug for connections in a minimum of space
- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic
- · High-quality materials and shielded lines for excellent picture and sound quality without interference
- Triple shielding for very good reduction of electromagnetic interference
- Coaxial cable structure reproduces clear treble and rich bass
- · Ferrite core for decimating remaining interference and for good signal
- Flexible materials guarantee optimum kink protection and prevent cable
- For devices with a 9.5 mm coax connection

hama

Antenna Cable "Coax Plug - Coax Socket, gold-plated, 100 dB", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Flexible materials guarantee optimum kink protection and prevent cable
- Triple shielding for very good reduc $tion\ of\ electromagnetic\ interference$
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- · Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding $\overset{\circ}{+}$ double-layer shielding foil) for protection from
- electromagnetic interference
- For devices with a 9.5 mm coax connection

hama

Antenna Cable "SAT/BK Coaxial Cable. 90 dB", White

Productline	Essential Line
Type of Shielding	Triple Shielded
Screening Rate	90 dB

- High-quality BK/SAT cable
- Suitable for digital use, triple shielded (2x aluminium foil and 1x braiding)
- Inner conductor: 1x 1.0 mm
- Braiding: 64 x 0.12 mm
- Outside diameter: approx. 7 mm, PVC
- · Insulator diameter: approx. 4.57 mm, foam-PE
- On plastic reel
- Consecutive meter imprint
- Attenuation dB/100 m:
- 100 MHz/6.89 dB
- 300 MHz/11.64 dB
- 500 MHz/15.09 dB • 862 MHz/20.00 dB
- 1000 MHz/21.49 dB
- 1750 MHz/29.13 dB
- 2150 MHz/32.49 dB
- 2550 MHz/35.33 dB

Screening rate:

- MHz = >95 dB
- 100-1000 MHz = >90 dB
- 1000-2300 MHz = >85 dB

				1.5 m		00205056		
						60	НВ	
n			00205052	3 m				00205057
	60	НВ				40	НВ	
			00205053	5 m				00205058
	60	НВ				32	НВ	

0.75 m		00205245	
	6	НВ	
1.5 m			00205246
	40	НВ	
3 m			00205247
	32	НВ	
5 m			00205248
	32	НВ	
7.5 m		00205249	
	32	НВ	
10 m		00205250	
	24	НВ	

Qty PT

100 m			00086669	
		100	K.A.	











Antenna Cable "Quick F Plug - Quick F Plug, Gold-Plated, 100 dB"

Productline	Essential Line
Screening Rate	100 dB

- Quick F plugs can easily be plugged on a socket, screwing not necessary, ideal when frequently changing the location
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Triple shielding for very good reduction of electromagnetic interference
- · Gold-plated plug with low contact resistance for secure signal transmission
- Ferrite core for decimating remaining interference and for good signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- For devices with F-connection

Antenna Cable "F Plug - F Plug, 75 dB", White

Productline	Entry Line
Type of Shielding	Double Shielded
Screening Rate	75 dB

- Double shielding for good reduction of electromagnetic interference
- Double-shielded (braiding + alumi-

Antenna Cable "Coax Plug - Coax Socket, 75 dB", White

Productline	Entry Line
Type of Shielding	Double Shielded
Screening Rate	75 dB

- Double-shielded (braiding + aluminium foil)
- Ideal for cable TV

hama

Antenna Cable "Coax Plug -Coax Socket, Fabric, Gold-Plated, 100 dB", White

Productline	Action
Type of Shielding	Quad Shielded
Screening Rate	100 dB


- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- · Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Elegant and flexible fabric jacket for additional kink protection
- For devices with a 9.5 mm coax connection

1.5 m			00205037
	25	ВА	
3 m			00205038
	25	ВА	
5 m			00205039
	25	ВА	
10 m			00205040
	25	BA	

Qty PT

1.5 m			00205028
	25	ВА	
3 m			00205029
	25	ВА	
5 m			00205030
	25	ВА	
10 m			00205031
	25	BA	

3 m			00205446
	14	SC	



00205034



Cables & Adapters





hama

Window conduit, F-socket - F-socket



- High-quality materials and shielded lines for excellent picture quality without interference
- Extremely durable, flat cable for bridging windows and doors without drill holes
- For satellite systems or BB/GA
- Digital suitable







hama

Antenna Cable
"F Plug - F Plug, 75 dB",
White

Type of Shielding	Double Shielded
Screening Rate	75 dB

• Double shielding for good reduction of electromagnetic interference

hama

Antenna Cable
"F Plug - F Plug, 90 dB",
White

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with F-connection

hama

Antenna Cable
"F Plug - Coax Socket,
90 dB", White

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference

3 m			00305047
	69	НВ	
10 m			00305049
	6	НВ	

1.5 m			00305059
	7	НВ	
3 m			00305060
	8	НВ	
5 m			00305061
	8	НВ	
10 m			00305062
	6	НВ	

1.5 m			00305057
	7	НВ	
3 m			00305058
	10	НВ	

0.2 m 00305110









Antenna Cable
"F Plug - Coax Socket,
90 dB", White

Type of Shielding	Double Shielded
Screening Rate	90 dB

- Large screw head makes mounting with a spanner easier
- Screening rate of 90 decibels thanks to double shielding (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Shielded lines for optimum picture and sound quality without interference

hama

Antenna Cable
"F Plug - F Plug, 90 dB",
White

Type of Shielding	Double Shielded
Screening Rate	90 dB

- Large screw head makes mounting with a spanner easier
- Screening rate of 90 decibels thanks to double shielding (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Shielded lines for optimum picture and sound quality without interference
- For devices with an F connection

hama

Antenna Cable "F Plug - F Plug, gold-plated, 100 dB", White

Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with F-connection

hama

Antenna Cable
"Quick F Plug - Quick F Plug,
Gold-Plated, 100 dB", White

Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Quick F plugs can easily be plugged on a socket, screwing not necessary, ideal when frequently changing the location
- Gold-plated plug with low contact resistance for secure signal transmission
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Ferrite core for decimating remaining interference and for good signal transmission
- Screening rate of 100 decibels thanks to triple shielding (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- For devices with an F connection

3 m			00179255
	5	НВ	
5 m			00179256
	6	НВ	
10 m			00179257
	6	НВ	

7.5 m			00179229
	6	НВ	

1.5 m			00305070
	10	НВ	
3 m			00305071
	10	НВ	
5 m			00305072
	6	НВ	

July 2025 is

3 m	3 m			00179247
		6	НВ	









Antenna Cable "F Plug - F Plug, Metal, Gold-Plated, 120 dB", White

Type of Shielding	Quad Shielded
Screening Rate	120 dB

- Robust, 24K gold-plated metal plug with the best shielding for optimal signal transmission
- Optimized kink protection and flexible fabric jacket prevent cable breakage
- Easy to lay thanks to the elastic, environment-friendly TPE material
- Removable ferrite core for more flexibility when mounting the cable and for decimating remaining interference
- Large screw head makes mounting with a spanner easier
- Screening rate of 120 decibels thanks to quadruple shielding (two layers each of extremely dense braiding + shielding foil) for protection from electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- For devices with an F connection

hama

Antenna Cable
"Coax Plug - Coax Socket,
75 dB", White

Type of Shielding	Double Shielded
Screening Rate	75 dB

- Double shielding for good reduction of electromagnetic interference
- Ideal for cable TV

hama

Antenna Cable "Coax Plug - Coax Socket, 75 dB", White

Type of Shielding	Double Shielded
Screening Rate	75 dB

- Double-shielded (braiding + aluminium foil)
- Ideal for cable TV

hama

Antenna Cable
"Coax Plug - Coax Socket,
90 dB", White

Type of Shielding	Double Shielded
Screening Rate	90 dB

- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Double shielding for good reduction of electromagnetic interference
- For devices with a 9.5 mm coax connection

1.5 m			00305042
	14	НВ	
3 m			00305043
	12	НВ	
5 m			00305044
	8	НВ	
10 m			00305045
	8	НВ	

1.5 m			00305143
	5	ВА	
3 m			00305144
	5	ВА	
5 m			00305152
	5	ВА	
10 m			00305153
	5	ВА	

1.5 m			00305050
	8	НВ	
3 m			00305051
	10	НВ	
5 m			00305052
	6	НВ	

5 m			00179220	
		6	НВ	













Antenna Cable "Coax Plug - Coax Socket, 90 dB", White

Type of Shielding	Double Shielded		
Screening Rate	90 dB		

- Gold-plated plug with low contact resistance for secure signal transmission
- Screening rate of 90 decibels thanks to double shielding (dense braiding + extra strong shielding foil) for protection from electromagnetic interference
- Shielded lines for optimum picture and sound quality without interference
- For devices with a 9.5 mm coax connection

hama

Antenna Cable
"Coax Plug - Coax Socket,
gold-plated, 100 dB", White

Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with a 9.5 mm coax connection

hama

Antenna Cable, Coax Plug -Coax Socket, gold-plated, 7.5 m, 100 dB

Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Ferrite core for decimating remaining interference and for good signal transmission
- Optimized kink protection and flexible fabric jacket prevent cable breakage
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- Screening rate of 100 decibels thanks to triple shielding (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with a 9.5 mm coax connection

hama

Antenna Cable
"Coax Plug - Coax Socket,
gold-plated, 100 dB", White

Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Flexible materials guarantee optimum kink protection and prevent cable breakage
- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Ferrite core for decimating remaining interference and for good signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with a 9.5 mm coax connection

3 m			00305067
	10	НВ	
5 m			00305068
	8	НВ	
10 m			00305069
	Δ	HR	

00179245

7.5 m			00179290
	6	НВ	

10 m			00122416
	22	BK	





Antenna Cable, Coax Plug -Coax Socket, gold-plated, 1.5 m, 100 dB

Type of Shielding	Triple Shielded
Screening Rate	100 dB

- Triple shielding for very good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- Gold-plated plug with low contact resistance for secure signal transmission
- 100-decibel screening rate (extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- For devices with a 9.5 mm coax connection





hama

Antenna Cable "Koax-cable, 120 dB", White

Type of Shielding	Quad Shielded
Screening Rate	120 dB

- Electromagnetic interference is blocked through 4 layers of screening so that the signals can flow unhindered
- Picture and sound are transferred with the highest quality and without interference thanks to high-quality materials and shielded lines
- A screening rate of 120 dB with two layers of extremely tight braid and two layers of shielding foil prevents the cable from radiating data signals, and stops interference from getting into the cable
- External diameter: approx. 7 mm
- Suitable for HDTV



hama

Satellite Receiver Adapter, F-Socket - Coax Socket

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Screwable

- Fully shielded
- Solid-metal housing



hama

Satellite Receiver Adapter, F-Plug - Coax Socket

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

- Fully shielded
- Solid-metal housing

		00205224
288	НВ	

		00205222
288	НВ	



hama

Satellite Receiver Adapter, F-Socket - Coax Plug

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Screwable

- Fully shielded
- Solid-metal housing



hama


Satellite Receiver Adapter, F-Plug - Coax Plug

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

- Fully shielded
- · Solid-metal housing

				25 m			00199237
					12	РО	
			00305066	50 m			00199238
	8	НВ			8	РО	

		00205223
288	НВ	









Satellite Receiver Adapter, F-Socket - Coax Socket

Shade of colour	Silver
Attachment of Inner Conductor	Screwable

- Fully shielded
- Solid-metal housing



hama

Satellite Receiver Adapter, F-Plug - Coax Socket

Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

00305104

- Fully shielded
- Solid-metal housing





hama

SAT Connection Kit ,100 dB, 40 m

Productline	Essential Line
Set Contents in Pieces	7

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 7-part kit comprising:
- 1 coax cable (white)
- 4 F-plugs
- 2 weather protection covers

nama

SAT Connection Kit ,100 dB, 20 m

Productline	Essential Line
Set Contents in Pieces	7

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 7-part kit comprising:
- 1 coax cable (white)
- 4 F-plugs
- 2 weather protection covers

		00305102
	4.0	



hama

Satellite Receiver Adapter, F-Socket - Coax Plug

Shade of colour	Silver
Attachment of Inner Conductor	Screwable

- Fully shielded
- Solid-metal housing

Satellite Receiver Adapter,
F-Plug - Coax Plug

Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

- Fully shielded
- Solid-metal housing

			00305103
	12	НВ	

		00305105
12	НВ	

Qty PT

		00205043
8	НВ	





SAT Connection Kit, 85 dB, 20 m

Productline	Essential Line
Set Contents in Pieces	7

- Double shielding for good reduction of electromagnetic interference
- Shielded lines for optimum picture and sound quality without interference
- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Impedance: 75 ohms
- Outside diameter: 5.8 mm
- Suitable for digital operation
- 7-part kit comprising:
- 1 double shielded coax cable (20 m, white)
- 4 F plugs
- 2 weather protection sleeves

hama

SAT Connection Kit, 85 dB, 10 m

Productline	Essential Line
Set Contents in Pieces	4

- Double shielding for good reduction of electromagnetic interference
- Shielded lines for optimum picture and sound quality without interference
- 85-decibel screening rate (braiding + shielding foil) for protection from electromagnetic interference
- Impedance: 75 ohms
- Outside diameter: 5.8 mm
- Suitable for digital operation
- 4-part kit comprising:
- 1 double shielded coax cable (10 m, white)
- 2 F plugs
- 1 weather protection sleeve

hama

SAT Connection Kit ,100 dB, 10 m

Productline	Essential Line
Set Contents in Pieces	4

- Quad-shielding for optimum reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 100-decibel screening rate (two layers each of extremely dense braiding + double-layer shielding foil) for protection from electromagnetic interference
- Impedance 75 Ohm
- External diameter: approx. 7.0 mm
- HDTV-compatible
- 4-part kit comprising:
- 1 coax cable (white)
- 2 F-plugs
- 1 weather protection cover

hama

SAT Connection Kit, 85 dB, 20 m

Set Contents in Pieces	7

00056607

12 SC 00056606

			00179262
	12	SC	

Cables & Adapters | Plugs & Sockets









Satellite Receiver Adapter, F-Plug - F-Socket, 90°

Productline	Essential Line
Shade of colour	Silver
Connection	F Plug, F Socket

• The body depth of the plug is reduced

hama

"Digital" SAT Rec. Conn. Kit, 90 dB, 20 m, 4 F-Plugs, 2 W. **Protect. Covers**

- · Double shielding for good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic
- External diameter: approx. 6.5 mm
- Suitable for HDTV
- · 4-part kit comprising:
- 1 coax cable (white)
- 4 F-plugs
- 2 weather protection covers


SAT Connection Kit, 85 dB, 10 m

Set Contents in Pieces

- Screening rate of 85 decibels thanks to double shielding (braiding + shielding foil) for protection from electromagnetic interference
- · With extensive mounting accessories for several connections
- · Shielded lines for optimum picture and sound quality without interference
- Impedance: 75 ohms
- Outside diameter: 5.8 mm
- · Digital compatibility

"Digital" SAT Rec. Conn. Kit, 90 dB, 10 m, 2 F-Plugs, 1 W. Protect. Cover

- · Double shielding for good reduction of electromagnetic interference
- High-quality materials and shielded lines for excellent picture and sound quality without interference
- 90-decibel screening rate (dense braiding + extra strong shielding foil) for protection from electromagnetic
- External diameter: approx. 6.5 mm
- Suitable for HDTV
- · 4-part kit comprising:
- 1 coax cable (white)
- 2 F-plugs
- 1 weather protection cover





SAT Adapter, F Socket-F Socket, 2 pcs

Productline	Essential Line
Shade of colour	Silver
Connection	F Socket

- · Suitable for cable TV
- Fully shielded

1	П					
				12	SC	

			00205271
	288	НВ	

00305146

0017926

hama



Plugs & Sockets | Electrical Installation



hama

Satellite Receiver Adapter, F-Socket - F-Socket

Productline	Essential Line
Shade of colour	Silver
Connection	F Socket

- Suitable for cable TV
- Fully shielded



hama

Satellite Receiver Adapter, F-Plug - F-Socket, 90°

Shade of colour	Silver
Connection	F Plug, F Socket

• The body depth of the plug is reduced



Antenna Socket

Antenna Terminal Socket, 75 Ohm, Surface-mounted

Productline	Essential Line
Connection for	TV + Radio
Frequency Range	47 - 862 MHz
Model	Terminal Socket

- Return path compatible connection for interactive applications such as DSL via satellite
- Broadband signal sharing to TV and radio connection
- Ideal for home systems
- Suitable for cable TV
- Screening rates: 47 470 MHz >= 75 dB, 470 862 MHz M >= 65 dB





hama

SAT-DiSEqC Switch 2-1

Productline	Essential Line
Number of Inputs	2
Number of Outputs	1
DiSEqC-Level	2.0
Frequencyline	950 - 2500 MHz
Material	Plastic Material

- Weatherproof due to plastic housing
- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference
- Compliant with DiSEqC Level 2.0
- DC and 22 kHz transmission

-	unu		11112	transmission				
						00205289		
				6	НВ			



hama

SAT-DiSEqC Switch 4-1

Productline	Essential Line
Number of Inputs	4
Number of Outputs	1
DiSEqC-Level	2.0
Frequencyline	950 - 2500 MHz
Material	Plastic Material

- Weatherproof due to plastic housing
- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference
- Compliant with DiSEqC Level 2.0
- DC and 22 kHz transmission

DC and ZZ KIIZ transmission							
			00205290				
	6	НВ					





hama

SAT Adapter F-Plug - F-Plug

Shade of colour	Silver
Connection	F Plug



00305108

hama

SAT adapter, F-socket - F-socket

Shade of colour	Silver
Connection	F Socket

- Suitable for cable TV
- Fully shielded

			00179418				0030510
	12	BK			12	НВ	



Satellite Socket

hama

Productline

Shade of colour

Connection Loss

Frequency Range

via satellite

and 88-2400 MHz

• For BB/SAT networks Ideal for HDTV • DC supply via F sockets

Jäger

Antenna / SAT / BB Socket,

Twin End Socket, pure white

· Return path compatible connection for interactive applications such as DSL

• 4 connections: TV, radio and 2 x SAT • Frequency range: 5-65 MHz (with feedback channel via TV connection)

• SAT connection loss: 3 dB +/- 1 dB • TV connection loss: 3 dB +/- 1 dB • FM connection loss: 3 dB +/- 1 dB

• Can be used with and without frame • Suitable for covers compliant with German standards, e.g. for Bush +

Essential Line

Pure White

3 dB

88 MHz - 2400 MHz

00205354



Inline Amplifier




hama

SAT Inline Amplifier, 20 dB

Productline	Essential Line
Amplification	20 dB
Frequency Range	950 - 2400 MHz

- tion of electromagnetic interference
- Signal amplification by 20 decibels
- Solid full metal housing for protection
- · Ideal for HDTV



- Fully shielded lines for optimal reduc-
- against outside interference

			00205233
	180	НВ	





hama

AB/SAT Priority Switch

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Impedance	75 Ω
Material	Metal

- · Solid full metal housing for protection against outside interference
- · Allows the simultaneous connection of 2 satellite receivers (e.g. built-in SAT receiver in the TV and an external hard drive receiver) to one coax cable

		00205232
8	НВ	



SAT Splitter, 2-Way, Fully **Shielded**

Productline	Essential Line
Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Frequency Range	5 Mhz - 2400 Mhz
Transmission Loss	5 dB +/- 2 dB
Max. Remote Supply Current	500 mA
Max. Remote Supply	

- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference
- · Allows two devices to be connected

		00205231
180	НВ	

July 2025 IS



hama

AB/Satellite Receiver Priority Switch

Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Impedance	75 Ω
Material	Metal

- · Solid full metal housing for protection against outside interference
- Allows the simultaneous connection of 2 satellite receivers (e.g. built-in satellite receiver in the TV and an external hard drive receiver) to one coax cable

		00305124
7	НВ	



4-Way SAT Splitter, fully shielded

Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Frequency Range	5 Mhz - 2400 Mhz
Impedance	75 Ω
Transmission Loss	9 dB ± 2 dB
Max. Remote Supply Current	500 mA

- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference
- Allows the connection of four devices

		00179561
6	SC	



Satellite Receiver Splitter, 2-Way, Fully Shielded

Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Frequency Range	5 Mhz - 2400 Mhz
Transmission Loss	5 dB +/- 2 dB
Max. Remote Supply Current	500 mA

- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference

			00305125
	7	НВ	



hama

2-Way SAT Splitter, fully shielded

Input	F Socket
Isolation (min.)	20 dB
Output	F Socket
Frequency Range	5 Mhz - 2400 Mhz
Impedance	75 Ω
Transmission Loss	5 dB +/- 2 dB
Max. Remote Supply Current	500 mA

• Fully shielded lines for optimal reduction of electromagnetic interference

		00182232
6	BK	

Universal Receiving Outlet







hama

"SKITU" Universal Antenna Socket, 0 dB Terminal Socket, 4 in 1

Productline	Essential Line
Shade of colour	Pure White
Connection for	TV + SAT + Radio + Telephone + Unicable
Frequency Range	5 Mhz - 2200 Mhz
Model	With Cover and Frame
Usage	Terminal Socket

- Simultaneous use of SAT, cable TV, internet and telephone possible
- Return path compatible connection for interactive applications such as DSL
- TV, telephone and Internet (Triple) through a single line
- Unicable compatible for use in single cable systems according to EN 50494
- Capable of receiving DVB-S/-C/-T
- Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/
- The Internet signal is received at the TV socket
- Diode-decoupled SAT connection
- · Extended F-socket (installation-friendly)
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- Ideal for HDTV

Technical data:

• Frequency range: 5 to 2,200 MHz

With SAT connection: 950 to 2.200 Connection loss: <2dB

For TV connections: 109 to 865 MHz;

• Return channel: 5 to 65 MHz

		00205288
36	НВ	

hama

"Skitu" Universal Antenna Socket, Transmission Socket, 10 dB, 4 in 1

Productline	Essential Line
Shade of colour	Pure White
Connection for	TV + SAT + Radio + Telephone + Unicable
Frequency Range	5 Mhz - 2200 Mhz
Model	With Cover and Frame
Usage	Through-Way Socket

- · Simultaneous use of SAT, cable TV, internet and telephone possible
- Connector capable of operating in the return channel for interactive applications such as internet or telephone via cable modem
- TV, telephone and Internet (Triple) through a single line
- Unicable compatible for use in single cable systems according to EN 50494
- Capable of receiving DVB-S/-C/-T
- Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/ telephone)
- The Internet signal is received at the TV socket
- Diode-decoupled SAT connection
- · Extended F-socket (installation-friendly)
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- · Ideal for HDTV

Technical data:

• Frequency range: 5 to 2,200 MHz

With SAT connection: 950 to 2,200

• Connection loss: 10 dB/+-1.5 dB

00205355

hama

SAT/Antenna Terminal Socket, 0 dB, 4-in-1

Productline	Essential Line
Connection for	TV + SAT + Radio + Telephone + Unicable
Frequency Range	5 Mhz - 2200 Mhz
Material	Die-cast housing
Model	Without cover and frame
Usage	Terminal Socket

- Simultaneous use of SAT, cable TV, internet and telephone possible
- Connector capable of operating in the return channel for interactive applications such as internet or telephone via cable modem
- TV, telephone and Internet (Triple) through a single line
- Unicable compatible for use in single cable systems according to EN 50494
- Capable of receiving DVB-S/-C/-T
- Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/ telephone)
- The Internet signal is received at the TV socket
- Diode-decoupled SAT connection
- · Extended F-socket (installation-friendly)
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- Ideal for HDTV

Technical data:

• Frequency range: 5 to 2,200 MHz

With SAT connection: 950 to 2,200

• Connection loss: < 2 dB

		00205316
6	НВ	

Electrical Installation | Switches | Cables & Adapters











Universal LNB Adapter for Kathrein and Astro SAT Antennas

Material	Plastic Material
SAT Antenna Manu- facturer	Astro, Kathrein

- Fast and simple installation
- LNB holder can be used anywhere

hama

"SKITU" Universal Antenna Socket, 0 dB Terminal Socket, 4 in 1

Shade of colour	Pure White
Connection for	TV + SAT + Radio + Telephone + Unicable
Frequency Range	5 Mhz - 2200 Mhz
Model	With Cover and Frame
Usage	Terminal Socket

- Simultaneous use of SAT, cable TV, internet and telephone possible
- · Return path compatible connection for interactive applications such as DSL via satellite
- TV, telephone and Internet (Triple) through a single line
- · Unicable compatible for use in single cable systems according to EN 50494
- Capable of receiving DVB-S/-C/-T
- · Multimedia-compatible with 5 to 65 MHz feedback channel (Internet/ telephone)
- The Internet signal is received at the TV socket
- Diode-decoupled SAT connection
- · Extended F-socket (installation-friendly)
- Suitable for covers compliant with German standards, e.g. for Bush + Jäger
- Ideal for HDTV

Technical data:

• Frequency range: 5 to 2200 MHz

With SAT connection: 950 to 2200

Connection loss: <2dB

"Lypsi SE" SAT Multiswitch, 5/8 NT

Number of Inputs	5
Number of Outputs	8
frequency spectrum terrestrial/SAT	5 - 862 MHz, 47 - 862 MHz, 950 - 2200 MHz
Transmission Loss	6 - 10 dB
Isolation SAT Outputs (min.)	35 dB
Line Voltage	90 - 250 V
Max. Remote Supply Current	500 mA

- Return path compatible connection for interactive applications via the terrestrial input
- Connection to quadswitch LNB possible
- Decoupling that is especially high for decreased sensitivity to interference from the signal inputs
- · With colour coding for easily assigning the cables when connecting the LNB to the multiswitch
- Quad and Quadswitch compatible (22 KHz signal supplied to the LNB)
- With switching power supply for LNB power supply
- Inputs: 4x SAT, 1x terrestrial
- Earth connection: 1x terminal screw
- V/H: 14 V/18 V and 22 KHz switching signal

Number of Inputs	5
Number of Outputs	6
frequency spectrum terrestrial/SAT	5 - 862 MHz, 47 - 862 MHz, 950 - 2200 MHz
Transmission Loss	6 - 10 dB

"Lypsi SE" SAT Multiswitch,

5/6NT

Isolation SAT Outputs

(IIIIII.)		
Line Voltage 90 - 250 V		
Max. Remote Supply Current 500 mA		
• Return path compatible connection for interactive applications via the		

35 dB

- terrestrial input • Connection to quadswitch LNB
- Decoupling that is especially high for decreased sensitivity to interference from the signal inputs
- With colour coding for easily assigning the cables when connecting the LNB to the multiswitch
- Quad and Quadswitch compatible (22 KHz signal supplied to the LNB)
- With switching power supply for LNB power supply
- Inputs: 4x SAT, 1x terrestrial
- Earth connection: 1x terminal screw
- V/H: 14 V/18 V and 22 KHz switching signal

6 HR			00205357
0 115	6	НВ	

		00305099
8	НВ	

		00044306
12	НВ	

Qty PT

		00044307	
12	НВ		









Universal Single LNB

Amplification (typically)	60 dB
Gain (typical) min. x Gain (typical) max.	55 x 67 dB
Input Frequency Range	10,7 Ghz - 12,75 Ghz
Noise Factor (typically)	0.3 dB
Oscillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)
Output Frequency Range	950-2150 MHz
Power Consumption (typical)	90 mA
Switch vertical/ho- rizontal	14V, 18V
Feed Horn Diameter	40 mm

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- · Insulating cap against wind and weather: the high-quality weatherproof rubber grommet protects the connections and ensures consistently good transmission quality
- Easy to connect: the single LNB enables a simple connection for a digital receiver
- · For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- For connecting to a digital receiver or a TV with built-in digital receiver
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- 22 kHz switching between low and high band
- · Weather-proof thanks to weather protection grommet

hama

Universal Single LNB

Noise Factor (typically)	0.3 dB
 Particularly low-noty components use noise factor of ma Insulating cap aga weather: the high- 	ed ensure a very lo x. 0.3 dB inst wind and

connections and ensures consistently good transmission quality • Easy to connect: the single LNB enables a simple connection for a digital

proof rubber grommet protects the

- receiver • For the digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- For connecting a digital receiver or TV with built-in digital receiver
- Ideal for HD, HD+, Full HD, Ultra HD UHD 4K and 8K
- 22 kHz switch between low and high
- · Weather-resistant thanks to weather protection grommet

hama

Universal Twin LNB

Amplification (typically)	62 dB
Gain (typical) min. x Gain (typical) max.	56 x 68 dB
Input Frequency Range	10,7 Ghz - 12,75 Ghz
Noise Factor (typically)	0.3 dB
Oscillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)
Output Frequency Range	950-2150 MHz
Power Consumption (typical)	97 mA
Switch vertical/ho- rizontal	14V, 18V
Feed Horn Diameter	40 mm

- Particularly low-noise: the high-quality components used ensure a very low
- Safe protection from wind and wea-
- Supply several devices: thanks to the
- For digital reception of SAT program-
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- 22 kHz switching between low and

hama

Noise Factor

(typically)

Universal Twin LNB

· Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB · Safe protection from wind and wea-

ther: the sturdy weatherproof housing

protects the LNB and connections and

0.3 dB

Amplification typically)	62 dB
Gain (typical) min. x Gain (typical) max.	56 x 68 dB
nput Frequency Range	10,7 Ghz - 12,75 Ghz
loise Factor typically)	0.3 dB
Oscillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)
Output Frequency Range	950-2150 MHz
Power Consumption typical)	97 mA
witch vertical/ho- izontal	14V, 18V
eed Horn Diameter	40 mm

- noise factor of max. 0.3 dB
- ther: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmissi-
- two connections on the Twin LNB, up to 2 digital receivers can be connected
- mes such as Astra, Eutelsat or Türksat
- high band

ensures consistently good transmissi-
on quality
 Supply several devices: thanks to the
two connections on the Twin LNB, up
to 2 digital receivers can be connected
 For the digital reception of SAT
programmes such as Astra, Eutelsat
or Türksat
• Ideal for HD, HD+, Full HD, Ultra HD
IIID AV and OV

- UHD 4K and 8K • 22 kHz switch between low and high band
- · Weather-resistant thanks to extendable weatherproof housing

•	 Weatherproof thanks to extenda 	bl	ϵ
	weatherproof housing		

te		00205374	White		00205370	White			00205375	ı					
		10	НВ				10	НВ				10	НВ		

White			00205371
	10	НВ	















Universal Quattro LNB

Amplification (typically)	57 dB
Gain (typical) min. x Gain (typical) max.	53 x 62 dB
Input Frequency Range	10,7 Ghz - 12,75 Ghz
Noise Factor (typically)	0.3 dB
Oscillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)
Output Frequency Range	950-2150 MHz
Power Consumption (typical)	78 mA
Switch vertical/ho- rizontal	14V, 18V
Feed Horn Diameter	40 mm

- Particularly low-noise: the high-quality components used ensure a very low noise factor of max. 0.3 dB
- · Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the 4 connections on the Quattro LNB, several digital receivers can be connected directly in combination with an external multi-switch
- · For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- With four fixed outputs (HL/VL/HH/VH)
- Weatherproof thanks to extendable weatherproof housing

hama

on quality

Universal Quattro LNB

Noise Factor (typically)	0.3 dB
noise factor of max • Safe protection fro ther: the sturdy we protects the LNB a	ed ensure a very low k. 0.3 dB

- Supply several devices: thanks to the 4 connections on the Quattro LNB, several digital receivers can be connected directly in combination with an external multi-switch
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- With four fixed outputs (HL/VL/HH/VH)

Qty PT

• Weatherproof thanks to extendable weatherproof housing

Universal Quad LNB

Amplification (typically)	61 dB
Gain (typical) min. x Gain (typical) max.	55 x 68 dB
Input Frequency Range	10,7 Ghz - 12,75 Ghz
Noise Factor (typically)	0.3 dB
Oscillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)
Output Frequency Range	950-2150 MHz
Power Consumption (typical)	125 mA
Switch vertical/ho- rizontal	14V, 18V
Feed Horn Diameter	40 mm

- Particularly low-noise: the high-quali-
- · Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the built-in multi-switch, up to 4 digital receivers can be connected directly to the Quad-LNB
- For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- With integrated multi-switch for 4 participants
- Ideal for HD, HD+ FullHD, UltraHD UHD 4K and 8K
- 22 kHz switching between low and
- Weatherproof thanks to extendable weatherproof housing

hama

Universal Quad LNB

nplification pically)	61 dB
in (typical) min. x in (typical) max.	55 x 68 dB
out Frequency nge	10,7 Ghz - 12,75 Ghz
ise Factor pically)	0.3 dB
cillator Frequency	9.75 GHz (L1), 10,6 GHz (L2)
tput Frequency nge	950-2150 MHz
wer Consumption pical)	125 mA
itch vertical/ho- ontal	14V, 18V
111 6: 1	40

- ty components used ensure a very low noise factor of max. 0.3 dB

- high band

Noise Factor (typically)	0.3 dB
Particularly low-not ty components use	5 1
noise factor of max	x. 0.3 dB

- Safe protection from wind and weather: the sturdy weatherproof housing protects the LNB and connections and ensures consistently good transmission quality
- Supply several devices: thanks to the built-in multi-switch, up to 4 digital receivers can be connected directly to the Quad-LNB
- · For digital reception of SAT programmes such as Astra, Eutelsat or Türksat
- · With integrated multi-switch for 4 participants • Ideal for HD, HD+ FullHD, UltraHD
- UHD 4K and 8K
- 22 kHz switching between low and high band
- Weatherproof thanks to extendable weatherproof housing

hite				00205376		White				00205372	
		10	LID					10	LID		

White			00205377
	10	НВ	

White			00205373
	8	SC	



Universal Mast Top 40 - 60 mm

Shade of colour	Black
Material	Plastic Material

• For pipe diameters 40 - 60 mm



hama

SAT Wall Bracket, aluminium, distance from the wall: 45 cm

Shade of colour	Aluminium
Material	Aluminium

- Extremely sturdy, in proven L shape
- Non-corroding as made from rustresistant aluminium



hama

SAT Wall Bracket, aluminium, distance from the wall: 25 cm

Shade of colour	Aluminium
Material	Aluminium

- Extremely sturdy, in proven L shape
- Non-corroding as made from rustresistant aluminium
- TÜV approved




Screw Set with Plugs

Set Contents in Pieces	12
• 4 8 x 80 mm DIN 5	71 solid metal

- screws
 4 8 mm diameter DIN 9021 shims
- 4 12 mm diameter plastic plugs for solid materials (concrete, solid brick)





		00044172
П	10	

00205352



SAT Wall Bracket, aluminium, distance from the wall: 35 cm

Shade of colour	Aluminium
Material	Aluminium

- Extremely sturdy, in proven L shape
- Non-corroding as made from rustresistant aluminium
- TÜV approved

	00044175
10	

Seals | Protection Hoods

Self-sealing sealing tape, 5.0 m

Material	Caoutchouc
Width x Length	19 x 5000 mm
Thickness	1 mm

- Rubber insulating tape, permanently elastic
- Permanently self-sealing, water-tight
- Highly flexible, can also be used below
- Complies with VDE Directive 0530 Type A4





Protective Sleeve for F-Plug, 2 pcs

Productline	Essential Line
Material	Neoprene

• Cable diameter: approx. 5 - 8 mm



Protective Sleeve for F-Plug, 2 pcs

• Cable diameter: approx. 5 - 8 mm



Neoprene Protecting Tube for F-plugs, 2 Pcs

Material

00205209

Qty PT

00305134

July 2025 is



Antenna Connector Set



hama

"Quad/Quadswitch-LNB"
Satellite Receiver Connection

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- Optimized internal thread for best fit of the plug
- · Internal thread optimised



hama

Satellite Receiver Adapter Kit F-Plug - Coax Socket / F-Plug

-	Coax	P	lug
-	Coax	P	lug

Productline	Essential Line
Attachment of Inner Conductor	Pluggable

- Enables the use of high-quality satellite receiver cable F-plugs - F-plug as antenna cable
- For connecting digital satellite receiver to 2-hole satellite receiver boxes with coax (IEC) connections
- Fully shielded



hama

Antenna Connector Set
"F Connector, screwable, 2
Pieces (SAT)"

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- Installation on a satellite receiver cable
- · Internal thread optimised



hama

Antenna Connector Set
"F Connector, screwable,
2 Pieces (SAT)"

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- Installation on a satellite receiver cable
- · Internal thread optimised

6.5 mm			00205314		
		8	НВ		



6.5 mm	00205205			
		288	НВ	

6.8 mm			00205206
	288	НВ	



hama

Satellite Receiver Adapter Kit, F-Plug - Coax Plug/ Socket, 2 Pcs

Productline	Essential Line
Attachment of Inner Conductor	Pluggable

- Set consisting of:
- Satellite receiver adapter F-plug coax plug (converts a coax plug into an F-plug)
- Satellite receiver adapter F-plug coax plug (antenna plug becomes an F-plug)
- · Fully shielded

		00205315	
288	НВ		



hama

Antenna Connector Set
"F Connector, screwable,
2 Pieces (SAT)"

Productline	Essential Line
Attachment of Inner	Screwable

- For installation on a satellite receiver
- · Internal thread optimised

8.0 mm			00205208
	288	НВ	



hama

Antenna Connector Set
"F Connector, screwable,
2 Pieces (SAT)"

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- Installation on a satellite receiver cable
- Internal thread optimised

A	W.	5
0		ill and
	-	

hama

Antenna Connector Set
"F Connector, screwable,
2 Pieces (SAT)"

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- Installation on a satellite receiver cable
- Internal thread optimised

nm			00205207	5.5 mm			00205204		
		288	HR			8	HR		

7.0 m



Antenna Connector Set "F Connector, screwable, 2 Pieces (SAT)"

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- For installation on a satellite receiver cable
- · Internal thread optimised



hama

F-plug, 7.0 mm, Screw-in, 8 Pcs

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- For installation on a satellite receiver
- · Internal thread optimised




Antenna Connector Set "F-Plug, 2 Pieces (TV Line)"



Antenna Connector Set "F-Plug, 8 Pieces (TV Line)"

Attachment of Inner	Screwable
Conductor	Screwable

								5.8 mm			0017
5.8 mm			00205272	7.0 mm			00205318	6.8 mm			0017
	_	1110			200	110			42	DIC	



6.8 mm			00179406
	12	BK	



Antenna Connector Set "F-Plug, screwable, 4 Pieces"

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- For installation on a satellite receiver
- · Internal thread optimised

7.0 mm			00205210
6.8 mm			00205273
	8	НВ	



SAT Rec. Adapter Kit, 2 x F-Plugs and F-Socket - F-Socket **Adapter**

Productline	Essential Line
Attachment of Inner	Screwable

• Screw-in F-plug

6.5 mm			00205203
	288	НВ	

Qty PT



Antenna Connector Set "F-Plug, 4 Pieces (TV Line)"

Attachment of Inner Conductor	Screwable
----------------------------------	-----------

6.8 mm			00179405
	12	BK	

July 2025 is



SAT Connection Kit "Quad/Quadswitch-LNB"

.5 mm			00179411
	6	BK	



F-Plug for quick assembly, 2 pieces

Attachment of Inner Conductor Pluggable



Antenna Connector Set "F-Plug, screwable, 2 Pieces"

Attachment of Inner	Screwable
Conductor	Sciewable

- Installation on a satellite receiver
- Internal thread optimised



hama

Antenna Connector Set "F-Plug, screwable, 2 Pieces"

• For installation on a satellite receiver cable- Internal thread optimised



hama

F-plug, 7.0 mm, screw-in, 8 pcs

• For installation on a satellite receiver cable- Internal thread optimised

		00179408	
8	BK		

SAT Connection Kit

Attachment of Inner Conductor

"Single-LNB", 3 parts



Antenna Connector Set "F-Plug, screwable, 2 Pieces"

Attachment of Inner Conductor	Screwable

- · Installation on a satellite receiver cable
- · Internal thread optimised



00305118

hama

Antenna Connector Set "F-Plug, screwable, 2 Pieces"

Attachment of Inner	Screwable

• Installation on a satellite receiver cable- Internal thread optimised



00305117


Attachment of Inner

"Quad/Quadswitch-LNB" **Satellite Receiver Connection** Kit

Conductor	Sciewable				
0 11 1 11 1					

- Optimized internal thread for best fit of the plug
- Internal thread optimised

			00305115	5.5 mm		00305112	6.5 mm			00305147			
	12	НВ				585	НВ			5	НВ		





Screwable

Plugs & Sockets | Protection Hoods



hama

F-plug, 7.0 mm, Screw-in, 4 Pcs, Colour-coded

- F-plugs with colour coding make installing a multi-subscriber system easier, prevent the confusion of connection cables and minimise installation errors
- 4 F-plugs with sealing rings (1x with red colour coding, 1x with blue colour coding, 1x with yellow colour coding, 1x with green colour coding)
- · Internal thread optimised
- Gold-plated

7.0 mm	00305160			
		12	НВ	



Satellite Receiver Adapter Kit, 2 x F-Plugs and F-Sockets - F-Socket/F-Socket Adapter

Attachment of Inner Conductor	Screwable

•	Screw-	·ın	r-p	Iuç

6.5 mm			00305119
	12	HR	



Satellite Receiver Adapter, Quick F-Plug - F-Socket, 90°

Shade of colour	Silver
Quality	1 Star

- Space-saving 90° adapter for connections in very small spaces
- Quick-F plugs are super easy to attach to the socket without having to screw anything on; ideal if you change locations a lot

		00205312
288	НВ	





hama

Protective Sleeve for F-Plug, 2 pcs

Productline	Essential Line
Material	Neoprene

• Cable diameter: approx. 5 - 8 mm



F-plug, 7.0 mm, screw-in, 4 pcs

Attachment of Inner Conductor	Screwable
----------------------------------	-----------

• Installation on a satellite receiver cable- Internal thread optimised

7.0 mm	00305116		
	12	НВ	

Protection Hoods | Electrical Installation









hama

Protective Sleeve for F-Plug, 2 pcs

• Cable diameter: approx. 5 - 8 mm

hama

Neoprene Protecting Tube for F-plugs, 2 Pcs

Material	Neoprene

hama

2/3-hole cover plate for sat/ aerial socket

Productline	Essential Line
Shade of colour	Pure White
Material	Plastic Material

• Dimensions: 80 mm x 80 mm

hama

Surface-mounted Frame for SAT/Antenna Socket

Productline	Essential Line
Shade of colour	Pure White
Material	Plastic Material
Usage	for SAT/Antennendose

• For single-part coverage

Black 00305134

Grey 00179650

8 cm 00205317 6 HB



Electrical Installation | Plugs & Sockets



hama

Satellite Receiver Finder with LED Display

Productline	Essential Line
Material	Metal

- · Attenuator for optimal adjustment of the input signal
- Acoustic signal for signal strength and
- 7-stage LED for SAT levels
- Function LED for 22 kHz impulse
- 2 x F connection (coupling)
- Simply plug between the LNB and receiver and adjust until the maximum achievable signal quality is achieved

		00205359
6	НВ	



SAT Finder with Analogue Display

100	oductime	ESSCITUAL EILIC
		imal adjustment of
ı	he input signal	

- · Acoustic signal for signal strength and
- 2 x F connection (coupling)
- · Connecting cable with Quick-F plug for easy attachment
- Digital and HD compatible

		00205291
48	НВ	



Satellite receiver finder with analogue display

- · Attenuator for optimal adjustment of the input signal
- Acoustic signal for signal strength and
- 2 x F connection (coupling)
- Connecting cable with Quick-F plug for easy attachment
- Digital and HD compatible

			00305122	
		36	НВ	



Satellite Receiver Adapter Kit, F-Plug - Coax Plug/Socket, 2 Pcs

Productline	Essential Line
Attachment of Inner Conductor	Pluggable

- Set consisting of:
- Satellite receiver adapter F-plug coax plug (converts a coax plug into an
- Satellite receiver adapter F-plug coax plug (antenna plug becomes an F-plua)
- Fully shielded

		00205315
288	НВ	



Coax Set, Metal, Plug/Socket, screw attachment

Productline	Essential Line
Attachment of Inner Conductor	Screwable

- Fully shielded
- Made from metal, therefore mechanically extremely durable
- · Good strain relief
- Suitable for cable TV

5 - 7 mm			00205211	
		180	НВ	



Satellite Receiver Adapter Kit F-Plug - Coax Socket / F-Plug

- Coax Plug

Productline	Essential Line
Attachment of Inner Conductor	Pluggable

- Enables the use of high-quality satellite receiver cable F-plugs - F-plug as antenna cable
- For connecting digital satellite receiver to 2-hole satellite receiver boxes with coax (IEC) connections
- Fully shielded

Qty PT

		00205313
288	НВ	



Coax Set, Plug/Socket, Can **Be Clamped**

Productline	Essential Line
Attachment of Inner Conductor	Clamp Type

- Simple assembly
- Fully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- · Excellent strain relief

5 - 7 mm		00205212	
	180	НВ	

Attachment of Inner Conductor	Clamp Type

- Simple assembly
- Fully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- Excellent strain relief







Antenna Adapter, Coax Plug - Coax Socket, 90°

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

- Compact adapter for space-saving attachment
- Prevents kinks in the cable

		00205202
288	НВ	



hama

Antenna Adapter, Coax Plug - Coax Plug

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

- This means that existing cables can continue to be used if connection conditions have changed
- Suitable for cable TV
- Fully shielded

		00205219
8	НВ	



hama

Antenna Adapter, Coax Socket - Coax Socket

Productline	Essential Line
Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

- This allows existing cables to continue being used if the connection conditions have changed
- Suitable for cable TV
- Fully shielded



hama

Antenna Adapter, Coax Socket - Coax Socket

Attachment of Inner Conductor	Pluggable
----------------------------------	-----------

 This allows existing cables to continue being used if the connection conditions have changed

00305091

- Suitable for cable TV
- Fully shielded





00205220

hama

Antenna Adapter, Coax Socket - Coax Socket, goldplated

Shade of colour	Silver
Attachment of Inner Conductor	Pluggable

• Gold-plated plug with low contact resistance for secure signal transmission

00179270

- Suitable for cable TV
- Fully shielded

A SERVICE OF THE SERV
9

hama

Antenna adapter, coax plug - coax plug

Conductor	Pluggable	

- This allows existing cables to continue being used if the connection conditions have changed
- Suitable for cable TV
- Fully shielded

		00305093
12	НВ	

Coax Cable Connector

hama

Coax Connector, clamp-on

Productline	Essential Line
Shade of colour	White
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	5 - 7 mm

- Internal wire can be clamped
- Screw-on housing
- Good strain relief
- Fully shielded

		00205215
180	НВ	



hama

Coax connector, clamp-on

Shade of colour	White
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	5 - 7 mm

- Internal wire can be clamped
- · Screw-on housing
- · Good strain relief
- Fully shielded

		00305094
7	НВ	





hama

Antenna Socket, Coax, can be clamped

Productline	Essential Line
Shade of colour	White
Quality	Essential
Attachment of Inner Conductor	Clamp Type
Max. Cable Diameter	5 - 7 mm

- Simple assembly
- Fully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- · Excellent strain relief

		00205214
180	НВ	



hama

Antenna Socket, Coax Angle, screw-on

Productline	Essential Line
Shade of colour	Silver
Quality	Essential
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	6.0 mm

- Antenna plug for corner connections prevents kinked cables
- Antenna coupling kinked by 90°
- Screw-connectable internal wire

		00205217
180	НВ	

Qty PT



hama

Antenna Plug, Coax Angle 90°, Screw-on

Shade of colour	Silver
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	6.0 mm

- Antenna plug for corner connections prevents kinked cables
- Antenna coupling kinked by 90°
- Screw-connectable internal wire

		00305086
7	HR	



hama

Antenna Plug, Coax, can be clamped

Productline	Essential Line
Shade of colour	White
Connection	Coax Plug, Open
Attachment of Inner Conductor	Clamp Type
Max. Cable Diameter	5 - 7 mm

- Simple assembly
- Fully shielded
- Suitable for cable TV
- For internal cables of approx. 0.5 to 1.1 mm
- · Excellent strain relief

		00205213
180	НВ	



hama

Antenna Plug, Coax Angle, screw-on

Productline	Essential Line
Shade of colour	White
Connection	Coax Plug, Open
Attachment of Inner Conductor	Screwable
Max. Cable Diameter	6.0 mm

- Prevents kinks in the antenna cable
- Antenna plug kinked by 90°
- Screw-connectable internal wire

			00205216
	180	НВ	



Antenna Plug, Coax., Clamp-On Design, gold-plated

Shade of colour	White
Connection	Coax Plug, Open
Attachment of Inner Conductor	Clamp Type
Max. Cable Diameter	5 - 7 mm

- Gold-plated plug with low contact resistance for secure signal transmission
- Easy to fit
- · Fully shielded
- Suitable for cable TV
- For internal cables approx. 0.5 to 1.1 mm
- Excellent strain relief

		00179266
12	BK	



hama

2/3-hole cover plate for sat/ aerial socket

Productline	Essential Line
Shade of colour	Pure White
Material	Plastic Material

• Dimensions: 80 mm x 80 mm



hama

Surface-mounted Frame for SAT/Antenna Socket

Productline	Essential Line
Shade of colour	Pure White
Material	Plastic Material
Usage	for SAT/Antennendose

• For single-part coverage



hama

BB/CATV Amplifier for 2 Devices

Productline	Essential Line
Shade of colour	White
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 2x22 decibels
- Attenuator for optimal adjustment of the input signal
- For the connection of two receiving devices (TV/radio)
- Built-in 230V/50Hz power pack

			00205228
	30	НВ	



hama

BB/CATV amplifier, 25 dB, controllable

Productline	Essential Line
Shade of colour	White
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 25 decibels
- Attenuator for optimal adjustment of the input signal
- Plug housing with power LED and On/ Off mains switch
- Built-in 230V/50Hz power pack

		00205234
30	НВ	



hama

Antenna Plug, Coax Angle 90°, Screw-on

- Prevents kinks in the antenna cable
- Antenna plug kinked by 90°
- Screw-connectable internal wire

			00305085
	7	LID	

8 cm			00205317
	6	НВ	

		00205360
6	НВ	



BB/CATV Amplifier, 25 dB, Controllable

Productline	Essential Line
Shade of colour	White
Amplification	22 dB
Frequency Range	40 - 862 MHz
Power Supply	230V Power Supply Unit

- Signal amplification by 25 decibels
- Attenuator for optimal adjustment of the input signal
- Plug housing with power LED and On/ Off mains switch
- Built-in 230V/50Hz power supply unit

			00305098
5	5	НВ	



hama

2/3-hole cover plate for sat/ aerial socket

Productline	Essential Line
Shade of colour	Pure White
Material	Plastic Material

• Dimensions: 80 mm x 80 mm



hama

Antenna Splitter, Coax Connector – 2 Coax Plugs, Metal

Productline	Essential Line
Shade of colour	Silver
Input	Coaxial
Output	2x Coaxial
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

- Suitable for cable TV
- · Solid-metal housing
- Fully shielded

		00205236
180	НВ	



hama

Broadband Cable Splitter, 3-Way, Fully Shielded

Essential Line
Silver
F Socket
3x F Socket
5 - 862 MHz
4 dB +/- 1dB
>= 20 dB

- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference

		00205350
8	НВ	





Antenna Splitter, Coax Plug -2 Coax Sockets, Metal

Productline	Essential Line
Shade of colour	Silver
Input	Coaxial
Output	2x F Socket
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

- Suitable for cable TV
- Solid-metal housing
- Fully shielded

		00205237
180	НВ	



hama

Broadband Cable Splitter, 2 x

Productline	Essential Line
Shade of colour	Silver
Input	F Socket
Output	2x F Socket
Frequency Range	5 - 862 MHz
Transmission Loss	4 dB +/- 1dB
Isolation	>= 20 dB

- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference

		00205230
180	НВ	





Electrical Installation | Antennas



hama

Antenna splitter, coax connector – 2 coax plugs, metal

Shade of colour	Silver
Input	Coaxial
Output	2x Coaxial
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

- Suitable for cable TV
- · Solid-metal housing
- Fully shielded

		00305089
7	НВ	



hama

Broadband cable splitter, 2-way

Shade of colour	Silver
Input	F Socket
Output	2x F Socket
Frequency Range	5 - 862 MHz
Transmission Loss	4 dB +/- 1dB
Isolation	>= 20 dB

- Solid full metal housing for protection against outside interference
- Fully shielded lines for optimal reduction of electromagnetic interference

		00305095
7	НВ	



hama

Surface-mounted Frame for SAT/Antenna Socket

Productline	Essential Line
Shade of colour	Pure White
Material	Plastic Material
Usage	for SAT/Antennendose

· For single-part coverage



"Radio" Indoor Aerial for DAB+, DAB, FM, Active, Amplifier 30 dB

Shade of colour	Black
Frequency Range	87.5 -108 MHz, 174 - 230 MHz, 1452 - 1492 MHz
Max. Amplification	30 dB
Coax Cable Length	1.5 m

- Best amplification performance at 30 dB for interference-free reception
- Additional power supply unit for supplying power to the socket

			00221085
	10	НВ	



hama


Antenna splitter, coax plug - 2 coax sockets, metal

Shade of colour	Silver
Input	Coaxial
Output	2x F Socket
Frequency Range	4 - 1000 MHz
Transmission Loss	Approx. 3.5 dB
Isolation	Approx. 22 dB

- Suitable for cable TV
- Solid-metal housing
- Fully shielded

			00305090
	12	НВ	

6 HB



Dipole Antenna, Coax

Productline	Essential Line
Coax Cable Length	1.5 m

- · Antenna coupling for radio
- Includes coax plug coax plug adapter (for TV)

hama

Dipole Antenna, Coax, incl. Adapter

Coax Cable Length 1.5 m	
-------------------------	--

- Antenna coupling for radio
- Includes coax plug coax plug adapter (for TV)

- //
400
_

hama

"Pro" Indoor Aerial for DVB-T2, Active, Automatic Amplification

Frequency Range	174 - 230 MHz, 470 - 690 MHz
Performance	45
Coax Cable Length	1.27 m

- Always the best reception: automatically regulating power for interference-free reception and therefore excellent sound and image quality
- Separate on/off switch on the indoor aerial: energy-saving, as the DVB-T2 aerial only draws power when you needs it

Black		00221083		
		14	НВ	



hama

DVB-T/DVB-T2 Indoor Aerial, Performance 45, Flat, Active, black

Frequency Range	174 - 230 MHz, 470 - 790 MHz
Performance	45
Coax Cable Length	1.27 m

- Self-regulating amplifier for the best picture and sound quality
- Extra power saving thanks to Off mode: power is supplied via the USB port or via the device's antenna connection - if the device is off and doesn't deliver power via USB or the antenna connection, the antenna does not draw any current either

Black			00121703	
		12	SC	



00205218



hama

Productline

(for TV)

adapter

Coax Cable Length

DAB+/FM Dipole Antenna

Suitable for DAB+, FM and DVB-T2 HD
Antenna coupling for radio

• Includes coax plug - coax plug adapter

48 HB

• Includes F-plug - coax plug SAT

Essential Line

1.75 m

00205283



00305096

hama

"Premium" Indoor Aerial, DVB-T2, Active, Automatic Amplification

Frequency Range	174 - 230 MHz, 470 - 690 MHz
Performance	55
Coax Cable Length	1.27 m

- Always the best reception: automatically regulating power for interference-free reception and therefore
- excellent sound and image quality
 Separate on/off switch on the indoor aerial: energy-saving, as the DVB-T2 aerial only draws power when you needs it

Black		00221084		
		20	НВ	



hama

"Fabric Design" Indoor Aerial, DVB-T2, Active, grey/black

Frequency Range	470 - 690 MHz
Performance	45
Coax Cable Length	2 m

- Low-noise amplifier: the high input sensitivity ensures superb signal reception
- Extremely flat many possibilities: the indoor aerial can be stood up, laid flat and hung up horizontally and vertically.
- LED indicator shows if power supply is active

Black, Grey			00221087
	24	НВ	



"Classic" Indoor Aerial,

DVB-T2, Active, Adjustable Amplification 174 - 230 MHz, 47

Frequency Range	174 - 230 MHz, 470 - 690 MHz
Performance	35
Coax Cable Length	1.9 m

- Controllable amplifier power for interference-free reception and therefore excellent sound and image quality
- Low-noise amplifier: the high input sensitivity ensures superb signal reception
- LED indicator shows if power supply is active

Black			00221082
	20	НВ	



"Basic" Indoor Aerial for DAB+, DAB, DVB-T2, FM, Passive, Bar

Frequency Range	87.5 -108 MHz, 174 - 230 MHz, 470 - 690 MHz, 1452 - 1479,5 MHz
Performance	15
Coax Cable Length	1.45 m

- Perfect reception: rod aerial can be swivelled around 180° for optimised signal orientation
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00221081
	36	HB	



hama

Network Socket, CAT 6a, 10Gbit/s, Shielded, 2 Ports, Surface-/ Flush-mount.

Shade of colour	Pearly White
-----------------	--------------

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality

		00200774
6	НВ	



hama

Network Socket, CAT 6a, 10 Gbit/s, Shielded, 2 Ports, Flush-mounted

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- High-quality materials and workmanship guarantee excellent transmission quality

			00200775
	48	НВ	



hama

"Mobile" Indoor Aerial for DAB+, DAB, DVB-T2, FM, Passive, Telescopic

Frequency Range	87.5 -108 MHz, 174 - 230 MHz, 470 - 690 MHz, 1452 - 1479,5 MHz
Performance	15

- Enjoy TV and radio while on the move too: extendable indoor aerial can be transported in a compact way and is therefore ideal for caravans, camping and so on
- 360° reception: perfect reception from all directions

Silver			00221086
	108	НВ	

hama

Network Socket, CAT 6a, 10 Gbit/s, Shielded, 2 Ports, Surface-mounted / Flush-mounted

Shade of colour	Pearly White

- Gigabit Ethernet data transfer at up to 10 Gbps
- Additional shielding for good reduction of electromagnetic interference
- Optimised for un-terminated reel goods, laying and installation cables with a flexible, multi-core or rigid inner wire

		00300029
5	НВ	

Remote Controls







"Commander" Remote Control Holder, black

Material	Nylon, Polypropyle- ne (PP)
Width x Depth x Height	17.5 x 14,2 x 12.5 cm
Max. Number of Remote Controls	9

 Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00221099
	12	НВ	



hama

"Agent" Remote Control Holder, black

Material	Plastic Material
Width x Depth x Height	13.7 x 12 x 8.8 cm
Max. Number of Remote Controls	6

 Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00221097
	9	HB	



hama

Bluetooth® Remote Control for Samsung Smart TVs, Solar, Multi-View, Apps

Shade of colour	Black		
Signal Transmission	Bluetooth, Infrared		
Range	10 m		
Battery Type	Miscellaneous		

		00221058
10	НВ	



hama

Universal Remote Control for Grundig TVs, IR, Teachable, Illuminating Butto

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

 A remote control that learns: with learning mode, you can transfer the functions of the original remote control very easily to the universal remote control, ensuring you keep everything that's important to you

		00221065
10	НВ	



hama

"Major" Remote Control Holder, black

Material	Faux Leather
Width x Depth x Height	7 x 19.5 x 11 cm
Max. Number of Remote Controls	4

 Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability

Black			00221098
	32	НВ	



hama

Universal Remote Control for Sony TVs, IR, Teachable, with 4 app buttons

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

 A remote control that learns: with learning mode, you can transfer the functions of the original remote control very easily to the universal remote control, ensuring you keep everything that's important to you

		00221066
10	НВ	



Universal Remote Control for LG TVs, IR, Teachable, Illuminating Buttons

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

 A remote control that learns: with learning mode, you can transfer the functions of the original remote control very easily to the universal remote control, ensuring you keep everything that's important to you

			00221061	
	10	НВ		



Universal Remote Control for Panasonic TVs, IR, Teachable, Illuminating But

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

 A remote control that learns: with learning mode, you can transfer the functions of the original remote control very easily to the universal remote control, ensuring you keep everything that's important to you

		00221064
10	HR	



hama

Universal Remote Control for Philips TVs, IR, Teachable, Illuminating Butto

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

 A remote control that learns: with learning mode, you can transfer the functions of the original remote control very easily to the universal remote control, ensuring you keep everything that's important to you

			00221063
	10	НВ	



hama

Universal Remote Control for Samsung TVs, IR, Teachable, Illuminating Butto

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

 A remote control that learns: with learning mode, you can transfer the functions of the original remote control very easily to the universal remote control, ensuring you keep everything that's important to you

		00221060
10	НВ	



hama

Universal Remote Control for Sony TVs, IR, Teachable, Illuminating Buttons

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

 A remote control that learns: with learning mode, you can transfer the functions of the original remote control very easily to the universal remote control, ensuring you keep everything that's important to you

		00221062
10	НВ	

Qty PT



hama

Universal Remote Control for Hisense TVs, IR, Teachable, with 4 App Keys

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

 A remote control that learns: with learning mode, you can transfer the functions of the original remote control very easily to the universal remote control, ensuring you keep everything that's important to you

		00221067
10	НВ	



hama

Remote Control for TV + Netflix, Prime Video, Disney+ Buttons, Programmable

Shade of colour	Black		
Signal Transmission	Infrared		
Range	10 m		
Battery Type	AAA Micro		

The fastest way to your favourite series: app buttons for direct and quick access to your streaming services, from Netflix and Amazon Prime Video to Disney+

		00221050
10	НВ	

July 2025 IS



hama

Universal TV Remote Control, Infra-red, for 2 Devices, Large Buttons, Teach

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

- One for all: with the universal remote control, you can control the TV and a set top box (up to two devices) and put an end to remote control chaos
- Easy operation: with the clearly arranged, large buttons and no unnecessary frills, the remote control is even easier to use, ideal as a remote control for the older generation

			00221056	
	10	HR		



hama

Universal TV Remote Control, Infra-red, for 4 Devices, with App Button

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

- One for all: with the universal remote control, you can control the TV, set-top box, satellite receiver and sound bar (up to four devices) and put an end to remote control chaos
- Smart buttons for fast access: 1
 Stream button to select the app menu, enabling you to access streaming services and so on faster

		00221052
10	НВ	



Universal TV Remote Control, Infra-red, for 4 Devices, Teachable, App Butto

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

• One for all: with the universal remote control, you can control the TV, set-top box, satellite receiver and sound bar (up to four devices) and put an end to remote control chaos

			00221053
	10	LID	



Universal TV Remote Control, Infra-red, for 8 Devices, Teachable, App Butto

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	AAA Micro

• One for all: with the universal remote control, you can control the TV, set-top box, satellite receiver, sound bar, DVB-T receiver, cable receiver, Blu-Ray player and amplifier (up to 8 devices) and put an end to remote control chaos

		00221055
10	НВ	



Universal TV Remote Control, IR, Solar, for 8 Devices, Teachable, App Keys

Shade of colour	Black
Signal Transmission	Infrared
Range	10 m
Battery Type	Miscellaneous

• More sustainable without batteries: thanks to Powerfoyle™ solar cells and integrated energy storage, all kinds of light sources can charge the universal remote control – daylight, indoor lighting and any other source of light are sufficient for the solar remote control

		00221057
10	НВ	

Soundbars







"Soundbar" Wall Holder, black

Maximum Load Capacity	10 kg
VESA (from-to)	No Specifications
Field of Application	Private
Recommended Screen Size	No Specifications
Version	Fix

- Maximum device compatibility thanks to individually adjustable depth and width: mounting plates can be mounted on the wall at any distance, storage shelves can be extended
- Depth adjustable from 7 cm to max. 10 cm
- Easy to mount with the supplied screw set
- Suitable for all common soundbars, also for Sonos playbar





hama

Soundbar Wall Bracket, Universal, Adjustable, black

- Perfect speaker placement for optimal sound experience
- Individually adjustable depth and width for maximum compatibility
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- Maximum device compatibility: mounting plates can be mounted on the wall at any distance, so the shelf also fits wide soundbars
- Shelves can be extended in depth from 7 10 cm
- The slim design of the bracket allows the soundbar to float inconspicuously on the wall
- Convenient wall mounting for optimised positioning of the soundbar above or below the TV
- Easy mounting of the wall console with the help of the screw set supplied
- Suitable for all common soundbars, including the Sonos Playbar



Sound Bar Holder, Universal, Fixed, for Attachment to the TV, black

Attachment	TV
Maximum Load Capacity	20 kg

- Perfect speaker placement for optimal sound experience
- Easy to mount directly on the TV, also ideally compatible with TV wall bracket
- Can be installed above and below the television

Black			00220884
	12	SC	

Black 00108745

Black 00220883

Headphones & Speakers




Speaker, hybrid



hama

Loudspeaker for TVs, 2.4 GHz Station + Bluetooth®, Portable, Stereo

- Sound and image in harmony: with the 2.4 GHz radio connection, you can enjoy TV programmes, your favourite films and serials interference-free and without a time lag
- Charge, transfer, store: the charging station transfers the audio signal and acts as a holder for the wireless speaker when not in use
- Instantly in 2.4 GHz radio: once the charging station is plugged into the TV, the loudspeaker connects automatically every time
- This TV loudspeaker has it all: 2x 5
 Watts of music performance and
 exceptional stereo deliver optimised
 sound when watching TV be it the
 news or a movie
- Perfect sound at the press of a button: maximum entertainment performance for film, music and TV with the three modes Normal, Voice and Full
- Optimised sound for easier understanding: in Voice mode, annoying background noise is filtered out so that you can hear voices and dialogue clearly again
- User-friendly and intuitive: steplessly set your preferred volume on the rotary controller
- Practical handle for safe carrying: the loudspeaker is always ready at hand so your sounds stay close at all times
- The charging station sends the TV audio signal to the TV loudspeaker via a wireless 2.4 GHz radio connection
- Bluetooth for music: pair the mobile phone and TV loudspeaker and listen to your playlist in the best quality



104

Audio headphones, hybrid



hama

TV Headphones, Over-Ear, 2.4 GHz Station + Bluetooth®, Volume Control

Shade of colour	Black
Design	Over-Ear

- Sound and image in harmony: with the 2.4 GHz radio connection, you can enjoy TV programmes, your favourite films and serials interference-free and without a time lag
- Charge, transfer, store: the charging station transfers the audio signal and acts as a holder for the TV headphones when not in use
- Instantly in 2.4 GHz radio: once the charging station is plugged into the TV, the headphones connect automatically every time
- Perfect sound at the press of a button: Steplessly adjust the volume to your preferences using the direction pad and choose the best entertainment performance for films, music and watching TV from the three modes - Voice, Full and Normal
- The closed circumaural headphones block out disturbing noise and keep music inside
- The perfect fit reduces unwanted exterior noise so that you can enjoy your music without being disturbed
- Maximum wearing comfort: the soft earpads with pleasant surface structure adapt to the head and ears, remaining comfortable even with prolonged use and ensuring loss-free sound
- Padded headband for a comfortable listening experience also over long periods of use







hama

TV Headphones, Over-Ear, 2.4 GHz-Dongle + Bluetooth®, Volume Control

Shade of colour	Black
Design	Over-Ear

- Sound and image in harmony: with the 2.4 GHz radio connection, you can enjoy TV programmes, your favourite films and serials interference-free and without a time lag
- Instantly in 2.4 GHz radio: once the USB-A dongle is plugged into the TV, the headphones connect automatically
- Perfect sound at the press of a button: Steplessly adjust the volume to your preferences using the direction pad and choose the best entertainment performance for films, music and watching TV from the three modes - Voice, Full and Normal
- Optimised sound for easier understanding: in Voice mode, annoying background noise is filtered out so that you can hear voices and dialogue clearly again
- The closed circumaural headphones block out disturbing noise and keep music inside
- The perfect fit reduces unwanted exterior noise so that you can enjoy your music without being disturbed
- Maximum wearing comfort: the soft earpads with pleasant surface structure adapt to the head and ears, remaining comfortable even with prolonged use and ensuring loss-free sound
- Padded headband for a comfortable listening experience also over long periods of use

00221847



hama

TV Headphones, Over-Ear, Long Cable (6m), Sep. Volume Control, S

Connection	3.5 mm Jack Plug/6.35 mm Jack Plug
Design	Over-Ear
Cable Length	6 m

- Volume control for individual, continuous volume adjustment
- Control the volume for the left and right ear separately: set the headphones to your personal hearing preferences and compensate hearing problems

Black		00221846	
	12	НВ	



hama

"ShellTV II" TV Headphones, Over-Ear, One-Sided, Long Cable (6 m), black

Connection	3.5 mm Jack Plug/6.35 mm Jack Plug
Design	Over-Ear
Cable Length	6 m

- The perfect fit reduces unwanted exterior noise so that you can enjoy your music without being disturbed
- Closed design that completely covers the ears for shielding out exterior
 pairs.
- Volume control for individual, continuous volume adjustment

Black/Dark Grey		00221782	
	20	НВ	



Beamer Accessories





"Sportsline" Projector Bag, L, black

Shade of colour	Black
Material	Polytex

- · Adjustable and removable inner divider to divide the bag as required
- · Fully padded projector bag with variable inner divider
- Two large, variable-position additional pads with hook and loop fastening
- · Projector retaining strap
- Integrated metal edging for stability
- · Removable cable bag







Projector Mount, Swivel, Rotate, Tilt, for Ceiling, up to 13.5 kg

Shade of colour	White
Material	Steel
Maximum Load Capacity	13.5 kg
Version	Full Motion

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality
- · Easy-Fix system for simple and fully adjustable orientation of the projector
- · Always the right viewing angle: the projector can be turned in any preferred direction thanks to the 360° swivel joint
- Space-saving integration into your individual living environment: with the stable projector bracket for sloping roofs and ceiling mounting, projectors can be positioned anywhere in the room in a free-floating and flexible
- Everything included: with the diverse mounting accessories, including high-quality Fischer plugs, you can get started straight away
- · FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability





Projector Mount, Swivel, Height-adjustable, Ceiling and Wall, up to 15 kg

Shade of colour	White
Material	Steel
Max. Ceiling distance to vertical strut	63,5 cm
Maximum Load Capacity	15 kg
Min. Ceiling Distance to vertical Strut	13 cm
Version	Full Motion

- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- Make a safe choice with our tested safety: exacting stress, stability and functional tests guarantee high quality standards
- · Easy-Fix system for simple and fully adjustable orientation of the projector
- Always the right viewing angle: the projector can be turned in any preferred direction thanks to the 360° swivel joint
- Enjoy the best views: the height of the projector bracket can be steplessly adjusted, allowing you to position your device at the perfect height on the wall and screen for that true home cinema feeling
- · Space-saving integration into your individual living environment: with the stable projector bracket for sloping roofs and ceiling mounting, projectors can be positioned anywhere in the room in a free-floating and flexible manner
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood





Project ceiling bracket, white

Shade of colour	White
Material	Steel Plate
Version	Full Motion

- Easy-Fix system for simple and fully adjustable orientation of the projector
- · Can be installed on the ceiling
- · Ideal for sloping ceilings thanks to
- · With 4 flexible supporting arms, for projectors with thread holes at a spacing of 54 to 320 mm
- Inclinable +/-15°
- Pivotable +/-15°
- Rotatable 360°

		00220879
16	SC	

		00220880
6	SC	



Cables & Adapters | Projectors

VGA Cable

VGA Cable "Full-HD 1080p", Black

hama

Productline Essential Line

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Impedance of 75 ohms for optimum transmission quality
- Double shielding for good reduction of electromagnetic interference
- Flexible materials guarantee optimum kink protection and prevent cable breakage

1.5 m			00200707
	40	НВ	
3 m			00200708
	5	НВ	

VGA Cable, Full HD 1080 p,

• For high-resolution full HD quality up

· Additional shielding for good reduc-

tion of electromagnetic interference

• Flexible materials guarantee optimum

kink protection and prevent cable

Plug with screws ensures a secure connection and reliable transfer
Also known as a 15-pin, DB-15, DE-15

8 HB

to 1920 x 1080 pixels (1080p)

Essential Line

00300105

1.50 m

Productline

breakage

or HD-15 plug



hama

VGA Cable, 1.50 m

.ine

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Plug with screws ensures a secure connection and reliable transfer
- Also known as a 15-pin, DB-15, DE-15 or HD-15 plug

1.5 m		00200932	
	10	BA	



hama

Video Adapter, VGA+USB Plug - HDMI™ Socket, Full HD 1080p

Productline	Essential Line
Shade of colour	Black
Туре	VGA-HDMI™

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- Flexible materials guarantee optimum kink protection and prevent cable breakage
- High-quality materials and workmanship guarantee excellent transmission quality
- The inserted USB plug is required for the adapter's power supply

			00200342
	60	НВ	



hama

Video Adapter, HDMI™ Plug -VGA Socket, Full HD 1080p

Productline	Essential Line
Shade of colour	Black
Туре	VGA-HDMI™

- For high-resolution full HD quality up to 1920 x 1080 pixels (1080p)
- High-quality materials and workmanship guarantee excellent transmission quality

		00200344
216	НВ	



Screen with tripod, 125 x 125 cm, 2-in-1, mobile set, telescopic tube, white

Gain-Value	1.1
Material Tube Body	Metal
Cloth Thickness	380 μm
Format	1:1 Standard
Projection Area	125 x 125 cm
Projection Diagonal	177 cm
Weight	6 kg

- The tripod projection screen with quick-release clip can be removed from the tripod and hung up on its
- The spring mechanism allows the screen to be easily extended to the required size and secured in place, remaining crease-free in the process
- Steplessly adjustable telescopic tube • white PVC screen for unique colour
- brilliance and the finest contrast richness for rooms to be darkened
- transportable tripod screen sized 125 cm x 125 cm - Format 1:1
- black metal tube with a diameter of approx. 5.5 cm
 quick setup and disassembly of the
- screen and stand in a few seconds

 Usefully shaped plastic handle with
- locking lever

 Stable tripod with non-slip plastic
- foot caps
 Can be stowed and transported in
- Can be stowed and transported in a space-saving manner
- black, opaque back side

PVC			00021575
	1	SC	





Screen with tripod, 155 x 155 cm, 2-in-1, mobile set, telescopic tube, white

Gain-Value	1.1
Material Tube Body	Metal
Cloth Thickness	380 μm
Format	1:1 Standard
Projection Area	155 x 155 cm
Projection Diagonal	219 cm
Weight	7.5 kg

- The tripod projection screen with quick-release clip can be removed from the tripod and hung up on its own
- The spring mechanism allows the screen to be easily extended to the required size and secured in place, remaining crease-free in the process
- Steplessly adjustable telescopic tube
- white PVC screen for unique colour brilliance and the finest contrast richness for rooms to be darkened
- transportable tripod screen sized 155 cm x 155 cm - Format 1:1
- · black metal tube with a diameter of approx. 5.5 cm
- · quick setup and disassembly of the screen and stand in a few seconds
- Usefully shaped plastic handle with locking lever
- Stable tripod with non-slip plastic foot caps
- Can be stowed and transported in a space-saving manner
- · black, opaque back side



Roll-up screen, 175 x 175 cm, mobile, for ceiling or wall mounting, white

Gain-Value	1.1
Material Tube Body	Metal
Cloth Thickness	380 µm
Format	1:1 Standard
Projection Area	175 x 175 cm
Projection Diagonal	247 cm
Weight	7 kg

- · Enjoy the best views: The pull-out screen has a steplessly adjustable blocking system so you can set the image in the perfect screen format for a real home cinema feel
- · lightweight projection screen for quick and easy wall and ceiling mounting
- white PVC screen for unique colour brilliance and the finest contrast richness for rooms to be darkened
- · transportable projection screen sized 175 cm x 175 cm
- · black metal tube with a diameter of approx. 7 cm
- · secure height adjustment via variably adjustable blocking system
- · Can be stowed and transported in a space-saving manner
- · black, opaque back side
- · aspect ratio 1:1



Screen with tripod, 180 x 180 cm, 2-in-1, mobile set, telescopic tube, white

Gain-Value	1.1
Material Tube Body	Metal
Cloth Thickness	380 μm
Format	1:1 Standard
Projection Area	180 x 180 cm
Projection Diagonal	255 cm
Weight	9 kg

- The tripod projection screen with quick-release clip can be removed from the tripod and hung up on its own
- The spring mechanism allows the screen to be easily extended to the required size and secured in place, remaining crease-free in the process
- Steplessly adjustable telescopic tube
- white PVC screen for unique colour brilliance and the finest contrast richness for rooms to be darkened
- transportable tripod screen sized 180 cm x 180 cm - Format 1:1
- · black metal tube with a diameter of approx. 5.5 cm
- quick setup and disassembly of the screen and stand in a few seconds
- Usefully shaped plastic handle with locking lever
- · Stable tripod with non-slip plastic foot caps
- Can be stowed and transported in a space-saving manner
- · black, opaque back side

Qty PT





hama

Projector Table with 2 Levels (42 x 50 / 40 x 35 cm), Height-Adjustable, wi

Maximum Load	10 kg
Width x Depth x Height	110 cm

- Dynamic presentations: with two highly flexible platforms that can be adjusted in terms of height, inclination and orientation, you can direct your projector presentation perfectly for your audience
- Flexible use of the two platforms: for projectors and the lower level as a working surface, e.g. for a notebook and documents
- Upper platform: 42 x 50 cm, load capacity: up to 10 kg, steplessly height-adjustable: min. 85 - max. 110 cm, tilt -35° - + 35°
- Lower platform: 40 x 35 cm, load capacity: up to 10 kg, steplessly height-adjustable: min. 70 - max. 95 cm, tilt -35° - + 35°
- · Both levels can be rotated around 360°
- The stable limiter on both tables give the projector and laptop a secure grip (useful surface with limiters: upper platform 36 x 45 cm, lower platform 36.5 x 29.5 cm)
- The projection table is especially stable and robust thanks to the steel star foot
- With the projector cart featuring 4 smooth-running swivel castors, you remain mobile and can therefore use the projector in different rooms
- 2 castors can be locked in position so that your equipment remains safely where it should

VC			00021574	PVC			00021576	
	1	SC				1	SC	

PVC		00021573		
		1	SC	

Black	00077510			
		1	SC	



Cleaning & Care





Compressed Gas Cleaner, 400 ml

- Very high volume
- · With small tube for hard to reach places
- With child-safe cap
- HFC-free



Blu-Ray Laser Cleaning Disc



- 3 microbrushes remove particles of dirt that can impair the playback quality of the image and sound media
- With 7.1 Surround Sound test



CD Laser Lens Cleaner

Medium	CDs
--------	-----

- · Improves the playback quality of sound carriers
- Accompagnied by music from "Carmen





VHS/S-VHS Video Cleaning Tape

- For S-VHS/VHS recorders
- Optimum dirt pick up and gentle cleaning of the sound heads
- Improves the playback quality
- Cleaning fluid included
- For approximately 50 cleaning processes







CD Laser Cleaning Disc, with Cleaning Fluid, Individually **Packaged**

Medium

- Ensures improved playback quality of the sound medium
- With cleaning fluid
- Suitable for slot-in players
- Also suitable for Playstations, Xboxes
- and Wiis with CD-ROM drive





00044721

DVD Laser Cleaning Disc

- · Choice of 8 different languages
- 720 x 480 pixels/30 fps (frames per
- · Incl. animation with high-resolution images

			00113828	
2	25	ВК		









Screen Cleaner, Foam + Cleaning Cloth, 400 ml, TV, Office + Kitchen

Content 400 ml · Anti-static ingredients prevent dust build-up after screen cleaning

- · Very high-quality and extremely absorbent microfibre towel for lint-free cleaning
- Gentle and caring: no aggressive solvents such as alcohol, butyl glycol or methanol
- All-rounder for the whole household: efficiently and gently removes dust, dirt and grease from all types of TV screens (LCD, LED, OLED, TFT), laptops, tablets, smartphones, ereaders, scanners, copiers, but also from surfaces made of plastic, glass and metal
- Screen cleaning made easy: apply the TV cleaning foam to the screen cleaning cloth, rub it in and wipe it off with a dry cloth - done
- The microfibre cloth (80% polyester, 20% polyamide, 20 x 20 cm) is washable
- If you clean the TV screen and other monitors regularly you will prolong the life of the equipment
- The TV cleaning set includes everything you need for cleaning the screen





Screen Cleaner, Foam + Cleaning Cloth, 200 ml, TV, Office + Kitchen

Content	200 ml
content	200 1111

- Anti-static ingredients prevent dust build-up after screen cleaning
- · Very high-quality and extremely absorbent microfibre towel for lint-free cleaning
- Gentle and caring: no aggressive solvents such as alcohol, butyl glycol or methanol
- All-rounder for the whole household: efficiently and gently removes dust, dirt and grease from all types of TV screens (LCD, LED, OLED, TFT), laptops, tablets, smartphones, ereaders, scanners, copiers, but also from surfaces made of plastic, glass and metal
- Screen cleaning made easy: apply the TV cleaning foam to the screen cleaning cloth, rub it in and wipe it off with a dry cloth - done
- · Economical and sparing to use
- The microfibre cloth (80% polyester, 20% polyamide, 20x20 cm) is washable
- If you clean the TV screen and other monitors regularly you will prolong the life of the equipment
- The TV cleaning set includes everything you need for cleaning the



hama

CD/DVD Repair & Cleaning Kit

- · Set for manual cleaning of CDs/DVDs
- With a special repair paste (25 ml) and lint-free polishing pads for easy removal of scratches on the bottom side of CDs/DVDs
- · Comes with cleaning fluid (pumpaction spray, 45 ml) for CDs/DVDs and a cleaning shell with a soft pad

12	m	12	

Screen Cleaner, Spray + Cleaning Cloth, 95 ml, TV + Office, 9 Pcs in Display

- · Very high-quality and extremely absorbent microfibre towel for lint-free cleaning
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

00221094

			00051488
	48	BK	





hama

Screen Cleaner, Spray + Cleaning Cloth, 200 ml, TV + Office

- · Very high-quality and extremely absorbent microfibre towel for lint-free cleaning
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood

Manager States	A
īm	m
	iiii
000:	hama

hama

Screen Cleaner, Spray + Cleaning Cloth, 15 ml, TV + Office, 24 Pcs in Display

- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Removes dust, dirt and grease efficiently and gently from all types of TV screens (LCD, LED, OLED, TFT), laptops, tablets, smartphones, e-readers, scanners and copiers

		00221095			00221096
35	K.A.		48	K.A.	

		00221093
20	K.A.	

July 2025 IS

00221092 24 SC

Overview of all products from A to Z Н R Α RCA Adapter HDMI™ Angle Adapter Adapter cable 11 HDMI™-Adapter Antenna Amplifier/Antenna Attenuator RCA Cable HDMI™-Cable Antenna Cable RCA Plug Antenna Connector Set RCA Scart Cable Hook and Loop Tape Remote Control Antenna Socket Remote Control Remote Control Holder Audio headphones, hybrid 98 104 Audio headphones, wired Inline Amplifier 12 S Audio Splitter Audio/Video Connection Kit J 40 SAT DISEqC Switch 76 SAT Multiswitch 79 Jack Cable Jack Connection Set SAT Receiver Connection Set 73 Jack Plug Adapter SAT Setting Device 22 89 Bluetooth Audio Adapter 77 Jack RCA Cable 18, 25 SAT Splitter SAT Wall Brackets C 82 Satellite Socket Cable Duct L Cable Holder/Fastener LNB Scart Cable Scart Cable Scart S-Video/RCA Adapter Cable Hose/Bundle Scart Splitter Cable Protection Box 59, 106 Cable Tie M Screw Set Ceiling Mount Mains Adapter Sealing Tape 83 Signal Converter Charging adapter 27 Mast Top 82 40 Speaker, hybrid Cleaning Cassette Multimedia Cleanings Disc 110 Cleaning Foam Switch Cleaning Kit Coax Adapter Network Socket Т Coax Cable Connector TV Rack/Trolley 61 Coax Coupling TV/Radio Antenna 91 0 ODT Adapter 91 Coax Plug Compressed Air Cleaner ODT Cable U 110 13 ODT Splitter Cover plate 88, 92, 93 14 78 Universal Receiving Outlet USB Cable 28 USB Monitor Adapter D P DAB Antenna Pedestal 107 ٧ Distribution Amplifier Projection Screen Projector Table 108 VGA Cable 107 Projektor bag F 106 Video adapter 11, 107 F Coax Adapter F Plug Protective Cap W F Socket Adapter Wall brackets

Company headquarters

Hama GmbH & Co KG
Dresdner Str. 9
86653 Monheim/Bavaria
GERMANY
Tel. +49 9091 502-0
Fax +49 9091 502-274
info.de@hama.com
www.hama.com

www.facebook.com/Hama.Germany

All brand names listed are trade marks of the corresponding companies. Errors and changes to technology and design are reserved.

Our general terms and conditions of business apply. Printed in Germany.

097927/07.2025



