



the content

at a glance

Accessories for household appliances

Device Connection sanitary	6
Device Connection (Electric)	21
Washing & Drying	23
Ironing	31
Cooling & Freezing	33
Electric Stove	38
Cooking Hood	42
Microwave	44
Deep Fryer	49
Vacuum cleaner accessories	50
Rinsing	61

Cleaning & Care

Coffee Machine	64
Washing Up	65
Kitchen Cleaning	66
Washing & Ironing	69
Descalers	71
Special Cleaner	73

Coffee & tea

Dishes	76
Storage & Presentation	80
Preparation	84
Machine Accessories	87

Kitchen & Table

Storage	90
Baking	91
Cooking	93
Bar & Wine	97
Household Goods	98

Small household appliances

Kitchen	102

Lighting

LED lamps 230V	108
LED lamps 12 V	141
Halogen Bulbs 230 V	144
Halogen Bulbs 12 V	149
Special Bulbs	152
Plant Lamps	154



Accessories for household appliances

at a glance

Device Connection sanitary

Device Connection (Electric)

Washing & Drying

Ironing

Cooling & Freezing

Electric Stove

Cooking Hood

Microwave

Deep Fryer

Vacuum cleaner accessories

Rinsing



Security Articles | Seals







DEVICE CONNECTION (SANITARY)

Hose Break Protection for Inlet Hose

Nominal Diameter/	3/4" (DN:20), 26.9
mm 1	mm
Nominal Diameter/	3/4" (DN:20), 26.9
mm 2	mm

- For washing machines and dishwashers
- Easy to mount (also afterwards), is screwed between the tap and the







Seal for Supply Hoses, 3/4", 25 Pcs/Polyb.

Material	Silicone
Diameter (Outside)	24 mm
Height	3 mm

• Universal use for all supply hoses with a 3/4" connection





xavax®

Gasket with Filter for Supply Hoses, 3/4"

Material	Ethylene-Propylene- Diene-Caoutchouc (EPDM)
Diameter (Outside)	24 mm
Height	2 mm

- The integrated filter prevents contaminants such as rust particles from entering the machine
- Fits all supply hoses with 3/4" connection





xavax®

Silicon Seal for Supply Hoses, 3/4"

Material	n/s
Diameter (Outside)	n/s
Height	n/s

• Universal use for all supply hoses with a 3/4" connection

00110881 8 BK

48 PO

8 BK

00111895 8 BK







Supply Hose Connector, brass

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	n/s
Material	Brass
Maximum Temperature	120 °C

- Professional design in metal, suitable for high water pressure and for hot water connections
- Male thread: 2 x 3/4" (19.05 mm)








Supply Hose Connector

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	n/s
Material	Acrylonitrile-Butadi- ene-Styrene (ABS)
Maximum Tempe- rature	n/s









DEVICE CONNECTION (SANITARY)

xayax

Y-Connector Inlet Hose

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Tempe- rature	120 °C

- Professional version in metal
- Also suitable for high water pressure and hot water connections
- For connecting two inlet hoses
- Internal thread to connect to the tap
- External thread to connect 2 inlet hoses

Val	IDY ®

Supply Hose Y-Connector, 5/PB

Nominal Diameter/	3/4" (DN:20), 26.9
mm 1	mm
Nominal Diameter/	3/4" (DN:20), 26.9
mm 2	mm
Nominal Diameter/	3/4" (DN:20), 26.9
mm 3	mm
Material	Brass
Maximum Tempe-	120 °C

- Professional design in metal
- Also suitable for high water pressure and hot water connections
- Connection of two supply hoses
- Female thread for connection to a water tap
- Male thread for connecting two supply hoses
- Includes gasket, suitable for dishwashers or washing machines

			00111095
	8	BK	

		00110809
8	BK	

Qty PT

		00111365
32	РО	

00111069

Household Accessories | Heating & Plumbing







Y-Connector Inlet Hose

Nominal Diameter/	3/4" (DN:20), 26.9
mm 1	mm
Nominal Diameter/	3/4" (DN:20), 26.9
mm 2	mm
Nominal Diameter/	3/4" (DN:20), 26.9
mm 3	mm
Material	Nylon
Maximum Tempe- rature	80 °C





Machine Connector, 2/PB

Connection	Copper Tube Con- nection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	3/8" (DN:10), 17.2 mm

- You only have to lock the angle valve for assembly (the in-house water supply does not have to be interrupted)
- The device is just inserted in the pipe that leads to the tap
- Hose connection separately lockable
- Chrome-plated





xavax®

Machine Connector

Connection	Copper Tube Con- nection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	3/8" (DN:10), 17.2 mm

- You only have to lock the angle valve for assembly (the in-house water supply does not have to be interrupted)
- The device is just inserted in the pipe that leads to the tap
- Hose connection separately lockable
- Chrome-plated





xaVax

Angle Valve with Machine Connector

Connection	Copper Tube Connection, Water Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	1/2" (DN:15), 21.3 mm

- Is directly installed at water connection pipes with 1/2" (21.3 mm) connection
- Hose connection: 3/4" (26.9 mm) for dishwasher/washing machine, separately lockable
- Copper pipe connection: 10 mm to water tap, separately lockable
- Chrome-plated

		00110811
6	BK	

		00111367
32	РО	

		00110817
6	BK	

			00111054
	6	BK	

Heating & Plumbing







Supply Hose "Water Stop Hose for Washing Machines, Dishwashers, Polybag"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Angled, Straight
Aquastop	Yes
Maximum Operating Pressure	10 bar
Maximum Tempe- rature	93 °C

- For all washing machines, dishwashers, etc.
- Connection: 3/4" (1.91 cm) straight / 3/4" (1.91 cm) angled
- The outer protective sleeve avoids damage from water due to poor sealing or a break in the hose
- Cuts off the water supply if there is a poor sealing or a break in the hose
- Leakage is indicated by a coloured
- VDE tested





xaVax

Water Stop Hose for **Washing Machines and** Dishwashers, 2.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Straight
Aquastop	Yes
Maximum Operating Pressure	10 bar
Maximum Temperature	93 °C

- The outer protective sleeve prevents water damage in the event of leaks or breakage of the hose
- Protects the appliance from rust particles thanks to integrated sieve
- Stops the supply of water in the event of leaks or breakage of the
- Leak is indicated by a red colour display
- VDE tested





xaVax®

Water Stop Hose for **Washing Machines and** Dishwashers, 1.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Straight
Aquastop	Yes
Maximum Operating Pressure	10 bar
Maximum Tempe- rature	93 °C

- The outer protective sleeve prevents water damage in the event of leaks or breakage of the hose
- Protects the appliance from rust particles thanks to integrated sieve
- Stops the supply of water in the event of leaks or breakage of the
- Leak is indicated by a red colour display
- VDE tested





DEVICE CONNECTION (SANITARY)

xayax®

Water Connection Hose for Side-by-Side Refrigerators, 10 m

Nominal Diameter/ mm 1	n/s
Nominal Diameter/ mm 2	n/s
Type of Connection	Straight
Aquastop	No
Maximum Operating Pressure	5 bar
Maximum Tempe- rature	25 °C

• Food-safe

2.5 m			00110951
	8	РО	
1.5 m			00110950


2.5 m			00111875
	5	BK	

Qty PT

1.5 m			00111874
	8	BK	

10 m	00111897			
		16	BK	







Reinforced Water Supply Hose, 2 m, 1 piece/poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Connection Nut, straight
Aquastop	No
Maximum Operating Pressure	10 bar
Maximum Tempe- rature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified





xavax®

Supply Hose "Cold water, Polypropylene"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Connection Nut, straight
Aquastop	No
Maximum Operating Pressure	10 bar
Maximum Temperature	25 °C

- Connection: 3/4" (1.91 cm) straight sleeve nut; 3/4" (1.91 cm) angled sleeve nut
- Sieve and rubber seal
- VDE approved





xavax

Supply Hose "Cold Water Hose for Washing Machines, Dishwashers, Polybag"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm		
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm		
Type of Connection	Connection Nut, angled, Connection Nut, straight		
Aquastop	No		
Maximum Operating Pressure	10 bar		
Maximum Tempe-	25 °C		

- Connection: 3/4" (1.91 cm) straight sleeve nut; 3/4" (1.91 cm) angled sleeve nut
- Sieve and rubber seal
- VDE approved





xavax

Cold Water Supply Hose for Washing Machines and Dishwashers, 3.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Connection Nut, straight
Aquastop	No
Maximum Operating Pressure	10 bar
Maximum Tempe- rature	25 °C

- Protection of the appliance from rust particles thanks to integrated sieve
- Safety against leaking water thanks to rubber seal
- Angled union nut for connection to the machine, straight union nut for connection to the water tap
- VDE tested

2 m			00110968
	15	РО	

3.5 m			00110954
	12	PO	

2.5 m			00110953
	10	РО	
1.5 m			00110952
	15	РО	

3.5 m			00111835
	8	BK	

Heating & Plumbing







Cold Water Supply Hose for Washing Machines and Dishwashers, 2.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Connection Nut, straight
Aquastop	No
Maximum Operating Pressure	10 bar
Maximum Tempe- rature	25 °C

- Protects the appliance from rust particles thanks to integrated sieve
- Protection against leaking water thanks to rubber seal
- Angled union nut for connection to the machine, straight union nut for connection to the water tap
- VDE tested





xavax

Cold Water Supply Hose for Washing Machines and Dishwashers, 1.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Connection Nut, straight
Aquastop	No
Maximum Operating Pressure	10 bar
Maximum Tempe- rature	25 °C

- Protection of the device from rust particles thanks to integrated sieve
- Safety against leaking water thanks to rubber seal
- Angled union nut for connection to the machine, straight union nut for connection to the water pipe
- VDE-tested





Water Connection Hose for US Fridges, 10 m, 1 piece/poly bag

Nominal Diameter/ mm 1	n/s
Nominal Diameter/ mm 2	n/s
Type of Connection	Straight
Aquastop	n/s
Maximum Operating Pressure	5 bar
Maximum Tempe- rature	25 °C

- Complements item no. 00111385 (water connection kit for US fridges)
- Food safe





DEVICE CONNECTION (SANITARY)

xavax

Reinforced Supply Hose Extension, 3 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm		
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm		
Type of Connection	Connection Nut, straight, Threatfit- ting External Threat		
Material	Rust-free Steel Wire Braid		
Maximum Tempe- rature	93 °C		

- Extreme kink resistance, excellent flexibility and high flow capacity
- Offers the greatest possible protection against water damage for washing machines, dishwashers or connections to drinking water purification systems (ice cube makers, boilers, side-by-side refrigerators, etc.)
- Also ideally suited for extending fixed-connection supply hoses with water stop devices (Aquastop)
- High-quality woven material made from rust-free stainless steel wire
- DVGW type examination certificate: DW-0304BT0257
- Approval as a hose line for drinking water installation (Group I) with DVGW tests W 543, W 270 and BGA KTW-A 0304 confirming excellent microbiological purity and mechanical resilience

2.5 m			00111834
	8	BK	

1.5 m			00111833
	8	BK	

Qty PT

10 m			00110969
	12	PO	

		00111892
8	BK	







Reinforced Supply Hose Extension, 2 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Threatfitting Exter- nal Threat
Material	Rust-free Steel Wire Braid
Maximum Tempe- rature	93 °C

- Extreme kink resistance, excellent flexibility and high flow capacity
- Offers the greatest possible protection against water damage for washing machines, dishwashers or connections to drinking water purification systems (ice cube makers, boilers, side-by-side refrigerators, etc.)
- Also ideally suited for extending fixed-connection supply hoses with water stop devices (Aquastop)
- High-quality woven material made from rust-free stainless steel wire
- DVGW type examination certificate: DW-0304BT0257
- Approval as a hose line for drinking water installation (Group I) with DVGW tests W 543, W 270 and BGA KTW-A 0304 confirming excellent microbiological purity and mechanical resilience





xavax®

Reinforced Water Supply Hose Extension, 2 m, 1 piece/poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfit- ting External Threat
Material	Rust-free Steel Wire Braid
Maximum Tempe- rature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified





xavax®

Reinforced Supply Hose Extension, 1 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Threatfitting Exter- nal Threat
Material	Rust-free Steel Wire Braid
Maximum Tempe-	93 °C

- Extreme kink resistance, excellent flexibility and high flow capacity
- Offers the greatest possible protection against water damage for washing machines, dishwashers or connections to drinking water purification systems (ice cube makers, boilers, side-by-side refrigerators, etr.)
- Also ideally suited for extending fixed-connection supply hoses with water stop devices (Aquastop)
- High-quality woven material made from rust-free stainless steel wire
- DVGW type examination certificate: DW-0304BT0257
- Approval as a hose line for drinking water installation (Group I) with DVGW tests W 543, W 270 and BGA KTW-A 0304 confirming excellent microbiological purity and mechanical resilience





xayax

Reinforced Water Supply Hose Extension, 1 m, 1 piece/poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfit- ting External Threat
Material	Rust-free Steel Wire Braid
Maximum Tempe- rature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified

		00111891
8	BK	

		00110960
20	РО	

			00111890
	8	BK	

			00110959
	20	РО	

Heating & Plumbing | Household Accessories







Reinforced Water Supply Hose Extension, 0,5 m, 1 piece/poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfit- ting External Threat
Material	Rust-free Steel Wire Braid
Maximum Tempe- rature	93 °C

- · Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified





xaVax

Cold Water Supply Hose Extension, 2.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfit- ting External Threat
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Tempe- rature	25 °C

- · Protection against leaking water thanks to rubber seal
- Union nut for connection to the machine, connector for connection to the supply hose
- VDE tested





xavax

Cold Water Supply Hose Extension, 2.5 m, 1 piece/ poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm		
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm		
Type of Connection	Connection Nut, straight, Threatfit- ting External Threat		
Material	Nylon, Polyvinyl Chloride (PVC)		
Maximum Tempe- rature	25 °C		

- Connection: 3/4" (1.91 cm) straight / straight
- VDE tested





xayax

Drain Hose "for Washing Machines, Dishwashers, extendable, Polybag"

Inner Diameter	21 mm
Outside Diameter	25 mm

- Connection: straight: 21 mm / straight: 21 mm
- Complete with mounting elbow
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Length: extendable from 1.2 to 4 m

		00111393
20	РО	

		00111836
8	BK	

Qty PT

		00110955
15	РО	

1.2 m to 4 m			00110956
	15	ET	





xaVax®

Drain Hose "for Washing Machines, Dishwashers, straight/angled"

Inner Diameter	21 mm
Outside Diameter	28 mm

- Connection: straight: 21 mm / angled: 21 mm
- Complete with mounting elbow
- High pressure resistance (crush resistance)
- High resistance to chemicals





xavax®

Drain Hose "for Washing Machines, Dishwashers, straight/angled, Polyb."

Inner Diameter	21 mm
Outside Diameter	27 mm

- Connection: straight: 21 mm / angled: 21 mm
- Complete with mounting ellbow
- High pressure resistance (crush resistance)
- High resistance to chemicals





xavax®

Drain Hose "Set for Condenser Dryer"

Inner Diameter	10 mm
Outside Diameter	15 mm

- Consisting of: 1 x drain hose 1.5 m, 1 x siphon connection with seal, 3 x hose clamps, 1 x non-return valve
- High pressure resistance (crush resistance)





xavax

Drain Hose "Extension, Polybag"

Inner Diameter	20 mm
Outside Diameter	25 mm

- High pressure resistance (crush resistance)
- High resistance to chemicals
- Connection: 2x straight

1.5 m		00111052	
	10	BK	

2.5 m			00110958
	10	ET	

1.5 m			00111894
	6	BK	

2.5 m			00110963
	10	ET	
1.5 m			00110962
	10	ET	







Drain Hose for all Washing Machines, Dishwashers, 1.2 - 4 m

Inner Diameter	22 mm
Outside Diameter	28 mm

- Connection: straight: 21 mm/ straight: 21 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Extendable hose, allowing it to be used for lengths of 1.2 to 4 m





xavax

Drain Hose for all Washing Machines, Dishwashers, 2.5 m

Inner Diameter	21 mm
Outside Diameter	27 mm

- Connection: straight: 20 mm / angled: 20 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals





xavax®

Drain Hose for all Washing Machines, Dishwashers, 2.5 m, 1 x / poly b.

Inner Diameter	n/s
Outside Diameter	21 mm

- Connection: 2x straight 21 mm/21
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals





DEVICE CONNECTION (SANITARY)

xaVax

Drain Hose for all Washing Machines, Dishwashers, 1.5 m

Inner Diameter	21 mm
Outside Diameter	27 mm

- Connection: 2x straight 21 mm/19
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals

1.2 m to 4 m 00111876

2.5 m			00111879
	10	BK	

2.5 m			00110227
	10	ET	

June 2020 INT

1.5 m			00111877
	9	BK	

Stop Valve





DEVICE CONNECTION (SANITARY)

Non-return valve, with 2 hose clamps

- If a washing machine and a condensing or heat pump dryer is connected to a single siphon connection, the waste water could be pumped from one machine to the other
- A non-return valve in the waste water pipe prevents this backflow
- Suitable for drain hoses with an inner diameter of up to 10 mm

Hose Weight







Hose Weight for Drain Hoses



- The weight of the drain hose itself (475 grammes) secures the drain hose of a device when it is hung over a bathtub or the edge of a sink
- Suitable for hoses with an inside diameter from 19 to 22 mm (secure with hose clip)

Hose Clip







Hose Clip
"10 Pieces, Polybag"

Material Rust-Free / Screw Zinced

- To fix exhaust pipes of laundry dryers
- Band and body made from stainless steel
- Galvanized screw







Hose Clip
"2 Pieces"

Material	Rust-Free / Screw Zinced

 Tape and casing made of stainless steel, galvanized screw

00111398

00111090

90 - 110 mm			00110982
	1	SC	
20 - 32 mm			00110981
	40	SC	

110 - 130 mm				00110835
		6	BK	
90 - 110 mm			00110820	
		6	BK	
8 - 16 mm				00111828
		8	BK	











DEVICE CONNECTION (SANITARY)





Y-Connector for Drain Hose

Nominal Diameter/ mm 1	n/s
Nominal Diameter/ mm 2	n/s
Nominal Diameter/ mm 3	n/s
Material	Acrylonitrile-Butadi- ene-Styrene (ABS)
Maximum Tempe- rature	120 °C





Hose Clip, 20-32 mm

Material	Rust-Free / Screw
	Zinced

- For inlet and drain hoses
- Tape and casing made of stainless steel
- Galvanized screw



xaVax®

Drain Hose Connector, 10 pieces/poly bag

Nominal Diameter/ mm 1	n/s
Nominal Diameter/ mm 2	n/s
Nominal Diameter/ mm 3	n/s
Material	Acrylonitrile-Butadi- ene-Styrene (ABS)
Maximum Tempe- rature	120 °C

• Water temperature: max. 120°C

Nominal Diameter/ mm 1	n/s
Nominal Diameter/ mm 2	n/s
Nominal Diameter/ mm 3	n/s
Material	Brass
Maximum Tempe- rature	120 °C

Brass Drain Hose Connector

• Professional metal version

xavax®

20 - 32 mm			00110813
	6	BK	

		00110987
1	SC	

		00111094
6	BK	

June 2020 INT

Household Accessories | Heating & Plumbing







DEVICE CONNECTION (SANITARY)

Drain Hose Connector

Nominal Diameter/ mm 1	n/s
Nominal Diameter/ mm 2	n/s
Nominal Diameter/ mm 3	n/s
Material	Acrylonitrile-Butadi- ene-Styrene (ABS)
Maximum Tempe- rature	120 °C





xavax®

In-Wall Waste Pipe Connection without Opening for Cleaning, 10 pieces/PB

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Connect the drain hose to the inwall syphon
- Conical drain hose connection fits hoses with a diameter of 20 mm, 23 mm and 3/4 inches





xavax®

Siphon Connection, 10 pieces/poly bag

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- 1" sleeve nut
- 20 mm drain hose connection





Siphon Connection 90, 10 pieces/poly bag

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

• 20 mm drain hose connection

00110810 6 BK

		00110978
1	РО	

		00110988
1	РО	

		00110990
1	PO	


Heating & Plumbing











DEVICE CONNECTION (SANITARY)



Double Appliance Connection Grommet with Backflow Preventer, for Recessed Siphon

Gland 1	n/s
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Ideal for connecting two appliances with a waste water connection to just one siphon connection
- Made from impact-resistant polypropylene with backflow preventer
- Backflow preventer only opens when water is draining, thus preventing water from being pumped from one machine into the other
- · Easy to fit to recessed siphons (gasket fixed onto the pipe)
- 1" union nut; 2 x hose connection 20 - 24 mm

xaVax

Dual Appliance Connection Grommet with Backflow Preventer, Surface-Mounted

Gland 1	n/s
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Ideal for connecting two appliances with a waste water connection to just one siphon connection
- Made from impact-resistant polypropylene with backflow preventer
- Backflow preventer only opens when water is draining, thus preventing water from being pumped from one machine into the other
- · Easy to fit onto standard siphons
- 1" union nut; 2 x hose connection 20 - 24 mm

xavax®

In-Wall Waste Pipe Connection without Opening for Cleaning

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- The drain hose can be mounted to the wall connection
- Conical drain hose connection fits hoses with a diameter of 20 mm, 23 mm and 3/4 inches

xayax®

Flexible 1 1/2" Siphon, 1 piece/poly bag

Gland 1	20 mm
Nominal Diameter/ mm 1	n/s
Material	Plastic Material

- Suitable for wall connection from 40 mm to 50 mm
- With two 1" (2.54 cm) siphon connections for washing machines and dishwashers
- Including 2 odor traps
- Tested according to DIN EN 274/19545

		00110221
6	BK	

		00110220
6	BK	

		00111356
6	BK	

June 2020 INT

		00110967
18	РО	


















xavax

Dual-device Connection Waste Pipe Connection with 1" Seal

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

xavax®

Siphon Connector with Union Nut

Gland 1	n/s
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Drain hose connection suitable for hoses with a diameter of 18 - 23 mm
- Includes hose clamp

xavax®

Siphon Connection with Condensate Connection

Gland 1	8 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Second connection for condensing dryer outlet hose
- 1" (33.7 mm) union nut
- 1 x 20 mm connection, for washing machine and dishwasher outlet hose
- 1 x 8 mm connection, for dryer condensate outlet hose connection

Gland 1	23 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Adapter turns a single connection into a double connection: ideal if multiple appliances with a waste water connection are to be connected to a single siphon
- Seal guarantees protection from water leaks
- Easy, safe installation: Hose clamps secure the drain hose to the double-appliance connection, with union nuts for tightening the adapter to the siphon
- Y-adapter 19 23.5 mm hose connection is suitable for hoses with interior dimensions of 19 - 23 mm

		00111092
6	BK	

		00111893
6	BK	

		00111829
6	BK	

		00110812
6	BK	

Electrical Installation







Connection Cable for Household Appliances "Electric Stove Supply Line"

Number of Wires	5
Wire Cross-Section	2.5 mm ²
Shade of colour	White

- Prefabricated connection cable
- Open ends with core cable ends
- Cable: H05VV-F 5 x 2.5 mm²





xavax

Connection Cable for Household Appliances "Electric Stove Supply Line, Polybag"

Number of Wires	5
Wire Cross-Section	2.5 mm ²
Shade of colour	White

- Prefabricated connection cable
- Open ends with conductor end sleeves
- Cable: H05VV-F 5 x 2.5mm²








Stove Wiring Box, 2 pieces/poly bag

Equipment	5 Double Clamps/ Cable Size max 2,5 mm²/Lid
Material	Plastic Material
Mounting	Surface or Flush Mounting

- 5 double clamps for cables up to 2.5 mm²
- Particularly flat design
- With a break-protected cover
- Flush and surface mounting possible







Stove Wiring Box

Equipment	5 Double Clamps/ Cable Size max 2,5 mm²/Lid
Material	Plastic Material
Mounting	Surface or Flush Mounting

- Particularly flat design
- Including 5 double clamps for cables up to 2.5 mm²
- Flush and surface mounting possible

2.5 m			00110827
	15	BK	
1.5 m			00110826
	20	DV	

2.5 m			00110971
	30	РО	
1.5 m			00110970

White			00110972
	40	SC	

White			00110828	
		6	BK	

Electrical Installation







DEVICE CONNECTION (ELECTRIC)

Extension Cable with Earth Contact, 5 m, white

Shade of colour White

 Suitable for devices which consume much power, e.g. washing machines, dishwashers, driers etc.

• Cable: H05VV-F 3 x 1.5 mm²




Extension Cable with Earth Contact, 3 m, white

Shade of colour

White

 Suitable for devices which consume much power, e.g. washing machines, dishwashers, driers etc.

• Cable: H05VV-F 3 x 1.5 mm²



3 m 00110862



Cleaners & Care Products | Holders | Mounting Materials







Microfibre Cloths, 30 x 30 cm, blue/green/ yellow/red

Material	15% Polyamide, 85% Polyester
Width x Length	30 x 30 cm

- Removes dust, grease and dirt
- Excellent cleaning results with moist and dry cleaning
- One extra cloth for every surface, with different textures for more hygiene (device surfaces - red/glass - blue/universal - yellow/kitchen - green)
- Can be used with or without cleaning agents
- · Washable, can therefore be used for a long time








Anti-Slip Mat for Washing Machines

Width x Length	60 x 60 cm
Shade of colour	Grey

- Absorbs vibrations and prevents devices from sliding across the floor
- For noise protection and sound reduction
- Odourless
- Extremely durable and tearproof due to the high density
- Highly specified, recycled rubber granules bound with polyurethane
- Rot-proof and water compatible
- Resistant to household chemicals, limited acid and lye resistance
- Protects any kind of floor, device and machine
- Made in Germany





xaVax

Anti-Slip Pads with Vibration Protection, 10 x 10 x 1.5 cm, Set of 4

Width x Length	10 x 10 cm
Shade of colour	Black

- Set of 4 pads for all 4 corners of the device or appliance involved
- Absorbs vibrations and prevents appliances moving around Provides sound insulation and
- reduces noise pollution • Highly specific recycled rubber gra-
- nulate with polyurethane bonding
- Rot-resistant and compatible with
- · Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- · Made in Germany



Clothes Peg Set, Blue, 48 Pcs.

Set Contents in	48
Pieces	40

NASHING & DRYING

- Weather-resistant clothes pegs with rust-free, frost-resistant springs
- Colour fastness prevents bleaching in direct sunlight
- Rippled peg grip
- Suitable for indoor and outdoor use
- Openings in the base of the basket allow rain water to drain away
- Basket can be hung on the washing line like a coat hanger thanks to the hook, providing quick access to the

		00110217
6	РО	

Blue, Green, Red, Yellow 00111391

Mounting Materials | Household Accessories








WASHING & DRYING

Safety Lashing Strap with Ratchet for Laundry Drier



- through the ratchet and lash tight
 After tensioning, the drier sits firmly on the washing machine
- This prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Max. lashing strength 800 daN







Condenser Box for Vented Tumble Dryers

Material	Plastic Material
Size	28.5 x 23,5 x 23 cm
Shade of colour	White

- No annoying laying of the exhaust air hose through the window opening or hole in the wall
- Just attach the exhaust air hose to the extra large and sturdy condensate box (capacity: 7l)
- With additional, removable container for ice which ensures an even better condensation of the warm water vapour





xaVax®

Vent Hose Adapter for Laundry Dryers

Diameter	102 mm

- Fits all 102 mm vent hoses
- Ideal for dryers with 100 mm connection
- Can easily be inserted in wall sleeves or wall ducts
- Allows the vent hose to be easily plugged on and off (advantageous if this one can only be mounted for drying)
- Secure fit, no hose clip needed





xavax®

Exhaust Air Hose "Tumble Dryer"

Diameter	102 mm
• Flexible PVC hose	mounted on a
spring steel helix	wire

- Can be cut to length just as one likes
- Incl. 2 hose brackets, 90-110 mm

		00111896
12	BK	

		00111341
2	SC	

0.2 m			00111306
	6	BK	

2 m			00110944
	36	BK	
4 m			00110945
	18	BK	







Household Appliance Stacking Kit







Exhaust Air Hose
"for air conditioning units"

Diameter	120 mm

- Ideal for transporting warm and moist air to the outside
- Especially long-lasting thanks to the use of high-quality aluminium



Exhaust Air Hose
"for Tumble Dryers, Polybag"

Diameter	102 mm
• Flexible PVC hose	with an encapsu-

lated, spring steel windingCan be shortened as desired



xavax

"Extra" Stacking Kit for Washing Machines/Dryers, Drawer, Plastic

Material	Plastic Material
Width x Depth	n/s x n/s
Shade of colour	White

- Includes spacious drawer for storing washing machine accessories or hand towels (depth 40 cm and 28 I capacity)
- With practical handle on the drawer for easier operation
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Side castors so the drawer is easier to pull out
- Structure made of high-resistance, reinforced technopolymer ensures the stability of household appliances
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door.
- Quick and easy to install, since it is pre-assembled
- Can be screwed on if necessary



xavax®

Stacking Kit for Washing Machines/Dryers, with Sliding Plate

Material	Metal
Width x Depth	60 x 55.5 cm
Shade of colour	White

- Includes a sliding plate (holds up to 12 kg), practical storage and work surface at comfortable working height (e.g. for folding laundry, putting laundry into the machine, taking out, etc.)
- Sliding plate with a practical handle for ease of use
- Can also be used for washing machines with an oblique or arched front and for washing machines with a washing powder drawer that reaches up to the lid
- Also suitable for dryers with a cleaning flap at the lower part of the front
- Wheels attached to the side of the drawer make it easy to open the removable plate
- With pull-out lock
- Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door
- Quick and easy to install as delivered preassembled
- Can be screwed on
- Universally compatible with all units with a 60 x 60 cm worktop

10 m			00110205
	4	SC	

12 m			00110973
	6	ET	

Qty PT

		00110224
1	SC	

5 SC 00111363







Stacking Kit for Washing Machines / Dryers, Integrated Laundry Maiden

Material	Metal
Width x Depth	61 x 60 cm
Shade of colour	Silver

- Universal, compatible with most washing machines and tumble dryers with a work surface of 60 x 60 cm
- Integrated, pull-out laundry maiden (max. load up to 12 kg) for hanging up smaller items of laundry at a comfortable working height or as a handy storage area for the laundry basket
- Practical handle on the laundry maiden for easier operation
- With safety lashing strap prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install without screw fixings, since it is pre-assembled





xavax®

"Smart" Stacking Kit for Washing Machine / Dryer, Pull-Out Plate, Plastic

Material	Plastic Material
Width x Depth	n/s x n/s
Shade of colour	White

- Incl. pull-out plate (max. load up to 10 kg), handy storage and work surface at a comfortable working height (e.g. for folding laundry, tidying, etc.)
- With practical handle on the pullout plate for easier operation
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Structure made of high-resistance, reinforced technopolymer ensures the stability of household appliances
- Side castors so the drawer is easier to pull out
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install, since it is pre-assembled
- Universally suitable for all appliances with a worktop of 60 x 60 cm
- Can be screwed on if necessary





xaVax

"Basic" Intermediate Frame for Washing Machines/Dryers, plastic

Material	Plastic Material
Width x Depth	55,50 x 8 cm
Shade of colour	White

- Universal, compatible with most washing machines and tumble dryers
 60 cm wide
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Saves space by placing the tumble dryer on the washing machine
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install, since it is fully assembled
- Maximum weight 250 kg
- Can be screwed on if necessary





xaVax

Intermediate Frame (open front) for Washing Machine and Dryer, 55 - 66 cm

Material	Metal
Width x Depth	n/s x 55 cm
Shade of colour	White

- Xavax in-house development
- Frame with an expanding system, therefore easy to transport as well as quick and easy to mount
- Universally compatible with all units with a width from 55 to 68 cm, can be adapted individually to the width of the washing machine cover
- Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door

Also suitable for:

- Washing machines with an oblique or arched front
- Washing machines with a washing powder drawer that reaches up to the lid
- Dryers with a cleaning flap at the lower part of the front

			00110225
	5	SC	

		00110223
4	SC	

		00110222
4	SC	

		00111379
12	BK	







Intermediate Frame (closed front) for Washing Machine/Dryer, 60 x 60 cm

Material	Metal
Width x Depth	60 x 60 cm
Shade of colour	White

- Frame is a plug-in system, therefore easy to transport as well as quick and easy to mount
- Universally compatible with all units with a 60 x 60 cm surface
- Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door

Not suitable for:

- Washing machines with an oblique or arched front
- · Washing machines with a washing powder drawer that reaches up to
- Dryers with a cleaning flap at the lower part of the front





xayax

Stacking Kit for Washing Machine/Dryer

Material	Metal
Width x Depth	60 x 60 cm
Shade of colour	White

- Quick and easy to install
- Universally compatible with all units with a 60 x 60 cm surface

Not suitable for:

- Washing machines with an oblique or arched front
- Washing machines with a washing powder drawer that reaches up to the lid
- Dryers with a cleaning flap at the lower part of the front





xaVax

Dryer Fixing Plates for Adhesion, set of 4

Material	Plastic Material
Width x Depth	6,5 x 5.5 cm
Shade of colour	White

- When a washing machine and dryer are combined to form a column, the fixing plates are stuck under the feet of the dryer
- In addition to the extremely strong adhesion, the dryer secures itself due to its weight as the fixings next to the border $\bar{\rm also}$ have a bottoom plate on which lies the dryer weight
- The glue is insensitive to moisture and changes in temperature
- Suitable for dryer feet up to a diameter of 45 mm









Vibration Damper

Number of Dampers	4
Diameter	45 mm
Height	17 mm
Shade of colour	White

- For absorbing the operational vibrations of washing machines, dishwashers and tumble dryers
- For increased stability and for noise attenuation
- Prevents sliding on smooth floors
- Protects tiles from scratches
- Can be used anywhere and is easy to attach
- Made from thermoplastic material
- Diameter: internal 4.5 cm; external 6.5 cm

		00111378
12	BK	

June 2020 INT

00110879

Household Appliance Base







"Giant" Universal Stand for Wash. Machine/Dryer with Base Division, 60x60cm

Height	50 cm
Length	60 cm
Load Capacity	150 kg
Width	60 cm

- Exclusive Xavax in-house development for washing machines, dryers, freezers and more
- Due to the 60 x 60 cm large bearing surface also suitable for washing machines with a capacity of 7 to 10 ka
- Special braces and an appropriate construction enable maximum load capacity and stability and minimize vibrations
- The stand's height of 50 cm allows the machines to be optimally positioned at an ergonomic height and saves you from having to bend down
- Height-adjustable feet for balancing uneven or inclined floors and for optimum positioning of the stand
- Four sides with an open front for storing various things resp. one storage compartment for washing powder, fabric softener, etc.
- · Backwater from gullies, high water up to 50 cm and wetness on the floor can no longer penetrate into the machine





xavax®

Base for washing machines and dryers, with drawer, 61 x 60 cm

Height	33.2 cm
Length	61 cm
Load Capacity	120 kg
Width	60 cm

- Base for a commercial washing machine, dryer or refrigerators and
- Spacious drawer for space-saving storage, e.g. of laundry detergent and laundry accessories
- Easy installation due to the prefabricated drawer element
- High load capacity for normal machines up to 120 kg
- Foam surfaces on the base and rubber feet for vibration damping and noise reduction
- · Base for a commercial washing machine or dryer
- TÜV-tested





xaVax

Universal Stand with Base Division for Washing Machine and Dryer

Height	40 cm
Length	60.3 cm
Load Capacity	150 kg
Width	60.3 cm

- Base stand for a washing mashine or a dryer
- Three sides with an open front for storage or one side with a closed front for an elegant look
- With height-adjustable storage compartment for washing powder, fabric softener, etc.
- Non-slip thanks to rubber caps for the feet





xaVax

Transport Roller for Washing Machines and Tumble **Dryers**

Material	Steel Plate
Maximum Load	300 kg
Max. Width	70 cm
Min. Width	43 cm

- Can be effortlessly adjusted to the width and depth of large appliances thanks to extendable rails
- Heavy appliances can therefore be easily moved around on flat surfaces without the need for force, e.g. to transport them or to clean the floor
- · Also suitable for furniture, plants or storage transport boxes
- 6 plastic rollers
- 2 lowerable brakes ensure a stable position and absorb operational vibrations, allowing the devices to remain on the transport rollers even during operation
- Brakes can be operated with levers
- Plastic runners with good grip give the machines additional traction

White			00111380
	1	SC	

White			00111298
	1	SC	

White			00111078	
		1	SC	

White			00111361	
		5	SC	







Wool Dryer Balls, 3 pieces

Temperature Resistance up to	100 C°
Diameter	75 mm
Shade of colour	Cream Nature

- 100% natural, made of sheep's wool
- Soft clothes without the use of chemicals: perfect for sensitive skin
- Improve the wearing comfort of clothes
- Reduce static charge of textiles
- Save energy and time and are not only easy on the environment but also on the purse
- Reusable for an almost unlimited period of time
- Dryer balls that are made of wool cause less noise than dryer balls that are made of plastic
- Easy to use: put the three dryer balls together with the laundry into the dryer





Dryer Balls, 2 pieces

Temperature Resistance up to	125 C°
Diameter	60 mm
Shade of colour	Blue, Green

- Put the two dryer balls together with the laundry into the dryer
- Reduces the drying time by up to 25%
- Save energy and time and are not only easy on the environment but also on the purse
- Soft clothes without the use of chemicals
- Reusable for an almost unlimited period of time
- Additional information for orders: delivery in a display box possible (if 12 blisters each are ordered, delivery is made in an advantageous sales display)







"Power Pearls" Wash Ball

Temperature Resistance up to	95 C°
Diameter	100 mm
Shade of colour	Green

- Plastic ball filled with around 80 ceramic wash pearls
- The vast micro surface of the pearls filters the water and allows for improved detergent distribution
- Detergent quantity can be reduced to 1/4 of the usual amount with no sacrifice to usual cleanliness
- Ideal for those who suffer from skin irritations or allergies caused by detergent residues, as the natural pearls emit no fragrances
- Textiles are protected, colours remain brighter for longer, since the amount of chemicals per wash is vastly reduced, resulting in possible wash temperatures from cold to 95°
- The specially shaped wash ball with its internal balls moves atypically within the drum, thus supporting the mechanical wash in the washing machine, as it rubs against textiles and thus releases dirt from fibres, disperses the wash more efficiently, and unfolds laundry more effectively
- Due to the movement of the beads, the detergent is released and foamed more efficiently in the water
 so more oxygen is introduced into the wash water
- Can be used with all liquid or powder detergents
- Used correctly, the wash ball can be used up to 1000 times, or for around 2 years, before the mineral balls become depleted

			00111376
	8	BK	

June 2020 INT



WASHING & DRYING

xavax®

"Power Pearls" wash ball

Temperature Resistance up to	90 C°
Diameter	100 mm
Shade of colour	Green

- Plastic ball filled with 120 g ceramic wash pearls
- The vast micro surface of the pearls filters the water and allows for improved detergent distribution
- Detergent quantity can be reduced to 1/4 of the usual amount with no sacrifice to usual cleanliness
- Ideal for those who suffer from skin irritations or allergies caused by detergent residues, as the natural pearls emit no fragrances
- Textiles are protected, colours remain brighter for longer, since the amount of chemicals per wash is vastly reduced, resulting in possible wash temperatures from cold to 95°
- The specially shaped wash ball with its internal balls moves atypically within the drum, thus supporting the mechanical wash in the washing machine, as it rubs against textiles and thus releases dirt from fibres, disperses the wash more efficiently, and unfolds laundry more effectively
- Due to the movement of the beads, the detergent is released and foamed more efficiently in the water
 so more oxygen is introduced into the wash water
- Can be used with all liquid or powder detergents
- Used correctly, the wash ball can be used for around 2 years, before the mineral balls become depleted

			00110226
	60	SC	

00111377

00111013

hama_®








Laundry Net "Laundry Bag"

Material	100% Polyester
Length	70 cm
Shade of colour	White

- Especially suited for curtains, delicate fabrics
- Zip for ease of use
- Separates delicate clothing from the rest of the laundry
- Completely pervious to water and washing powder
- Can hold up to 3kg of laundry
- Washable up to 95°C
- 100% polyester



June 2020 INT

30

Household Accessories | Textile Goods







Silicone Iron Rest, blue

Material	Silicone
Width x Depth x Height	15.5 x 28 x 0.5 cm
Shade of colour	Blue

- · Silicone layer heat-resistant up to 250°C for all common irons
- · Long-lasting, flexible rest in a trendy design prevents sole plate scratches and scorch marks on the cover or board top
- · Simply place on the ironing board cover
- With funnel for filling the iron's water tank
- Secure stand thanks to anti-slip
- Exceptionally easy to look after, since it is easy to clean under running water or in the dishwasher







"High Speed" Ironing Board Cover, universal

Material	Cotton Foam Cushioned
Length	130 cm
Width	48 cm

- Suitable for all irons
- Also for ironing boards with steam generator or integrated steam extraction
- 100% cotton fabric on an approx. 2 mm PU foam padding
- The metallic finish on the back of the fabric reflects the heat from the iron and ensures a double-sided ironina effect
- Repeated ironing over the silicone gliding strips cleans and smoothes the soleplate, helping it to glide much more easily
- Made in Germany (certified according to Öko-Tex Standard 100)
- Extremely long-lasting and durable
- Excellent permeability to steam
- Suitable for ironing surfaces of up to 127 x 40 cm
- Drawstring and "Easy Snap" clamping tool







Replacement Pad for Ironing Boards, universal

Material	Polyester
Length	125 cm
Width	43 cm

- Can easily be trimmed to size to fit the shape of any ironing board
- Extra thick pad, approx. 5.0 mm • Necessary for all ironing boards





xavax

Universal Roller Cover for Electric Ironers

- Suitable for all ironers with a roller width of 85 cm
- Particularly durable cotton fabric
- Permeable to steam
- Long lasting
- Cords on both sides for fixing on the roller
- Dimensions: W 92 x L 80 cm
- Washable up to 60°C

		00110200
6	BK	

Universal			00111832	
		20	РО	

Qty PT

		00110939
6	PO	

		00110940
30	РО	

31











Textile Protector for Linen and Soleplate

Washable until	n/s
Length	25 cm
Width	12.9 cm

- Especially smooth-gliding thanks to PTFE surface
- The special arrangement of the steam outlet holes ensures the even distribution of steam
- Irons and the additional soleplate come together to form a double layer that has an especially even heatdistributing effect. This means that sensitive fabrics such as synthetic, silk, velvet etc. can be ironed with ease, even at higher temperatures
- No ironing cloth needed, shine effects are avoided
- Protects the sole of the iron from dirt
- A retaining spring keeps it perfectly secure on the iron
- Also protects sensitive textiles when used with a dry iron
- Material: aluminium with PTFE (polytetrafluoroethylene C2F4) laminated
- Colour: silver

xa	V	a	X

Iron Protector Mat, 25 x 34 cm

Washable until	n/s
Length	34 cm
Width	25 cm

- Non-stick coating and steam-permeable material (made from fibre glass and PTFE) protect the ironed fabric perfectly
- Simply place on the area to be ironed
- Prevents the formation of shiny spots and ensures shine-free ironed creases
- Textile appliqués are protected
- Can be cut to size and reused

		00111075
10	BK	

			00110218
	12	SU	

Special Bulbs



xavax®

Bulb for Cooling Appliances, 15W, E14, pear-shaped, clear

Can be Dimmed	Yes
Design	Pear Shape
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Light Colour	Warm White





xavax

Bulb for Cooling Appliances, 25W, E14, pear-shaped, clear

Can be Dimmed	Yes
Design	Pear Shape
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Light Colour	Warm White





xavax®

LED Bulb for Cooling Appliances, 2W, T25, filament, E14, warm white

Can be Dimmed	No
Design	Pear Shape
Energy Efficiency Class	A++ (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	2 W
Weighted Energy Consumption	2 kWh/1000h
Light Colour	Warm White

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs
- Without mercury and lead





xavax®

LED Refrigerator Bulb, 1.7W, E14, neutral white

Can be Dimmed	No
Design	Pear Shape
Energy Efficiency Class	A++ (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	1.7 W
Weighted Energy Consumption	2 kWh/1000h
Light Colour	n/s

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
- Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small bulbs can be used
- Operating temperature: -20°C to

		00112443
10	BK	

		00112444
10	BK	

		00112272
10	BK	

00110212







LED Refrigerator Bulb, 1.7W, E14, neutral white

Can be Dimmed	No
Design	Pear Shape
Energy Efficiency Class	A++ (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	1.7 W
Weighted Energy Consumption	2 kWh/1000h
Light Colour	n/s

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
- Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small bulbs can be used
- Operating temperature: -20°C to +40°C







Refrigerator/Freezer Thermometer, analogue

Display	Analogue
Material	Plastic Material
Measuring Range	-35 C° up to +40 C°
Resolution	1 °C

- Correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Colour scale for ease of reading







Freezer Thermometer

Display	Analogue
Material	Plastic Material
Measuring Range	-40 °C up to +30 °C
Resolution	1 °C

- Temperatures of 18°C enable long imperishability of food without the addition of preservatives
- Correct internal temperature prevents unnecessary energy consumption and saves energy costs
- Colour scale for easy reading
- Hook and eye for easy attachment





xaVax

Refrigerator/Freezer Thermometer, round

Display	Analogue
Material	Plastic Material
Measuring Range	-30 C° up to +50 C°
Resolution	1 °C

- Correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Colour scale for ease of reading
- The thermometer can be stuck on (adhesive pad on the back) or hung in on an appropriate place

		00112499
10	BK	

White			00110822
	10	BK	

White			00111019
	10	BK	

White			00111309
	10	BK	

Thermometers | Filters







Digital Refrigerator/Freezer Thermometer

Display	Digital		
Material	Plastic Material		
Measuring Range	-30 C° up to +70 C°		
Resolution	0.1 °C		

- A correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Holder for standing or hanging the thermometer up or for attaching it by means of a magnet
- The large digital display (50 x 20 mm) makes it easy to read off the temperature
- The temperature can be displayed in Celsius or Fahrenheit
- With a button for switching the thermometer on and off
- Size: 69 x 42 mm





xavax

Refrigerator/Freezer Thermometer, digital

Display	Digital		
Material	Plastic Material		
Measuring Range	-30 C° up to +30C°		
Resolution	0.1 °C		

- Correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Easy attachment and removal by means of a hook and loop tape (adhesive attachment on the back of the thermometer)
- Large digital display for ease of reading
- The temperature can be displayed in °C or Fahrenheit
- Data memory for max./min. temperature



xavax®

"Durafresh®" Refrigerator Filter

Filter Type	n/s
Size	n/s
Usage	Fridge

- Absorbs ethylene, the gas responsible for the ripening and decaying process of fruit and vegetables: it slows blackening and avoids the loss of weight and texture
- Activated charcoal and active minerals absorb and eliminate bad odours that some foods can emit
- Other foods therefore do not absorb any bad odours

		00111898
12	SC	



xavax®

"Ovalado" Refrigerator Filter, with Temperature Warning System

Filter Type	n/s
Size	n/s
Usage	Fridge

- The activated charcoal in the filter absorbs unpleasant odours
- Other foods therefore do not absorb any bad odours
- Odour-free and 100% natural
- Also ideal for portable cool boxes
- Lasts up to 3 months

			00110209
	12	BK	



xavax®

Replacement Filter for "Durafresh®" Refrigerator Filter, 3 Pcs

n/s
n/s
Fridge

- Absorbs ethylene, the gas responsible for the ripening and decaying process of fruit and vegetables: it slows blackening and avoids the loss of weight and texture
- Activated charcoal and active minerals absorb and eliminate bad odours that some foods can emit
- Other foods therefore do not absorb any bad odours

			00111899
	12	SC	

Black			00111357
	10	BK	

White			00110823	
		6	BK	













xavax®

Water Connection Set for US Refrigerators

Brand 1	n/s
Usage	Side by Side Fridge

- Contains all parts needed for installation
- Quick-fit clamps enable you to install and remove pipes and connections without additional tools
- Consists of: 6 m water pipe (food safe) and a 5-part connector and connection set
- The retaining rings provide additional safety of the connection system
- According to the EU guideline 89/109EEC, the set can come into contact with food

xaVax®

"DASA" Internal Water Filter for Side-by-Side Refrigerators

Brand 1	Filter Logic
Usage	Side by Side Fridge

- For all common side-by-side refrigerators such as Samsung DA29-00003F/G and similar
- Contains a high-quality carbon block that has been manufactured especially for use in refrigerators.
 The carbon effectively removes up to 99% of chlorine, which significantly improves the taste and smell of the water
- The cartridge also removes other contamination such as solid particles dissolved in water, e.g. clay, sand, rust. The result is a significant improvement in taste and fewer deposits in your refrigerator's water and ice system
- Refrigerator filter replaces the following original filter types: DA29-00003A, DA29-00003B, DA29-00003F, DA29-00003G, DA97-06317A, HAFIN1 EXP, HAFIN2 EXP, DA61-00159A-B, APP100, 4801 817 00592, WF289, WSS-1
- Tested according to EU 1935/2004
- The cartridge has a service life of around 6 months, depending on the amount of water consumed and its quality

xaVax®

"SBS" Internal Water Filter for Side-by-Side Refrigerators

Brand 1	Filter Logic
Usage	Side by Side Fridge

- For all popular filter types such as Whirlpool SBS002/4396508 and similar models
- Contains a high-quality carbon block that has been manufactured especially for use in refrigerators.
 The carbon effectively removes up to 99% of chlorine, which significantly improves the taste and smell of the water
- The cartridge also removes other contamination such as solid particles dissolved in water, e.g. clay, sand, rust
- The cartridge has a service life of around 6 months, depending on the amount of water consumed and its quality
- Tested according to EU 1935/2004

xavax®

External Universal Water Filter for Side-by-Side Refrigerators

Brand 1	Filter Logic
Usage	Side by Side Fridge

- This filter cartridge is compatible with Samsung 10105J/Daewoo DD7098/EF9603, fits all upright refrigerators (side-by-side) that are connected to the water supply via a 1/4 inch (approx. 6 mm) plastic hose. These quick connections allow the plastic hoses to be connected in seconds
- This filter can be used universally as a pre-filter
- No sealing tape, no cumbersome adapters needed. After removing the stopper at the inlet/outlet, the integrated hose seal reliably shuts off the hose
- Contains a high-quality carbon block that has been manufactured especially for use in refrigerators.
 The carbon effectively removes up to 99% of chlorine
- The cartridge also removes other contamination such as solid particles dissolved in water, e.g. clay, sand, rust. The result is a significant improvement in taste and fewer deposits in your refrigerator's water and ice system
- Refrigerator filter replaces the following original filter types: DA29-10105J, WSF100, EF-9603, 3890JC2990A, 3650JD8050A, BL-9808, DD-7098, 3019974800, 497818, FUS001, 481931039257, USC-100, GXRTQ, GXITD and many
- Tested according to EU 1935/2004

		00111385
16	BK	

			00111824
	3	BK	

			00111827
	35	BK	

		00111822
36	BK	

Household Accessories





Straight Connector for Plastic Pipes, 1/4"

Nominal Diameter/ mm 1	1/4" (DN:8), 13.5 mm
Nominal Diameter/ mm 2	1/4" (DN:8), 13.5 mm
Nominal Diameter/ mm 3	n/s
Material	Plastic Material
Maximum Tempe- rature	n/s

- E.g. for using with water/filter connections or for extensions on US side-by-side refrigerators
- Speedfit[™] system for quickly mounting and removing the pipes and connections without tools
- Retaining rings provide additional safety of the connecting system and prevent the pipes from being unlocked accidentally
- Tested in accordance with the EU guideline 89/109EEC, can therefore be used for food and drinking water applications as well as for water treatment
- Also ideal for air and vacuum applications





xayax®

Angle Connector for Plastic Pipes, 1/4"

Nominal Diameter/ mm 1	1/4" (DN:8), 13.5 mm
Nominal Diameter/ mm 2	1/4" (DN:8), 13.5 mm
Nominal Diameter/ mm 3	n/s
Material	Plastic Material
Maximum Tempe- rature	n/s

- E.g. for using with water/filter connections or for extensions on US side-by-side refrigerators
- Speedfit[™] system for quickly mounting and removing the pipes and connections without tools
- Retaining rings provide additional safety of the connecting system and prevent the pipes from being unlocked accidentally
- Tested in accordance with the EU guideline 89/109EEC, can therefore be used for food and drinking water applications as well as for water treatment
- Also ideal for air and vacuum applications

00111388

COOLING & FREEZING

Special Bulbs







Oven Bulb, 25W, 300°, E14, pear-shaped, clear

Can be Dimmed	Yes
Design	Pear Shape
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Light Colour	Warm White

- Heat-proof up to 300° Celcius
- Pear-shaped incandescent lamp
- Bulb diameter: 26 x 58 mm
- Clear
- 25 W; E 14; voltage: 230 V







Oven Bulb, 15W, 300°, E14, pear-shaped, clear

Can be Dimmed	Yes
Design	Pear Shape
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Light Colour	Warm White

• Heat-resistant up to 300° Celcius








Oven Bulb, 40W, 300°, E14, drop-shaped, frosted

Can be Dimmed	Yes
Design	Drop
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	40 W
Weighted Energy Consumption	40 kWh/1000h
Light Colour	Warm White

- Heat-resistant up to 300° Celcius
- High light efficiency





xavax®

Halogen Bulb for Ovens, 33W, 300°, G9, clear

Can be Dimmed	Yes
Design	Base Pin
Energy Efficiency Class	D (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	33 W
Weighted Energy Consumption	33 kWh/1000h
Light Colour	Warm White

- Heat-resistant up to 300° Celcius
- Clear
- 1 piece packed in blister


		00110838
10	BK	

			00112440
	10	BK	

		00112441
6	BK	

			00111307
1	2	BK	

Thermometers







Digital Roasting Thermometer with Timer, Radio Sensor, 2 Probes

Display	Digital
Measuring Range	-20°C to +250°C
Resolution	1 °C
Usage	Drinking Tempera- ture, Oven, Roast Temperatur

- Pre-set core temperatures of beef, veal, hamburger / minced meat, pork, chicken, turkey, fish and lamb stored in the thermometer
- Temperature display can be in Celsius or Fahrenheit
- For monitoring various stages of cooking: depending on the type of meat, choose between well, medium well, medium, medium rare and rare
- Built-in timer up to 99 minutes: 59 seconds, with alarm function as soon as the target temperature is reached
- Display of the current temperature and target temperature
- The temperature sensors allow the simultaneous measurement of the internal temperature of several types of food - simply be inserting the probe
- Receiver with holding clip in mobile phone format can be easily carried around the home, range 8 m from the base station
- Base station with LED operating pilot light serves as a radio transmitter and holder
- Display with blue LED backlight





xayax

Digital Multi-Thermometer

Display	Digital
Measuring Range	-45°C to +200°C
Resolution	0.1 °C
Usage	Drinking Tem- perature, Roast Temperatur

- With removable silicone fastener for storing and closing opened bottles
- For measuring the inside temperature of meals (cutting the foodstuffs up is not necessary)
- For exact (medium, well done) roasting, cooking and baking
- Quick, exact indication on the display (resolution: 0.1°C)
- Ideal for fish, meat and vegetables
- Food safe
- Battery (1.5V LR44) included in the delivery package
- With temperature table for different applications
- Baby food: 37.0°C
- Water for tea: 60-90°C
- Oil for roasting: 150-190°C
- Olive oil: up to 160°C
- Beef, medium: core temperature: 60-65°C
- Poultry: core temperature: 80-90°C
- Red wine, new/dry: 14-16°C
- Technical details:
- Measuring range: -45°C up to 200°C (-49°F up to 392°F)
- Measuring error: at 0°C up to 79.9°C = 2%
- Quick response time: 4-10 seconds





xayax

Digital Meat Thermometer with Timer, cable sensor

Display	Digital
Measuring Range	-10°C to +250°C
Resolution	1 °C
Usage	Drinking Tempera- ture, Oven, Roast Temperatur

- The stainless steel probe (160 mm) with 1 m heat-resistant cable allows you to measure the inside temperature of food simply insert the probe
- Ideal for vegetables, roasts, cakes and steaks as well as for soups, wine, tea water, baby food and much more
- For controlling different cooking levels by setting a specific temperature: an alarm can prevent the set temperature to be exceeded, this prevents food from overcooking
- Can be used as a timer or thermometer, countdown and countup timer adjustable up to maximally 99 minutes and 59 seconds
- Suitable for continuous operation, e.g. for the complete roasting time (insertion sensor in the oven and measuring body outside)
- Sturdy housing can be attached in many positions, e.g. by a magnet, built-in suspension eye and stand





xavax

Mechanical Meat and Oven Thermometer

Display	Analogue
Measuring Range	Meat, 30°-100°C, Oven 50°-250°C
Resolution	1 °C
Usage	Oven, Roast Tem- peratur

- Needle 1 (red) measures the current oven temperature
- Needle 2 (black) measures the core temperature
- For exact (English, medium, well done) roasting, cooking and baking
 Ideal for fish, poultry, meat
- Food-safe
- Measuring range oven: 50°C to 250°C
- Measuring range meat/baked goods: 30°C to 100°C
- Size: Ø 73 mm
- Stainless steel 430, matt (18/0)

6 BK

6 BK

Qty PT

6 BK

00111018 6 SC

Cables & Adapters | Seals | Kitchen Aids | Blades & Holders













xaVax®

Induction Hob Adapter "Consisting of Stainless Steel/Aluminium"

Material	Metal
• The adapter cond	ucts the heat from
the hob to the po	ts, pans, roasters,

- kettles, etc.
 Suitable for aluminium, stainless steel, glass, copper and ceramic
- Sandwich material made from rust-free stainless steel with an aluminium core
- For containers with a similar diameter, max. 23.5 cm
- A long, insulated handle makes handling the induction hob adapter plate easier and prevents burns when lifting
- The plate can be easily cleaned under running water or in the dishwasher

xavax®

Sealing Tape for Ceramic Hob, 3 x 1.10 m

Material	Foam
Width x Length	15 x 1100 mm
Thickness	2 mm

- Protects from liquids that may get under the hob
- Ensures a firm fit of the hob in the worktop
- Can also be used for sealing kitchen sinks or as universal insulating or sealing tape
- Self-adhesive on one side

xavax®

Special Glass Scraper for Glass Ceramic Cooking Surfaces

Material	Metal
Usage	Glass Ceramic

- Glass scraper in first equipment quality, specially developed for glass ceramic hobs
- Also removes colour or residues of stickers on glass, tiles, etc.
- When not in use, the blade can easily be retracted (protective function)
- Ergonomically shaped grip, can be hung up
- The blade can easily be replaced (replacement blades item no.: 00111096)
- Dimensions of the metal housing: 138 x 46 mm

xavax

Replacement Blades for Glass Scraping Tool for Glass Ceramic Hobs

Number of Blades	5
Usage	Ceramic Stove Top

- Replacement blades for Xavax glass scraping tool for glass ceramic hobs (item no. 00111010)
- Ground on both sides, thereby doubling the service life

19 cm			00111397
	12	SC	
23.5 cm			00111396
	10	sc	

Black			00111867
	6	BK	

			00111010
	12	BK	

	00111096
24 BK	

Cooking & Baking







ELECTRIC ST









xavax

Universal Shelf, 40 x 35 cm, Extends up to 65 cm, incl. Extension

- The width of the shelf can be flexibly adjusted from 40 to 65 cm, making it ideal for all ovens, refrigerators or as a grill shelf
- If the side parts are pulled out, the additional extensions can be inserted as required. This ensures no gaps and the entire trivet surface can be used.
- Can be used as an oven shelf, grill shelf or as a refrigerator shelf
- Especially secure, since it can be adjusted to exactly the width required and secured in place with screws.
 The width, once set, then no longer changes

xavax

Roasting/Baking Dish "Square"

Border Height	6,5 cm
Depth	37 cm
Suitable for Dish- washers	Yes

- Extra deep (6.5 cm), therefore ideal for bakes, roasts, sheet cakes, gratins, fried vegetables, etc.
- Also suitable for preparing big fish, large poultry, haunches of venison, etc.
- With a volume of 8 litres ideal for parties or extended families
- Meals can directly be cut in the tray
- Made of high-quality, brushed stainless steel (18/10)
- For ovens with a width of 46.5 cm
- Also suitable for circulating air
- Suitable e.g. for Bosch, Siemens, Neff and Constructa

xavax

Roasting/Baking Dish "Round"

Border Height	6 cm
Depth	6 cm
Suitable for Dish- washers	Yes

- Extra deep (6 cm), therefore ideal for bakes, cakes, gratins, fried vegetables, etc.
- Suitable for quiches, pizzas and the like; can also be used for water baths for soufflés
- For preparing cold cuts, ice cream bombs, tiramisu, etc., also deep-frozen
- The right dish for presenting meals on a table
- Made of high-quality stainless steel (18/10)
- Meals can directly be cut in the dish

xaVax®

Stove Cover Plate "Pack of 2, "Granite" Design"

Material	Tempered Safety Glass
Depth	52 cm
Height	0.65 cm

- Ideal for covering (partially/fully) the glass ceramic hob
- Suitable for ceramic glass hobs with a width of 60 cm
- The plate can also be used as a splashback
- Can also be used as a serving plate for hot and cold dishes
- Reinforced safety glass (virtually indestructible)
- Heat-resistant
- Odour and dirt-resistant
- Resistant to cuts, scratches and impacts
- Dishwasher-safe
- Polished edges
- Six non-slip elastic feet (height: approx. 2.5 mm) per plate

		00110202
16	SC	

44.5 cm			00111503
46.5 cm			00111504
42.5 cm			00111505
	5	SC	

Qty PT

34 cm				00111502
		6	SC	

30 cm			00111020
	7	SC	






Halogen Bulb for Extractor Hoods, 40 W, tubular, clear, E14

Can be Dimmed	Yes
Design	Tube
Energy Efficiency Class	D (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	40 W
Weighted Energy Consumption	40 kWh/1000h
Light Colour	Warm White

- A special halogen bulb has a longer service life than a normal special bulb
- Insensitive to vibrations
- Optimum light distribution







Halogen Bulb for Extractor Hoods, 25 W, tubular, clear, E14

Can be Dimmed	Yes
Design	Tube
Energy Efficiency Class	D (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Light Colour	Warm White

- A special halogen bulb has a longer service life than a normal special bulb
- Insensitive to vibrations
- Optimum light distribution



xavax®

Activated Carbon Filter for Cooker Hoods, set of 2

Filter Type	Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- Many odours are trapped to a large extent due to the addition of activated carbon
- Can be individually cut to size
- Fire protection class according to

			00111870
	10	РО	



xavax

Fleece/Activated Carbon Filter for Cooker Hoods, set of 2

Filter Type	Grease Trap, Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- Many odours are trapped to a large extent due to the addition of activated carbon
- Can be individually cut to size
- Fire protection class according to

			00111869
	8	РО	



xavax®

Activated Carbon Filter for Cooker Hoods, set of 2

Filter Type	Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- Many odours are trapped to a large extent due to the addition of activated carbon
- Can be individually cut to size
- Fire protection class according to

		00110832
18	РО	




xaVax

Flat/Activated Carbon Filter for Cooker Hoods, set of 2

Filter Type	Grease Trap, Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Set comprising a carbon odour filter and a flat filter
- With saturation indicator (indicator colour discolours from grey-brown into red)
- Replace filter when the saturation indicator is red

		00111871
10	РО	







Filters | Household Accessories



Flat/Activated Carbon Filter for Cooker Hoods, set of 2

Filter Type	Grease Trap, Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- · Set consisting of a carbon smell filter and a flat filter
- With saturation indicator (indicator colour discolours from grey-brown into red)
- Exchange filter when the saturation indicator is red
- Can be individually cut to size
- Flat filter: fire protection class ac-

		00110871
30	РО	



xaVax®

Fleece Filter for Cooker Hoods, 2 pcs./set

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- can be individually cut to size





xaVax

Flat Filter for Cooker Hoods, set of 2

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- With saturation indicator (indicator colour discolours from grey-brown
- Replace filter when the saturation indicator is red
- Can be individually cut to size
- Fire protection class according to ISO 9772 (HF1)

		00111868
70	РО	









COOKING HOOD

xavax

Aluminium Exhaust Pipe for Extractor Hood, Ø 120 mm, 5 m


Maximum Length	n/s
Shade of colour	n/s


- Can be extended up to 5 metres
- Especially long-lasting thanks to the use of high-quality aluminium
- Can be shortened to suit



Reducer "Fume Hood"

Material	Plastic Material
Shade of colour	White





Holders | Installation | Tableware & Cutlery





Microwave Bracket, white

Material	n/s
Maximum Load Capacity	30 kg

- Space-saving and easy mounting
- The width and depth can be
- Stamped-in hollows ensure secure positioning of the appliance
- Max. load capacity: 30 kg
- Max. width: 43 cm
- Supporting arms extendible from 36.5 - 51 cm (depth)

White			00110930	
		4	SC	





Microwave Bracket, silver

Material	n/s
Maximum Load Capacity	30 kg

- Space-saving and easy mounting
- The width and depth can be adjusted
- Stamped-in hollows ensure secure positioning of the appliance
- Max. load capacity: 30 kg
- Max. width: 40 cm
- Max. depth: 50 cm





xaVax

Integration Frame for Microwave, silver

Material	Plastic Material
Hard Disk Size	n/s
Height	n/s
Width	n/s
Shade of colour	Silver

- Bars can be removed from the grille so that the frame can be adapted precisely to the size of your microwave
- Screw covers to conceal the mounting screws
- Adaptation of the microwave height







Microwave Pot with Cover, 1.5 l, Up to 900W, Diameter

25.2cm, Height 10.6cm

Temperature Range Suitable for Dish-

- Microwave pot made from microwave-safe aluminium alloy with silicone handles, cover made from stainless steel with silicone handle
- The material used in the product, unlike conventional microwave crockery, itself becomes hot and therefore heats the food it contains. This means that the shape, colour and flavour of the food is preserved durina cookina
- Non-stick coating prevents burnedon food and makes it easy to remove the contents
- Suitable for various cooking methods: grilling, boiling, steaming, baking, etc.
- The food contained inside is cooked gently
- Time-saving: cake is cooked in just around 9 minutes
- 1.5 litre volume
- Suitable for microwaves with up to 900 W of power
- Easy to clean dishwasher-safe





xaVax®

Microwave Steam Cooker, PP, 4 Litres, red

Temperature Range	-18° to 140°
Suitable for Dish- washers	Yes

- Steam cooker for the microwave made from PP with 3 layers and a lid
- · Cook vegetables, meat or fish separately over three levels
- Bottom container for water, middle perforated layer for vegetables, top perforated layer for meat or fish, lid to close
- Ideal for health-conscious cooking: no addition of fat required
- Vitamins, minerals and the natural flavour of food remain preserved with this gentle form of cooking
- Time-saving: multiple elements of a dish can be prepared simultaneously, with each meal taking around 15-20 minutes to cook
- Capacity: 4 litres
- Suitable for microwaves up to 800 W / 140°
- Suitable for dishwashers up to 45°
- Cold-resistant down to -18°C, ideal for refrigeration until ready to cook

			00111493	
	8	SC		

		00111485
6	SC	















xaVax®

Grill Plate for Microwave, up to 900W, 29.5 x 15.1 x 5.8 cm, 2 pcs

Temperature Range	-40°C to 250°C
Suitable for Dish- washers	Yes

- Grill Plates for the Microwave with Aluminium Alloy and Silicone Handles
- The material used in the product, unlike conventional microwave crockery, itself becomes hot and therefore heats the food it contains. This means that the shape, colour and flavour of the food is preserved during cooking
- Calorie-saving cooking thanks to non-stick coating – perfect results even with only a little added oil or fat
- Time-saving grilling: crispy meat or sausages in around 5 minutes
- Also suitable for grilling vegetables,
 e.g. potatoes
- Grill plates can be placed on top of each other for a two-sided crispy result
- Flexible closure: both narrow strips of bacon and stacked sandwiches can be cooked perfectly
- Suitable for microwaves with up to 900 W of power
- Easy to clean dishwasher-safe



xayax

Microwave Omelette Maker, PP, 0.75 l

Temperature Range	-18° to 140°
Suitable for Dish- washers	Yes

- PP omelette maker for the microwave
- Multifunctional: suitable for preparing omelettes as well as fried or poached eggs
- Perfect eggs in just 3 to 4 minutes
- Removable strainer insert for the preparation of fried eggs - for the perfect consistency of the white and yolk
- Any steam produced can escape through the perforated lid
- With click closure
- Ideal for health-conscious cooking: no addition of fat required
- No more difficult poaching in a pansimply pour water into the container and heat it in the microwave
- Also perfect for quickly cooking a small cake in the microwave
- 0.75 litre capacity
- Suitable for microwaves up to 800 W / 140°
- Suitable for dishwashers up to 45°
- Cold-resistant to -18°



xavax®

Microwave Starter Kit, 4 pieces

Temperature Range	-40°C to 120°C
Suitable for Dish- washers	Yes

- Comprises 2 boxes (1.0l, round; 2.0l, round), 1 microwave plate and 1 microwave hood (special grips for easy opening)
- Optimum microwave permeability
- Dimensions:
- 1.0l box: 215 x 175 x 70 mm
- 2.0l box: 215 x 175 x 125 mm
- Microwave plate: 262 x 230 x 50 mm
- Microwave hood: 290 x 88 mm



xaVax®

Microwave Box Set, 3 Part, red

Temperature Range	n/s
Suitable for Dish- washers	Yes

- Set comprising two microwave boxes each with a 600 ml capacity and one microwave box with a 1300 ml capacity, with matching lids
- Microwave box with a 1300 ml capacity is divided into two compartments for appetising and clearly arranged food
- Suitable for portioned freezing of pre-made food
- When required, portions can be thawed without removing them from the container and heated directly
- Offset grips make it easy to open
- Resistant from -20° to +120°C
- Dishwasher-safe
- Break-resistant
- Odourless/tasteless
- Food safe

		00111494
16	SC	

00111486 42 SC

Qty PT

00110829

6 SC 00111463







Microwaveable container with 2 food compartments, 1.3 l, red

Temperature Range	n/s
Suitable for Dish- washers	Yes

- Container is divided into two compartments for appetising and clearly arranged food
- With matching lid
- Suitable for portioned freezing of pre-made food
- When required, portions can be thawed and heated directly without removing from the container
- Offset grips make it easy to open
- Excellent microwave permeability
- \bullet Resistant from -20° to +120°C
- Dishwasher-safe







Microwave Cup, 0.6 l, red

Temperature Range	n/s
Suitable for Dish- washers	n/s

- 600 ml capacity
- Can be sealed air-tight with four click-close safety locks
- Also ideal as the go-to container for pasta, etc.; perfect for lunch breaks
- Practical handle for secure transport or serving without burning fingers
- Steam valve in the lid
- Suitable for microwaves up to 120°
- Cold-resistant to -20°
- Suitable for dishwashers





xavax®

Set of 2 Microwave Egg Cookers, Polypropylene, 6 x 8 cm

Temperature Range	-20°C to 120°C
Suitable for Dish- washers	Yes

- Microwave egg cooker made from PP for the quick preparation of an egg
- Perfectly cooked egg in less than a minute
- The egg is beaten directly in the cooker so no more tedious peeling: the egg cooker acts as the egg's shell
- Calorie-conscious cooking: no fat required
- Easy to clean in the dishwasher





xavax®

Microwavable plate set, 2-piece

Suitable for Dish- washers	Yes
Number of Plates	n/s

- Set consists of two menu plates with matching lids
- Menu plate is divided into three compartments for appetising and clearly arranged food
- Suitable for portioned freezing of pre-made food
- When required, portions can be thawed and heated directly and heated directly
- Offset grips make it easy to open
- Excellent microwave permeability
- Dishwasher-safe
- Resistant from -20° to +120°C

		00111465
12	SC	

		00111466
24	SC	

			00111490
	48	SU	

		00111464
4	SC	

Microwave Box Set







"Round" Microwave / Freezer Container Set, 2 Pcs., turquoise / burgundy

Component	Microwave Container, 1l = 18 cm x 17 cm x 7 cm, Microwave Container, 2l = 24 cm x 21 cm x 9 cm
-----------	---

- Comprises 2 containers with matching lids (diameter 24 x 9 cm, 2L and 21 x 9 cm, 1L) in burgundy or turquoise
- Space-saving design: Containers can be stacked inside each other
- Excellent microwave permeability
- Easy to open and close
- When required, portions can be thawed and heated directly without removing from the container
- Cover has a pressure valve for microwave use
- Break-resistant
- Odourless/tasteless
- Food safe
- Suitable for dishwashers
- Suitable for a temperature range from -20°C to 100°C







"S-Capo" Microwave Cover

-30°C to 110°C
22 cm
10.3 cm
Yes

- Shortens cooking time by reducing the cooking space
- Contains all splashes
- Allows built up steam to be released
- Especially high, practical handle for easily removing the cover from a dinner plate
- Large handle and centred steam vents prevent burns when the cover is removed







"M-Capo" Microwave Cover

Temperature Range	-30°C to 110°C
Diameter	26 cm
Height	10.3 cm
Suitable for Dish- washers	Yes

- Shortens cooking time by reducing the cooking space
- Contains all splashes
- Allows built up steam to be released
- Especially high, practical handle for easily removing the cover from a dinner plate
- Large handle and centred steam vents prevent burns when the cover is removed



xa	V	a	X
Xa	V	3).	X

"Basic" Microwave Cover, 48 Pcs.

Temperature Range	-5°C bis 80°C
Diameter	26 cm
Height	6,5 cm
Suitable for Dish- washers	Yes

- Reliable spray protection
- Shortens the cooking time by reducing the cooking space
- Steam outlet openings on the outer edge avoid excess pressure
- Handy recesses in the middle for easy removal of the cover from

00111525

Qty PT







"Ergo Maxi" Microwave Cover

Temperature Range	-40°C to 120°C
Diameter	29 cm
Height	8.5 cm
Suitable for Dish- washers	Yes

- Shortens cooking time by reducing the cooking space
- Contains all splashes
 Allows built up steam to be released
- Practical handle





xavax®

Universal Combination Filter for Deep Fryers

Filter Type	Grease Trap, Odour Filter
Size	330 x 296 mm
Usage	Deep-Fat Fryer

- One carbon smell filter and one fat filter with saturation indicator
- Can be individually cut to size (expensive filter cartridges do not have to be bought)
- Flat filter: fire protection class according to ISO 9772 (UL 94 HBF)
- Activated carbon filter: fire protection class according to ISO 9772

00110872 60 PO

> June 2020 INT Qty PT

Holders | Filters



HEPA Filter







VACUUM CLEANER ACCESSORIES

Base Organiser for Batterypowered Vacuum Cleaners, 29.5 x 22 x 128 cm, si

Material	Aluminium
Maximum Diameter of the Dish	n/s
Tube Diameter	n/s

- Stable stand for vacuum cleaners, tidy organiser for accessories in the individual holders
- Space for two floor nozzles
- Aluminium design for an elegant look
- Drill-free installation
- Silicone pad under the base prevents the base from slipping and scratching the floor
- Generous cable guide hole for easy cable winding - ideal for charging battery-powered vacuum cleaners
- Also compatible with Dyson, Bosch, AEG, Philips, Rowenta and models with similar designs

xavax

HEPA Filter "HF 01 for Miele"

- Cartridge with hypo-allergenic filter of Hepa H 12 filter class
- To maintain effective filtration, the Hepa filter must be replaced at least once a year
- Suitable for Miele devices with the designation: S2, S300-800, S7 and Complete C1, Classic C1, Dynamic II1
- Manufacturer designation: SF-AH 30; SF-HA 30; Nr. 9.616.270

xavax

HEPA Filter "HF 04 for Miele"

- Cartridge with one hypo-allergenic filter: filter class Hepa H 12
- To maintain effective filtration, the Hepa filter must be replaced at least once a year
- Suitable for Miele devices with the designation: S4, S5, S6, S8 and Compact C1-C2, Complete C2-C3
- Manufacturer designation: SF-AH 50, SF-HA 50; Nr. 9.616.280

xavax®

Air filter
"MF 02" for vacuum
cleaners, 4 pcs.

• Special air filter, universal in use

n/s **00110235** 4 SC HEPA 12 00110292 22 BK HEPA 12 00110295
22 BK



Filters | Household Accessories

Vacuum Cleaner Motor Filter



Vacuum Cleaner Bag







VACUUM CLEANER ACCESSORIES



MF 01 Motor Filter

· By cutting, the filter can very easily be adapted to nearly all vacuum cleaners



Vacuum Cleaner Bag "AE 02"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	98 x 115 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Suitable for AEG vacuum cleaner bags with the designation:
- Size: 22-26
- Suitable for Progress vacuum cleaner bags with the designation:
- PA 10-14
- Also suitable for different vacuum cleaner bags from:
- Hanseatic, Privileg, Singer, Thomas

xaVax®

Vacuum Cleaner Bag "AE 05"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 90 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Higly loadable plastic connection

Suitable for AEG vacuum cleaner bags with the designation:

• Size: 5

Suitable for Electrolux vacuum cleaner bags with the designation:

Size: E 51: E 65

Suitable for Progress vacuum cleaner bags with the designation:

• Size: P 58, P 58a, P 59, PA 17, PE 10

Suitable for Volta vacuum cleaner bags with the designation:

V 34

Suitable for Elram vacuum cleaner bags with the designation:

• Str. 5

Suitable for Hoover vacuum cleaner bags with the designation:

• AE 24

Also suitable for different vacuum cleaner bags from:

• Alfatec; Baur Versand, De Sina;

MicroMultiVlies			00110026
	26	BK	

xayax®

Vacuum Cleaner Bag "IND 30"

Exhaust Air/Motor Filter	Not Needed
Number of Vacuum Cleaner Bags	2
Retaining Plate W x H	130 x 100 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust closure
- Suitable for the majority of canister vacuum cleaners with a 30 l dust container

00110241

MicroMultiVlies 00110005

00110100 26 BK











Vacuum Cleaner Bag "KÄ 01 P"

Exhaust Air/Motor Filter	Not Needed
Number of Vacuum Cleaner Bags	5
Retaining Plate W x H	148 x 73 mm

- Made of special paper
- Suitable for:
- Kärcher vacuum cleaner bags with the designation: 6.904-059; 6.904-311; 6.906-097
- Kärcher devices with designation:
 1033-101; 1033-301; 1057-101;
 1057-301; CV 36/2; CV 46/2; CW
 50; CW 100; TBS 35; 0EZ K
- Columbus devices with the designation: BS 360; BS 460; TK; 25; TK 36; TK 46
- Sebo devices with the designation: 36; 46; 360; 460

xavax®

Vacuum Cleaner Bag "RO 01"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	130 x 100 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Suitable for Rowenta vacuum cleaner bags with the designation:
- Size: ZR-76/ ZR 7601; ZR 765
- Suitable for Fakir vacuum cleaner bags with the designation:
- Size S 200
- Suitable for Chromex vacuum cleaner bags with the designation:
- Size CH 248
- Suitable for Dicaff vacuum cleaner bags with the designation:
- Size T 15
- Also suitable for different vacuum cleaner bags of:
- AFK; Beam; Bliss; Calor; Darel;
 De"Longhi; De Sina; Elin; EUP;
 Famulus; Hanseatic; Kenwood;
 König; Lloyds; Omega; SHL; Sidem/
 Sidex; Tefal, Tip Top, Siemens;
 Alaska; Bauknecht; Diamant; Ecktia;
 Fakir; FAM; Hollandia; Principal;
 White&Brown; Wilfa

xavax®

Vacuum Cleaner Bag "RO 09"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	144 x 89 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal Suitable for Rowenta vacuum cleaners:
- Silence Force 4 A
- Silence Force
- Extreme A 4
- Compact Power
- RO 3900 3999 Compact Power
- RO 6300 6399 Silence Force Compact
- O 6400- 6499 Silence Force
- RO 6800 6899 X Treme Power

Suitable for Moulinex vacuum cleaners:

• MO 3900-3999

xavax®

Vacuum Cleaner Bag "SOS 01"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	5
Retaining Plate W x H	110 x 90 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Universal bags suitable for nearly all vacuum cleaners
- The original flange is removed from the old vacuum cleaner bag and has to be fixed on the adhesive surface of the universal bag

Paper			00110063
	26	BK	

MicroMultiVlies			00110009
	26	BK	

MicroMultiVlies			00110107
	26	BK	


MicroMultiVlies			00110096	
		6	BK	

Household Accessories









/ACUUM CLEANER ACCESSORIES

xaVax®

Vacuum Cleaner Bag "XA 06"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	5
Retaining Plate W x H	112 x 93 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Suitable for Bomann vacuum cleaner bags with the designation:
- Size: CB 929; CB 917
- Suitable for Trisa vacuum cleaner bags with the designation:
- Size: Beetle
- Suitable for Solac vacuum cleaner bags with the designation:
- Size: 901; 903
- Also suitable for different vacuum cleaner bags from:
- Alaska; AFK; CTC Clatronic; De Sina; Dun Rite; Durabrand; Holland Electro; Home Electronics; Ide Line; Kinglake; MBO; Mia; Mistral; Primera; Prophete; Saturn; Team; Tip Top; Tristar: Weltstar: Bauer Versand: SMC; Dirt Devil; Wilfa

xaVax®

Vacuum Cleaner Bag "AE 01"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 90 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Highly loadable plastic connection

Suitable for AEG vacuum cleaner bags with the designation:

 Size 28, ACE... Serie, CE Serie, (Öko)-Vampyr 5000 series

Suitable for Electrolux vacuum cleaner bags with the designation:

Suitable for Progress vacuum cleaner bags with the designation:

P 60

Suitable for Volta vacuum cleaner bags with the designation:

V 31

Suitable for Hoover vacuum cleaner bags with the designation:

AF 23

Also suitable for different vacuum cleaner bags from

· Alfatec, Baur Versand, Kingclean, Lindhaus, Lloyds, Mio Star, Privileg, Satrap, Singer, SMC, Thomas, Tornado, Zanussi

MicroMultiVlie	es		00110002
	26	BK	

xaVax®

Vacuum Cleaner Bag "AE 03"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	123 x 99 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Certified: filter performance, suction power and operating life tested by TÜV (German technical inspection association)
- With dust seal

Replacement for AEG vacuum cleaner bags with the designation:

• S-Bag; 200/201/205/206/210

Replacement bag for AEG/Electrolux vacuum cleaner series with the designation:

 ULTRA ONE, OXYGEN+, OXY-3SYSTEM™, SYSTEM_PRO, ULTRA SILENCER™, MAXIMUS, VIVA CONTROL, VIVA OUICKSTOP und AIR MAX S-Bag; E 55

Replacement bag for Philips vacuum cleaners with the designation: FC8200 - FC8219, FC8380 - FC8399, FC8400 - FC8499, FC8600 -FC8649, FC9000 - FC9099, FC9100 -FC9199, HR8300 - HR8349, HR8368 - HR8378, HR8500 - HR8599, Gr.: HR 6999; Sydney; FC 8021; FC 8022/01; S-Bag

Replacement for Electrolux vacuum

MicroMultiVlies			00110006
	26	BK	

June 2020 INT

xayax®

Vacuum Cleaner Bag "AE 06"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	110 x 100 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Highly loadable plastic connection

Replacement for the following original vacuum cleaner bags: AEG vacuum cleaner bags with the designation: Gr. 50 AFK - Germatic vacuum cleaner bags with the designation: STSB 45 CTC/Clatronic vacuum cleaner bags with the designation: SSB 05 Grundig vacuum cleaner bags with the designation: E Kärcher vacuum cleaner bags with the designation: 6.905-891 Nilfisk vacuum cleaner bags with the designation: 22.300.500; 78.600.900; Progress vacuum cleaner bags with

the designation: PA 24; PSE 2; Samsung vacuum cleaner bags with the designation: VP-95 B Severin vacuum cleaner bags with the designation: SB 9095

MicroMultiVlies			00110033
	18	BK	















Vacuum Cleaner Bag "AE 09"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 92 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Suitable for:
- AEG vacuum cleaner bags with the designation: size 51
- AEG devices with the designation: Smart 460; Smart 470; Smart 485; VOZ Y
- Delta devices with the designation: KS 1202
- FIF devices with the designation: KS 1202; KS 1204
- Primera devices with the designation: EVC 175
- Electrolux devices with the designation: E 59
- Progress devices with the designation: P 61

xavax®

Vacuum Cleaner Bag "BS 01"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	100 x 109 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Certified: filter performance, suction power and operating life tested by TÜV (German technical inspection association)
- With dust seal
- Highly loadable plastic connection

Replacement bag for Bosch vacuum cleaners with the designation: BSGL 2 Move 1 - 4, BSGL 30000 -39999, BSGL 40000 - 49999, BSG 60000 - 69999, BSG 70000 - 79999 formula hygienixx, G, G XL

Replacement bag for Siemens vacuum cleaner series with the designation:

VS 04 G..., VS 05 G..., VS 06 G..., VS 32..., VS 33..., VS 42..., VS 44..., VS 5 A..., VS 5 B..., VS 5 C..., VS 5 D..., VS 5 E..., VS 5 KA..., VS 61 A 1..., VS 63 A 00, VS 63 A 9... with basket, VS 7 C..., VS 7 D... mit Korb, VS 9 A..., VS Z 3..., VS Z 4..., G, G XL

Hoover devices with the designation: S 340 Kärcher devices with the designati-

on: 6.414-824 Krups devices with the designation:

MicroMultiVlies			00110001
	26	BK	



Vacuum Cleaner Bag "BS 02"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	98 x 85 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Highly loadable plastic connection

Replacement for Bosch/Siemens vacuum cleaner bags with the designation:

• D, E, F, G XL, G XXL, G XXL Plus, H

Replacement bag for Bosch vacuum cleaner series with the designation:

• BSG 70000 - 79999, BSGL 50000 - 59999

Replacement bag for Siemens vacuum cleaner series with the designation:

VS 07 G..., VS 5..., VS 7..., VS 10..., VS 69..., VS Z 5..., VS Z 6..., D, E, F, G XXL, H

Replacement bag for Kärcher vacuum cleaner series with the designation:

• 6.904-329

Replacement bag for Progress vacuum cleaner series with the designation:

• PS 8, 12 14, 18, PSE 4

MicroMultiVlies			00110004
	26	BK	

xaVax®

Vacuum Cleaner Bag "MI 01"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	93 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Certified: filter performance, suction power and operating life tested by TÜV (German technical inspection association)
- With dust seal
- Highly loadable plastic connection

Replacement for Miele vacuum cleaner bags with the designation:

• Size F/J/M; (bottom side = 3 rollers)

Replacement bag for Miele vacuum cleaner series with the designation:

• \$ 4, \$ 241 bis \$ 256 i, \$ 290 bis \$ 299 i, \$ 300i bis \$ 399i, \$ 4000 bis \$ 4999, \$ 500 bis \$ 599, \$ 700 bis \$ 799, Cat & Dog 4000, Hybrid, Parket & Co 4000, Tango und Tango Plus

MicroMultiVlies			00110003
	26	BK	








Household Accessories









VACUUM CLEANER ACCESSORIES



Vacuum Cleaner Bag "MI 02"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	92 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Highly loadable plastic connection

Replacement bag for Miele vacuum cleaner bags with the designation:

- G/H/N (bottom side = 4 rollers) Replacement bag for Miele vacuum cleaner series with the designation:
- Cat & Dog 5000, Haus & Co 5000, Medicair 5000, Parket & Co 5000, Premium 5000, Tango und Tango Plus

xavax

Vacuum Cleaner Bag "NI 02"

Exhaust Air/Motor Filter	Not Needed
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	97 x 82 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Suitable for:
- Nilfisk vacuum cleaner bags with the designation: 818 460 00; 223 595 00
- Nilfisk devices with the designation: Arnoldi; Extreme X 110 > 300; GM 200 > 499; GM 500 > 599; GMD 400 > 430; Home; Hygienic; King 510; King 520; King 530; King 540; King Great Dane; King Special; Mocca; Seasons; Siena; Special; DS ZS N
- Team devices with the designation: ST 16



Vacuum Cleaner Bag "XA 01"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	110 x 99 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Highly loadable plastic connection
- Standard size for all vacuum cleaners with 98x110mm mounting flange

Replacement for the following original vacuum cleaner bags: Bomann CB 949, 966, 969, 991 CTC/Clatronic size: 101, 201; BS 1232/33

Daewoo size: SB 100 Electrolux E 62, 66, ES 66 Fakir/Nilco: 20 06 805, 24 12 805, 24 22 805, 27 22 805 Hoover: DW 1, GL 3, H 66 Kärcher size: 6.969-001

Philips size: Geneva, HR 6995 Progress size: P 55, 59, 120, PD 1,

PT 3

Samsung size: VP 50, 77, 78,VT 89 Severin size: SB 9017, 9026, 9517

xavax®

Vacuum Cleaner Bag "XA 02"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	82 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Suitable for Bomann vacuum cleaner bags with the designation:
- Size: B 52
- Suitable for Clatronics:
- Size: SSB 98
- Suitable for Hoover:
- Size: H 55
- Suitable for Progress:
- Size: P 56; P 67/S
- Suitable for Severin:Size: SB 9022
- SIZE: SB 90ZZ
- Suitable for Taurus:Size: 948.603; 948.623
- Suitable for Schott:
- Size: ST 31 EC
- Suitable for Chromex :
- Size: CH 960; CH 283; CH 284; CH 285
- Suitable for De Sina:
- Size: 1090641
- Suitable for Silva:
- Size: TB 13
- Also suitable for different vacuum cleaner bags from:
- AFK, Alaska; Arc En Ciel; Bestron; Blue Air; Boosty; Condel; Dilem; Dirt Devil; DomoStar; Ecron; E-Matic; emaric, Efbe (Schott); Elvita; El Star; EUP; Eurelem; Express; Fagor; Ferm;

MicroMultiVlies			00110018
	26	BK	

MicroMultiVlies 00110010 26 BK

MicroMultiVlies			00110062
	26	BK	

Qty PT

MicroMultiVlies			00110007
	18	BK	











Vacuum Cleaner Bag "XA 05"

Exhaust Air/Motor Filter	Original Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	97 x 86 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Suitable for Clatronic vacuum cleaner bags with the designation:
- Size: SSB 30
- Suitable for Silva vacuum cleaner bags with the designation:
- Size: TB 16
- Also suitable for different vacuum cleaner bags from:
- Bomann; LG Electronics; Holland Electro; Privileg; Satrap; Solac; Gold

xayax®

Vacuum Cleaner Nozzle "Basic"

Tube Connection	32, 35
• The double thread	d lifter effectively

- removes hair and fabric fibres Excellent cleaning across the entire nozzle width
- · Circumferential brush bar for good cleaning results on all hard floors
- Stainless steel base plate for an especially long service life
- Excellent agility thanks to combined turn and tilt joint
- Convenient foot switch (carpet hard floor)
- · Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

xayax®

Vacuum Cleaner Nozzle "Comfort"

Tube Connection 32, 35

- Especially flat construction, ideal for reaching under low sofas and cabinets
- · Excellent cleaning across the entire nozzle width thanks to newly designed air channel
- The double thread lifter effectively removes hair and fabric fibres
- Convenient foot switch (carpet hard floor)
- Stainless steel base plate for an especially long service life
- Excellent agility thanks to combined turn and tilt joint
- Very smooth running and gentle on the floor thanks to rubberised rollers
- Suitable for virtually all vacuum
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

xayax

Vacuum Cleaner Nozzle "with horsehair"

- The two rubberised castors are very free-running and prevent the natural fibres from wearing out quickly
- Flat construction, ideal for reaching under low sofas and cabinets
- Excellent cleaning across the entire nozzle width
- Nozzle with swivel joint
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

Combined Vacuum Cleaner			00110298	
		12	BK	
Hard Floor Nozzle			00110246	
		6	BK	
Crevice Tool			00110245	
Upholstery Nozzle			00110244	
		6	BK	

Combined Vacuum Cleaner			00110287
	12	BK	

Parquett Noz	zle		00110237
	6	BK	





Household Accessories









VACUUM CLEANER ACCESSORIES



Vacuum Cleaner Nozzle "with Uni connection"

Tube Connection

Universal (31 - 37

- With rotating brush roller, ideal for pet hair, fabric threads and similar
- Removes deep-seated dirt, eliminates footprints and refreshes the carpet pile
- Also suitable for hard floors
- Brush is powered by the air current (does not require an additional power connection)
- · With cleaning flap for easy cleaning of the turbines
- Very smooth running and gentle on the floor thanks to 4 rubberised rollers
- Compatible with virtually all vacuum cleaners thanks to universal tube connection 31 - 37 mm



Vacuum Cleaner Nozzle "FD-100"

Tube Connection

• Slimline design

• The attachable dust brush removes dust and fluff even from small grooves and spaces (e.g. air vents inside the car)

32, 35

- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

xaVax®

Vacuum Cleaner Nozzle "FD-150"

Tube Connection

- Particularly long and slim design (for cars, upholstery etc.)
- Suitable for nearly all vacuum cleaners
- Tube connection: 35 mm (with enclosed adaptor also suitable for 32 mm)
- Overall length of the nozzle: approx. 220 mm

xayax®

Vacuum Cleaner Nozzle "with dust brush"

Tube Connection

32, 35

- Slimline design
- The attachable dust brush removes dust and fluff even from small grooves and spaces (e.g. air vents inside the car)
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

Turbo Brush			00110236
	10	BK	

00110264

Crevice Tool 00110265

June 2020 INT











Vacuum Cleaner Nozzle "PD-150"

Tube Connection

- Suitable for nearly all vacuum cleaners
- 35 mm tube connection, with the enclosed adapter also suitable for 32 mm tubes
- Its compact design allows you to use it on small surfaces
- Double thread catcher for easily removing hair and fibres from fabric
- Best suited e.g. for automotive seats and upholstery



Vacuum Cleaner Nozzle "for furniture"

Tube Connection

- Stubborn dust and fluff will be removed by the fibres (e.g. on uneven surfaces or furniture decoration)
- The rectangular shape means it can also be used in larger areas
- For vacuum cleaners with a 35 mm tube connection (incl. adapter for 32 mm tubes)



Vacuum Cleaner Nozzle "Rotatable"

Tube Connection

- Fits virtually all vacuum cleaners
- 35 mm tube connection, also suitable for 32 mm tubes with included adapter
- The swivel joint allows the nozzle opening to be swivelled around 360°, enabling it to be used even in hard-to-reach places
- The brush crown is made from soft synthetic fibres, making it also suitable for sensitive surfaces
- Ideal for car seats, furniture and shelves, for example

xayax

Vacuum Cleaner Nozzle "for Animal Hair and **Upholstery**"

Tube Connection

Universal (28 - 37

- Suitable for virtually all vacuum cleaners
- Tube connection: universal / stepless (for tubes with diameter 28 - 37
- The compact shape means it can also be used in small areas
- Wide, double thread lifter runs over the entire nozzle width, ensuring reliable hair pick-up
- Ideal for pet beds, scratching posts, clothes, car seats, curtains and upholstered furniture, for example
- Integrated air regulator

Upholstery Nozzl	e		00110266
	6	BK	

Hardfloor Accessories 00110247 Round Dusting Nozzle 00110238 Animal Hair/Upholstery 00110299

Household Accessories









VACUUM CLEANER ACCESSORIES



Telescopic Vacuum Cleaner Tube TR-100, 35 mm, chromium-plated

Diameter Machine End	35 mm
Diameter Nozzles	35 mm
Diameter Tube End	35 mm
Length	0.79 m

- Suitable for nearly all vacuum cleaners
- With 35 mm connection
- Very sturdy due to chrome-plated metal design
- Adjustable to the required length by simply pressing a button (extendible from 485 mm to 790 mm)

xaVax

Vacuum Hose for Vacuum Cleaners

"SC 101", separate, 1.8 m

Diameter Machine End	45 mm
Diameter Nozzles	45 mm
Diameter Tube End	41 mm
Length	1.8 m

- With click rings and collets
- Tube diameter: inside 32 mm; outside 41 mm
- Temperature resistance: -25°C/+65°C

xavax®

Universal Handle for Vacuum Cleaners, 32 mm

Diameter Machine End	32 mm
Diameter Nozzles	32 mm
Diameter Tube End	32 mm
Length	0.28 m

- Ergonomically shaped
- With click ring connection for the vacuum cleaner hose
- Cone connection 1:30 for 32 mm vacuum cleaner tubes
- Integrated admixed air regulator
- Suitable for a lot of models from AEG, Elektrolux, Kärcher, Nilfisk, Numatik with sleeve and click closure
- Also suitable for Hama vacuum cleaner hoses (00110273/00110274)
- Material: PP

xaVax®

Vacuum Cleaner Insert Tube SR-101, 32 mm, plastic

Diameter Machine End	32 mm
Diameter Nozzles	32 mm
Diameter Tube End	32 mm
Length	0.84 m

- Suitable for nearly all vacuum cleaners
- With 32mm connection
- Very lightweight but solid plastic tube
- By plugging together, adjustable length (by single pipe 440mm; plugged together 845mm)

00110269

00110274

Qty PT

8 BK

6 BK

Household Accessories







VACUUM CLEANER ACCESSORIES

Adapter SD-500

Diameter Machine End	n/s
Diameter Nozzles	35 mm
Diameter Tube End	n/s
Length	n/s

• Universal adapter for all nozzles and brushes with 35mm tube connection



Adapter SD-501

Diameter Machine End	n/s
Diameter Nozzles	35 mm
Diameter Tube End	32 mm
Length	0.045 m

• Universal adapter for all nozzles and brushes with 35mm tube connection

6 BK

Protection Hoods | Holders | Storage






Tableware basket caps, 80 pcs

Quality	n/s
Material	Plastic Material
Diameter	n/s
Shade of colour	Grey

- Close the tableware basket rods and prevent the spread of rust
- Protect tableware and cutlery from rust and scratches
- For easy attachment to the tines of the tableware basket
- Sturdy PVC caps for a lasting firm hold






xaVax

Dishwasher Wine Glass Holder Set, 5-Part

- Bar with four clamping devices for up to four glasses
- Perfect cleaning and reliable glass protection
- Suitable for all common dishwashers, simply place on the corners of the basket
- Made from stable plastic





xaVax®

"2in1" Cutlery Basket for Dishwasher

- Practical 2-in-1 solution: Cutlery basket can be used in its entirety or divided into two smaller baskets
- Allows flexible distribution of crockery in the dishwasher, e.g. if there is not much crockery or especially large pans
- Space-saving design with large capacity
- Division into seven chambers allows very clean dishwashing results
- High-quality materials and perfect workmanship ensure a long

			00110201
	12	SC	

hama_®





Cleaning Care at a glance

Coffee Machine
Washing Up
Kitchen Cleaning
Washing & Ironing
Descalers
Special Cleaner







Premium Descaler for High-Quality Coffee Machines

Content	500 ml
Safety Lock	Yes
Usage	Fully Automatic Coffee Machines

- Ideal for fully and semi automatic coffee machines, filter load-bearing devices and coffee pad machines
- Hot decalcification possible with a machine pressure of 15 bar (prevents the solution from foaming and damage caused by increased gas pressure)
- Also suitable for filter machines, water digesters and all the other devices and household objects which have to be descaled providing they do not have an acid-sensitive surface (e.g. in hairdresser's shops, nail salons and medical practices)
- Decalcification with amidosulfonic acid does not require any reaction time. The descaler dissolves and flushes away limescale, it is odour free and neutral in taste
- The 4 high-quality additives provide for optimum corrosion protection: metal and plastic parts in the device are not attacked





xavax®

"Coffee Clean" Special Cleaner for Fully Automatic Coffee Machines

Content	250 ml
Suitable for	Coffee Machine
Usage	Fully Automatic Coffee Machines

- Specially designed for cleaning highquality coffee machines
- Cleans and protects lastingly everything which comes into direct contact with coffee: brewing device, container for coffee grounds, drip tray, sieves, coffee and water spout, cup tray
- Even coffee grease can easily be removed with the special cleaning formula
- The lubricating grease which is important for the mobility of the brewing device is not affected and is preserved
- Highly effective cleaning substances dissolve dirt and ensure hygiene and shine inside the coffee machine
- Simply spray the cleaner to the components which should be cleaned, let the product act and rinse off with clear water or wipe off with a moist cloth
- Due to the high-quality spray head, the cleaning solution is optimally distributed on the dirty components and dirt is easily flushed away
- For perfectly hygienic coffee





xaVax®

Degreaser/Cleaning Tablets for Automatic Coffee Machines, 10 pieces

Content	2.5 ml
Suitable for	Coffee Machine
Usage	Fully Automatic Coffee Machines

- When coffee is brewed, coffee fat forms, in particular at high pressure and temperature
- To keep the devices functioning coffee fat has to be removed from fully automatic and semi-automatic coffee machines, from espresso coffee machines and automatic coffee pod machines
- Brew groups, filter carriers, drip bowls are hygienically cleaned
- Taste losses with coffee are avoided
- Also suitable for cleaning vacuum flasks and teapots





xavax®

Cleaner for Milk Froth Brewing Devices

Content	500 ml
Suitable for	Coffee Machine
Usage	Milk Froth Nozzles

- Cleaned brewing devices provide for perfect foam with best taste
- During the cleaning process, all fat and protein deposits, which develop when cappucinos or milky coffees are made, are removed
- The lines and nozzles are cleaned lastingly and remain longer clean and pure
- Flavourful losses by old deposits are avoided
- Contains high-quality additives for highly effective cleaning and protection
- Application in cold or hot condition possible
- With child safety catch and sealed cap

	00110732
30	

	00110766
10	

			00111889
	205	BK	

	00110733
30	







Cleaner for Dishwashers with Fresh Fragrance, 250 ml

Content	250 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Removes deposits such as limescale, grease and scraps of food from the interior, the hoses and the valves
- Descales heating rods to optimise the heat output and save enery
- Freshens by leaving behind a fresh scent and ensures your washing machine is clean
- Regular care reduces the risk of malfunctions and consequently of follow-up costs caused by repairs
- Limescale deposits in the machine lead to longer warm-up times of your device and higher electricity costs







Rinse Aid for Dishwashers, 500 ml

Content	500 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Dries fast and prevents the formation of droplets on dishes, glasses, pots, pans and cutlery
- Leaves your dishes sparkling clean
- Prevents water residues, the formation of streaks, deposits and limescale stains
- Can be used in all standard dishwashers
- Does not leave harmful residues on your dishes





xavax®

2-Phase Pro Tabs for Dishwashers, 160 Tabs

Content	18 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Ideal for very greasy dishes or driedon residue
- Easy removal of stubborn dirty with easy use
- Good limescale removal
- Phosphate-free
- Easily dissolves tea and coffee stains
- Low foam build-up
- Also suitable for intensive programmes
- Sensitive decorative elements are protected
- Clean and dry storage thanks storage in the quality bucket with first-removal seal

	00111725
12	

	00111733
18	

	00111735
1	

June 2020 INT







KITCHEN CLEANING

Glass Ceramic Cleaner, 250 ml

Content	250 ml
Suitable for	Ceremic glas-/ Induction-Hobs
Usage	Cooking Plate

- Removes stubborn grime and can be used on a daily basis
- The cleaner leaves an invisible film on the surface when rubbed dry; this makes the next cleaning process easier and gives the hob a lovely shine









Cleaning Spray for Refrigerators, 500 ml

Content	500 ml
Suitable for	Fridge and Freezer
Usage	Fridge

- Even removes stubborn dirt and food deposits
- For interior and exterior cleaning
- Effective against bad smalls provides long-lasting freshness

(0)
IDV
_

"Power Clean" Special Cleaner, 500 ml

Content	500 ml
Suitable for	Micro Wave and Kitchen Equipment
Usage	Fully Automatic Cof- fee Machines, Glass, Metal Surfaces, Microwave, Oven

- Highly effective special cleaner for surfaces made from stainless steel around the home
- Also suitable for glass, ceramic, plastic or chrome
- For the easy removal of dirt, greasy films, grease, oils, fingerprints and weather-related dirt
- Effectively removes soiling without harming the material
- Cleans, seals and adds shine



Cleaning Spray for Microwaves, 500 ml

Content	500 ml
Suitable for	Micro Wave and Kitchen Equipment
Usage	Microwave

- Ideal for frequently used microwaves
- Allows easy removal of evaporation residues, splashes, food deposits, etc.
- $\bullet \ Stops \ unpleasant \ odours$
- Effective against bacteria and mould

	(00111726
1		

		00111721	
24	РО		

	00111755
20	

		00111722
24	PO	

Cleaners & Care Products | Kitchen Aids











KITCHEN CLEANING



Special Glass Scraper for glass ceramic cooker surfaces

Material	Metal
Usage	For All Smooth Surfaces

- High-quality glass scraper, specially developed for glass ceramic hobs
- Also suitable for removing colour or residues of stickers from glass, tiles, etc.
- When not in use, the blade can easily be retracted (protective function)
- Ergonomically shaped grip that allows the scraper to be hung up
- Blade can easily be exchanged (replacement blades: item no.: 00110726)
- Size of the metal housing: 138 x 46 mm

xavax

Oven/Grill Cleaner, 500 ml

Content	500 ml
Suitable for	Oven and Barbecue Grill
Usage	Cooking Plate, Microwave, Oven

- Active cleaner for cleaning ovens, grills, microwaves, baking tins, oven dishes, pots, pans, racks and drip
- For easily removing stubborn stains, soot deposits, grease and burnt-on residue
- Neutralises unpleasant odours in the oven that are produced by burnt-on residue
- Very fine spray nozzle for precise application of the cleaner
- Leaves your device sparkling clean



Degreaser, 500 ml

Content	500 ml
Suitable for	Oven and Barbecue Grill
Usage	Cooking Plate, For All Smooth Surfaces, Fully Automatic Coffee Machines, Glass Ceramic, Grill, Microwave, Oven

- The degreaser is gentle on the material and allows easy removal of grease residues from worktops, stoves, extractor hoods, kitchen cabinets and tiles
- Also removes burnt-on and dried up grease from pots, food processors and ovens
- Cleans grills and garden furniture as well and removes nicotine deposits from smooth, high-gloss surfaces
- Acts quickly and intensively for long-lasting cleanliness in your kitchen

xavax®

Hob Cleaning Kit, 3-Part, Cleaner, Scraper, Microfibre Cloth

- 3-part kit comprising: Scraper, Microfibre Cloth, Cleaner (100 ml)
- For daily care and the removal of stubborn dirt

Cleaner:

 After drying, the cleaner leaves behind an invisible film that makes the next clean easier and gives the hob a beautiful shine

Scraper:

- Suitable for glass, tiles and other smooth, hard surfaces
- Removes sticker, paint, soot, limescale residue and so on.
- Blade can be retracted for transport and replaced (replacement blades: 00110726)

Cloth:

- Universal cloth for optimum cleaning results from wet and dry cleaning
- Can be used with or without cleaning agent
- Long-lasting

		00111730
8	РО	

		00111731
8	РО	

		00111752
44	BK	

Kitchen Aids | Blades & Holders









Replacement Blades for Glass Scraping Tool for Glass Ceramic Hobs, 5 pieces

Number of Blades	5
Usage	Ceramic Stove Top

- Replacement blades for Xavax glass scraping tool for glass ceramic hobs
- Ground on both sides, thereby doubling the service life



Glass Scraper for Glass Ceramic Hob

Material	Plastic Material
Usage	For All Smooth Surfaces

- Also suitable for glass, tiles and other smooth, hard surfaces
- Removes sticker, paint, soot, limescale residue and so on.
- Blade can be retracted for transport and replaced (replacement blades Item No.: 00110726)

72 BK

00110726 24 BK







Iron Cleaning Spray, 50 ml

Content	50 ml
Suitable for	Electric Iron
Usage	Steam Iron

- The cleaner acts rapidly, protects and keeps the device clean for longer due to the highly efficient additives
- Suitable for aluminium, stainless steel and ceramics soleplates
- Easy to use thanks to the micro atomizer and the supplied microfibre cloth
- Ensures excellent gliding of your iron on the laundry





xavax®

Washing Machine Care Cleaner with Fresh Fragrance, 250 ml

Content	250 ml
Suitable for	Washing Machine
Usage	Washing Machine

- Also cleans parts that cannot be accessed by hand, e.g. hoses, gaps, filters, spray nozzles and the complete drum
- Optimizes the heat output of your machine and helps you save energy
- Unpleasant odours and deposits are mostly due to low temperatures (washing cycles with temperatures below 40°C) and savings programmes, regularly cleaning your maching machine prevents such things occurring
- Freshens by leaving behind a fresh scent and ensures your washing machine is clean
- Regularly cleaning your machine minimizes the risk of defects and improves the washing performance
- Every new machine is tested by the manufacturer; using this washing machine cleaner when washing with the machine for the first time removes possible test water residues





xavax®

Impregnating agent for washing machines, 250 ml

- Fluorine-free and highly effective hydrophobic agent ideal for impregnating textiles of all types of fibre
- Also ideal for breathable all-weather protective clothing
- Especially ideal for maintaining water-repellent effects (re-impregnation)
- Confers resistance to water-based soiling
- Good resistance to wear
- Solvent-free



Hob Cleaning Kit, 3-Part, Cleaner, Scraper, Microfibre Cloth

- 3-part kit comprising: Scraper, Microfibre Cloth, Cleaner (100 ml)
- For daily care and the removal of stubborn dirt

Cleaner:

 After drying, the cleaner leaves behind an invisible film that makes the next clean easier and gives the hob a beautiful shine

Scraper:

- Suitable for glass, tiles and other smooth, hard surfaces
- Removes sticker, paint, soot, limescale residue and so on.
- Blade can be retracted for transport and replaced (replacement blades: 00110726)

Cloth

- Universal cloth for optimum cleaning results from wet and dry cleaning
- Can be used with or without cleaning agent
- Long-lasting

00111720

00111723

00111736 74





Washing Machine Care Set, descaler + cleaner

- Cleaner for washing machines
- Removes grease and limescale residue inside the machine
- Cleans important parts such as heating rods, hoses, filters and spray nozzles and protects them from blockages
- This will optimise the heat output and will save energy
- Unpleasant odours and washing agent residues are removed
- These residues can detrimentally affect the result of the washing cycle and could lead to expensive repairs

Descaler for washing machines

- Dissolves already encrusted calcareous deposits on heating rods, hoses and valves
- Optimizes the heat output and saves energy since the machine heats up faster
- Calcareous deposits do not come any longer into the laundry, the wash result is improved
- Protects plastic and rubber parts

70

hama_®







Descaler for Steam Irons, 250 ml

Content	250 ml
Safety Lock	Yes
Usage	Steam Iron

- Practical ready to use solution for descaling steam irons
- Effectively descales steam irons and prevents the formation of new limescale deposits
- Special mixture for high-quality steam irons (does not endanger the inside sole of the iron)
- Applying the descaler to cold irons is unproblematic, chalky deposits do not crumb, does not lead to problems when ironing











Universal Descaler, 500 ml

Content	500 ml
Safety Lock	Yes
Usage	Universally Usable

- For water digesters, pots, shower nozzles, tap filters, irons, immersion heaters, filter coffee and tea machines etc.
- Added high-quality additives provide for corrosion protection at the metal and plastic parts
- Lime can also be removed from high-grade steel, tiles and ceramics



Descaling Tablets

Content	18 ml
Safety Lock	None
Usage	Universally Usable

- Designed to dissolve and flush away carefully and easily already encrusted calcareous desposits (limescale)
- The pressed in tablets are a clever design for easy handling and boast an easier dosage compared to liquid descalers
- Very fast solubility



Organic Quick Descaler, Promotional Size, 300 ml

Content	300 ml
Safety Lock	Yes
Usage	Universally Usable

- Suitable for all tea, coffee, espresso, pod machines and fully automatic coffee makers, egg cookers, kettles, immersion heaters, pots, stainless steel pans, sinks, stainless steel surfaces, chrome, ceramic, plastic etc. that must be descaled with particular care
- Based on citric acid, so there is no subsequent aftertaste or odour development during the descaling process

	00111727
12	

	00110734
30	

		00111768
6	SC	

June 2020 INT

	00111753
60	







Quick Bio Descaler



- Suitable for all tea, coffee, espresso and pad machines as well as for fully automatic coffee machines, egg boilers, kettles, immersion heaters, pots, stainless steel pans, sink units, stainless steel, chrome, ceramic, plastic surfaces, etc. which need to be descaled very gently
- On the basis of citric acid which avoids flavourful losses or unpleasant odours during the decalcification process





Washing Maschine Discaler, 250 ml

Content	250 ml
Safety Lock	Yes
Usage	Washing Machines

- Dissolves already encrusted calcareous deposits on heating rods, hoses and valves
- Optimizes the heat output and saves energy since the machine heats up faster
- Calcareous deposits do not come any longer into the laundry, the wash result is improved
- Protects plastic and rubber parts

	00111734
74	

	00111724
12	

Cleaners & Care Products











Cleaner for Oral Hygiene Devices

Content	250 ml
Suitable for	Oral Irrigator and Toothbrush
Usage	Oral Hygiene Appliances

- Removes lime spots as well as mouthwashes and toothpaste residues from your hygiene products
- Regular use recommended (at least once a month) as residual moisture favours germ formation in dental water jets and on brush heads

xaVax®

Cleaning Spray for Razors/ Epilators, 50 ml

Content	50 ml
Suitable for	Shavers/Epilator
Usage	Epilator, Shaver

- For optimal cleaning of electric razors, epilators or hair trimmers
- Removes the smallest hairs and residues (like skin scales and talc residues) from the shaving head, shaving foil and drive
- Increases the lifetime of your device and maintains its performance when used regularly
- The micro vaporizer allows easy and precise use of the cleaner
- Apply the cleaner only to removable parts when using it for mainsoperated devices and rinse off well afterwards. Carefully wipe off the housing with a cloth onto which you have sprayed the cleaner. Make sure that no liquid gets into the device.

xavax

Socket Brush

Material

• Suitable for socket types C, F and
K (Germany, Spain, Netherlands/
Luxembourg, Turkey, Italy, Portugal,
Scandinavia, Greece, Hungary,
Austria Russia)

Plastic Material

• The small, handy brush is ideal for removing dust and crumbs from keyboards, in gaps, on light switches and in all hard-to-reach nooks and crannies

xayax®

Material

Cleaning Brush for Razor/ Epilator, 2 pieces

SPECIAL CLEANER

• Effortlessly remo	ves hair residue and
deposits (such as	skin flakes and talc
residue) from the	shearing head,
shearing foil and	drive

Plastic Material

• Prolongs the service life and maintains the cutting performance of the equipment with regular use

June 2020 INT

Black			00111737
	12	BK	





Scoffee tea at a glance

Dishes

Storage & Presentation

Preparation

Machine Accessories







Thermal Mug "Everyday"

Capacity	400 ml
Diameter (Bottom)	6.8 cm
Diameter (Top)	8 cm
Height	21 cm

- Suitable for any hot or cold beverage
- Double-wall construction keeps the beverage at a consistent temperature for a long time
- Secure screw cap with closable drink-through opening to prevent your beverage from spilling
- Anti-slip silicone bottom prevents the mug from falling over
- Coloured stainless steel liner and plastic interior
- Fits in most cup holders in the car





xavax®

Thermal Mug "Everyday"

Capacity	400 ml
Diameter (Bottom)	6.8 cm
Diameter (Top)	8 cm
Height	21 cm

- Suitable for any hot or cold beverage
- Double-wall construction keeps the beverage at a consistent temperature for a long time
- Secure screw cap with closable drink-through opening to prevent your beverage from spilling
- Anti-slip silicone bottom prevents the mug from falling over
- Coloured stainless steel liner and plastic interior
- Fits in most cup holders in the car





xaVax

Thermal Mug "Everyday"

Capacity	400 ml
Diameter (Bottom)	6.8 cm
Diameter (Top)	8 cm
Height	21 cm

- Suitable for any hot or cold beverage
- Double-wall construction keeps the beverage at a consistent temperature for a long time
- Secure screw cap with closable drink-through opening to prevent your beverage from spilling
- Anti-slip silicone bottom prevents the mug from falling over
- Coloured stainless steel liner and plastic interior
- Fits in most cup holders in the car





xaVax®

Thermal Mug "Office, 270 ml"

Capacity	270 ml
Diameter (Bottom)	6.7 cm
Diameter (Top)	8,6 cm
Height	14 cm

- Suitable for all hot and cold drinks
- Thanks to dual-walled insulation, the temperature is maintained for a long time
- The drinks opening is protected from spilling by a sliding cover
- The sliding cover can be easily and quickly opened by hand
- Colour plastic jacket and stainless steel interior
- Height ideal for pad machines and automatic machines

Blue			00111224	
	8	BK		

Red			00111225
	8	BK	

Silver			00111226
	8	BK	

Grey			00111247
	9	BK	







Thermal Mug "Office, 270 ml"

Capacity	270 ml
Diameter (Bottom)	6.7 cm
Diameter (Top)	8,6 cm
Height	14 cm

- Suitable for all hot and cold drinks
- Thanks to dual-walled insulation, the temperature is maintained for a long time
- The drinks opening is protected from spilling by a sliding cover
- The sliding cover can be easily and quickly opened by hand
- Colour plastic jacket and stainless steel interior
- Height ideal for pad machines and automatic machines





"To Go" Mug, 350 ml

Capacity	350 ml
Diameter (Bottom)	6 cm
Diameter (Top)	8.8 cm
Height	14 cm

- Suitable for all hot and cold drinks
- Secure screw closure with closable drinks opening protects against spills
- Protects the environment and the budget: mug can be reused any number of times
- Grip ring made from silicon offers additional protection against burns to the hands





xayax

"Ergotherm" Thermal Mug, 350 ml

Capacity	350 ml
Diameter (Bottom)	6,5 cm
Diameter (Top)	7.5 cm
Height	18.5 cm

- Thanks to its special shape, the mug sits perfectly in the hand and fits in all common cup holders in the car
- Cover with closeable drinks opening protects against spills
- The paper inlay can be creatively designed by the user or photos, etc. can be placed inside it instead





xavax

Vacuum Bottle "Steel"

Material Outside	Stainless Steel
Filling Quantity	450 ml
Height	24 cm

- In sleek, timeless design
- Push-button closure for rapid pouring and reclosing
- The screw cap can also be used as a drinking cup
- Easy cleaning of the flask and cap in the dishwasher, push-button closure easy to clean by hand

Black			00111248
	9	BK	

n/s			00111249
	40	BK	

Black			00111169
	48	SC	

Stainless Steel			00111234
	8	SC	







"Piccolo" Vacuum Jug, 0.4 l

Material Outside	Stainless Steel
Filling Quantity	400 ml

- With a height of just 12 cm, this vacuum jug can be used for almost all fully automatic coffee machines
- The coffee flows directly into the jug, therefore no need to refill the heverage
- Screwable lid with one hand push button operation
- Sturdy and robust (stainless steel interior and exterior)
- The sturdy handle provides a secure hold





xavax®

Glass Drinking Bottle with Sieve and Neoprene Sleeve, 500 ml, black

Material	Glass
Volume	0.5 l

- Temperature-resistant borosilicate glass: suitable for all hot and cold drinks
- Neoprene sleeve protects the hands from hot drinks, ensures an excellent grip and maintains the temperature of the contents
- Secure screw seal with silicone gasket protects against leaks
- Sieve can be easily removed and bottle used as normal
- Ideal for outdoor activities, trips, school or for the office
- $\bullet \ \text{With modern floral design}$





xaVax®

Glass Coffee Cup, with decorations, 6 pieces

Capacity	380 ml
Height	10 cm
Suitable for Dish- washers	Yes
Suitable for Micro- waves	Yes

Stackable





xavax

"Coffee Love" Latte Macchiato Glass, 9 pieces

Capacity	380 ml
Height	13.5 cm
Suitable for Dish- washers	Yes
Suitable for Micro- waves	Yes

- Universally suitable for most coffee pad machines
- Ideal for latte macchiato, but also suitable for iced coffee, ice shakes or ice tea
- Attractive glass shape with a classic design
- Stackable

Stainless Steel			00111167
	12	SC	

n/s			00111233
	8	BK	

		00111084
6	ET	

		00111228
9	ET	

Drinking Vessels







Glass Coffee Cup, with Decoration, 370 ml, 6 Pcs.

Capacity	370 ml
Height	n/s
Suitable for Dish- washers	n/s
Suitable for Micro- waves	n/s

- Stackable
- Cup with handle also suitable for tea, cocoa, etc.





xavax

Latte Macchiato Glasses, Stand Display, 168 pcs

Capacity	250 ml
Height	12.5 cm
Suitable for Dish- washers	Yes
Suitable for Micro- waves	Yes

- For latte macchiato, iced coffee, iced shakes or iced tea
- Universal fitting for most coffee pod machines
- Stackable

00111240

79

00111253

Qty PT June 2020 INT hama®








Box for Coffee Pads, pink/ green/orange/blue, 12 pieces

Diameter	8 cm
Height	18 cm

- Suitable for all common pad sizes
- Protected from light
- Inscribable lid (for waterproof pens)







"Madrid" Pad Box, 6 pieces in a cardboard box

Diameter	7.5 cm
Height	17.5 cm

- Suitable for all common pad sizes
- Protected from light
- With a refreshing city design







"Rome" Pad Box, 6 pieces in a cardboard box

Diameter	7.5 cm
Height	17.5 cm

- Suitable for all common pad sizes
- Protected from light
- With a refreshing city design





xavax


Tin for Coffee Pods


Diameter	8.3 cm
Height	18 cm

- Suitable for all common pad sizes
- Light-protected

		00111036
12	ET	

		00111209
6	ET	





Coffee/Tee Container









Capsule Holder/Rack



xavax®

Stainless Steel Tin for 1 kg of Coffee Beans, with Scoop

Capacity	1000 g
Height	21.8 cm
Width	17 cm

- Coffee Tin:
- Also ideal for tea, cocoa, etc.
- Twist closure and side grip for problem-free opening and closing of the tin
- Cut-out in the plastic grip for hanging a coffee measuring spoon
- The aroma cover with integrated date display seals reliably with a quarter turn, allowing coffee and tea to retain their full aroma for much longer
- Storage space inside the cover to protect the aroma (moistureregulating granules, scents, etc. can be inserted)

Coffee Scoop:

- Ideal for measuring out coffee beans, sweets, ice, feed, nuts, flour, popcorn, etc.
- Handy hanging eyelet on the handle for comfortable hanging

xaVax

Stainless Steel Canister for 1 kg of Coffee Beans

Capacity	1000 g
Height	21.8 cm
Width	17 cm

- Also ideal for tea, hot chocolate, etc.
- Twist-off cap and side handle makes it easy to open and close the canister
- Recess on the plastic handle for storing a coffee measuring spoon
- The airtight lid with a date label closes securely with a quarter turn, allowing the tea or coffee to keep its full aroma for longer
- Compartment inside the lid to preserve the aroma (can be used for moisture absorbent granules, fragrances, etc.)

xaVax®

Stainless Steel Container for 500 g of Coffee Beans

Capacity	500 g
Height	16 cm
Width	13 cm

- Stainless steel: odour-neutral for maximum coffee or tea flavour
- Air-tight seal with gasket ring keeps moisture away and retains the coffee aroma for a long period of time
- Anti-fingerprint coating for a longlastingly shiny stainless steel surface
- Anti-static viewing window allows a quick and easy view of the container's contents
- Timeless design fits in any kitchen and with a wide range of coffee makers

xaVax®

"Rondello" Coffee Capsule Stand for Dolce Gusto, 32 capsules

Material	Metal
Max. Capsule Capacity	32
Depth	13 cm
Height	41 cm
Width	13 cm
Shade of colour	Chromed
Suitable for	Dolce Gusto Capsules

- Swivelling base for easy removal of the individual capsules
- Durable and easy to clean thanks to high-quality chrome plating
- Rotating capsule stand that holds up to 32 Dolce Gusto capsules
- 8 wire holders that each hold up to 4 capsules

		00111250
12	SC	

00111149

Qty PT

00111239

00111074 6 SC





xavax®

"Torre" Coffee Capsule Stand for Nespresso, 40 capsules

Material	Metal
Max. Capsule Capacity	40
Depth	14 cm
Height	37 cm
Width	14 cm
Shade of colour	Chromed
Suitable for	Nespresso Capsules

- Durable and easy to clean thanks to high-quality chrome plating
- 4 wire holders that each hold up to 10 capsules
- High-quality chrome plating





xavax®

"Donatore" Coffee Capsule Stand for Nespresso, 36 capsules

Material	Metal
Max. Capsule Capacity	36
Depth	8,6 cm
Height	27.2 cm
Width	15 cm
Shade of colour	Chromed
Suitable for	Nespresso Capsules

- Durable and easy to clean thanks to high-quality chrome plating
- 3 wire holders that each hold up to 12 capsules
- High-quality chrome plating





xavax

"Rondello" Coffee Capsule Stand for Tassimo, 48 capsules

Material	Metal
Max. Capsule Capacity	48
Depth	16 cm
Height	29.5 cm
Width	16 cm
Shade of colour	Chromed
Suitable for	Tassimo Capsules

- Swivelling base for easy removal of the individual capsules
- Durable and easy to clean thanks to high-quality chrome plating
- Rotating capsule holder for 48 Tassimo capsules
- 6 wire holders that each hold up to 8 capsules





xavax®

"Doppio" Coffee Capsule Stand for Tassimo, 26 capsules

Material	Metal
Max. Capsule Capacity	26
Depth	8.7 cm
Height	23 cm
Width	16.8 cm
Shade of colour	Chromed
Suitable for	Tassimo Capsules

- Durable and easy to clean thanks to high-quality chrome plating
- 2 wire holders that each hold up to 13 capsules (26 capsules altogether)
- The capsule stand is very compact and a highlight in every kitchen

		00111079
12	SC	

		00111059
12	SC	

		00111070
6	SC	

		00111220
12	SC	





xavax®

"Pilastro" Coffee Capsule Stand for Dolce Gusto, 16 Capsules

Material	Stainless Steel
Max. Capsule Capacity	16
Depth	8,6 cm
Height	23.8 cm
Width	15 cm
Shade of colour	Chromed
Suitable for	Dolce Gusto Capsules, Nespresso Vertuo Kapseln

- Durable and easy to clean thanks to high-quality chrome plating
- 4 wire holders for 4 capsules each (total of 16 capsules)
- The capsule stand is very spacesaving and creates a highlight in any kitchen
- Suitable for all Dolce Gusto capsules as well as for Nespresso Vertuo capsules

00111227

12 SC

Qty PT



Permanent Filter



xaVax

Permanent Pods, Set of 2 for Senseo Coffee Machines (or identical designs)

Suitable for	Phillips Senseo
Suitable for Dish- washers	Yes
Set Contents in Pieces	2

- Refillable coffee or tea pod for Philips Senseo and identical-design coffee machines
- Make coffee or tea the way you like it at any time
- Fine filter mesh for specific coffee crema
- Especially easy to open with 3 holders
- Environment-friendly since no pods are required
- Long service life





xavax®

Permanent filter for coffee maker, replacement for filter size 4

Suitable for	Coffee Machines
Suitable for Dish- washers	Yes
Set Contents in Pieces	1

- No more constantly having to buy more paper filters: this permanent filter can be reused over and over again
- Ideal coffee pouring thanks to the wedge shape
- Straightforward handling thanks to practical handle
- Fits perfectly into any conventional coffee maker
- Replaces paper filter size 4





Coffee Filter
"Porcelain, white"

- Porcelain coffee filter with white, scratch-resistant glaze
- Size 2, perfect for 2 coffee cupsTwo handles for comfortable and
- convenient handling of the filter
 The pointed shape of the filter
 allows for the ideal removal of the
- The coffee is filtered through an opening, allowing the coffee aroma to develop with particular intensity
- The grooves inside the filter ensure that the filter paper does not slip, re-

Size 4			00111242
	4	SC	





Water Filter Cartridges, 6-Pack

Brand 1	Filter Logic
Usage	Water filter jugs

- Improved filter performance
- e.g. also suitable for table water filters / filter jugs from Brita Maxtra and Maxtra+
- To reduce limescale and heavy metals (e.g. aluminium and copper) and taste-altering chlorine
- Filtered water for flavourful tea and coffee
- Reduced limescale deposits in coffee makers, irons and kettles
- Active carbon in the filter made from coconut shells: this sustainable raw material is eco-friendly and also features particularly fine pores
- Food-safe tested: filter cartridges are tested in accordance with EU Directive No. 1935/2004
- Capacity: per cartridge up to 150 litres for moderate water hardness or 1 month

		00111195
6	BK	

24 BK

20 SC 00111243

Tio





Brand 1

Water Filter Cartridges, 6-Pack

Usage	Water filter jugs
• E.g. also suitable	
filters / filter jugs	from Brita Maxtra,
Brita, Mavea, Bos	sch Tassimo, BWT

- Brita, Mavea, Bosch Tassimo, BWT MG2+, BWT Anna Duomax, Aqua Optima, Aldi, PearlCo, Aquaphor Maxfor and Dafi Unimax • To reduce limescale and heavy
- metals (e.g. aluminium and copper) and taste-altering chlorine
- Filtered water for flavourful tea and coffee
- Reduced limescale deposits in coffee makers, irons and kettles
- Active carbon in the filter made from coconut shells: this sustainable raw material is eco-friendly and also features particularly fine pores
- Food-safe tested: filter cartridges are tested in accordance with EU Directive No. 1935/2004
- Capacity: per cartridge up to 150 litres for moderate water hardness or 1 month





xavax

Water Filter Jug with 1 Filter Cartridge, 2.4 l, white

Brand 1	Filter Logic
Usage	Water filter jugs

- Total volume 2.4 l and 1.2 l of filtered water
- Easy filling thanks to filling opening in the cover
- Suitable for all standard refrigerator doors
- Stable and non-slip thanks to rubber insert on the base
- Filtered water reduces limescale deposits in coffee makers, irons and kettles
- Food-safe tested: filter cartridges are tested in accordance with EU Directive No. 1935/2004
- Capacity: per cartridge up to 150 litres for moderate water hardness or 1 month







Milk Jug, stainless steel

Capacity	400 ml
Height	10.5 cm
Width	13.2 cm
Suitable for Dish- washers	Yes

- Highly polished, rust-free steel stainless steel jug in a cylindrical design with a volume of 400 ml
- For perfect milk foam add max. 200 ml of milk and foam up with a milk frother (00111106/00111221)
- Completely circumferential rim for drip-free pouring from all sides
- Suitable for all heat sources, except induction cooker







Tea & Coffee Maker "Stainless Steel"

Tea Filter	Stainless Steel
 Easy handling wh and coffee 	en using loose tea

- Once the required brewing time is up, the drink is immediately ready to serve in the stylish glass housing made from borosilicate glass
- The plunger is made from a finemeshed stainless steel filter that even pushes limescale down with it
- Sophisticated glass design with stainless steel lid
- Easy to rinse

		00111830
20	SC	

		00111251
6	SC	

Qty PT

		00111166
6	SC	

11			00111246
	16	SC	
0.61			00111245
	16	SC	

Coffee/Tea Preparation







Tea & Coffee Maker "Tea/Coffee Maker"

Tea Filter

Stainless Steel

• Easy handling when using loose tea and coffee

- Stylish glass housing made from borosilicate glass
- The plunger is made from a finemeshed stainless steel filter that even pushes limescale down with it
- Easy to rinse
- Handle and lid made from heatresistant plastic





xavax®

Stainless Steel Coffee Measuring Scoop, 16.8 cm

Material

Stainless Steel

- Clear design fits in with any modern
- As a result, the curved stem also serves as a hook, e.g. for the kitchen rail: stylish kitchen helper always ready at hand
- Holds around 6g of coffee powder

11			00111174
	12	SC	
0.61			00111330
	40		

Silver			00111211
	60	BK	

Cleaners & Care Products











Milk Hose for Fully Automatic Coffee Machines, diameter: 6 mm

Material	Silicone
Diameter (Inside)	3 mm
Diameter (Outside)	6 mm

- Fantastic resistance against heat and high pressure
- Extremely smooth surface inside the tube largely prevents the formation of limescale even with very hard water
- This keeps the water flow rate stable and makes cleaning easy
- 1 m piece of silicone tube that can be cut individually to the required lenath
- The tube is 60° Shore (therefore, it remains stable when warm), translucent and food safe

xaVax®

"Mini" Cleaning Kit for **Fully Automatic Coffee Ma**chines with 6 mm Milk Hose

- Contents of the kit:
- Extra long, very flexible milk hose brush (length: 33 cm, diameter: 3.5 mm and 6 mm) made of braided stainless steel wire, with two brushes
- For small, thin hoses and pipes
- Suitable for the majority of fully automatic coffee machines with milk hoses which suck in milk from a seperate container
- Cleaning brush for removing coffee powder from grinders, filter holders, brewing units, etc.
- Suitable for portafilter machines and fully automatic coffee machines
- 3.5 mm nozzle cleaning brush for cleaning nozzles, valves and outlets easily from limescale and coffee grease
- 2.5 mm nozzle cleaning brush, extra thin
- It is quite difficult to keep long milk suction hoses clean
- Milk contents such as milk fat, lactose (milk sugar), protein, etc. are deposited on the inside of the hoses and cannot be dissolved completely by simply rinsing the hose which results in flavourful losses
- Only mechanical cleaning with a brush can safely remove these deposits

xaVax

"OKS 1110" Multi Silicone Grease, 20 g

Content	20 ml
Usage	Fully Automatic Coffee Machines

- For brewing groups and seals in fully automatic coffee machines, milk containers, couplings, etc.
- Can also be used for lubricating and greasing kitchen appliances like universal cutters, mixers, food processors, etc.
- Also suitable for cold and hot water valves used for sanitary facilities and heating systems or in food industry
- High effectiveness due to excellent adhesion to all materials
- Neutral behaviour towards plastic materials and elastomers
- Consistent properties: does not dry out, harden or bleed
- Resistant to cold and hot water, aceton, ethanol, ethylene glycol, glycerine and methanol
- Toxologically harmless and tested according to the German Foods, Consumer Goods and Feedstuffs Code (LFGB)
- Has no influence on taste or smell
- Food-safe
- Tested by the DVGW according to **DIN EN 377**
- Suitable for a temperature range from -40°C to +200°C
- Transparent silicone grease



Kitchen Table at a glance

Storage

Baking

Cooking

Bar & Vine

Household Goods












Tray Bake Transportation Box



Food Storage Box Set, 18 Pcs., red



- Tray bake transportation box for large gateaux and cakes with a height of up to approx. 6.0 cm and a surface of about 43x34 cm
- Transparent cover with a practical handle at the top and secure fasteners at the bottom for easy transportation
- The bottom side of the base plate is subdivided which allows decorative arrangement of spreads, sandwiches, etc.
- Easy to clean under running water or in the dishwasher

Comment	Food storage box, 1 x 230 ml, Food sto- rage box, 1 x 3000 ml, Food storage box, 1 x 35 ml, Food storage box, 1 x 8500 ml, Food sto-		
Component	rage box, 1 x 90 ml, Food storage box, 3 x 600 ml, Food storage box, 4 x 200 ml, Food storage box, 6 x 300 ml		

- Includes 16 transparent boxes with matching red lids
- 6 x 300 ml, 3 x 600 ml, 1 x 3000 ml, 1 x 8500 ml, 1 x 35 ml, 1 x 90 ml, 4 x 200 ml, 1 x 230 ml
- Ideal for storing food
- Easy handling when opening and closing
- Suitable for a temperature range from -5°C to 85°C
- Food safe
- Suitable for microwaves
- Suitable for dishwashers

		00111497
4	РО	

00111468 2 PO

Accessory Kits | Cooking & Baking







Dough Scraper Kit, Small, 24 Pcs in Display

Heat Resistance	200 °C

- Ideal for preparing, baking and cooking
- Residue-free removal of e.g. cream or dough from bowls
- Made from high-quality silicone: especially durable and robust, even at high temperatures
- With eyelet for hanging
- Dishwasher-safe





xavax

Toaster Bag, Reusable, 17.5 x 16 cm

Material	Plastic
----------	---------

- Toaster stays clean: Crumbs, cheese, etc. stay in the bag
- Healthy cooking: no addition of fat needed thanks to non-stick coating
- Can be reused up to 50 times
- Heat-resistant up to 260°
- Easy to clean in the dishwasher Bag can be turned inside out
- Tip for coeliac disease sufferers: this bag can be used to keep gluten-free bread away from any crumbs in the toaster, thereby avoiding the risk of cross-contamination
- Suitable for all common toasters





xavax®

Silicon Baking Mat, Square, 40 x 30 cm, red-brown

Material	Silicone
Temperature Range	up to 260°C
Width x Depth	30 x 40 cm
Shade of colour	Brown, Red

- Silicon has natural non-stick properties so that less flour is needed for dusting and dough is released more easily
- Ideal for decorating cakes and tarts, makes working with icing and marzipan easier
- Thanks to silicon sides, the mat remains in the same position when kneading / rolling out dough, for example
- Can be cut to size as an inlay for spring moulds
- Also suitable for refrigerators and freezers, e.g. for storing a roulade in the refrigerator
- Simply roll up the baking mat for space-saving storage
- Easy clean under running water or in the dishwasher





xavax®

Oven Protector Foil, Reusable, Teflon® Non-Stick Coating, 35 x 43 cm

Material	Glass Fiber with Teflon Coating
Temperature Range	up to 260°C
Width x Depth	43 x 35 cm
Shade of colour	Silver

- Can be trimmed to size, therefore suitable for every oven and microwave
- Heat-resistant to 260°C
- Easy to clean with soapy water thanks to Teflon® non-stick coating
- No more tedious and time-consuming cleaning of the oven floor

00111472

00111491 24 PO

Qty PT

00111470 12 BA 00111480 24 PO

Cooking & Baking







Reusable Baking Foil, Can Be Trimmed to Size, Teflon Coating, 40 x 33 cm

Material	Glass Fiber with Teflon Coating, Plastic
Temperature Range	-40°C to 230°C
Width x Depth	40 x 33 cm
Shade of colour	Black

- Reusable baking foil can be used instead of disposable baking parchment
- Avoids waste and protects the environment Unlike baking parchment, the foil can be reused many times over
- Can be trimmed to size, making it suitable for every type and size of oven and baking sheet
- High-quality Teflon coating: no burning, no greasing required
- Can also be used in the microwave
- For electric and gas ovens
- Easy to clean in warm soapy water
- Heat-resistant up to 260°

00111495 12 SC

hama_®

92

Cooking & Baking





"Universal with Steam Vent for Pots and Pans"

Material	Glass, Silicone
Height	5.5 cm

- Versatile transparent glass lid for full view cooking
- Steam release vent minimizes the risk of liquids boiling over
- Thanks to the special design of the lid it replaces three lid sizes and can be used for pots as well as for pans with a diameter of 16, 18 or 20 cm
- Can easily and compactly be stored in a kitchen cupboard
- The elastic silicone border "nestles" against the respective border profile and prevents excessive heat loss
- Glas lid contains all splashes
- Easy to clean under running water or in the dishwasher





xavax

Stone Remover for Cherries and Olives, Plastic, white/ green

Temperature Range	n/s
Shade of colour	Green, White
Suitable for Dish- washers	No

- Easy handling thanks to pressure system
- Secured to the work surface by suction cup
- Large, angled chute for easy filling and easier sliding
- Lower section acts as a collecting bin for the grains
- The stone remover can be easily cleaned, emptied and cleaned by hand
- Easy to assemble
- No risk of injury and excellent safety thanks to concealed pestles made from rust-free stainless steel





xaVax®

Serving Spoon Made From Stainless Steel / Nylon, 33 cm

Temperature Range	Up to 200°C
Shade of colour	Black
Suitable for Dish- washers	Yes

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Handy eyelet for hanging on kitchen rails, keeping the serving spoon handy at all times





Ladle Made From Stainless Steel / Nylon, 33.5 cm

Temperature Range	Up to 200°C
Shade of colour	Black
Suitable for Dish- washers	Yes

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Handy eyelet for hanging on kitchen rails, keeping the ladle handy at all times

16 cm, 18 cm	n, 20 d	m		00111544
		18	SU	
24 cm, 26 cm, 28 cm				
24 cm, 26 cm	n, 28 d	cm		00111545

00111478

12 HC 00111424

12 HC 00111427











xavax

Spatula Made From Stainless Steel / Nylon, 34.5 cm

Temperature Range	Up to 200°C
Shade of colour	Black
Suitable for Dish- washers	Yes

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Ideal for serving at the table
- Handy eyelet for hanging on kitchen rails, keeping the spatula handy at all times



xavax

Spaghetti Spoon Made From Stainless Steel / Nylon, 33.5 cm

Temperature Range	Up to 200°C
Shade of colour	Black
Suitable for Dish- washers	Yes

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Especially suitable for serving spaghetti, tagliatelle and fettuccine, no dropping of pasta and therefore no marks on the table
- Handy eyelet for hanging on kitchen rails, keeping the spaghetti spoon handy at all times

xaVax®

Skimmer Made From Stainless Steel / Nylon, 35.5 cm

Temperature Range	Up to 200°C
Shade of colour	Black
Suitable for Dish- washers	Yes

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Handy eyelet for hanging on kitchen rails, keeping the skimmer handy at all times

xavax®

Closure Clips Set with Handy Storage Box, Colourful, 30 Pcs.

Temperature Range	n/s
Shade of colour	Blue, Green, White
Suitable for Dish- washers	n/s

- 30 differently coloured clips in 3 different sizes
- Ideal for freezing and storing food
- Closes bags and packaging so they are air-tight, protecting the contents reliably from moisture and insects
- Easy handling when opening and closing
- \bullet With handy, transparent storage tin

		00111426
12	HC	

		00111425
12	НС	

			00111428
12	2	НС	

		00111469
24	РО	

Cooking & Baking







Vegetable Peeler, 18 cm, stainless steel

Temperature Range	n/s
Shade of colour	Black
Suitable for Dish- washers	Yes

- Round and stable grip shape for pleasant handling
- Mobile attachment of the blade head for safe and flexible peeling of all shapes of vegetable
- With handy potato eye remover
- Long-lasting blade sharpness with correct use
- Handy eyelet for hanging on kitchen rails, keeping the vegetable peeler handy at all times
- Suitable for left- and right-handed





xaVax

Pizza Cutter, 22 cm, stainless steel

Temperature Range	n/s
Shade of colour	Black
Suitable for Dish- washers	Yes

- Round and stable grip shape for pleasant handling
- Handy pizza cutter in a sophisticated design for easy pizza portioning
- Pizza wheel cuts through the pizza cleanly, leaving behind no sticky residue like on a knife
- Handy eyelet for hanging on kitchen rails, keeping the pizza cutter handy at all times
- Integrated finger guard
- Suitable for left- and right-handed





xayax®

Universal Grater, 22 cm, stainless steel

Temperature Range	n/s
Shade of colour	Black
Suitable for Dish- washers	Yes

- Round and stable grip shape for pleasant handling
- Handy grater in a convenient size
- Rust-free steel ensures excellent, lengthy use
- Handy eyelet for hanging on kitchen rails, keeping the universal grater handy at all times
- Suitable for left- and right-handed



xayax®

Ice Cream Scoop, 19 cm, stainless steel

Temperature Range	n/s
Shade of colour	Black
Suitable for Dish- washers	Yes

- Round and stable grip shape for pleasant handling
- Easy to use
- Specially shaped spoon head that does not deform even with the hardest pressure on hard-frozen ice
- For creating beautiful balls of ice cream
- Handy eyelet for hanging on kitchen rails, keeping the ice cream scoop handy at all times
- Suitable for left- and right-handed users

Qty PT







"Frog" Silicone Oven Glove



- Ideal for transporting warm containers like pots, bowls and oven
- Oven glove with a funky frog design: the frog's large mouth offers a non-slip grip and provides a secure hold on pot handles
- For both left and right handed use
- Easy to clean under running water or in the dishwasher









Silicone Kitchen Strainer, foldable, petrol

Material	Silicone
Temperature Range	-20°C to 100°C
Width x Depth x Height	32.5 x 22 x 12.5 cm
Suitable for Dish- washers	Yes

- Ideal for draining noodles or pasta
- The rigid plastic frame and handles provide stability, allowing the strainer to also be hung inside a pot and used for cooking
- Ideal for cleaning fruit and vegetables
- Additional holes on the side allow liquid to drain out faster
- The folding middle section allows space-saving storage
- Silicone feet on the base for a better grip
- Easy clean under running water or in the dishwasher







xaVax®

Boil Over Safeguard, made of silicone, round, 21 cm, green

- Sturdy, metal reinforced frame with handles
- Practical opening in the middle for throwing in foodstuffs during the cooking process
- Ideal as a baking pad in ovens for preparing crispy pizzas or tartes flambées
- Optimal splatter guard when roasting or heating up food in the microwave
- Also suitable as a pot or pan coaster
- Can also be used as a stencil for decorating cakes
- Easy to clean under running water or in the dishwasher

		00111528
36	BK	

Petrol			00111474
	20	BK	

			00111558
	36	BK	

Cooking & Baking | Cooling & Freezing







Cocktail Shaker, made of glass, 400 ml

Material	Glass, Stainless Steel
Width x Height	8.2 x 15.5 cm

- Set consisting of a drinking glass, a stainless steel attachment with an integrated sieve and a locking cap
- The locking cap measures 4 cl, therefore ideal for accurately measuring the individual ingredients
- Silicone ring for optimal leakage protection
- Selected receipts of various cocktails printed on the drinking glass
- A scale on the glass makes preparing drinks easy
- No need to fill the mixed drink into another container; the shaker can also be used as a stylish cocktail glass





xavax

Ice Cube Container Set with Lid and Stainless Steel Tongs

- Set comprising an ice cube container with lid and a set of tongs
- High-quality, sleek design made from stainless steel
- With handle for easy transport and lid for closing the container
- Optimised insulation and cooling:
 1 cm thick, double-walled stainless steel and vacuum seal made from silicon in the lid
- 15 cm diameter, 16 cm tall, filling capacity 1800 ml





xavax®

Ice Cube Mould with Cover, For 36 Ice Cubes, Set of 2

- For ice-cold drinks: ice cube box for freezing and creating 36 ice cubes
- Also suitable for freezing sauces, pesto or baby porridge: simply take out each portion from the cube compartments
- No leakage of the contents on uneven surfaces and hygienic freezing thanks to firmly sealable cover
- Dishwasher-safe, freezer-safe
- Temperature resistance: -18° to +100°C

Transparent			00111550
	6	SC	

		00111477
6	SC	

		00111462
18	РО	
	18	18 PO







"Water Power" Glass Drinking Bottle, 1 L, turquoise

Material	Glass
Volume	11

- Temperature-resistant borosilicate glass: suitable for all hot and cold drinks
- Elegant design
- With handy carrying loop for when out and about
- Fabric bag keeps cold drinks cool and hot drinks warm for longer at room temperature
- Ideal for outdoor activities, trips, school or for the office
- Secure stainless steel screw seal with silicone gasket protects against leaks





xavax®

"Smooth Power" Glass Drinking Bottle, 0.5 l, turquoise

Material	Glass
Volume	0.5 l

- Temperature resistant borosilicate glass: suitable for all hot and cold beverages
- A silicone ring protects your hands from hot beverages and provides a secure grip
- With a practical carrying strap for on the go
- Ideal for outdoor activities, travel, school or for the office
- Secure screw cap with silicone seal to prevent your beverage from spilling
- Millilitre marks printed on





xavax®


Scissors
"Universal Scissors,
24 Pieces in a Display Box"

Material	Plastic Material, Stainless Steel
Total Length	21, 23 cm

- Effortlessly cuts almost all materials such as paper, cardboard, foil, flowers, textile fabrics, etc.
- Integrated bottle opener and nutcracker in the handle
- Cap with cap lifter for opening bottles
- Specially shaped plastic grips for pleasant working, depending on the type of scissors, suitable for big and small hands
- Suitable for left- and right-handed users
- Includes safety cap for blade







xavax

Glass Cutting Plates, 2 pieces, "Wine" design, 30 x 20 cm, 35 x 25 cm

- Tempered safety glass with an appealing design
- Shock-resistant board with polished edges
- Odourless and tasteless
- Non-slip PVC feet for a firm grip
- Dishwasher-safe

n/s			00111471
	24	SC	

n/s			00111599
	8	BK	

Blue, Green, Purp	le, Red	ŀ	00111546
	24	SC	

		00111537
8	РО	
U	10	

Cooking & Baking







Set of Pot Coasters

xavax®

Silicone Pot Coaster, green/ violet, 2 pieces

2 parts
- Set consisting of a mini salt mill and

 Set consisting of a mini salt mill and a mini pepper mill
 Versatile, therefore the perfect

Mini Salt and Pepper Mill

Set, made of stainless steel,

choice for every kitchen

xayax

- Due to its small size ideal for travel and use in the office
- The ceramic grinder guarantees an optimal result and a long service life



- Suitable as a coaster for pots and pans, can also be used as a pot cloth
- Non-slip silicone surface for a secure hold and firm grip on hot pots, pans and oven dishes as well as for easily opening lids of glasses and bottles
- Integrated suspension eye for compact storage
- Round, robust and heat-resistant silicone coaster with a diameter of 18 cm
- Easy to clean under running water or in the dishwasher

Salad Spinner

Diameter	26 cm
Height	18 cm
Suitable for Dish- washers	Yes

- Salad spinner with crank mechanism and removable sieve insert
- Rubber feet for a firm grip when spinning on the worktop
- Salad remains crunchy and fresh
- Plastic bowl also suitable for preparation and serving
- Easy to clean under running water or in the dishwasher

00111467

20 BK

00111527 50 ВК

Small house hold appliances at a glance

Kitchen



















"Enano" Kitchen Timer

xa	Va	X

Egg Timer, stainless steel

-40	10000
xa	

Mechanical Kitchen Timer

119	VI.	1	®
xa	W	: 2	Ж
	~		

Kitchen Timer "Countdown"

Display	Analogue
Maximum Time Interval	60 min
Height	95 mm
Width	65 mm
Battery Type	None
Number of Batteries	0

- Simply twist the timer and set to the required time (up to 60 minutes)
- Loud signal tone when the set time is up
- 1 minute graduations
- Sturdy housing for placing the timer directly on the worktop in your kitchen
- High-quality metal housing
- Stylish design with trendy colours

Display	Analogue
Maximum Time Interval	59 min
Height	75 mm
Width	55 mm
Battery Type	None
Number of Batteries	0

- Simply twist the timer and set to the required time (up to 59 minutes)
- Loud signal tone when the set time is up
- 1 minute graduations up to the 15th minute
- Sturdy housing for placing the timer directly on the worktop in your kitchen
- High-quality stainless steel housing

Display	Analogue
Maximum Time Interval	59 min
Height	45 mm
Width	65 mm
Battery Type	None
Number of Batteries	0

- Simply twist the timer and set to the required time (up to 59 minutes)
- Loud signal tone when the set time is up
- 1 minute graduations
- Sturdy housing for placing the timer directly on the worktop in your kitchen
- Can also be attached to all magnetic surfaces (e.g. to refrigerator doors) by means of the magnet on the back
- Plastic housing with a high-quality stainless steel surface

Display	Digital
Maximum Time Interval	99.59 min
Height	70 mm
Width	15 mm
Battery Type	AAA Micro
Number of Batteries	1

- Up to 99 minutes and 59 seconds can be programmed thanks to 3 buttons; with a start/stop button
- Loud signal tone
- Large, 4-digit display with XX:XX format
- Sturdy housing, can be mounted in many positions, e.g. by means of a magnet, clip, built-in hanger and stand

n/s			00111358
	24	SC	

Silver			00095302
	12	SC	

Silver			00095303	
		12	SC	

White			00111319
	12	SC	
Black			00095304
	12	SC	

Clocks & Watches | Cooking & Baking







"Touch" Kitchen Timer, Digital, silver/black

Display	Digital
Maximum Time Interval	99.59 min
Height	7.2 mm
Width	2.4 mm
Battery Type	AAA Micro
Number of Batteries	2

- Programmable with 3 touch buttons for up to 99 minutes and 59 seconds, with Start/Stop button
- Loud signal tone
- 4-digit, large display with XX:XX display area
- Stylish, trendy design with large touchscreen and backlight
- Stable housing can be secured in many positions, e.g. with a magnet or built-in stand





xavax

"Philina" Kitchen Scales, bamboo

Division	1 g
Height	1.5 cm
Length	23 cm
Maximum Load Carrying Capacity	5000 g
Width	18 cm
Battery Type	CR2032
Number of Batteries	2

- Weighing surface made of bamboo
 wood
- Accurate weight control thanks to high-precision sensor technology
- Easy to use thanks to two buttons (unit, on/tare)
- Automatic switch-off
- Display for low battery level and overload warning
- Large, easy to read LCD display with blue backlight
- Also displays ml, oz and lb







"Stella" Kitchen Scales

Division	1 g
Height	20.5 cm
Length	15.5 cm
Maximum Load Carrying Capacity	5000 g
Width	1.5 cm
Battery Type	AAA Micro
Number of Batteries	3

- Stylish designer scales made from stainless steel
- Exact weight monitoring thanks to ultra-precision sensor technology
- User-friendly with two buttons (Unit, On/Tare)
- Easy-to-read LCD display with four digits
- The display can switch between grams and millilitres, distinguishing between milk and water
- Overload alert
- Switches off if not used for around 120 seconds







"Milla" Kitchen Scales

Division	1 g
Height	3.55 cm
Length	19 cm
Maximum Load Carrying Capacity	5000 g
Width	15 cm
Battery Type	CR2032
Number of Batteries	1

- Weighing surface made of highquality safety glass, can easily be removed for cleaning
- High-precision sensor technology
- Easy to use thanks to two buttons (unit, on/tare)
- Automatically switches off after 60 seconds
- Display for low battery level and overload warning
- Easy to read display with four places
- Also displays ml, oz and lb

Black, Silver			00095321
	12	SC	

Wood Look			00113956
	18	SC	

Qty PT

Silver, White			00095319
	24	BK	

Silver			00106993
	10	SC	

Cooking & Baking







"Jewel" Digital Fine Scales

Division	0.1 g
Height	13 cm
Length	10 cm
Maximum Load Carrying Capacity	500 g
Width	1.5 cm
Battery Type	CR2032
Number of Batteries	2

- Weigh accurate to 0.1 g
- Thanks to their compact size, also idea as pocket scales for use on the move
- Protective cover can be used as a weighing dish
- Easy operation thanks to large, labelled buttons
- Large, illuminated LCD display
- 6 weighing units: g, ct, dwt, oz, ozt, gn
- Tare function
- Automatic switch-off to protect the battery (after 60 sec.)
- Anti-slip feet

Black			00095318
	20	SC	

hama_®

104

Lightning

at a glance

LED bulb 230V

LED bulb 12V

Halogen Bulbs 230V

Halogen Bulbs 12V

Special Bulbs

Plant Lamps







LED Filament, E14, 470lm replaces 40W,candle bulb, warm white,dimmable

Can be Dimmed	Yes
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xavax

LED Filament, E14, 470lm replaces 40W, candle bulb, warm white, dimmable

Can be Dimmed	Yes	
Design	C 35	
Light color / color temperature	Warm White - 2700 K	
Nominal Service Life	15000 h	
Power Consumption of an Equivalent Incandescent Lamp	40 W	
Socket	E 14	
Nominal Beam Angle	330°	
Nominal Light Output	470 lm	
Nominal Power Consumption	4.5 W	
Colour Reproduction Index RA (min.)	80	

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xaVax®

LED Filament, E14, 470 lm Replaces 40W, Candle Bulb, Matt, warm white,dimm.

Can be Dimmed	Yes		
Design	C 35		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	15000 h		
Power Consumption of an Equivalent Incandescent Lamp	40 W		
Socket	E 14		
Nominal Beam Angle	330°		
Nominal Light Output	470 lm		
Nominal Power Consumption	4.5 W		
Colour Reproduction Index RA (min.)	80		

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax

LED Filament, E14, 470 lm Replaces 40W, Candle Bulb, warm white

Can be Dimmed	No	
Design	C 35	
Light color / color temperature	Warm White - 2700 K	
Nominal Service Life	15000 h	
Power Consumption of an Equivalent Incandescent Lamp	40 W	
Socket	E 14	
Nominal Beam Angle	330°	
Nominal Light Output	470 lm	
Nominal Power Consumption	4 W	
Colour Reproduction Index RA (min.)	80	

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

		00112560
,	DV	

00112562

00112607

		00112603
12	BK	





LED Filament, E14, 470 Im Replaces 40 W, Candle Bulb, warm white, 2 pcs

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	300°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xayax

LED Filament, E14, 470 lm Replaces 40W, Candle Bulb, Matt, warm white

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use







LED Filament, E14, 470lm replaces 40W, candle bulb, warm white

Can be Dimmed	No		
Design	C 35		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	15000 h		
Power Consumption of an Equivalent Incandescent Lamp	40 W		
Socket	E 14		
Nominal Beam Angle	330 °		
Nominal Light Output	470 lm		
Nominal Power Consumption	4 W		
Colour Reproduction Index RA (min.)	80		

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xavax

LED Filament, E14, 470 lm Replaces 40W, Candle Bulb, warm white

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112616 10 SC 00112672

00112554

June 2020 INT







LED Filament, E14, 470 lm Replaces 40 W, Candle Bulb, Matt,warm white, 2 pcs

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 300° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax

LED Filament, E14, 470 Im Replaces 40 W, Candle Bulb, warm white, 2 pcs

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 300° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax®

LED Filament, E14, 400 lm Replaces 35W, Vintage Candle Bulb, warm white

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2400 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	400 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape in amber look with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xayax®

LED Filament, E14, 250 Im Replaces 25 W, Candle Bulb, warm white

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

			00112706
	10	SC	

		00112705
10	SC	

		00112602
12	BK	

			00112604	
1	2	BK		
1	2	ВК		







LED Filament, E14, 250lm replaces 25W, candle bulb, warm white

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xayax®

LED Filament, E14, 250 lm Replaces 25W, Candle Bulb, Matt, warm white

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- 330° light output for virtually complete all-round lighting in the room
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks

Qty PT

• For indoor and outdoor use





xayax®

LED Filament, E14, 470 lm Replaces 40W, Drop Bulb, Matt, warm white, dimmable

Can be Dimmed	Yes
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use







LED Filament, E14, 470lm Replaces 40W, Drop Bulb, warm white, Dimmable

Can be Dimmed	Yes
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

							_
		00112555				00112673	
12	BK			12	BK		

			00112608
			00112000
	12	BK	







LED Filament, E14, 470 lm Replaces 40 W, Drop Bulb, warm white, 2 pcs

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	300°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 300° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xavax

LED Filament, E14, 470 lm Replaces 40W, Drop Bulb, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xaVax®

LED Filament, E14, 470 lm Replaces 40W, Drop Bulb, Matt, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax®

LED Filament, E14, 400 lm replaces 35W, drop bulb, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W
Socket	E 14
Nominal Beam Angle	280°
Nominal Light Output	400 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Head mirror reflects the light to the side into the lampshade, ensuring glare-free light distribution
- Decorative drop shape with full-glass housing and silver head mirroring
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

		00112615
10	SC	

		00112601
12	BK	

			00112677
	12	BK	

			00112577
	6	BK	







LED Filament, E14, 250lm replaces 25W, drop bulb, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xayax

LED Filament, E14, 250 lm Replaces 25 W, Drop Bulb, Matt, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	330°
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax®

LED Filament, E14, 320 lm Replaces 29 W, Reflector Bulb R50, warm white

Can be Dimmed	No
Design	R 50
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	29 W
Socket	E 14
Nominal Beam Angle	38 °
Nominal Light Output	320 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xavax®

LED Bulb, E14, 250lm replaces 25W, candle bulb, warm white, RA90

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	280°
Nominal Light Output	250 lm
Nominal Power Consumption	3.3 W
Colour Reproduction Index RA (min.)	90

- High colour reproduction of Ra90
- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

00112558

00112675

Qty PT

6 BK





LED Bulb, E14, 250lm replaces 25W Candle Bulb, warm white, full glass

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	270 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- 270° light emission for nearly complete all-round lighting in rooms
- Decorative candle shape with fullglass housing, producing a look like a conventional incandescent lamp
- Particularly suitable for long-term lighting applications when extremely long power-on times are required, e.g. consulting rooms, entrance halls, candelabras
- Pleasant warm white colour for general lighting applications
- For interiors and exteriors





xavax®

LED Bulb, E14, 250lm replaces 25W, candle bulb, warm white

Can be Dimmed	No
Design	C 35
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	280°
Nominal Light Output	250 lm
Nominal Power Consumption	3.4 W
Colour Reproduction	80

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white aluminium housing
- Simply replace with conventional candle bulbs





xaVax®

LED Bulb, E14, 470 lm Replaces 40 W, Candle Bulb, warm white, 2 Pcs

Can be Dimmed	No
Design	C 37
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	200°
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xayax®

LED Bulb, E14, 320lm replaces 32W, candle bulb, warm white, RA90

Can be Dimmed	No
Design	C 37
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	32 W
Socket	E 14
Nominal Beam Angle	180°
Nominal Light Output	320 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	90

- High colour reproduction of Ra90
- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112565 6 BK

6 BK

00112613







LED Bulb, E14, 350lm Replaces 32W, Candle Bulb, warm white

Can be Dimmed	No
Design	C 37
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	32 W
Socket	E 14
Nominal Beam Angle	150°
Nominal Light Output	350 lm
Nominal Power Consumption	4.5 W
Colour Reproduction Index RA (min.)	80

- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xayax

LED Bulb, E14, 250lm replaces 25W, candle bulb, warm white

Can be Dimmed	No
Design	C 37
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	180°
Nominal Light Output	250 lm
Nominal Power Consumption	3 W
Colour Reproduction Index RA (min.)	80

- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xaVax


LED Bulb, E14, 470 lm replaces 40W, Candle Bulb, warm white, 3-stage dim.

Can be Dimmed	Yes
Design	C 38
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	280°
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- Handy lamp with built-in dimming function, making every light dimmable
- There is no need to change the normal light switch into a dimmer
- The built-in dimmer is actuated via the normal light switch by quickly switching it on and off:
- 1 x on: 100%
- 2 x off/on: 40%
- 3 x off/on: 15%
- As many lamps as needed can be switched with one switch
- If the bulb is switched off for around 5 seconds, it always starts at 100%
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

00112583





xavax®

LED Bulb, E14, 470lm replaces 40W, candle bulb, warm white, dimmable

Can be Dimmed	Yes
Design	C 38
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	230°
Nominal Light Output	470 lm
Nominal Power Consumption	6.2 W
Colour Reproduction Index RA (min.)	80

- 230° light emission for nearly complete all-round lighting in rooms
- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish white aluminium housing

 especially suitable also for decorative lights, e.g. chandeliers
- Special prism for even light emission
- Can replace conventional light bulbs

00112535

00112594







LED Bulb, E14, 470lm replaces 40W, candle bulb, warm white, RA90

Can be Dimmed	No
Design	C 38
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	280°
Nominal Light Output	470 lm
Nominal Power Consumption	5.8 W
Colour Reproduction Index RA (min.)	90

- High colour reproduction of Ra90
- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xavax®

LED Bulb, E14, 470lm replaces 40W candle bulb, warm white

Can be Dimmed	No
Design	C 38
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	230°
Nominal Light Output	470 lm
Nominal Power Consumption	5.5 W
Colour Reproduction Index RA (min.)	80

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white aluminium housing
- Simply replace with conventional candle bulbs





xavax®

LED Bulb, E14, 520lm replaces 43W, drop bulb, daylight

Can be Dimmed	No
Design	P45
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	43 W
Socket	E 14
Nominal Beam Angle	200°
Nominal Light Output	530 lm
Nominal Power Consumption	5.5 W
Colour Reproduction Index RA (min.)	80

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- \bullet For interiors and exteriors





xavax

LED Bulb, E14, 470lm replaces 40W, drop bulb, warm white, dimmable

Can be Dimmed	Yes
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	160°
Nominal Light Output	470 lm
Nominal Power Consumption	5.6 W
Colour Reproduction Index RA (min.)	80

- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish white aluminium housing

 especially suitable also for decorative lights, e.g. chandeliers
- Special prism for even light emission
- Can replace conventional light bulbs

			00112258
	6	BK	

6 BK

00112507 6 BK







LED Bulb, E14, 470lm replaces 40W, drop bulb, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	230 °
Nominal Light Output	470 lm
Nominal Power Consumption	5.5 W
Colour Reproduction Index RA (min.)	80

- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- · For interiors and exteriors





xaVax

LED Bulb, E14, 470 lm Replaces 40 W, Drop Bulb, warm white, 2 Pcs

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	150°
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xayax®

LED Bulb, E14, 470lm Replaces 40W, Drop Bulb, daylight

Can be Dimmed	No
Design	P45
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	180°
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Colour Reproduction Index RA (min.)	80

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xayax

LED Bulb, E14, 250lm replaces 25W, drop bulb, warm white, RA90

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	240 °
Nominal Light Output	250 lm
Nominal Power Consumption	3.3 W
Colour Reproduction Index RA (min.)	90

- High colour reproduction of Ra90
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

00112525

Qty PT





LED Bulb, E14, 250lm replaces 25W Drop Bulb, warm white, full glass

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	270 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- 270° light emission for nearly complete all-round lighting in rooms
- Decorative teardrop shape with fullglass housing, producing a look like a conventional incandescent lamp
- Particularly suitable for long-term lighting applications when extremely long power-on times are required, e.g. consulting rooms, entrance halls, candelabras
- Pleasant warm white colour for general lighting applications
- For interiors and exteriors





xavax

LED Bulb, E14, 250lm replaces 25W, drop bulb, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	240°
Nominal Light Output	250 lm
Nominal Power Consumption	3.4 W
Colour Reproduction	80

- 240° light emission for nearly complete all-round lighting in rooms
- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xavax

LED Bulb, E14, 240lm replaces 25W Reflector Bulb R39, warm white

Can be Dimmed	No
Design	R 39
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	120 °
Nominal Light Output	240 lm
Nominal Power Consumption	3 W
Colour Reproduction Index RA (min.)	80

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general illumination tasks
- Can replace conventional light bulbs
- For interiors and exteriors





xayax

LED Bulb, E14, 230 lm replaces 46 W, Reflector Bulb R50, warm white

Can be Dimmed	No
Design	R 50
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	46 W
Socket	E 14
Nominal Beam Angle	36°
Nominal Light Output	230 lm
Nominal Power Consumption	3.5 W
Colour Reproduction Index RA (min.)	80

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

		00112566
6	BK	

		00112548
6	BK	

		00110315
6	BK	







LED Bulb, E14, 450 lm Replaces 39 W, Reflector Bulb R50, warm white, 2 pcs

Can be Dimmed	No
Design	R 50
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	39 W
Socket	E 14
Nominal Beam Angle	120 °
Nominal Light Output	450 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use





xayax

LED Bulb, E14, 330 lm Replaces 30W, Reflector Bulb R50, warm white, 2 pcs

Can be Dimmed	No
Design	R 50
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W
Socket	E 14
Nominal Beam Angle	120°
Nominal Light Output	330 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use





xavax

LED Bulb, E14, 806 lm Replaces 60W, Candle Bulb, warm white

Can be Dimmed	No
Design	C 39
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 14
Nominal Beam Angle	200°
Nominal Light Output	806 lm
Nominal Power Consumption	8 W
Colour Reproduction Index RA (min.)	80

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Simply replace with conventional candle bulbs





xaVax®

LED Bulb, E14, 470lm replaces 40W, candle bulb, warm white, RA90

Can be Dimmed	No
Design	C 37
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	180°
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Colour Reproduction Index RA (min.)	90

- High colour reproduction of Ra90
- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

00112702

00112609 12 SC

Qty PT

00112644 6 BK





LED Bulb, E14, 470lm replaces 40W Candle Bulb, daylight

Can be Dimmed	No
Design	C 37
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	180°
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Colour Reproduction Index RA (min.)	80

- 180° light output for virtually complete all-round lighting in the room
- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xavax®

LED Bulb, E14, 470lm replaces 40W, drop bulb, warm white, RA90

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Beam Angle	180°
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Colour Reproduction	90

- High colour reproduction of Ra90
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xaVax®

LED Bulb, E14, 250lm replaces 25W, drop bulb, warm white, RA90

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 14
Nominal Beam Angle	180°
Nominal Light Output	250 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	90

- High colour reproduction of Ra90
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax

LED Bulb, E14, 330 lm replaces 30W, Reflector Bulb R50, warm white

Can be Dimmed	No
Design	R 50
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W
Socket	E 14
Nominal Beam Angle	120°
Nominal Light Output	330 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

		00112653
6	BK	

		00112625
6	BK	

			00112680
	6	BK	

LED bulb 230V







LED Filament, E27, 1521 lm Replaces 100W,Incandescent Bulb, Matt, neutral wh.

Can be Dimmed	No
Design	A 60
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	10000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W
Socket	E 27
Nominal Beam Angle	300°
Nominal Light Output	1521 lm
Nominal Power Consumption	11 W
Colour Reproduction Index RA (min.)	n/s

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- For indoor and outdoor use





xayax®

LED Filament, E27, 1055lm replaces 75W, incandescent bulb, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	1055 lm
Nominal Power Consumption	8 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors







LED Filament, E27, 1055 lm Replaces 75W, Incandescent Bulb, Matt, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	1055 lm
Nominal Power Consumption	7.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- · Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xayax

LED Filament, E27, 810lm replaces 60W, incandesc. bulb, warm, dimmable

Can be Dimmed	Yes
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	810 lm
Nominal Power Consumption	7 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

00112690

Qty PT

00112559







LED Filament, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 pcs

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	300°
Nominal Light Output	806 lm
Nominal Power Consumption	7 W
Colour Reproduction Index RA (min.)	80

- 300° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xavax

LED Filament, E27, 806 lm Replaces 60W, Incand. Bulb, Matt,warm white, 2 pcs

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	806 lm
Nominal Power Consumption	6,5 W
Colour Reproduction	80

- 300° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax®

LED Filament, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 pcs

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	806 lm
Nominal Power Consumption	6,5 W
Colour Reproduction Index RA (min.)	80

- 300° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xayax®

LED Filament, E27, 810lm replaces 60W, incandescent bulb, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	810 lm
Nominal Power Consumption	6,5 W
Colour Reproduction Index RA (min.)	80

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

		00112614
10	SC	

		00112704
10	SC	

		00112703
10	SC	

			00112552
	6	BK	

LED bulb 230V







LED Filament, E27, 806 lm Replaces 60W, Incandescent Bulb, Matt, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	330 °
Nominal Light Output	806 lm
Nominal Power Consumption	6,5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- · Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xayax®

LED Filament, E27, 470lm replaces 40W, incandescent bulb, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xayax®

LED Filament, E27, 470 lm Replaces 40W, Incandescent Bulb, Matt, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- · Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xayax

LED Filament, E27, 400 lm replaces 35W, incandescent bulb, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W
Socket	E 27
Nominal Beam Angle	280°
Nominal Light Output	400 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Head mirror reflects the light to the side into the lampshade, ensuring glare-free light distribution
- Decorative light bulb shape with full-glass housing and silver head mirroring
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

		00112671			
6	BK				6

00112670







LED Filament, E27, 470lm replaces 40W, globe bulb, warm white

Can be Dimmed	No
Design	G 80
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative globe shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xavax

LED Filament, E27, 1055lm Replaces 75W Globe Bulb, warm white, dimmable

Can be Dimmed	Yes
Design	G 120
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	1055 lm
Nominal Power Consumption	8 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- Large light cone with a diameter of 12.5 cm, especially suitable for living room lights with a large lampshade
- The special LED strips mean that this bulb creates the lighting characteristics of a conventional everyday bulb
- Dimmable
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xaVax®

LED Filament, E27, 470lm replaces 40W, drop bulb, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xavax®

LED Filament, E27, 470 lm Replaces 40W, Drop Bulb, Matt, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112556	П				00112618
			8	SC	

			00112557
	12	BK	

			00112676
1.	2	BK	

LED bulb 230V







LED Filament, E27, 250 lm Replaces 25 W, Drop Bulb, Matt, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 27
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xayax

LED Filament, E27, 250 lm Replaces 25 W, Drop Bulb, Matt, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax®

LED Filament, E27, 600lm replaces 47W, vintage bulb, warm, dimmable

Can be Dimmed	Yes
Design	Special Size, ST64
Light color / color temperature	Warm White - 2000 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	47 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	600 lm
Nominal Power Consumption	7 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape in Bernstein look with full glass casing
- Dimmable
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xaVax®

LED Filament, E27, 720lm replaces 55W, vintage bulb, warm, dimmable

Can be Dimmed	Yes
Design	ST64
Light color / color temperature	Warm White - 2400 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	55 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	720 lm
Nominal Power Consumption	7 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape in Bernstein look with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112674 00112669 12 BK 6

00112561

June 2020 INT





LED Filament, E27, 400lm replaces 35W, vintage bulb, warm white

Can be Dimmed	No
Design	ST64
Light color / color temperature	Warm White - 2400 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	400 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape in Bernstein look with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use





xavax

LED Filament, E27, 350lm replaces 32W, vintage bulb, warm white

Can be Dimmed	No
Design	ST64
Light color / color temperature	Warm White - 2000 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	32 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	350 lm
Nominal Power Consumption	4 W
Colour Reproduction	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape in Bernstein look with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xaVax®

LED Filament, E27, 1521 Im Replaces 100 W, Incandescent Bulb, warm white

Can be Dimmed	No
Design	A 67
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	10000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W
Socket	E 27
Nominal Beam Angle	330°
Nominal Light Output	1521 lm
Nominal Power Consumption	12 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xayax

LED Filament, E27, 1521 Im Replaces 100W, Incandescent Bulb, Matt, warm white

Can be Dimmed	No		
Design	A 67		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	10000 h		
Power Consumption of an Equivalent Incandescent Lamp	100 W		
Socket	E 27		
Nominal Beam Angle	330°		
Nominal Light Output	1521 lm		
Nominal Power Consumption	12 W		
Colour Reproduction Index RA (min.)	80		

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112683

4 BK

00112600 4 BK







LED Filament, E27, 470 lm Replaces 40 W, T32 Tube Bulb, warm white,dimmable

Can be Dimmed	Yes
Design	T32
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors





xayax

LED Bulb, E27, 470lm replaces 40W Bulb, warm white, full glass

Can be Dimmed	No		
Design	A 55		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	25000 h		
Power Consumption of an Equivalent Incandescent Lamp	40 W		
Socket	E 27		
Nominal Beam Angle	270°		
Nominal Light Output	470 lm		
Nominal Power Consumption	4.5 W		
Colour Reproduction Index RA (min.)	80		

- 270° light emission for nearly complete all-round lighting in rooms
- Decorative bulb shape with fullglass housing, producing a look like a conventional incandescent lamp
- Particularly suitable for long-term lighting applications when extremely long power-on times are required, e.g. consulting rooms, entrance halls, candelabras
- Pleasant warm white colour for general lighting applications
- For interiors and exteriors





xavax®

LED Bulb, E27, 470 lm Replaces 40W, Incandescent Bulb, warm white

Can be Dimmed	No		
Design	A 55		
Light color / color temperature	Warm White - 3000 K		
Nominal Service Life	25000 h		
Power Consumption of an Equivalent Incandescent Lamp	40 W		
Socket	E 27		
Nominal Beam Angle	200°		
Nominal Light Output	470 lm		
Nominal Power Consumption	5 W		
Colour Reproduction Index RA (min.)	80		

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xaVax®

LED Bulb, E27, 1521lm replaces 100W, incandescent bulb, warm, dimmable

Can be Dimmed	Yes
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W
Socket	E 27
Nominal Beam Angle	240 °
Nominal Light Output	1521 lm
Nominal Power Consumption	15 W
Colour Reproduction Index RA (min.)	80

- 240° light emission for nearly complete all-round lighting in rooms
- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs

00112606

00112567

Qty PT

00112643





LED Bulb, E27, 1521lm replaces 100W, incandescent bulb, warm, dimmable

Can be Dimmed	Yes		
Design	A 60		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	25000 h		
Power Consumption of an Equivalent Incandescent Lamp	100 W		
Socket	E 27		
Nominal Beam Angle	220°		
Nominal Light Output	1521 lm		
Nominal Power Consumption	13 W		
Colour Reproduction Index RA (min.)	80		

- 220° light emission for nearly complete all-round lighting in rooms
- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xavax

LED Bulb, E27, 1521 lm Replaces 100W, Incand. Bulb, warm white, 2 Pcs

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	1521 lm
Nominal Power Consumption	14 W
Colour Reproduction Index RA (min.)	80

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xaVax®

LED lamp, E27, 1521 lm replaces 100W incandescent lamp, warm white

Can be Dimmed	No			
Design	A 60			
Light color / color temperature	Warm White - 2700 K			
Nominal Service Life	15000 h			
Power Consumption of an Equivalent Incandescent Lamp	100 W			
Socket	E 27			
Nominal Beam Angle	150°			
Nominal Light Output	1521 lm			
Nominal Power Consumption	13 W			
Colour Reproduction Index RA (min.)	80			

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs





xayax®

LED Bulb, E27, 1521 lm Replaces 100W, Incand. Bulb, warm white, 2 Pcs

Can be Dimmed	No			
Design	A 60			
Light color / color temperature	Warm White - 3000 K			
Nominal Service Life	25000 h			
Power Consumption of an Equivalent Incandescent Lamp	100 W			
Socket	E 27			
Nominal Beam Angle	180°			
Nominal Light Output	1521 lm			
Nominal Power Consumption	15 W			
Colour Reproduction Index RA (min.)	80			

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

			00112630
	6	BK	

		00112610
10	SC	

			00112520
	6	BK	

			00112700
10)	SC	







LED Bulb, E27, 1060lm replaces 75W, incandescent bulb, warm, dimmable

Can be Dimmed	Yes		
Design	A 60		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	25000 h		
Power Consumption of an Equivalent Incandescent Lamp	75 W		
Socket	E 27		
Nominal Beam Angle	240 °		
Nominal Light Output	1060 lm		
Nominal Power Consumption	12.5 W		
Colour Reproduction Index RA (min.)	80		

- High light yield
- Dimmable
- ullet Very low energy consumption
- · Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs





xaVax

LED Bulb, E27, 1060 lm Replaces 75W Bulb, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	1060 lm
Nominal Power Consumption	12 W
Colour Reproduction Index RA (min.)	80

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white aluminium housing
- Can easily replace conventional incandescent bulbs





xayax®

LED Bulb, E27, 806lm replaces 60W, incandescent bulb, warm, dimmable

Can be Dimmed	Yes
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	806 lm
Nominal Power Consumption	10 W
Colour Reproduction Index RA (min.)	80

- 240° light emission for nearly complete all-round lighting in rooms
- High light yield
- Dimmable
- Very low energy consumption
- · Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white aluminium housing
- Can easily replace conventional incandescent bulbs







LED Bulb, E27, 806lm replaces 60W, incandescent bulb, warm white, RA90

Can be Dimmed	No		
Design	A 60		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	15000 h		
Power Consumption of an Equivalent Incandescent Lamp	60 W		
Socket	E 27		
Nominal Beam Angle	200°		
Nominal Light Output	806 lm		
Nominal Power Consumption	9 W		
Colour Reproduction Index RA (min.)	90		

- High colour reproduction of Ra90
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs

00112531

Qty PT





LED Bulb, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 Pcs

Can be Dimmed	No		
Design	A 60		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	15000 h		
Power Consumption of an Equivalent Incandescent Lamp	60 W		
Socket	E 27		
Nominal Beam Angle	200°		
Nominal Light Output	806 lm		
Nominal Power Consumption	8.5 W		
Colour Reproduction Index RA (min.)	80		

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xavax

LED Bulb, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 Pcs

Can be Dimmed	No		
Design	A 60		
Light color / color temperature	Warm White - 2700 K		
Nominal Service Life	15000 h		
Power Consumption of an Equivalent Incandescent Lamp	60 W		
Socket	E 27		
Nominal Beam Angle	200°		
Nominal Light Output	806 lm		
Nominal Power Consumption	8.5 W		
Colour Reproduction	80		

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xavax

LED Bulb, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 Pcs

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	180°
Nominal Light Output	806 lm
Nominal Power Consumption	9 W
Colour Reproduction Index RA (min.)	80

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xavax

LED Bulb, E27, 806lm replaces 60W, incandescent bulb, daylight

Can be Dimmed	No		
Design	A 60		
Light color / color temperature	Daylight - 6500 K		
Nominal Service Life	15000 h		
Power Consumption of an Equivalent Incandescent Lamp	60 W		
Socket	E 27		
Nominal Beam Angle	200°		
Nominal Light Output	806 lm		
Nominal Power Consumption	9 W		
Colour Reproduction Index RA (min.)	80		

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs


		00112611
10	SC	

		00112619
10	SC	

			00112701
	10	SC	

			00112651
	6	BK	







LED Bulb, E27, 800lm replaces 60W, incandescent bulb, warm white/daylight

Can be Dimmed	No
Design	A 60
Light color / color temperature	n/s
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	180 °
Nominal Light Output	800 lm
Nominal Power Consumption	10 W
Colour Reproduction Index RA (min.)	80

- The light colour can be changed simply by activating the light switch
- Available light colours: warm white - neutral white - daylight
- Very low energy consumption
- · Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs





xayax

LED Lamp, E27, 760 lm Replaces 57 W, Incandescent, warm, 3-stage dimmable

Can be Dimmed	Yes
Design	A 60
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	57 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	760 lm
Nominal Power Consumption	8.5 W
Colour Reproduction Index RA (min.)	80

- Handy lamp with built-in dimming function, making every light dimmable
- There is no need to change the normal light switch into a dimmer
- The built-in dimmer is actuated via the normal light switch by quickly switching it on and off:
- 1 x on: 100%
- 2 x off/on: 40%
- 3 x off/on: 15%
- As many lamps as needed can be switched with one switch
- If the bulb is switched off for around 5 seconds, it always starts at 100%
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

Qty PT





xavax®

LED Bulb, E27, 630lm replaces 50W Bulb, warm white, full glass

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W
Socket	E 27
Nominal Beam Angle	300°
Nominal Light Output	630 lm
Nominal Power Consumption	6 W
Colour Reproduction Index RA (min.)	80

- 300° light emission for nearly complete all-round lighting in rooms
- Decorative bulb shape with fullglass housing, producing a look like a conventional incandescent lamp
- Particularly suitable for long-term lighting applications when extremely long power-on times are required, e.g. consulting rooms, entrance halls, candelabras

00112568

- Pleasant warm white colour for general lighting applications
- For interiors and exteriors





xayax

LED Bulb, E27, 470lm replaces 40W, incandescent bulb, warm, dimmable

Can be Dimmed	Yes
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	240 °
Nominal Light Output	470 lm
Nominal Power Consumption	5.5 W
Colour Reproduction Index RA (min.)	80

- High light yield
- Dimmable
- Very low energy consumption
- · Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs

00112533

00112581 6 BK

hama_®





LED Bulb, E27, 470lm replaces 40W, incandescent bulb, warm white, RA90

Can be Dimmed	No	
Design	A 60	
Light color / color temperature	Warm White - 2700 K	
Nominal Service Life	15000 h	
Power Consumption of an Equivalent Incandescent Lamp	40 W	
Socket	E 27	
Nominal Beam Angle	240°	
Nominal Light Output	470 lm	
Nominal Power Consumption	6 W	
Colour Reproduction Index RA (min.)	90	

- High colour reproduction of Ra90
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs





xavax

LED Bulb, E27, 470lm replaces 40W, incandescent bulb, warm white, RA90

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Colour Reproduction	90

- High colour reproduction of Ra90
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs





xavax®

LED Bulb, E27, 470lm replaces 40W, incandescent bulb, daylight

Can be Dimmed	NO
Design	A 60
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Very low energy consumption
- Low heat generation without UV
 radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xayax®

LED Bulb, E27, 470lm replaces 40W, drop bulb, warm white

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	160°
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

		00112250
6	BK	

		00112652
6	BK	

		00112524
6	BK	







LED Bulb, E27, 250lm replaces 25W Drop Bulb, warm white, full glass

Can be Dimmed	No
Design	P45
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 27
Nominal Beam Angle	270 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- 270° light emission for nearly complete all-round lighting in rooms
- Decorative teardrop shape with fullglass housing, producing a look like a conventional incandescent lamp
- Particularly suitable for long-term lighting applications when extremely long power-on times are required, e.g. consulting rooms, entrance halls, candelabras
- Pleasant warm white colour for general lighting applications
- For interiors and exteriors





xayax

LED Bulb, E27, 620lm replaces 45W Reflector Bulb R63, warm white

Can be Dimmed	No
Design	R 63
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	45 W
Socket	E 27
Nominal Beam Angle	110°
Nominal Light Output	620 lm
Nominal Power Consumption	8 W
Colour Reproduction Index RA (min.)	80

- Particularly suitable for long-term lighting applications when extremely long power-on times are required
- Pleasant warm white colour for general lighting applications
- Can replace conventional light bulbs
- For interiors and exteriors





xavax®

LED Bulb, E27, 530 lm Replaces 45 W, Reflector Bulb R63, warm white

Can be Dimmed	No
Design	R 63
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	45 W
Socket	E 27
Nominal Beam Angle	120°
Nominal Light Output	530 lm
Nominal Power Consumption	8 W
Colour Reproduction Index RA (min.)	80

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use





xavax

LED Bulb, E27, 800lm replaces 60W Reflector Bulb R80, warm white

Can be Dimmed	No
Design	R 80
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	120°
Nominal Light Output	800 lm
Nominal Power Consumption	10 W
Colour Reproduction Index RA (min.)	80

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general illumination tasks
- Can replace conventional light bulbs
- For interiors and exteriors

00112574

00112542

Qty PT

6 BK





LED Bulb, E27, 470 lm replaces 40W tube bulb T37, warm white

Can be Dimmed	No
Design	T37
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	280°
Nominal Light Output	470 lm
Nominal Power Consumption	5.5 W
Colour Reproduction Index RA (min.)	80

- 280° light emission for nearly complete all-round lighting in rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs





xavax

LED Bulb, E27, 470lm replaces 40W, incandescent bulb, warm, dimmable

Can be Dimmed	Yes
Design	A 58
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	470 lm
Nominal Power Consumption	7 W
Colour Reproduction	80

- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xavax®

LED Bulb, E27, 1521lm replaces 100W, incandescent bulb, daylight

Can be Dimmed	No
Design	A 65
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	1521 lm
Nominal Power Consumption	15 W
Colour Reproduction Index RA (min.)	80

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs





xayax®

LED Bulb, E27, 806 lm Replaces 60W, Incandescent Bulb, warm white

Can be Dimmed	No
Design	A 60
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	806 lm
Nominal Power Consumption	9 W
Colour Reproduction Index RA (min.)	80

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

		00112543
6	BK	

		00112633
6	BK	

			00112650
	6	BK	

		00112642
10	BK	







LED lamp, E27, 1521 lm replaces 100W incandescent lamp, warm white

Can be Dimmed	No
Design	A 70
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W
Socket	E 27
Nominal Beam Angle	200°
Nominal Light Output	1521 lm
Nominal Power Consumption	15 W
Colour Reproduction Index RA (min.)	80

- Very low energy consumptionLow heat generation without UV
- radiation
 Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs






xayax

LED Bulb, G9, 430 lm, replaces 37W capsule, dimmable, warm white

Can be Dimmed	Yes
Design	Base Pin
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	37 W
Socket	G 9
Nominal Beam Angle	280°
Nominal Light Output	430 lm
Nominal Power Consumption	3.3 W
Colour Reproduction Index RA (min.)	80

- For all luminaires with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used
- Fully insulated, stylish plastic housing





xavax

LED Bulb, G9, 320 lm, replaces 30W capsule, dimmable, warm white

Can be Dimmed	Yes
Design	Base Pin
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W
Socket	G 9
Nominal Beam Angle	280 °
Nominal Light Output	320 lm
Nominal Power Consumption	2.7 W
Colour Reproduction Index RA (min.)	80

- For all luminaires with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used
- Fully insulated, stylish plastic housing





xayax®

LED Filament, G9, 200lm replaces 20W, capsule, warm white

Can be Dimmed	No
Design	Base Pin
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	20 W
Socket	G 9
Nominal Beam Angle	300°
Nominal Light Output	200 lm
Nominal Power Consumption	1.8 W
Colour Reproduction Index RA (min.)	80

- For all lights with conventional G9 holders
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Fully insulated, stylish plastic housing

00112640 6 BK 00112538

Qty PT

00112537





LED Bulb, G9, 280lm replaces 30W capsule, warm white, dimmable

Can be Dimmed	Yes
Design	Base Pin
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W
Socket	G 9
Nominal Beam Angle	270 °
Nominal Light Output	280 lm
Nominal Power Consumption	3.5 W
Colour Reproduction Index RA (min.)	80

- For all lights with conventional G9 holders
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used
- Fully insulated, stylish plastic housing





xavax®

LED Bulb, G9, 90lm replaces 10W capsule, warm white

Can be Dimmed	No
Design	Base Pin
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	10 W
Socket	G 9
Nominal Beam Angle	145 °
Nominal Light Output	90 lm
Nominal Power Consumption	1.5 W
Colour Reproduction Index RA (min.)	80

- For all lights with conventional G9 holders
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors.
- Also suitable for table or work lighting if several LED lamps are used
- Light performance corresponds to a standard 10W halogen capsule
- Prism look for a particularly wide light beam angle
- Fully insulated, stylish plastic housing





xavax®

LED lamp, GU10,420 lm replaces 60 W reflector lamp,warm white,dimmable

Can be Dimmed	Yes
Design	PAR 16
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	GU 10
Nominal Beam Angle	36 °
Nominal Light Output	420 lm
Nominal Power Consumption	6 W
Colour Reproduction Index RA (min.)	80

- Suitable as replacement for halogen lamps and energy-saving lamps in all private areas
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling
- Dimmable





xavax®

LED Bulb, GU10, 400 lm Replaces 55W, PAR16 Reflector Bulb, warm white, RA90

Can be Dimmed	No
Design	PAR 16
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	55 W
Socket	GU 10
Nominal Beam Angle	40 °
Nominal Light Output	400 lm
Nominal Power Consumption	6,5 W
Colour Reproduction Index RA (min.)	90


- High colour reproduction of Ra90
- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

		00112578
12	BK	

		00112536
6	BK	

			00112587
	6	BK	







LED Bulb, GU10, 400lm replaces 55W, reflector bulb PAR16, daylight

Can be Dimmed	No
Design	PAR 16
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	55 W
Socket	GU 10
Nominal Beam Angle	40 °
Nominal Light Output	400 lm
Nominal Power Consumption	6,5 W
Colour Reproduction Index RA (min.)	90

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling





xayax

LED Lamp, GU10, 350 lm Replaces 50W, Refl. PAR16, warm white, Glass, Dimmable

Can be Dimmed	Yes
Design	PAR 16
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W
Socket	GU 10
Nominal Beam Angle	36°
Nominal Light Output	350 lm
Nominal Power Consumption	5.5 W
Colour Reproduction Index RA (min.)	90

- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling
- Dimmable







LED Bulb, GU10, 350lm Repl. 50W, Refl. Bulb, PAR16, warm wht, Glass, 2 Pcs

Can be Dimmed	No
Design	PAR 16
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W
Socket	GU 10
Nominal Beam Angle	36 °
Nominal Light Output	350 lm
Nominal Power Consumption	3.6 W
Colour Reproduction Index RA (min.)	80

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energysaving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting





xayax®

LED Lamp, GU10, 345 lm Replaces 50W, Refl. PAR16, warm white, 3-stage dimmable

Can be Dimmed	Yes
Design	PAR 16
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W
Socket	GU 10
Nominal Beam Angle	38 °
Nominal Light Output	345 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- Handy lamp with built-in dimming function, making every light dimmable
- There is no need to change the normal light switch into a dimmer
- The built-in dimmer is actuated via the normal light switch by quickly switching it on and off:
- 1 x on: 100%
- 2 x off/on: 50%
- 3 x off/on: 10%
- As many lamps as needed can be switched with one switch
- If the bulb is switched off for around 5 seconds, it always starts at 100%
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

			00112667
	6	BK	

00112506 00112636

Qty PT

00112617 5 SC

LED bulb 230V









LED Bulb, GU10, 350lm Repl. 50W, Refl. Bulb, PAR16, warm wht, Glass, 2 Pcs

Can be Dimmed	No
Design	PAR 16
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W
Socket	GU 10
Nominal Beam Angle	38 °
Nominal Light Output	350 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energysaving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting







LED Bulb, GU10, 400 lm Replaces 50 W, Reflector Lamp PAR16,warm white,glass

Can be Dimmed	No
Design	PAR 16
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W
Socket	GU 10
Nominal Beam Angle	38°
Nominal Light Output	400 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energysaving lamps in all private areas and quarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting







LED Bulb, GU10, 250 lm Replaces 38 W, Reflector Lamp PAR16,warm white,glass

Can be Dimmed	No
Design	PAR 16
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	38 W
Socket	GU 10
Nominal Beam Angle	38 °
Nominal Light Output	250 lm
Nominal Power Consumption	3 W
Colour Reproduction Index RA (min.)	80

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energysaving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting





xavax®

LED Bulb, GX53, 500lm, Replaces 42W Capsule, Warm White

Can be Dimmed	No
Design	Special Size
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	42 W
Socket	GX 53
Nominal Beam Angle	110°
Nominal Light Output	500 lm
Nominal Power Consumption	4.8 W
Colour Reproduction Index RA (min.)	80

- Extremely flat design
- Easy mounting Bulb can be mounted in any conventional GX53 fitting
- For interiors and exteriors

		00112707
5	SC	

		00112666
10	BK	

			00112665
	10	BK	

		00110316
6	BK	

















LED Bulb, R7s, 2000 lm replaces 125 W, Tube, warm white, dimmable

Can be Dimmed	Yes
Design	J
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	125 W
Socket	R7s
Nominal Beam Angle	330°
Nominal Light Output	2000 lm
Nominal Power Consumption	15 W
Colour Reproduction	80

- 330° light emission for nearly complete all-round lighting in rooms
- LED bulb as energy-saving replacement for conventional halogen tubes
- Dimmable
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

xavax®

LED Bulb, R7s, 1055 lm replaces 75W, Tube, warm white, dimmable

Can be Dimmed	Yes
Design	J
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W
Socket	R7s
Nominal Beam Angle	330°
Nominal Light Output	1055 lm
Nominal Power Consumption	8 W
Colour Reproduction Index RA (min.)	80

- 330° light emission for nearly complete all-round lighting in rooms
- LED bulb as energy-saving replacement for conventional halogen tubes
- Dimmable
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

xavax

LED Lamp, S14s, 640 lm Replaces 50 W, Linear Lamp, 50 cm, warm white

Can be Dimmed	No
Design	Line lamp
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W
Socket	S14s
Nominal Beam Angle	360°
Nominal Light Output	640 lm
Nominal Power Consumption	8 W
Colour Reproduction Index RA (min.)	80

- Rod-shaped illuminant for linear lamps with two sockets (type: S14S)
- Replacement for conventional linear lamps (Linestra®, Ralina®, Philinea®), e.g. in bathrooms, kitchens, cupboards or mirror lighting
- Matt finish, indistinguishable visually from original linear lamps
- Very low energy consumption
- Very high light output for virtually complete all-round lighting in the room
- Warm, incandescent lamp-like lightLong service life even when swit-
- ched on frequently
- Low heat generation without UV radiation
- Full lighting power is instant
- Can replace conventional light bulbs

xavax®

LED Lamp, S14s, 320 lm Replaces 30 W, Linear Lamp, 30 cm, warm white

Can be Dimmed	No
Design	Line lamp
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W
Socket	S14s
Nominal Beam Angle	360°
Nominal Light Output	320 lm
Nominal Power Consumption	4 W
Colour Reproduction Index RA (min.)	80

- Rod-shaped illuminant for linear lamps with two sockets (type: S14S)
- Replacement for conventional linear lamps (Linestra®, Ralina®, Philinea®), e.g. in bathrooms, kitchens, cupboards or mirror lighting
- Matt finish, indistinguishable visually from original linear lamps
- Very low energy consumption
- Very high light output for virtually complete all-round lighting in the room
- Warm, incandescent lamp-like light
- Long service life even when switched on frequently
- Low heat generation without UV radiation
- Full lighting power is instant
- Can replace conventional light bulbs

		00112580
6	BK	

00112579 6 BK

Qty PT

00112586 6 BK









Starter for LED Tubes

Number of Starters	n/s
Dimension	n/s
Voltage	n/s
Product Division	n/s
Application 1	n/s
Application 2	n/s
VDE Tested	n/s

- Easy to install, therefore quick and easy to replace
- 2A 250V~

xavax®

LED Bulb, G13, 2500lm replaces 58W, Tube Bulb T8, 150 cm, neut. white, glass

Can be Dimmed	No
Design	T8 ø 26 mm rod- shaped
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	58 W
Socket	G 13
Nominal Beam Angle	220 °
Nominal Light Output	2500 lm
Nominal Power Consumption	25 W
Colour Reproduction Index RA (min.)	80

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adapter (CLB and LLB)
- No conversion of lights required the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared with conventional fluorescent tubes



LED Bulb, G13, 1800lm replaces 36W Tube Bulb T8, 120 cm, neut. white, glass

Can be Dimmed	No
Design	T8 ø 26 mm rod- shaped
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	36 W
Socket	G 13
Nominal Beam Angle	220°
Nominal Light Output	1800 lm
Nominal Power Consumption	18 W
Colour Reproduction Index RA (min.)	80

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adapter (CLB and LLB)
- No conversion of lights required the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared with conventional fluorescent tubes



LED Bulb, G13, 900lm replaces 18W, Tube T8, 60 cm, neutral white, glass


Can be Dimmed	No
Design	T8 ø 26 mm rod- shaped
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	18 W
Socket	G 13
Nominal Beam Angle	220°
Nominal Light Output	900 lm
Nominal Power Consumption	9 W
Colour Reproduction Index RA (min.)	80

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adapter (CLB and LLB)
- No conversion of lights required the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared with conventional fluorescent tubes

		00112539
12	BK	

		00112573
6	BK	

		00112572
6	BK	







LED Bulb, G4, 260lm replaces 26W, capsule, dimmable, warm white

Can be Dimmed	Yes			
Design	Base Pin			
Light color / color temperature	Warm White - 2700 K			
Nominal Service Life	15000 h			
Power Consumption of an Equivalent Incandescent Lamp	26 W			
Socket	G 4			
Nominal Beam Angle	270 °			
Nominal Light Output	260 lm			
Nominal Power Consumption	2.6 W			
Colour Reproduction Index RA (min.)	80			

- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet hase hulbs
- With silicon coating for increased safety and better light performance
- · Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used





xayax

LED Bulb, G4, 180lm replaces 19W, capsule, dimmable, warm white

Can be Dimmed	Yes
Design	Base Pin
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	19 W
Socket	G 4
Nominal Beam Angle	280°
Nominal Light Output	180 lm
Nominal Power Consumption	1.6 W
Colour Reproduction Index RA (min.)	80

- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet hase bulbs
- With silicon coating for increased safety and better light performance
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- · Also suitable for table or work lighting if several LED lamps are used





xayax®

LED Bulb, G4, 160 lm Replaces 18 W, Capsule, warm white

Can be Dimmed	No
Design	Base Pin
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	18 W
Socket	G 4
Nominal Beam Angle	270 °
Nominal Light Output	160 lm
Nominal Power Consumption	2 W
Colour Reproduction	80

- 270° light emission for nearly complete all-round lighting in rooms
- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- With silicon coating for increased safety and better light performance
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- · Also suitable for table or work lighting if several LED lamps are used





xayax

LED Bulb, G4, 100 lm Replaces 11 W, Capsule, warm white

Can be Dimmed	No
Design	Base Pin
Light color / color temperature	Warm White - 2800 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	11 W
Socket	G 4
Nominal Beam Angle	260°
Nominal Light Output	100 lm
Nominal Power Consumption	1.3 W
Colour Reproduction Index RA (min.)	80

- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet hase bulbs
- With silicon coating for increased safety and better light performance
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

		00112518			00112517				001125
10	BK		10	BK			12	BK	

Qty PT





LED Bulb, GU4, 210 lm Replaces 22W, Reflector Bulb MR11, warm white

Can be Dimmed	No
Design	MR 11
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	22 W
Socket	GU 4
Nominal Beam Angle	36 °
Nominal Light Output	210 lm
Nominal Power Consumption	2.6 W
Colour Reproduction Index RA (min.)	80

- For all lights with conventional GU4 holders
- Ideal replacement for halogen reflector bulbs
- Very low consumption, despite high light yield
- Lower heat generation





xavax®

LED Bulb, GU4, 184 lm Replaces 20W, Reflector Bulb MR11, warm white, Glass

Can be Dimmed	No
Design	MR 11
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	20 W
Socket	GU 4
Nominal Beam Angle	36°
Nominal Light Output	184 lm
Nominal Power Consumption	2.5 W
Colour Reproduction Index RA (min.)	80

- For all luminaires with standard GU4 fittings
- Ideal replacement for halogen reflector bulbs
- Very low consumption, despite high light yield
- Lower heat generation





xavax

LED Bulb, GU5.3, 430lm replaces 40W, reflector bulb MR16, warm white

Can be Dimmed	No			
Design	MR 16			
Light color / color temperature	Warm White - 3000 K			
Nominal Service Life	15000 h			
Power Consumption of an Equivalent Incandescent Lamp	40 W			
Socket	GU 5.3			
Nominal Beam Angle	36 °			
Nominal Light Output	430 lm			
Nominal Power Consumption	6 W			
Colour Reproduction Index RA (min.)	80			

- Ideal for permanent lighting tasks
- Very low heat emission
- Immediate, full illumination
- High-quality housing for good appearance and cooling





xavax®

LED Bulb, GU 5.3, 430 lm Replaces 40 W, Reflector Bulb MR16, warm white

Can be Dimmed	No			
Design	MR 16			
Light color / color temperature	Warm White - 3000 K			
Nominal Service Life	25000 h			
Power Consumption of an Equivalent Incandescent Lamp	40 W			
Socket	GU 5.3			
Nominal Beam Angle	38°			
Nominal Light Output	430 lm			
Nominal Power Consumption	6 W			
Colour Reproduction Index RA (min.)	80			

- Ideal for permanent lighting tasks
- Very low heat emission
- Immediate, full illumination
- High-quality housing for good appearance and cooling

		00112588
10	BK	

			00112664
	10	BK	

			00112510
	6	BK	

		00112660
6	BK	







LED Bulb, GU5.3, 350 lm Replaces 35W, Reflector Bulb MR16, warm white, Glass

Can be Dimmed	No
Design	MR 16
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W
Socket	GU 5.3
Nominal Beam Angle	36 °
Nominal Light Output	350 lm
Nominal Power Consumption	4.6 W
Colour Reproduction Index RA (min.)	80

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energysaving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting





xavax®

LED Bulb, GU5.3, 345lm replaces 35W, reflector bulb MR16, warm white

Can be Dimmed	No
Design	MR 16
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W
Socket	GU 5.3
Nominal Beam Angle	36°
Nominal Light Output	345 lm
Nominal Power Consumption	5 W
Colour Reproduction Index RA (min.)	80

- Ideal for permanent lighting tasks
- Very low heat emission
- Immediate, full illumination
- High-quality housing for good appearance and cooling





xavax

LED Bulb, GU5.3, 210lm replaces 22W, reflector bulb MR16, warm white

Can be Dimmed	No
Design	MR 16
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	22 W
Socket	GU 5.3
Nominal Beam Angle	110°
Nominal Light Output	210 lm
Nominal Power Consumption	3 W
Colour Reproduction Index RA (min.)	80

- Ideal for permanent lighting tasks
- Very low heat emission
- Immediate, full illumination
- High-quality housing for good appearance and cooling

00112661

00112512 6 BK 00112513

June 2020 INT







Halogen Candle Bulb, E14, 46W, warm white, 2 pieces

Angle of Radiation	360°
Design	C 36
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 14
Nominal Light Output	700 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	46 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter







Halogen Candle Bulb, E14, 30W, warm white, 2 pieces

Angle of Radiation	360°
Design	C 36
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Light Output	405 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	30 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter








Halogen Candle Bulb, E14, 20W, warm white, 2 pieces

Angle of Radiation	360°
Design	C 36
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	26 W
Socket	E 14
Nominal Light Output	235 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	20 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter







Halogen Drop Bulb, E14, 30W, warm white

Angle of Radiation	360°
Design	P 45
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 14
Nominal Light Output	405 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	30 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

			00112461
	20	SC	

		00112460
20	SC	

		00112459
20	SC	

		00112457
20	SC	

Halogen Bulbs 230V







Halogen Drop Bulb, E14, 20W, warm white

Angle of Radiation	360°
Design	P 45
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	26 W
Socket	E 14
Nominal Light Output	235 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	20 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter





xavax

Halogen Bulb, E27, 116W, warm white

Angle of Radiation	360°
Design	A 55
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	150 W
Socket	E 27
Nominal Light Output	2135 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	116 W
Colour Reproduction	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter





xavax

Halogen Bulb, E27, 77W, warm white, 2 pieces

Angle of Radiation	360°
Design	A 55
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	100 W
Socket	E 27
Nominal Light Output	1320 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	77 W
Colour Reproduction	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter







Halogen Bulb, E27, 57W, warm white, 2 pieces

Angle of Radiation	360°
Design	A 55
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	75 W
Socket	E 27
Nominal Light Output	915 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	57 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

00112456

00112455 20 SC 00112454 20 sc

June 2020 INT

0011245320 SC

HALOGEN BULBS 230V







Halogen Bulb, E27, 46W, warm white, 2 pieces

Angle of Radiation	360°
Design	A 55
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	E 27
Nominal Light Output	700 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	46 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter







Halogen Bulb, E27, 30W, warm white, 2 pieces

Angle of Radiation	360°
Design	A 55
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Light Output	405 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	30 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter







Halogen Bulb, E27, 20W, warm white, 2 pieces

Angle of Radiation	360°
Design	A 55
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	E 27
Nominal Light Output	235 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	20 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter





xaVax®

Halogen Drop Bulb, E27, 30W, warm white

Angle of Radiation	360°
Design	P 45
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	E 27
Nominal Light Output	405 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	30 W
Colour Reproduction Index RA (min.)	100

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

		00112452
20	SC	

		00112451
20	SC	

		00112450
20	SC	

		00112458
20	SC	

Halogen Bulbs 230V







Halogen Capsule, G9, 48W, warm white

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	60 W
Socket	G 9
Nominal Light Output	740 lm
Nominal Beam Angle	360°
Nominal Light Output	740 lm
Nominal Power Consumption	48 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Robust filament design thanks to innovative, unique bulb pinch technology
- Approved for use in open luminaires to IEC 60598-1
- Simple handling thanks to G9 plugin base/holder system
- Transformerless operation
- 100% dimmable
- No UV radiation thanks to UV filter
- Meets IEC 60432-3 thanks to integrated fuse function





xavax

Halogen Capsule, G9, 33W, warm white

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Socket	G 9
Nominal Light Output	460 lm
Nominal Beam Angle	360°
Nominal Light Output	460 lm
Nominal Power Consumption	33 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Robust filament design thanks to innovative, unique bulb pinch technology
- Approved for use in open luminaires to IEC 60598-1
- Simple handling thanks to G9 plugin base/holder system
- Transformerless operation
- 100% dimmable
- No UV radiation thanks to UV filter
- Meets IEC 60432-3 thanks to integrated fuse function








Halogen Capsule, G9, 20W, warm white

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	25 W
Socket	G 9
Nominal Light Output	235 lm
Nominal Beam Angle	360°
Nominal Light Output	235 lm
Nominal Power Consumption	20 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Robust filament design thanks to innovative, unique bulb pinch technology
- Approved for use in open luminaires to IEC 60598-1
- Simple handling thanks to G9 plugin base/holder system
- Transformerless operation
- 100% dimmable
- No UV radiation thanks to UV filter
- Meets IEC 60432-3 thanks to integrated fuse function







Halogen Tube, R7S, 400W, 118mm, warm white

Angle of Radiation	360°
Design	J
Light color / color temperature	Warm White - 3000 K
Power Consumption of an Equivalent Incandescent Lamp	500 W
Socket	R7s
Nominal Light Output	9000 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	400 W
Colour Reproduction Index RA (min.)	100

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers

00112468

00112467

Qty PT

00112466

8 BK

Halogen Bulbs 230V







Halogen Tube, R7S, 230W, 118mm, warm white

Angle of Radiation	360°
Design	J
Light color / color temperature	Warm White - 2950 K
Power Consumption of an Equivalent Incandescent Lamp	300 W
Socket	R7s
Nominal Light Output	5000 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	230 W
Colour Reproduction Index RA (min.)	100

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers







Halogen Tube, R7S, 160W, 118mm, warm white

Angle of Radiation	360°
Design	J
Light color / color temperature	Warm White - 2900 K
Power Consumption of an Equivalent Incandescent Lamp	200 W
Socket	R7s
Nominal Light Output	3100 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	160 W
Colour Reproduction Index RA (min.)	100

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers







Halogen Tube, R7S, 120W, 78mm, warm white

Angle of Radiation	360°
Design	J
Light color / color temperature	Warm White - 2950 K
Power Consumption of an Equivalent Incandescent Lamp	150 W
Socket	R7s
Nominal Light Output	2250 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	120 W
Colour Reproduction Index RA (min.)	100

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers





xavax

Halogen Tube, R7S, 80W, 78mm, warm white

Angle of Radiation	360°
Design	J
Light color / color temperature	Warm White - 2950 K
Power Consumption of an Equivalent Incandescent Lamp	100 W
Socket	R7s
Nominal Light Output	1400 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	80 W
Colour Reproduction Index RA (min.)	100

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers

			00112475
	10	BK	

		00112474
10	BK	

			00112473
	10	BK	

		00112472
10	BK	
	10	10 BK

Halogen Bulbs 12V







Halogen Capsule, G4, 10W, warm white, 2 pieces

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	n/s
Socket	G 4
Nominal Light Output	145 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	10 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter







Halogen Capsule, G4, 20W, warm white, 2 pieces

Angle of Radiation	360°		
Design	Base Pin		
Light color / color temperature	Warm White - 2800 K		
Power Consumption of an Equivalent Incandescent Lamp	n/s		
Socket	G 4		
Nominal Light Output	375 lm		
Nominal Beam Angle	n/s		
Nominal Light Output	n/s		
Nominal Power Consumption	20 W		
Colour Reproduction	100		

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter







Halogen Capsule, G4, 10W, warm white, 2 pieces

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	17 W
Socket	G 4
Nominal Light Output	140 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	10 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- · Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter







Halogen Capsule, GY6.35, 50W, warm white, 2 pieces

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 3000 K
Power Consumption of an Equivalent Incandescent Lamp	74 W
Socket	GY 6.35
Nominal Light Output	910 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	50 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- Axial filament for improved light control
- Special pins for corrosion protection
- No UV radiation thanks to UV filter

00112394

June 2020 INT

hama_®







Halogen Capsule, GY6.35, 35W, warm white, 2 pieces

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 2900 K
Power Consumption of an Equivalent Incandescent Lamp	53 W
Socket	GY 6.35
Nominal Light Output	600 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	35 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- Axial filament for improved light control
- Special pins for corrosion protection
- No UV radiation thanks to UV filter







Halogen Capsule, GY6.35, 28W, warm white, 2 pieces

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 2900 K
Power Consumption of an Equivalent Incandescent Lamp	46 W
Socket	GY 6.35
Nominal Light Output	500 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	28 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- Axial filament for improved light
- Special pins for corrosion protection
- No UV radiation thanks to UV filter







Halogen Capsule, GY6.35, 20W, warm white, 2 pieces

Angle of Radiation	360°
Design	Base Pin
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	30 W
Socket	GY 6.35
Nominal Light Output	290 lm
Nominal Beam Angle	n/s
Nominal Light Output	n/s
Nominal Power Consumption	20 W
Colour Reproduction Index RA (min.)	100

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- Axial filament for improved light control
- Special pins for corrosion protection
- No UV radiation thanks to UV filter





xaVax®

Halogen Reflector Bulb MR16, GU5.3, 20W, warm white

Can be Dimmed	Yes
Design	MR 16
Power Consumption of an Equivalent Incandescent Lamp	n/s
RA-Value	n/s
Energy Efficiency Class	C (Scale from A++ to E, Optimum Value: A++)
Nominal Light Output	210 lm
Nominal Power Consumption	20 W
Weighted Energy Consumption	22 kWh/1000h
Light Colour	Warm White

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

			00112480
	10	BK	

		00112497
12	BK	

		00112479
10	BK	

			00112484
	6	BK	

Halogen Bulbs 12V








Halogen Reflector Bulb MR16, GU5.3, 35W, warm white

Can be Dimmed	Yes
Design	MR 16
Power Consumption of an Equivalent Incandescent Lamp	n/s
RA-Value	n/s
Energy Efficiency Class	C (Scale from A++ to E, Optimum Value: A++)
Nominal Light Output	430 lm
Nominal Power Consumption	35 W
Weighted Energy Consumption	38 kWh/1000h
Light Colour	Warm White

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter





xayax

Halogen Reflector Bulb MR16, GU5.3, 50W, warm white

Can be Dimmed	Yes
Design	MR 16
Power Consumption of an Equivalent Incandescent Lamp	n/s
RA-Value	n/s
Energy Efficiency Class	C (Scale from A++ to E, Optimum Value: A++)
Nominal Light Output	680 lm
Nominal Power Consumption	50 W
Weighted Energy Consumption	53 kWh/1000h
Light Colour	Warm White

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter





xaVax

Halogen Reflector Bulb MR11, GU4, 35W, warm white

Can be Dimmed	Yes
Design	MR 11
Power Consumption of an Equivalent Incandescent Lamp	n/s
RA-Value	n/s
Energy Efficiency Class	B (Scale from A++ to E, Optimum Value: A++)
Nominal Light Output	430 lm
Nominal Power Consumption	35 W
Weighted Energy Consumption	38 kWh/1000h
Light Colour	Warm White

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter





xavax

Halogen Reflector Bulb MR11, GU4, 20W, warm white

Can be Dimmed	Yes
Design	MR 11
Power Consumption of an Equivalent Incandescent Lamp	24 W
RA-Value	n/s
Energy Efficiency Class	C (Scale from A++ to E, Optimum Value: A++)
Nominal Light Output	n/s
Nominal Power Consumption	20 W
Weighted Energy Consumption	22 kWh/1000h
Light Colour	Warm White

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

00112485

00112486

Qty PT

00112483

June 2020 INT

00112399

Special Bulbs







Oven Light, 25W, 300°, E14, pear shape, clear

Can be Dimmed	Yes
Design	Pear Shape
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Light Colour	Warm White

• Heat-resistant up to 300° Celsius







Oven Light, 15W, 300°, E14, pear shape, clear

Can be Dimmed	Yes
Design	Pear Shape
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Light Colour	Warm White

• Heat-resistant up to 300° Celsius







Refrigerator Light, 15W, E14, pear shape, clear

Can be Dimmed	Yes
Design	Pear Shape
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Light Colour	Warm White





xavax®

Refrigerator Light, 25W, E14, pear shape, clear

Can be Dimmed	Yes
Design	Pear Shape
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Light Colour	Warm White

00112491

00112489

00112492

			00112493
	10	BK	

SPECIAL BULB

Special Bulbs







LED Refrigerator Bulb, 1.8 W, E14, neutral white

Can be Dimmed	No
Design	Pear Shape
Energy Efficiency Class	A++ (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	1.8 W
Weighted Energy Consumption	2 kWh/1000h
Light Colour	Neutral White

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
- Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small bulbs can be used
- Operating temperature: -20°C to





xayax®

Halogen Extractor Hood Bulb, 40W, tube shape, clear, E14

Can be Dimmed	Yes
Design	Tube
Energy Efficiency Class	D (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	40 W
Weighted Energy Consumption	40 kWh/1000h
Light Colour	Warm White

- Special halogen bulb with a longer service life than normal special
- Immune to vibration
- Optimum light distribution






xaVax®

Halogen Extractor Hood Bulb, 25W, tube shape, clear, E14

Can be Dimmed	Yes
Design	Tube
Energy Efficiency Class	D (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Light Colour	Warm White

- Special halogen bulb with a longer service life than normal special bulbs
- Immune to vibration
- Optimum light distribution





xavax®

Oven Light, 40W, 300°, E14, teardrop shape, matt

Can be Dimmed	Yes
Design	Drop
Energy Efficiency Class	E (Scale from A++ to E, Optimum Value: A++)
Nominal Power Consumption	40 W
Weighted Energy Consumption	40 kWh/1000h
Light Colour	Warm White

- Heat-resistant up to 300° Celsius
- High light performance

00112494

June 2020 INT

00112490







"Stick" LED Plant Lamp







"Circle" LED Plant Lamp

Battery Type

n/s

- LED plant lamp with 60 LEDs (24 W)
- Supports plant growth when daylight is scarce, over winter or during germination
- Growth-promoting light spectrum with blue and red light
- 3 light modes available: blue/red, blue, red (blue: helps plants grow more bushy; red: helps plants grow taller; blue/red: for even growth)
- 5 dimming stages
- Automatic on/off switch function with timer
- 2 lamp heads with mobile swan necks and 1 clip holder ensure maximum freedom with installation and orientation
- Low power consumption thanks to LED technology
- Power supply via USB connection

Battery Type

n/s

- LED plant lamp with 48 LEDs (18 W)
- Supports plant growth when daylight is scarce, over winter or during germination
- Growth-promoting light spectrum with blue and red light
- 3 light modes available: blue/red, blue, red (blue: helps plants grow more bushy; red: helps plants grow taller; blue/red: for even growth)
- 5 dimming stages
- Automatic on/off switch function with timer
- 2 lamp heads with mobile swan necks and 1 clip holder ensure maximum freedom with installation and orientation
- Low power consumption thanks to LED technology
- Power supply via USB connection

00112697

00112696 15 SC

hama_®

Overview of all products from A to Z Α 0 Anti-Slip Mat Home Appliance Vibration Damper 27 Oven Glove 96 Hose Break Protection **Appliances-Water Connection** Oven Rack 41 Hose Clip 16 Hose Connector 7, 17, 37 В Ρ Hose Extension 11 **Baking Mat** Permanent Filter 84 Hose Weight Baking/Roast Thermometer 39 6 Poetry Household Appliance Base Blades/holder 40.68 Power Extension Cable 22 Household Appliance Stacking Kit 61 **Boil Over Protection** Protective Cap Household Appliance Thermometer Bracket Set Household Cleaner 64, 65, 66, 69, 73 R Household Filter C 35, 42, 49 Reducer 43 Roasting/Baking Dish 41 **Cake Transport Box** 90 Capsule Holder/Rack 81 98 Ice Bucket Set 97 S **Chopping Board Set** Ice Cube Tray 73 Cleaning Brush Salad Spinner 99 Cleaning Cloth 23 Imprägnierer Salt and Pepper Mill Set 99 Induction Hob Adapter Cleaning Kit 67, 69, 87 Scissors 98 Iron Mat Clothespin Set 31 Scraper 40, 67 23 Ironing Board Cover 31 Cocktail Shaker 97 Sealing Tape 40 Ironing Board Replacement Cushion 31 Coffee Filter **Set of Pot Coasters** 84 99 Coffee/Tee Container 81 Ironing Machine Roller Cover Siphon/-accessoires 18 Ironing Protective Cloth Colander Special Bulb 33, 38, 42, 152 **Condenser Box** 24 Stand 50 Κ Connection Cable for Starter Kitchen and fine scales 103 Stop Valve **Household Appliances** 21 16 Stove Cover Plate 80 Kitchen Timer 102 Container for Coffee Pads 91 Kitchen Tool Set Cooker Connection Socket 21 Supply Hose Cutlery accessories Kitchen Tools 61 Т D Tea & Coffee Maker Lashing Strap Descaler Thermal Mug 76 64, 71 Laundry Net Transport Device Drain Hose 13 28 LED Bulb, 12V 141 Drinking Bottle 78, 98 LED Bulb, 230V 108 Drinking Glass 78 ٧ LED Light 154 Vacuum Bottle LED Tubular Lamp Ε 140 Vacuum Cleaner Air Filter 50 51 **Exhaust Air Hose** 24 Vacuum Cleaner Bag Exhaust Air Pipe 43 Vacuum Cleaner Motor Filter 51 Vacuum Cleaner Nozzle 56 M Vacuum Cleaner Replacement Part 59 Vacuum Jug Measuring Spoon Food Bag 91 Microwave Box Set 47 Food Storage Box Set Microwave Cover 47 Microwave Plate Set Н Wash/Dryer Ball 29 Microwave-Safe Dishes 44 Halogen Bulb, 12V 149 Water Filter 36, 84 Milk Jug 85 Halogen Bulb, 230V 144 87 Milk Supply Hose Halogen Reflector Bulb, 12V 150 Mounting Frame **HEPA Filter**

Made and distributed by Hama GmbH & Co KG Dresdner Str. 9, 86653 Monheim/Germany www.xavax.eu

All listed brands are trademarks of the respective companies.
Errors and omissions excepted, and subject to technical changes.
Our general terms of business are applied. The depicted articles are colour patterns which may slightly differ from the original.

Printed in Germany.

