xavax®

Complete Catalogue
2022

the content
at a glance

Accessories for household appliances

Device Connection sanitary	6
Device Connection (Electric)	18
Washing & Drying	20
Ironing	27
Cooling & Freezing	28
Electric Stove	32
Cooking Hood	36
Microwave	38
Deep Fryer	41
Vacuum cleaner accessories	42
Rinsing	50
Heating	51

Cleaning & Care

Coffee Machine	54
Washing Up	56
Kitchen Cleaning	57
Washing & Ironing	60
Descalers	61
Special Cleaner	63

Coffee & tea

Drinking Vessels	66
Storage & Presentation	69
Preparation	72
Machine Accessories	75

Kitchen & Table

Storage	78
Baking	79
Cooking	81
Bar & Wine	85
Household Goods	86

Small household appliances

Kitchen	90

Lighting

LED lamps 230V	97
LED lamps 12 V	123
Halogen Bulbs, 230 V	126
Halogen Bulbs, 12 V	131
Fluorescent tubes	134
Special Bulbs	135
Plant Lamps	137

Accessories for household appliances

at a glance

Device Connection sanitary

Device Connection (Electric)

Washing & Drying

Ironing

Cooling & Freezing

Electric Stove

Cooking Hood

Microwave

Deep Fryer

Vacuum cleaner accessories

Rinsing

Heating

Protection

xavax

Hose Break Protection for Inlet Hose

Shade of colour	Chrome
Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm

- For washing machines and dishwashers
- Easy to mount (also afterwards), is screwed between the tap and the inlet hose

	00110881
8 BK	

Poetry



xavax

Seal for Supply Hoses, 3/4", 25 Pcs/Polyb.

Material	Silicone
Height	3 mm

- Universal use for all supply hoses with a 3/4" connection

	00110211
48 PO	

Hose Connector

xavax

Supply Hose Connector, brass

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Temperature	120 °C

- Professional design in metal, suitable for high water pressure and for hot water connections
- Male thread: 2 x 3/4" (26,9 mm)

	00111095
8 BK	

xavax

Supply Hose Connector

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Material	Acrylonitrile-Butadiene-Styrene (ABS)

	00110809
8 BK	

Qty PT

xavax

Supply Hose Y-Connector, 5/PB

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Temperature	120 °C

- Professional design in metal
- Also suitable for high water pressure and hot water connections
- Connection of two supply hoses
- Female thread for connection to a water tap
- Male thread for connecting two supply hoses
- Includes gasket, suitable for dishwashers or washing machines

					00111365
		32	PO		



xavax

Y-Connector Inlet Hose

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Temperature	120 °C

- Professional version in metal
- Also suitable for high water pressure and hot water connections
- For connecting two inlet hoses
- Internal thread to connect to the tap
- External thread to connect 2 inlet hoses

					00111069
		6	BK		

xavax

Y-Connector Inlet Hose

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	3/4" (DN:20), 26.9 mm
Material	Nylon
Maximum Temperature	80 °C

					00110811
		6	BK		

Appliances-Water Connection

xavax

Machine Connector, 2/PB

Connection	Copper Tube Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	3/8" (DN:10), 17.2 mm

- You only have to lock the angle valve for assembly (the in-house water supply does not have to be interrupted)
- The device is just inserted in the pipe that leads to the tap
- Hose connection separately lockable
- Chrome-plated

					00111367
		32	PO		

Qty	PT	

xavax

Machine Connector

Connection	Copper Tube Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	3/8" (DN:10), 17.2 mm

- You only have to lock the angle valve for assembly (the in-house water supply does not have to be interrupted)
- The device is just inserted in the pipe that leads to the tap
- Hose connection separately lockable
- Chrome-plated

				00110817
		6	BK	



xavax

Angle Valve with Machine Connector

Connection	Copper Tube Connection, Water Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	1/2" (DN:15), 21.3 mm

- Is directly installed at water connection pipes with 1/2" (21.3 mm) connection
- Hose connection: 3/4" (26.9 mm) for dishwasher/washing machine, separately lockable
- Copper pipe connection: 10 mm to water tap, separately lockable
- Chrome-plated

				00111054
		6	BK	

Supply Hose

xavax

Water Connection Hose for US Fridges, 10 m, 1 piece/ poly bag

Type of Connection	Straight
Maximum Operating Pressure	5 bar
Maximum Temperature	25 °C

- Complements item no. 00111385 (water connection kit for US fridges)
- Food safe

10 m				00110969
		12	PO	



xavax

Reinforced Water Supply Hose, 2 m, 1 piece/poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Connection Nut, straight
Maximum Operating Pressure	10 bar
Maximum Temperature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified

2 m				00110968
		15	PO	

Qty PT

xavax

Supply Hose "Cold water for washing machines and dishwashers"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Connection Nut, straight
Maximum Operating Pressure	10 bar
Maximum Tempe-rature	25 °C

- Protection of the device from rust particles thanks to integrated sieve
- Safety against leaking water thanks to rubber seal
- Angled union nut for connection to the machine, straight union nut for connection to the water pipe
- VDE-tested

3.5 m				00111835
		8	HB	
2.5 m				00111834
		8	HB	
1.5 m				00111833
		8	HB	

xavax

Supply Hose „Cold Water Hose for Washing Machi-nes, Dishwashers, Polybag"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Connection Nut, straight
Maximum Operating Pressure	10 bar
Maximum Tempe-rature	25 °C

- Connection: 3/4" (1.91 cm) straight sleeve nut; 3/4" (1.91 cm) angled sleeve nut
- Sieve and rubber seal
- VDE approved

3.5 m				00110954
		12	PO	
2.5 m				00110953
		10	PO	
1.5 m				00110952
		15	PO	



xavax

Supply Hose „Water stop hose for washing machines, dishwashers"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled, Straight
Maximum Operating Pressure	10 bar
Maximum Tempe-rature	93 °C

- The outer protective sleeve prevents water damage in the event of leaks or breakage of the hose
- Protects the appliance from rust particles thanks to integrated sieve
- Stops the supply of water in the event of leaks or breakage of the hose
- Leak is indicated by a red colour display
- VDE tested

2.5 m				00111875
		5	HB	
1.5 m				00111874
		8	HB	

xavax

Supply Hose „Water Stop Hose for Washing Machi-nes, Dishwashers, Polybag"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Angled, Straight
Maximum Operating Pressure	10 bar
Maximum Tempe-rature	93 °C

- For all washing machines, dish-washers, etc.
- Connection: 3/4" (1.91 cm) straight / 3/4" (1.91 cm) angled
- The outer protective sleeve avoids damage from water due to poor sealing or a break in the hose
- Cuts off the water supply if there is a poor sealing or a break in the hose
- Leakage is indicated by a coloured signal
- VDE tested

2.5 m				00110951
		8	PO	
1.5 m				00110950
		14	PO	

Hose Extension

xavax

Hose Extension "Reinforced Hose, Extension"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Threatfitting External Threat
Material	Steel Wire Braiding (Rustproof)
Maximum Temperature	93 °C

- Extreme kink resistance, excellent flexibility and high flow capacity
- Offers the greatest possible protection against water damage for washing machines, dishwashers or connections to drinking water purification systems (ice cube makers, boilers, side-by-side refrigerators, etc.)
- Also ideally suited for extending fixed-connection supply hoses with water stop devices (Aquastop)
- High-quality woven material made from rust-free stainless steel wire
- DVGW type examination certificate: DW-0304BT0257
- Approval as a hose line for drinking water installation (Group I) with DVGW tests W 543, W 270 and BGA KTW-A 0304 confirming excellent microbiological purity and mechanical resilience

3 m				00111892
		8	HB	
2 m				00111891
		8	HB	
1 m				00111890
		8	HB	

xavax

Hose Extension "Armored hose, Extension, Polypropylene"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfitting External Threat
Material	Steel Wire Braiding (Rustproof)
Maximum Temperature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified

2 m				00110960
		20	PO	
1 m				00110959
		20	PO	
0.5 m				00111393
		20	PO	

xavax

Cold Water Supply Hose Extension, 2.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfitting External Threat
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Temperature	25 °C

- Protection against leaking water thanks to rubber seal
- Union nut for connection to the machine, connector for connection to the supply hose
- VDE tested

2.5 m				00111836
		8	HB	

xavax

Cold Water Supply Hose Extension, 2.5 m, 1 piece/ poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfitting External Threat
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Temperature	25 °C

- Connection: 3/4" (1.91 cm) straight / straight
- VDE tested

2.5 m				00110955
		15	PO	

Qty PT

Clamp

xavax

Clamp "10 Pieces, Polybag"

Material	Steel (Rustproof, Galvanized)

- To fix exhaust pipes of laundry dryers
- Band and body made from stainless steel
- Galvanized screw

90 - 110 mm				00110982
		1	SC	
20 - 32 mm				00110981
		40	SC	

xavax

Clamp "2 Pieces"

Material	Steel (Rustproof, Galvanized)

- For supply and drain hoses
- Ribbon and housing made from rust-free steel
- Tinned screw

110 - 130 mm				00110835
		6	BK	
90 - 110 mm				00110820
		6	BK	
8 - 16 mm				00111828
		8	BK	

xavax

Hose Clip, 20-32 mm

Material	Steel (Rustproof, Galvanized)

- For inlet and drain hoses
- Tape and casing made of stainless steel
- Galvanized screw

20 - 32 mm				00110813
		6	BK	

Drain Hose

xavax

Drain Hose „for Washing Machines, Dishwashers, extendable, Polybag"

Inner Diameter	21 mm
Outside Diameter	25 mm

- Connection: straight: 21 mm / straight: 21 mm
- Complete with mounting elbow
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Length: extendable from 1.2 to 4 m

1.2 m to 4 m				00110956
		15	ET	

xavax

Drain Hose „for Washing Machines, Dishwashers, straight/angled“

Inner Diameter	21 mm
Outside Diameter	28 mm

- Connection: straight: 21 mm / angled: 21 mm
- Complete with mounting elbow
- High pressure resistance (crush resistance)
- High resistance to chemicals

1.5 m				00111052
		10	HB	

xavax

Drain Hose „for Washing Machines, Dishwashers, straight/angled, Polyb.“

Inner Diameter	21 mm
Outside Diameter	27 mm

- Connection: straight: 21 mm / angled: 21 mm
- Complete with mounting ellbow
- High pressure resistance (crush resistance)
- High resistance to chemicals

2.5 m				00110958
		10	ET	



xavax

Drain Hose "Set for Condenser Dryer"

Inner Diameter	10 mm
Outside Diameter	15 mm

- Consisting of: 1 x drain hose 1.5 m, 1 x siphon connection with seal, 3 x hose clamps, 1 x non-return valve
- High pressure resistance (crush resistance)

1.5 m				00111894
		6	BK	



xavax

Drain Hose "Extension, Polybag"

Inner Diameter	20 mm
Outside Diameter	25 mm

- High pressure resistance (crush resistance)
- High resistance to chemicals
- Connection: 2x straight

2.5 m				00110963
		10	ET	
1.5 m				00110962
		10	ET	

Qty PT

xavax

Drain Hose for all Washing Machines, Dishwashers, 1.2 - 4 m

Inner Diameter	22 mm
Outside Diameter	28 mm

- Connection: straight: 21 mm/ straight: 21 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Extendable hose, allowing it to be used for lengths of 1.2 to 4 m

1.2 m to 4 m				00111876
		8	HB	

xavax

Drain Hose for all Washing Machines, Dishwashers, 2.5 m

Inner Diameter	21 mm
Outside Diameter	27 mm

- Connection: straight: 20 mm / angled: 20 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals

2.5 m				00111879
		9	HB	

xavax

Drain Hose for all Washing Machines, Dishwashers, 1.5 m

Inner Diameter	21 mm
Outside Diameter	27 mm

- Connection: 2x straight 21 mm/19 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals

1.5 m				00111877
		9	HB	

xavax

Drain Hose for all Washing Machines, Dishwashers, 2.5 m, 1 x / poly b.

Outside Diameter	21 mm

- Connection: 2x straight 21 mm/21 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals

2.5 m				00110227
		10	ET	

Qty PT

Stop Valve

xavax

Non-return valve, with 2 hose clamps

- If a washing machine and a condensing or heat pump dryer is connected to a single siphon connection, the waste water could be pumped from one machine to the other
- A non-return valve in the waste water pipe prevents this backflow
- Suitable for drain hoses with an inner diameter of up to 10 mm

				00111398
		6	BK	

Hose Weight

xavax

Hose Weight for Drain Hoses

Weight	475 g

- The weight of the drain hose itself (475 grammes) secures the drain hose of a device when it is hung over a bathtub or the edge of a sink
- Suitable for hoses with an inside diameter from 19 to 22 mm (secure with hose clip)

				00111090
		10	HB	

Hose Connector

xavax

Brass Drain Hose Connector

Material	Brass
Maximum Temperature	120 °C

- Professional metal version

				00111094
		6	BK	



xavax

Y-Connector for Drain Hose

Material	Acrylonitrile-Butadiene-Styrene (ABS)
Maximum Temperature	120 °C

				00110875
		6	BK	

Qty PT

xavax

Drain Hose Connector

Material	Acrylonitrile-Butadiene-Styrene (ABS)
Maximum Temperature	120 °C

				00110810
		6	BK	

Siphon/-accessoires

xavax

In-Wall Waste Pipe Connection without Opening for Cleaning, 10 pieces/PB

Gland 1	20 mm
Nominal Diameter/ mm 1	1“ (DN:25), 33.7 mm
Material	Plastic Material

- Connect the drain hose to the in-wall syphon
- Conical drain hose connection fits hoses with a diameter of 20 mm, 23 mm and 3/4 inches

				00110978
		10	PO	

xavax

Double Appliance Connection Grommet with Backflow Preventer, for Recessed Siphon

Nominal Diameter/ mm 1	1“ (DN:25), 33.7 mm
Material	Plastic Material

- Ideal for connecting two appliances with a waste water connection to just one siphon connection
- Made from impact-resistant polypropylene with backflow preventer
- Backflow preventer only opens when water is draining, thus preventing water from being pumped from one machine into the other
- Easy to fit to recessed siphons (gasket fixed onto the pipe)
- 1" union nut; 2 x hose connection 20 - 24 mm

				00110221
		6	BK	

xavax

Dual Appliance Connection Grommet with Backflow Preventer, Surface-Mounted

Nominal Diameter/ mm 1	1“ (DN:25), 33.7 mm
Material	Plastic Material

- Ideal for connecting two appliances with a waste water connection to just one siphon connection
- Made from impact-resistant polypropylene with backflow preventer
- Backflow preventer only opens when water is draining, thus preventing water from being pumped from one machine into the other
- Easy to fit onto standard siphons
- 1" union nut; 2 x hose connection 20 - 24 mm

				00110220
		6	BK	

Qty PT

xavax

In-Wall Waste Pipe Connection without Opening for Cleaning

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- The drain hose can be mounted to the wall connection
- Conical drain hose connection fits hoses with a diameter of 20 mm, 23 mm and 3/4 inches

				00111356
		6	BK	



xavax

Flexible 1 1/2" Siphon, 1 piece/poly bag

Gland 1	20 mm
Material	Plastic Material

- Suitable for wall connection from 40 mm to 50 mm
- With two 1" (2.54 cm) siphon connections for washing machines and dishwashers
- Including 2 odor traps
- Tested according to DIN EN 274/19545

				00110967
		15	PO	

xavax

Siphon Connector with Union Nut

Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Drain hose connection suitable for hoses with a diameter of 18 - 23 mm
- Includes hose clamp

				00111092
		6	BK	



xavax

Siphon Connection with Condensate Connection

Gland 1	8 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Second connection for condensing dryer outlet hose
- 1" (33.7 mm) union nut
- 1 x 20 mm connection, for washing machine and dishwasher outlet hose
- 1 x 8 mm connection, for dryer condensate outlet hose connection

				00111893
		6	BK	

Qty PT

xavax

Dual-device Connection with 1" Seal

Gland 1	23 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Adapter turns a single connection into a double connection: ideal if multiple appliances with a waste water connection are to be connected to a single siphon
- Seal guarantees protection from water leaks
- Easy, safe installation: Hose clamps secure the drain hose to the double-appliance connection, with union nuts for tightening the adapter to the siphon
- Y-adapter 19 - 23.5 mm hose connection is suitable for hoses with interior dimensions of 19 - 23 mm

				00111829
		6	BK	

xavax

Waste Pipe Connection

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

				00110812
		6	BK	

Power Plug

xavax

Device Connection Cable with Angled Heavy Current Plug, 2 m

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Cable with wire end ferrules
- Angled plug compliant with DIN 49446
- For indoor use

				00111975
		18	BK	

xavax

Plug with Earth Contact, 5-Pin, Angled, Reconnectable, 400 V / 16 A

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Angled plug compliant with DIN 49446
- Plug can be reconnected
- For indoor use

				00111976
		6	BK	

Connection Cable for Household Appliances



xavax

Connection Cable for Household Appliances "Electric Stove Supply Line"

Shade of colour	White
Number of Wires	5
Wire Cross-Section	2.5 mm²

- Prefabricated connection cable
- Open ends with core cable ends
- Cable: H05VV-F 5 x 2.5 mm²

2.5 m				00110827
		15	BK	
1.5 m				00110826
		28	BK	



xavax

Connection Cable for Household Appliances „Electric Stove Supply Line, Polybag"

Shade of colour	White
Number of Wires	5
Wire Cross-Section	2.5 mm²

- Prefabricated connection cable
- Open ends with conductor end sleeves
- Cable: H05VV-F 5 x 2.5mm²

2.5 m				00110971
		30	PO	
1.5 m				00110970
		50	PO	

Cooker Connection Socket

xavax

Stove Wiring Box

Equipment	5 Double Clamps/ Cable Size max 2,5 mm²/Lid
Material	Plastic Material
Mounting	Surface or Flush Mounting

- Particularly flat design
- Including 5 double clamps for cables up to 2.5 mm²
- Flush and surface mounting possible

White				00110828
		6	BK	

Qty PT

Power Extension Cable

xavax

Extension Cable with Earth Contact, 3 m, white

Shade of colour	White

- Suitable for devices which consume much power, e.g. washing machines, dishwashers, driers etc.
- Cable: H05VV-F 3 x 1.5 mm²

3 m				00110862
		10	PO	

Cleaning Cloth



xavax

Microfibre Cloths, 30 x 30 cm, blue/green/yellow/red

Material	15% Polyamide, 85% Polyester
Width x Length	30 x 30 cm

- Removes dust, grease and dirt
- Excellent cleaning results with moist and dry cleaning
- One extra cloth for every surface, with different textures for more hygiene (device surfaces - red/glass - blue/universal - yellow/kitchen - green)
- Can be used with or without cleaning agents
- Washable, can therefore be used for a long time

Blue, Green, Red, Yellow				00111391
		6	HB	

Anti-Slip Mat



xavax

Anti-Slip Mat for Washing Machines

Shade of colour	Grey
Width x Length	60 x 60 cm

- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Odour-neutral
- Extremely resilient and tear-resistant thanks to high density
- Highly specific recycled rubber granulate with polyurethane bonding
- Rot-resistant and compatible with water
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Germany
- Width x length x height: 60 x 60 x 0.6 cm

				00111362
		10	ET	



xavax

Anti-Slip Pads with Vibration Protection, 10 x 10 x 1.5 cm, Set of 4

Shade of colour	Black
Width x Length	10 x 10 cm

- Set of 4 pads for all 4 corners of the device or appliance involved
- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Highly specific recycled rubber granulate with polyurethane bonding
- Rot-resistant and compatible with water
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Germany

				00110215
		42		

Lashing Strap

xavax

Safety Lashing Strap with Ratchet for Laundry Drier

Length	600 cm

- Wrap the strap around the entire column (comprising the washing machine and laundry drier), thread it through the ratchet and lash tight
- After tensioning, the drier sits firmly on the washing machine
- This prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Max. lashing strength 800 daN

				00111896
		12	HB	

Qty PT

Condenser Box

xavax

Condenser Box for Vented Tumble Dryers

Shade of colour	White
Material	Plastic Material
Size	28.5 x 23,5 x 23 cm

- No annoying laying of the exhaust air hose through the window opening or hole in the wall
- Just attach the exhaust air hose to the extra large and sturdy condensate box (capacity: 7l)
- With additional, removable container for ice which ensures an even better condensation of the warm water vapour

				00111341
		2	SC	

Exhaust Air Hose

xavax

Vent Hose Adapter for Laundry Dryers

Diameter	102 mm

- Fits all 102 mm vent hoses
- Ideal for dryers with 100 mm connection
- Can easily be inserted in wall sleeves or wall ducts
- Allows the vent hose to be easily plugged on and off (advantageous if this one can only be mounted for drying)
- Secure fit, no hose clip needed

0.2 m				00111306
		6	BK	

xavax

Exhaust Air Hose "Laundry Dryer"

Diameter	102 mm

- Flexible PVC hose mounted on a spring steel helix wire
- Can be cut to length just as one likes
- Incl. 2 hose brackets, 90-110 mm

2 m				00110944
		36	HB	
4 m				00110945
		18	HB	

xavax

Exhaust Air Hose "for air conditioning units"

Diameter	120 mm

- Ideal for transporting warm and moist air to the outside
- Especially long-lasting thanks to the use of high-quality aluminium

10 m				00110205
		4	SC	

Qty PT

xavax

Exhaust Air Hose "for Tumble Dryers, Polybag"

Diameter	102 mm

- Flexible PVC hose with an encapsulated, spring steel winding
- Can be shortened as desired

12 m				00110973
		6	ET	

Household Appliance Stacking Kit

xavax

"Extra" Stacking Kit for Washing Machines/Dryers, Drawer, Plastic

Shade of colour	White
Material	Plastic Material

- Includes spacious drawer for storing washing machine accessories or hand towels (depth 40 cm and 28 l capacity)
- With practical handle on the drawer for easier operation
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Side castors so the drawer is easier to pull out
- Structure made of high-resistance, reinforced technopolymer ensures the stability of household appliances
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door.
- Quick and easy to install, since it is pre-assembled
- Can be screwed on if necessary

				00110224
		1	SC	

xavax

Stacking Kit for Washing Machines/Dryers, with Sliding Plate

Shade of colour	White
Material	Metal
Width x Depth	60 x 55.5 cm

- Includes a sliding plate (holds up to 12 kg), practical storage and work surface at comfortable working height (e.g. for folding laundry, putting laundry into the machine, taking out, etc.)
- Sliding plate with a practical handle for ease of use
- Can also be used for washing machines with an oblique or arched front and for washing machines with a washing powder drawer that reaches up to the lid
- Also suitable for dryers with a cleaning flap at the lower part of the front
- Wheels attached to the side of the drawer make it easy to open the removable plate
- With pull-out lock
- Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door
- Quick and easy to install as delivered preassembled
- Can be screwed on
- Universally compatible with all units with a 60 x 60 cm worktop

				00111363
		5	SC	

xavax

Stacking Kit for Washing Machines / Dryers, Integrated Laundry Maiden

Shade of colour	White
Material	Metal
Width x Depth	61 x 60 cm

- Universal, compatible with most washing machines and tumble dryers with a work surface of 60 x 60 cm
- Integrated, pull-out laundry maiden (max. load up to 10 kg) for hanging up smaller items of laundry at a comfortable working height or as a handy storage area for the laundry basket
- Practical handle on the laundry maiden for easier operation
- With safety lashing strap - prevents the dryer from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install without screw fixings, since it is pre-assembled

				00110225
		5	SC	

Qty PT

xavax

"Smart" Stacking Kit for Washing Machine / Dryer, Pull-Out Plate, Plastic

Shade of colour	White
Material	Plastic Material
Width x Depth	55 x 60 cm

- Incl. pull-out plate (max. load up to 10 kg), handy storage and work surface at a comfortable working height (e.g. for folding laundry, tidying, etc.)
- With practical handle on the pull-out plate for easier operation
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Structure made of high-resistance, reinforced technopolymer ensures the stability of household appliances
- Side castors so the drawer is easier to pull out
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install, since it is pre-assembled
- Universally suitable for all appliances with a worktop of 60 x 60 cm
- Can be screwed on if necessary

				00110223
		4	SC	

xavax

"Basic" Intermediate Frame for Washing Machines/Dryers, plastic

Shade of colour	White
Material	Plastic Material
Width x Depth	55 x 60 cm

- Universal, compatible with most washing machines and tumble dryers 60 cm wide
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Saves space by placing the tumble dryer on the washing machine
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install, since it is fully assembled
- Maximum weight 250 kg
- Can be screwed on if necessary

				00110222
		4	SC	

xavax

Intermediate Frame (open front) for Washing Machine and Dryer, 55 - 66 cm

Shade of colour	White
Material	Metal
Width x Depth	55 cm

- Xavax in-house development
- Frame with an expanding system, therefore easy to transport as well as quick and easy to mount
- Universally compatible with all units with a width from 55 to 66 cm, can be adapted individually to the width of the washing machine cover
- Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door

Also suitable for:
- Washing machines with an oblique or arched front
- Washing machines with a washing powder drawer that reaches up to the lid
- Dryers with a cleaning flap at the lower part of the front

				00111379
		12	HB	

xavax

Intermediate Frame for Washing machine/Dryer

Shade of colour	White
Material	Metal
Width x Depth	60 x 60 cm

- Quick and easy to install
- Universally suitable for all appliances with a surface of 60 x 60 cm

Not suitable for:
- Washing machines with an angled or curved front
- Washing machines with a detergent drawer that reaches to the cover
- Dryers that have a cleaning flap in the front lower section

				00110815
		8	SC	

Qty PT

xavax

Dryer Fixing Plates for Adhesion, set of 4

Shade of colour	White
Material	Plastic Material
Width x Depth	6,5 x 5.5 cm

- When a washing machine and dryer are combined to form a column, the fixing plates are stuck under the feet of the dryer
- In addition to the extremely strong adhesion, the dryer secures itself due to its weight as the fixings next to the border also have a bottoom plate on which lies the dryer weight
- The glue is insensitive to moisture and changes in temperature
- Suitable for dryer feet up to a diameter of 45 mm

				00111310
		48	HB	

Home Appliance Vibration Damper

xavax

Vibration damper

Shade of colour	White
Number of Dampers	4
Diameter	45 mm
Height	17 mm

- For absorbing the operational vibrations of washing machines, dishwashers and tumble dryers
- For increased stability and for noise attenuation
- Prevents sliding on smooth floors
- Protects tiles from scratches
- Can be used anywhere and is easy to attach
- Made from thermoplastic material (TPR)
- Diameter: internal 4.5 cm; external 6.5 cm
- Can hold up to 90 kg

				00110879
		48	HB	

Household Appliance Base

xavax

"Giant" Universal Stand for Wash. Machine/Dryer with Base Division, 60x60cm

Maximum Load Capacity	150 kg
Height	50 cm
Length	60 cm
Width	60 cm

- Exclusive Xavax in-house development for washing machines, dryers, freezers and more
- Due to the 60 x 60 cm large bearing surface also suitable for washing machines with a capacity of 7 to 10 kg
- Special braces and an appropriate construction enable maximum load capacity and stability and minimize vibrations
- The stand's height of 50 cm allows the machines to be optimally positioned at an ergonomic height and saves you from having to bend down
- Height-adjustable feet for balancing uneven or inclined floors and for optimum positioning of the stand
- Four sides with an open front for storing various things resp. one storage compartment for washing powder, fabric softener, etc.
- Backwater from gullies, high water up to 50 cm and wetness on the floor can no longer penetrate into the machine

White				00111380
		1	SC	

xavax

Base for washing machines and dryers, with drawer, 61 x 60 cm

Maximum Load Capacity	120 kg
Height	33.2 cm
Length	61 cm
Width	60 cm

- Base for a commercial washing machine, dryer or refrigerators and freezers
- Spacious drawer for space-saving storage, e.g. of laundry detergent and laundry accessories
- Easy installation due to the prefabricated drawer element
- High load capacity for normal machines up to 120 kg
- Foam surfaces on the base and rubber feet for vibration damping and noise reduction
- Base for a commercial washing machine or dryer

White				00111298
		1	SC	

Qty PT

xavax

Universal Stand with Base Division for Washing Machine and Dryer

Maximum Load Capacity	150 kg
Height	40 cm
Length	60.3 cm
Width	60.3 cm

- Base stand for a washing mashine or a dryer
- Three sides with an open front for storage or one side with a closed front for an elegant look
- With height-adjustable storage compartment for washing powder, fabric softener, etc.
- Non-slip thanks to rubber caps for the feet

White				00111078
		1	SC	

xavax

Transport Rollers for Washing Machine, Tumble Dryer and Refrigerator, Adjustable

Maximum Load Capacity	150 kg
Height	11 cm

- Can be effortlessly adjusted to the width and depth of large appliances thanks to extendable rails
- Heavy appliances can therefore be easily moved around on flat surfaces without the need for force, e.g. to transport them or to clean the floor
- Also suitable for furniture, plants or storage transport boxes
- 4 plastic rollers
- Lowerable brakes on all rollers ensure a sturdy position and absorb operational vibrations, allowing the devices to remain on the transport rollers even during operation
- Brakes can be operated with levers
- Plastic runners with good grip give the machines additional traction

White				00110233
		5	SC	

xavax

Base Unit Frame for Washing Machine, Tumble Dryer and Refrigerator, Adjustable

Maximum Load Capacity	150 kg

- Can be effortlessly adjusted to the width and depth of large appliances thanks to extendable rails
- Also suitable for furniture, plants or storage transport boxes
- Plastic runners with good grip give the machines additional traction

White				00110232
		4	SC	

Wash/Dryer Ball

xavax

Wool Dryer Balls, 3 pieces

Shade of colour	Cream Nature
Temperature Resistance up to	100 °C
Diameter	75 mm

- 100% natural, made of sheep's wool
- Soft clothes without the use of chemicals: perfect for sensitive skin
- Improve the wearing comfort of clothes
- Reduce static charge of textiles
- Save energy and time and are not only easy on the environment but also on the purse
- Reusable for an almost unlimited period of time
- Dryer balls that are made of wool cause less noise than dryer balls that are made of plastic
- Easy to use: put the three dryer balls together with the laundry into the dryer

				00111377
		48	HB	

Qty PT

xavax

Drying Balls, 2 pcs

Shade of colour	Blue, Green
Temperature Resistance up to	125 °C
Diameter	60 mm

- Simply place both drying balls in the tumble dryer with the laundry
- Reduces the drying time by up to 25%
- Saves energy and time, protects the environment and the wallet
- Gentle washing without the need for chemicals
- Fewer creases in laundry and less lint build-up
- Can be reused a virtually unlimited number of times
- Additional ordering info: can be delivered in a display (the delivery comes in an advantageous sales display for each 12 blister packs ordered)

				00111013
		12	SC	

xavax

"Power Pearls" wash ball

Shade of colour	Green
Temperature Resistance up to	90 °C
Diameter	100 mm

- Plastic ball filled with 120 g ceramic wash pearls
- The vast micro surface of the pearls filters the water and allows for improved detergent distribution
- Detergent quantity can be reduced to 1/4 of the usual amount with no sacrifice to usual cleanliness
- Ideal for those who suffer from skin irritations or allergies caused by detergent residues, as the natural pearls emit no fragrances
- Textiles are protected, colours remain brighter for longer, since the amount of chemicals per wash is vastly reduced, resulting in possible wash temperatures from cold to 95 °
- The specially shaped wash ball with its internal balls moves atypically within the drum, thus supporting the mechanical wash in the washing machine, as it rubs against textiles and thus releases dirt from fibres, disperses the wash more efficiently, and unfolds laundry more effectively
- Due to the movement of the beads, the detergent is released and foamed more efficiently in the water - so more oxygen is introduced into the wash water
- Can be used with all liquid or powder detergents
- Used correctly, the wash ball can be used for around 2 years, before the mineral balls become depleted

				00110226
		60	SC	

Qty PT

Protective Cloth

xavax

Textile Protector for Linen and Soleplate

Material	Aluminium, Polytetrafluoroethylene (PTFE)
Width x Length	12.9 x 25 cm

- Especially smooth-gliding thanks to PTFE surface
- The special arrangement of the steam outlet holes ensures the even distribution of steam

				00111075
		10	HB	

xavax

Iron Protector Mat, 25 x 34 cm

Material	Glass Fibre, Polytetrafluoroethylene (PTFE)
Width x Length	25 x 34 cm

- Non-stick coating and steam-permeable material (made from fibre glass and PTFE) protect the ironed fabric perfectly
- Simply place on the area to be ironed
- Prevents the formation of shiny spots and ensures shine-free ironed creases
- Textile appliqués are protected

				00110218
		12	SU	

Ironing Board Replacement Cushion

xavax

Replacement Pad for Ironing Boards, universal

Material	Polyester
Length	125 cm
Width	43 cm

- Can easily be trimmed to size to fit the shape of any ironing board
- Extra thick pad, approx. 5.0 mm
- Necessary for all ironing boards

				00110939
		6	PO	

Ironing Machine Roller Cover

xavax

Universal Roller Cover for Electric Ironers

- Suitable for all ironers with a roller width of 85 cm
- Particularly durable cotton fabric
- Permeable to steam
- Long lasting
- Cords on both sides for fixing on the roller
- Dimensions: W 92 x L 80 cm
- Washable up to 60°C

				00110940
		30	PO	

Special Bulbs

Special Bulb

xavax

LED Bulb for Cooling Appliances, 2W, T25, filament, E14, warm white

Light Colour	Warm White
Nominal Power Consumption	2 W
Weighted Energy Consumption	2 kWh/1000h
Can be Dimmed	No
Design	Pear Shape

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs
- Without mercury and lead

				00112272
		10	BK	

xavax

Bulb for Cooling Appliances, 15W, E14, pear-shaped, clear

Light Colour	Warm White
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

				00112443
		10	BK	

xavax

Bulb for Cooling Appliances, 25W, E14, pear-shaped, clear

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

				00112444
		10	BK	

xavax

LED Refrigerator Bulb, 1.7W, E14, neutral white

Nominal Power Consumption	1.7 W
Weighted Energy Consumption	2 kWh/1000h
Can be Dimmed	No
Design	Pear Shape

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
- Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small bulbs can be used
- Operating temperature: -20°C to +40°C

				00110212
		10	BK	

Qty PT

xavax

LED Refrigerator Bulb, 1.7W, E14, neutral white

Nominal Power Consumption	1.7 W
Weighted Energy Consumption	2 kWh/1000h
Can be Dimmed	No
Design	Pear Shape

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
- Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small bulbs can be used
- Operating temperature: -20°C to +40°C

				00112499
		10	BK	

Household Appliance Thermometer

xavax

Freezer Thermometer

Display	Analogue
Material	Plastic Material
Measuring Range	-30 C° up to +50 C°

- Temperatures of - 18°C enable long imperishability of food without the addition of preservatives
- Correct internal temperature prevents unnecessary energy consumption and saves energy costs
- Colour scale for easy reading
- Hook and eye for easy attachment

White				00111019
		10	BK	

xavax

Refrigerator/Freezer Thermometer, round

Resolution	1 °C
Display	Analogue
Material	Plastic Material
Measuring Range	-30 C° up to +50 C°

- Correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Colour scale for ease of reading
- The thermometer can be stuck on (adhesive pad on the back) or hung in on an appropriate place

White				00111309
		10	BK	

xavax

Digital Refrigerator/Freezer Thermometer

Resolution	0.1 °C
Display	Digital
Material	Plastic Material
Measuring Range	-30 C° up to +70 C°

- A correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Holder for standing or hanging the thermometer up or for attaching it by means of a magnet
- The large digital display (50 x 20 mm) makes it easy to read off the temperature
- The temperature can be displayed in Celsius or Fahrenheit
- With a button for switching the thermometer on and off
- Size: 69 x 42 mm

Black				00111357
		10	BK	

Qty PT

xavax

Refrigerator/Freezer Thermometer, digital

Resolution	0.1 °C
Display	Digital
Material	Plastic Material
Measuring Range	-30 C° up to +30C°

- Correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Easy attachment and removal by means of a hook and loop tape (adhesive attachment on the back of the thermometer)
- Large digital display for ease of reading
- The temperature can be displayed in °C or Fahrenheit
- Data memory for max./min. temperature

White				00110823
		6	BK	

xavax

Refrigerator/Freezer Thermometer, analogue

Resolution	1 °C
Display	Analogue
Material	Plastic Material

- Correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Colour scale for ease of reading

White				00110822
		10	BK	

Household Filter

xavax

"Durafresh®" Refrigerator Filter

Usage	Fridge

- Absorbs ethylene, the gas responsible for the ripening and decaying process of fruit and vegetables: it slows blackening and avoids the loss of weight and texture
- Activated charcoal and active minerals absorb and eliminate bad odours that some foods can emit
- Other foods therefore do not absorb any bad odours
- Can be used for around 2 months
- LFGB tested

				00111898
		12	SC	

xavax

Replacement Filter for "Durafresh®" Refrigerator Filter, 3 Pcs

Usage	Fridge

- Absorbs ethylene, the gas responsible for the ripening and decaying process of fruit and vegetables: it slows blackening and avoids the loss of weight and texture
- Activated charcoal and active minerals absorb and eliminate bad odours that some foods can emit
- Other foods therefore do not absorb any bad odours
- Can be used for around 2 months
- LFGB tested

				00111899
		12	SC	

xavax

"Ovalado" Refrigerator Filter, with Temperature Warning System

Usage	Fridge

- The activated charcoal in the filter absorbs unpleasant odours
- Other foods therefore do not absorb any bad odours
- Odour-free and 100% natural
- Also ideal for portable cool boxes
- Lasts up to 3 months

				00110209
		12	BK	

Qty PT

Water Filter

xavax

Water Connection Set for US Refrigerators

Usage	Side by Side Fridge

- Contains all parts needed for installation
- Quick-fit clamps enable you to install and remove pipes and connections without additional tools
- Consists of: 6 m water pipe (food safe) and a 5-part connector and connection set
- The retaining rings provide additional safety of the connection system
- According to the EU guideline 89/109EEC, the set can come into contact with food

	00111385
16 BK	

xavax

External Universal Water Filter for Side-by-Side Refrigerators

Usage	Side by Side Fridge

- This filter cartridge is compatible with Samsung 10105J/Daewoo DD7098/EF9603, fits all upright refrigerators (side-by-side) that are connected to the water supply via a 1/4 inch (approx. 6 mm) plastic hose. These quick connections allow the plastic hoses to be connected in seconds
- This filter can be used universally as a pre-filter
- No sealing tape, no cumbersome adapters needed. After removing the stopper at the inlet/outlet, the integrated hose seal reliably shuts off the hose
- Contains a high-quality carbon block that has been manufactured especially for use in refrigerators. The carbon effectively removes up to 99% of chlorine
- The cartridge also removes other contamination such as solid particles dissolved in water, e.g. clay, sand, rust. The result is a significant improvement in taste and fewer deposits in your refrigerator´s water and ice system
- Refrigerator filter replaces the following original filter types: DA29-10105J, WSF100, EF-9603, 3890JC2990A, 3650JD8050A, BL-9808, DD-7098, 3019974800, 497818, FUS001, 481931039257, USC-100, GXRTQ, GXITD and many others
- Tested according to EU 1935/2004

	00111822
36 HB	

Special Bulbs

Special Bulb

xavax

Oven Bulb, 25W, 300°, E14, pear-shaped, clear

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

- Heat-proof up to 300° Celcius
- Pear-shaped incandescent lamp
- Bulb diameter: 26 x 58 mm
- Clear
- 25 W; E 14; voltage: 230 V

				00110838
		10	BK	

xavax

Oven Bulb, 15W, 300°, E14, pear-shaped, clear

Light Colour	Warm White
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

- Heat-resistant up to 300° Celcius

				00112440
		10	BK	

xavax

Oven Bulb, 40W, 300°, E14, drop-shaped, frosted

Light Colour	Warm White
Nominal Power Consumption	40 W
Weighted Energy Consumption	40 kWh/1000h
Can be Dimmed	Yes
Design	Drop

- Heat-resistant up to 300° Celcius
- High light efficiency

				00112441
		6	BK	

xavax

Halogen Bulb for Ovens, 33W, 300°, G9, clear

Light Colour	Warm White
Nominal Power Consumption	33 W
Weighted Energy Consumption	33 kWh/1000h
Can be Dimmed	Yes
Design	Base Pin

- Heat-resistant up to 300° Celcius
- Clear
- 1 piece packed in blister

				00111307
		12	BK	

Qty PT

Induction Hob Adapter

xavax

Induction Hob Adapter "Consisting of Stainless Steel/Aluminium"

Material	Metal

- The adapter conducts the heat from the hob to the pots, pans, roasters, kettles, etc.
- Suitable for aluminium, stainless steel, glass, copper and ceramic crockery
- Sandwich material made from rust-free stainless steel with an aluminium core
- For containers with a similar diameter, max. 19 cm
- A long, insulated handle makes handling the induction hob adapter plate easier and prevents burns when lifting
- The plate can be easily cleaned under running water or in the dishwasher

19 cm				00111397
		12	SC	
23.5 cm				00111396
		10	SC	

Baking/Roast Thermometer

xavax

Digital Roasting Thermometer with Timer, Radio Sensor, 2 Probes

Resolution	1 °C
Display	Digital
Measuring Range	-20°C to +250°C
Usage	Drinking Temperature, Oven, Roast Temperatur

- Pre-set core temperatures of beef, veal, hamburger / minced meat, pork, chicken, turkey, fish and lamb stored in the thermometer
- Temperature display can be in Celsius or Fahrenheit
- For monitoring various stages of cooking: depending on the type of meat, choose between well, medium well, medium, medium rare and rare
- Built-in timer up to 99 minutes: 59 seconds, with alarm function as soon as the target temperature is reached
- Display of the current temperature and target temperature
- The temperature sensors allow the simultaneous measurement of the internal temperature of several types of food - simply be inserting the probe
- Receiver with holding clip in mobile phone format can be easily carried around the home, range 8 m from the base station
- Base station with LED operating pilot light serves as a radio transmitter and holder
- Display with blue LED backlight

				00110207
		6	HB	

xavax

Digital Multi-Thermometer

Resolution	0.1 °C
Display	Digital
Measuring Range	-45°C to +200°C
Usage	Drinking Temperature, Roast Temperatur

- With removable silicone fastener for storing and closing opened bottles
- For measuring the inside temperature of meals (cutting the foodstuffs up is not necessary)
- For exact (medium, well done) roasting, cooking and baking
- Quick, exact indication on the display (resolution: 0.1°C)
- Ideal for fish, meat and vegetables
- Food safe
- Battery (1.5V LR44) included in the delivery package
- With temperature table for different applications
- Baby food: 37.0°C
- Water for tea: 60-90°C
- Oil for roasting: 150-190°C
- Olive oil: up to 160°C
- Beef, medium: core temperature: 60-65°C
- Poultry: core temperature: 80-90°C
- Red wine, new/dry: 14-16°C
- Technical details:
- Measuring range: -45°C up to 200°C (-49°F up to 392°F)
- Measuring error: at 0°C up to 79.9°C = 2%
- Quick response time: 4-10 seconds

				00111014
		6	HB	

xavax

Digital Meat Thermometer with Timer, cable sensor

Display	Digital
Measuring Range	-10°C to +250°C
Usage	Drinking Temperature, Oven, Roast Temperatur

- The stainless steel probe (160 mm) with 1 m heat-resistant cable allows you to measure the inside temperature of food - simply insert the probe
- Ideal for vegetables, roasts, cakes and steaks as well as for soups, wine, tea water, baby food and much more
- For controlling different cooking levels by setting a specific temperature: an alarm can prevent the set temperature to be exceeded, this prevents food from overcooking
- Can be used as a timer or thermometer, countdown and countup timer adjustable up to maximally 99 minutes and 59 seconds
- Suitable for continuous operation, e.g. for the complete roasting time (insertion sensor in the oven and measuring body outside)
- Sturdy housing can be attached in many positions, e.g. by a magnet, built-in suspension eye and stand

				00111381
		6	HB	

Qty PT

xavax

Mechanical Meat and Oven Thermometer

Resolution	1 °C
Display	Analogue
Measuring Range	30°-100°C Meat, 50 ° -250 ° C Oven
Usage	Oven, Roast Tem-peratur

- Needle 1 (red) measures the current oven temperature
- Needle 2 (black) measures the core temperature
- For exact (English, medium, well done) roasting, cooking and baking
- Ideal for fish, poultry, meat
- Food-safe
- Measuring range - oven: 50°C to 250°C
- Measuring range - meat/baked goods: 30°C to 100°C
- Size: Ø 73 mm
- Stainless steel 430, matt (18/0)

				00111018
		6	SC	

Sealing Tape

xavax

Sealing Tape for Ceramic Hob, 3 x 1.10 m

Material	Foam
Width x Length	15 x 1100 mm
Thickness	2 mm

- Protects from liquids that may get under the hob
- Ensures a firm fit of the hob in the worktop
- Can also be used for sealing kitchen sinks or as universal insulating or sealing tape
- Self-adhesive on one side

Black				00111867
		6	BK	

Scraper

xavax

Special Glass Scraper for Glass Ceramic Cooking Surfaces

Material	Metal
Usage	Glass Ceramic

- Glass scraper in first equipment quality, specially developed for glass ceramic hobs
- Also removes colour or residues of stickers on glass, tiles, etc.
- When not in use, the blade can easily be retracted (protective function)
- Ergonomically shaped grip, can be hung up
- The blade can easily be replaced (replacement blades item no.: 00111096)
- Dimensions of the metal housing: 138 x 46 mm

				00111010
		12	BK	

Blades/holder

xavax

Replacement Blades for Glass Scraping Tool for Glass Ceramic Hobs

Number of Blades	5
Usage	Ceramic Stove Top

- Replacement blades for Xavax glass scraping tool for glass ceramic hobs (item no. 00111010)
- Ground on both sides, thereby doubling the service life

				00111096
		24	BK	

Qty PT

Oven Rack



xavax

Universal Shelf, 40 x 35 cm, Extends up to 65 cm, incl. Extension

- The width of the shelf can be flexibly adjusted from 40 to 65 cm, making it ideal for all ovens, refrigerators or as a grill shelf
- If the side parts are pulled out, the additional extensions can be inserted as required. This ensures no gaps and the entire trivet surface can be used.
- Can be used as an oven shelf, grill shelf or as a refrigerator shelf
- Especially secure, since it can be adjusted to exactly the width required and secured in place with screws. The width, once set, then no longer changes

	00110202
16 SC	

Roasting/Baking Dish

xavax

Roasting/Baking Dish "Square"

Width x Height x Depth	42.5 x 6,5 x 37 cm

- Extra deep (6.5 cm), therefore ideal for bakes, roasts, sheet cakes, gratins, fried vegetables, etc.
- Also suitable for preparing big fish, large poultry, haunches of venison, etc.
- With a volume of 8 litres ideal for parties or extended families
- Meals can directly be cut in the tray
- Made of high-quality, brushed stainless steel (18/10)
- For ovens with a width of 42.5 cm
- Also suitable for circulating air ovens
- Suitable e.g. for AEG, Electrolux, Esco, Juno and Buderus

	00111505
5 SC	

Hob frame

xavax

Compensation Frame for Hobs

Material	Stainless Steel

- Easy and quick to use
- Saves buying and installing a new worktop or a larger and more expensive hob
- High-quality, rust-free stainless steel

	00111873
1 SC	

xavax

Compensation Frame for Hobs

Material	Stainless Steel

- Easy and quick to use
- Saves buying and installing a new worktop or a larger and more expensive hob
- High-quality, rust-free stainless steel

	00111872
5 ET	

Qty PT

Special Bulb

xavax

Halogen Bulb for Extractor Hoods, 25 W, tubular, clear, E14

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Tube

- A special halogen bulb has a longer service life than a normal special bulb
- Insensitive to vibrations
- Optimum light distribution

				00112439
		12	BK	

Household Filter

xavax

Fleece/Activated Carbon Filter for Cooker Hoods, set of 2

Filter Type	Grease Trap, Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- Many odours are trapped to a large extent due to the addition of activated carbon
- Can be individually cut to size
- Fire protection class according to ISO 9772 (HF2)

				00111869
		8	PO	

xavax

Extractor Flat/Activated Charcoal Filter, Set of 2

Filter Type	Grease Trap, Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Kit comprising one charcoal odour filter and one flat filter
- With saturation display (indicator colour changes from grey-brown to red)
- Replace the filter when indicated by the red saturation display
- The addition of activated charcoal

				00110871
		30	PO	

xavax

Flat Filter for Cooker Hoods, set of 2

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- With saturation indicator (indicator colour discolours from grey-brown into red)
- Replace filter when the saturation indicator is red
- Can be individually cut to size
- Fire protection class according to ISO 9772 (HF1)

				00111868
		70	PO	

xavax

Activated Carbon Filter for Cooker Hoods, set of 2

Filter Type	Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- Many odours are trapped to a large extent due to the addition of activated carbon
- Can be individually cut to size
- Fire protection class according to ISO 9772 (HF1)

				00110832
		18	PO	

xavax

Fleece Filter for Cooker Hoods, 2 pcs./set

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- can be individually cut to size

				00110831
		18	PO	

xavax

Flat Filter for Cooker Hoods, set of 2

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- With saturation indicator (indicator colour discolours from grey-brown into red)
- Replace filter when the saturation indicator is red
- Can be individually cut to size
- Fire protection class according to ISO 9772 (UL 94 HBF)

				00110830
		120	PO	

Qty PT

Reducer

xavax

Reducer "Fume Hood"

Shade of colour	White
Material	Plastic Material

100 - 125 mm				00111061
		10	HC	
125 - 150 mm				00110836
		10	HC	

Holder

xavax

Holder "for Microwave"

Maximum Load Capacity	30 kg

- Space-saving and easy mounting
- The width and depth can be adjusted
- Stamped-in hollows ensure secure positioning of the appliance
- Max. load capacity: 30 kg
- Max. width: 40 cm
- Max. depth: 50 cm

White				00110930
Silver				00110931
		4	SC	

Mounting Frame

xavax

Integration Frame for Microwave, silver

Shade of colour	Silver
Material	Plastic Material

- Bars can be removed from the grille so that the frame can be adapted precisely to the size of your microwave
- Screw covers to conceal the mounting screws
- Adaptation of the microwave height thanks to polystyrene pins

				00110206
		14	PO	

Microwave-Safe Dishes

xavax

Microwave Box Set, 3 Part, red

- Set comprising two microwave boxes each with a 600 ml capacity and one microwave box with a 1300 ml capacity, with matching lids
- Microwave box with a 1300 ml capacity is divided into two compartments for appetising and clearly arranged food
- Suitable for portioned freezing of pre-made food
- When required, portions can be thawed without removing them from the container and heated directly
- Offset grips make it easy to open
- Resistant from -20° to +120°C
- Dishwasher-safe
- Break-resistant
- Odourless/tasteless
- Food safe

				00111463
		6	SC	

xavax

Microwave Cup, 0.6 l, red

- 600 ml capacity
- Can be sealed air-tight with four click-close safety locks
- Also ideal as the go-to container for pasta, etc.; perfect for lunch breaks
- Practical handle for secure transport or serving without burning fingers
- Steam valve in the lid
- Suitable for microwaves up to 120°
- Cold-resistant to -20°
- Suitable for dishwashers

				00111466
		24	SC	

Qty PT

xavax

Set of 2 Microwave Egg Cookers, Polypropylene, 6 x 8 cm

Temperature Range	-20°C to 120°C

- Microwave egg cooker made from PP for the quick preparation of an egg
- Perfectly cooked egg in less than a minute
- The egg is beaten directly in the cooker - so no more tedious peeling: the egg cooker acts as the egg´s shell
- Calorie-conscious cooking: no fat required
- Easy to clean in the dishwasher

				00111490
		48	SU	

Microwave Plate Set

xavax

Microwavable plate set, 2-piece

- Set consists of two menu plates with matching lids
- Menu plate is divided into three compartments for appetising and clearly arranged food
- Suitable for portioned freezing of pre-made food
- When required, portions can be thawed and heated directly and heated directly
- Offset grips make it easy to open
- Excellent microwave permeability
- Dishwasher-safe
- Resistant from -20° to +120°C

				00111464
		4	SC	

Microwave Cover

xavax

"S-Capo" Microwave Cover

Temperature Range	-30°C to 110°C
Diameter	22 cm
Height	10.3 cm

- Shortens cooking time by reducing the cooking space
- Contains all splashes
- Allows built up steam to be released
- Especially high, practical handle for easily removing the cover from a dinner plate
- Large handle and centred steam vents prevent burns when the cover is removed

				00111534
		12	ET	

xavax

"M-Capo" Microwave Cover

Temperature Range	-30°C to 110°C
Diameter	26 cm
Height	10.3 cm

- Shortens cooking time by reducing the cooking space
- Contains all splashes
- Allows built up steam to be released
- Especially high, practical handle for easily removing the cover from a dinner plate
- Large handle and centred steam vents prevent burns when the cover is removed

				00111542
		14	ET	

Qty PT

xavax

"Basic" Microwave Cover, 48 Pcs.

Temperature Range	-5°C bis 80°C
Diameter	26 cm
Height	6,5 cm

- Reliable spray protection
- Shortens the cooking time by reducing the cooking space
- Steam outlet openings on the outer edge avoid excess pressure
- Handy recesses in the middle for easy removal of the cover from dishes

	00110216
48 PO	

Qty PT

Household Filter

xavax

Universal Comb Filter for Fryers

Filter Type	Grease Trap, Odour Filter
Size	330 x 296 mm
Usage	Deep-Fat Fryer

- A charcoal odour filter and a grease filter with saturation display (indicator colour changes from grey-brown to red)
- Replace the filter when indicated by the red saturation display
- Can be trimmed to size (saves buying expensive filter cassettes)

				00110872
		60	PO	

Pedestal

xavax

Pedestal „Organizer for cordless Vacuum Cleaners", Silver, Black

Material	Aluminium

- Stable stand for vacuum cleaners, tidy organiser for accessories in the individual holders
- Space for two floor nozzles
- Aluminium design for an elegant look
- Drill-free installation
- Silicone pad under the base prevents the base from slipping and scratching the floor
- Generous cable guide hole for easy cable winding - ideal for charging battery-powered vacuum cleaners
- Also compatible with Dyson, Bosch, AEG, Philips, Rowenta and models with similar designs

				00110235
		4	SC	

Vacuum Cleaner Air Filter

xavax

Air filter "MF 02" for vacuum cleaners, 4 pcs.

- Special air filter, universal in use

				00110242
		50	PO	

Vacuum Cleaner Motor Filter

xavax

MF 01 Motor Filter

Width x Length	12 x 17 cm

- By cutting, the filter can very easily be adapted to nearly all vacuum cleaners

				00110241
		50	PO	

Vacuum Cleaner Bag

xavax

AE 01 Vacuum Cleaner Bags, 4 Pcs

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

Replacement for AEG vacuum cleaner bags with the designation:
- Size 28, ACE… series, CE series, (Eco) Vampyr 5000 series

Replacement for Electrolux vacuum cleaner bags with the designation:
- E 53

Replacement for Progress vacuum cleaner bags with the designation:
- P 60

Replacement for Volta vacuum cleaner bags with the designation:
- V 31

Replacement for Hoover vacuum cleaner bags with the designation:
- AE 23

Also suitable for various vacuum cleaner bags from:
- Alfatec, Baur Versand, Kingclean, Lindhaus, Lloyds, Mio Star, Privileg, Satrap, Singer, SMC, Thomas, Tornado, Zanussi

				00181550
		26	HB	

Qty PT

xavax

Vacuum Cleaner Bags AE 03

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal

Replacement for AEG vacuum cleaner bags with the designation:
- S-Bag; 200/201/205/206/210

Replacement bags for the AEG/ Electrolux vacuum cleaner series with the designation:

	00181551
26 HB	

xavax

Vacuum Cleaner Bags AE 09

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Suitable for:
- AEG vacuum cleaner bags with the designation: Size 51
- AEG appliances with the designation: Smart 460; Smart 470; Smart 485; VOZ Y
- Delta appliances with the designation: KS 1202
- FIF appliances with the designation: KS 1202; KS 1204
- Primera appliances with the designation: EVC 175
- Electrolux appliances with the designation: E 59
- Progress appliances with the designation: P 61

	00181553
26 HB	

xavax

Vacuum Cleaner Bags BS 01

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal

	00181554
26 HB	



xavax

Vacuum Cleaner Bags BS 02

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

Replacement for Bosch/Siemens vacuum cleaner bag with the designation:
- D, E, F, G XL, G XXL, G XXL Plus, H

Replacement bags for the Bosch vacuum cleaner series with the designation:
- BSG 70000 - 79999, BSGL 50000 - 59999

Replacement bags for the Siemens vacuum cleaner series with the designation:
VS 07 G..., VS 5..., VS 7..., VS 10..., VS 69..., VS Z 5..., VS Z 6..., D, E, F, G XXL, H, Type D, Type E, Type F

Replacement bags for the Kärcher vacuum cleaner series with the designation:
- 6.904-329

Replacement bags for the Progress vacuum cleaner series with the designation:

	00181555
26 HB	

xavax

Vacuum Cleaner Bags AE 06

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal

				00181552
		26	HB	

xavax

Vacuum Cleaner Bags XA 01

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

				00181556
		26	HB	

xavax

Vacuum Cleaner Bags XA 05

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Suitable for Clatronic vacuum cleaner bags with the designation:
- Size: SSB 30
- Suitable for Silva vacuum cleaner bags with the designation:
- Size: TB 16
- Also suitable for various vacuum cleaner bags from:
- Bomann; LG Electronics; Holland Electro; Privileg; Satrap; Solac; Gold Star

				00181558
		26	HB	

xavax

Vacuum Cleaner Bags XA 02

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Suitable for Bomann vacuum cleaner bags with the designation:
- Size: B 52
- Suitable for Clatronics:
- Size: SSB 98
- Suitable for Hoover:
- Size: H 55
- Suitable for Progress:
- Size: P 56; P 67/S
- Suitable for Severin:
- Size: SB 9022
- Suitable for Taurus:
- Size: 948.603; 948.623
- Suitable for Schott:
- Size: ST 31 EC
- Suitable for Chromex:
- Size: CH 960; CH 283; CH 284; CH 285
- Suitable for De Sina:
- Size: 1090641
- Suitable for Silva:
- Size: TB 13
- Also suitable for various vacuum cleaner bags from:

				00181557
		26	HB	

Qty PT

xavax

Vacuum Cleaner Bags MI 01

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

Replacement for Miele vacuum cleaner bags with the designation:
- Size F/J/M; (bottom = 3 rolls)

Replacement bags for the Miele vacuum cleaner series with the designation:
- S 4, S 241 to S 256 i, S 290 to S 299 i, S 300i to S 399i, S 4000 to S 4999, S 6000 to 6999, S 500 to S 599, S 700 to S 799, Cat & Dog 4000, Hybrid, Parket & Co 4000, Tango and Tango Plus

				00181559
		26	HB	



xavax

Vacuum Cleaner Bags NI 02

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- Suitable for
- Nilfisk vacuum cleaner bags with the designation: 818 460 00; 223 595 00
- Nilfisk appliances with the designation: Arnoldi; Extreme X 110 > 300; GM 200 > 499; GM 500 > 599; GMD 400 > 430; Home; Hygienic; King 510; King 520; King 530; King 540; King Great Dane; King Special; Mocca; Seasons; Siena; Special; DS ZS N
- Team appliances with the designation: ST 16

				00181561
		26	HB	

xavax

Vacuum Cleaner Bags MI 02

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

Replacement bags for Miele vacuum cleaner bags with the designation:
- G/H/N (bottom = 4 rolls)

Replacement bags also for the Miele vacuum cleaner series with the designation:
- Cat & Dog 5000, Haus & Co 5000, Medicair 5000, Parket & Co 5000, Premium 5000, Tango and Tango Plus

Miele
- S 8000 to 8999

Hoover
- ATC 18LI – Athos Cordless
- AT 70 AT00…100 – Athos
- TAT 0100…2999 – Athos
- H 72, H 73

				00181560
		26	HB	

xavax

Vacuum Cleaner Bag "AE 01"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 90 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Highly loadable plastic connection

Suitable for AEG vacuum cleaner bags with the designation:
- Size 28, ACE… Serie, CE Serie, (Öko)-Vampyr 5000 series

Suitable for Electrolux vacuum cleaner bags with the designation:
- E 53

Suitable for Progress vacuum cleaner bags with the designation:
- P 60

Suitable for Volta vacuum cleaner bags with the designation:
- V 31

Suitable for Hoover vacuum cleaner bags with the designation:
- AE 23

Also suitable for different vacuum cleaner bags from
- Alfatec, Baur Versand, Kingclean, Lindhaus, Lloyds, Mio Star, Privileg, Satrap, Singer, SMC, Thomas, Tornado, Zanussi

MicroMultiVlies				00110002
		26	HB	

Qty PT



xavax

Vacuum Cleaner Bag "AE 06"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	110 x 100 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Highly loadable plastic connection

Replacement for the following original vacuum cleaner bags:
AEG vacuum cleaner bags with the designation: Gr. 50
AFK - Germatic vacuum cleaner bags with the designation: STSB 45
CTC/Clatronic vacuum cleaner bags with the designation: SSB 05
Grundig vacuum cleaner bags with the designation: E
Kärcher vacuum cleaner bags with the designation: 6.905-891
Nilfisk vacuum cleaner bags with the designation: 22.300.500; 78.600.900;
Progress vacuum cleaner bags with the designation: PA 24; PSE 2;
Samsung vacuum cleaner bags with the designation: VP-95 B
Severin vacuum cleaner bags with the designation: SB 9095

MicroMultiVlies				00110033
		18	HB	

xavax

Vacuum Cleaner Bag "AE 09"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 92 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Suitable for:
- AEG vacuum cleaner bags with the designation: size 51
- AEG devices with the designation: Smart 460; Smart 470; Smart 485; VOZ Y
- Delta devices with the designation: KS 1202
- FIF devices with the designation: KS 1202; KS 1204
- Primera devices with the designation: EVC 175
- Electrolux devices with the designation: E 59
- Progress devices with the designation: P 61

MicroMultiVlies				00110072
		26	HB	

xavax

Vacuum Cleaner Bag "MI 01"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	93 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Certified: filter performance, suction power and operating life tested by TÜV (German technical inspection association)
- With dust seal
- Highly loadable plastic connection

Replacement for Miele vacuum cleaner bags with the designation:
- Size F/J/M; (bottom side = 3 rollers)

Replacement bag for Miele vacuum cleaner series with the designation:
- S 4, S 241 bis S 256 i, S 290 bis S 299 i, S 300i bis S 399i, S 4000 bis S 4999, S 500 bis S 599, S 700 bis S 799, Cat & Dog 4000, Hybrid, Parket & Co 4000, Tango und Tango Plus

MicroMultiVlies				00110003
		26	HB	

xavax

Vacuum Cleaner Bag "NI 02"

Exhaust Air/Motor Filter	Not Needed
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	97 x 82 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Suitable for:
- Nilfisk vacuum cleaner bags with the designation: 818 460 00; 223 595 00
- Nilfisk devices with the designation: Arnoldi; Extreme X 110 > 300; GM 200 > 499; GM 500 > 599; GMD 400 > 430; Home; Hygienic; King 510; King 520; King 530; King 540; King Great Dane; King Special; Mocca; Seasons; Siena; Special; DS ZS N
- Team devices with the designation: ST 16

MicroMultiVlies				00110062
		26	HB	

Qty PT

xavax

Vacuum Cleaner Bag "XA 02"

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	82 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Suitable for Bomann vacuum cleaner bags with the designation:
- Size: B 52
- Suitable for Clatronics:
- Size: SSB 98
- Suitable for Hoover:
- Size: H 55
- Suitable for Progress:
- Size: P 56; P 67/S
- Suitable for Severin:
- Size: SB 9022
- Suitable for Taurus:
- Size: 948.603; 948.623
- Suitable for Schott:
- Size: ST 31 EC
- Suitable for Chromex :
- Size: CH 960; CH 283; CH 284; CH 285
- Suitable for De Sina:
- Size: 1090641
- Suitable for Silva:
- Size: TB 13
- Also suitable for different vacuum cleaner bags from:

MicroMultiVlies				00110018
		26	HB	

xavax

Vacuum Cleaner Bag "XA 05"

Exhaust Air/Motor Filter	Original Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	97 x 86 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- With dust seal
- Suitable for Clatronic vacuum cleaner bags with the designation:
- Size: SSB 30
- Suitable for Silva vacuum cleaner bags with the designation:
- Size: TB 16
- Also suitable for different vacuum cleaner bags from:
- Bomann; LG Electronics; Holland Electro; Privileg; Satrap; Solac; Gold Star

MicroMultiVlies				00110045
		26	HB	

Vacuum Cleaner Nozzle

xavax

Vacuum Cleaner Nozzle "Basic"

Tube Connection	32, 35

- Fits virtually all vacuum cleaners
- 35 mm tube connection, also suitable for 32 mm tubes with included adapter
- The compact shape means it can also be used in small areas
- The double thread lifter very effectively removes hair and fabric fibres
- Ideal for car seats and upholstered furniture, for example

Combined Vacuum Cleaner				00110298
		12	HB	
Hard Floor Nozzle				00110246
		6	BK	
Crevice Tool				00110245
Upholstery Nozzle				00110244
		6	BK	

xavax

Vacuum Cleaner Nozzle "Comfort"

Tube Connection	32, 35

- Especially flat construction, ideal for reaching under low sofas and cabinets
- Excellent cleaning across the entire nozzle width thanks to newly designed air channel
- The double thread lifter effectively removes hair and fabric fibres
- Convenient foot switch (carpet - hard floor)
- Stainless steel base plate for an especially long service life
- Excellent agility thanks to combined turn and tilt joint
- Very smooth running and gentle on the floor thanks to rubberised rollers
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

Combined Vacuum Cleaner				00110287
		12	HB	

Qty PT

Vacuum Cleaner Nozzle "with horsehair"

Tube Connection	32, 35

- The two rubberised castors are very free-running and prevent the natural fibres from wearing out quickly
- Flat construction, ideal for reaching under low sofas and cabinets
- Excellent cleaning across the entire nozzle width
- Nozzle with swivel joint
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

Parquett Nozzle				00110237
		6	BK	

Turbo Brush with Universal Connection, for Vacuum Cleaners

- With rotating brush roller, ideal for pet hair, fabric threads and similar dirt
- Removes deep-seated dirt, eliminates footprints and refreshes the carpet pile
- Also suitable for hard floors
- Brush is powered by the air current (does not require an additional power connection)
- With cleaning flap for easy cleaning of the turbines
- With cleaning flap for cleaning of the brush roller
- Very smooth running and gentle on the floor thanks to 4 rubberised rollers
- Compatible with virtually all vacuum cleaners thanks to universal tube connection 31 - 37 mm

Turbo Brush				00110234
		6	HB	

Vacuum Cleaner Nozzle "with dust brush"

Tube Connection	32, 35

- Slimline design
- The attachable dust brush removes dust and fluff even from small grooves and spaces (e.g. air vents inside the car)
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

Crevice Tool				00110243
		6	BK	

Vacuum Cleaner Nozzle "for furniture"

Tube Connection	32, 35

- Stubborn dust and fluff will be removed by the fibres (e.g. on uneven surfaces or furniture decoration)
- The rectangular shape means it can also be used in larger areas
- For vacuum cleaners with a 35 mm tube connection (incl. adapter for 32 mm tubes)

Hardfloor Accessories				00110247
		6	BK	

Qty PT

xavax

Vacuum Cleaner Nozzle "Rotatable"

Tube Connection	32, 35

- Fits virtually all vacuum cleaners
- 35 mm tube connection, also suitable for 32 mm tubes with included adapter
- The swivel joint allows the nozzle opening to be swivelled around 360°, enabling it to be used even in hard-to-reach places
- The brush crown is made from soft synthetic fibres, making it also suitable for sensitive surfaces
- Ideal for car seats, furniture and shelves, for example

Round Dusting Nozzle	00110238
Qty 6 PT BK	

Vacuum Cleaner Replacement Part

xavax

Telescopic Vacuum Cleaner Tube TR-100, 35 mm, chromium-plated

Diameter Machine End	35 mm
Diameter Nozzles	35 mm
Diameter Tube End	35 mm
Length	0.79 m

- Suitable for nearly all vacuum cleaners
- With 35 mm connection
- Very sturdy due to chrome-plated metal design
- Adjustable to the required length by simply pressing a button (extendible from 485 mm to 790 mm)

	00110269
Qty 6 PT BK	

xavax

Vacuum Hose for Vacuum Cleaners "SC 101", separate, 1.8 m

Diameter Machine End	45 mm
Diameter Nozzles	45 mm
Diameter Tube End	41 mm
Length	1.8 m

- With click rings and collets
- Tube diameter: inside 32 mm; outside 41 mm
- Temperature resistance: -25°C/+65°C

	00110274
Qty 10 PT HB	

xavax

Adapter SD-501

Diameter Nozzles	35 mm
Diameter Tube End	32 mm
Length	0.045 m

- Universal adapter for all nozzles and brushes with 35mm tube connection

	00110259
Qty 6 PT BK	

Bracket Set

xavax

Dishwasher Wine Glass Holder Set, 5-Part

- Bar with four clamping devices for up to four glasses
- Perfect cleaning and reliable glass protection
- Suitable for all common dishwashers, simply place on the corners of the basket
- Made from stable plastic

White				00110214
		50	HB	

Mat

xavax

Sink Mat, 32.5 x 28.5 cm, white

Shade of colour	White
Material	Polyvinyl Chloride (PVC)

- Protects the surface of the sink from scratches
- Glasses and crockery are able to stand without slipping
- Rinsing water and other liquids run through the drainage holes so that no unhygienic residue is able to collect
- With overall dimensions of 32.5 x 28.5 cm, the rectangular sink mat fits all standard sizes of sink
- Made from durable and long-lasting PVC

28.5 cm				00111433
		50	HC	

Cutlery accessories

xavax

"2in1" Cutlery Basket for Dishwasher

- Practical 2-in-1 solution: Cutlery basket can be used in its entirety or divided into two smaller baskets
- Allows flexible distribution of crockery in the dishwasher, e.g. if there is not much crockery or especially large pans
- Space-saving design with large capacity
- Division into seven chambers allows very clean dishwashing results
- High-quality materials and perfect workmanship ensure a long service life and prevent breaks or discolouration

				00110201
		12	SC	

Qty PT

Thermostat Valve Adapter

xavax

Adapter for Radiator Valves with M28 x 1.5 mm Connection Thread

External Connection Thread	M 30 x 1,5 mm
Internal Connection Thread	M 28 x 1.5 mm
Material	Brass

- The adapter is suitable for nearly all standard radiator valves with a connection thread of M28 x 1.5 mm
- The following companies produce radiator valves with these dimensions: Herz, MMA, Remagg, TA, Comap, Markaryds, SAN, Slovarm
- Simply screw on to mount - no special tools are required
- The adapter can be used for the following Xavax articles: 00111971, 00111972, 00111850, 00111923

				00111945
		8	BK	

Qty PT

xavax
Premium-Entkalker
Für die optimale Entkalkung
aller Markengeräte wie:
AEG, Bosch, Braun, DeLonghi,
Franke, Jura, Krups, Melitta,
Nespresso, Philips, Saeco,
Severin, Siemens, WMF, ...
100 %
GARANTIE*
100 %
MADE IN GERMANY

& Cleaning Care

at a glance

- Coffee Machine
- Washing Up
- Kitchen Cleaning
- Washing & Ironing
- Descalers
- Special Cleaner

Descaler

xavax

Premium Descaler for High-Quality Coffee Machines

Content	500 ml
Safety Lock	Twist Off Top
Usage	Fully Automatic Coffee Machines

- Ideal for fully and semi automatic coffee machines, filter load-bearing devices and coffee pad machines
- Hot decalcification possible with a machine pressure of 15 bar (prevents the solution from foaming and damage caused by increased gas pressure)
- Also suitable for filter machines, water digesters and all the other devices and household objects which have to be descaled providing they do not have an acid-sensitive surface (e.g. in hairdresser's shops, nail salons and medical practices)
- Decalcification with amidosulfonic acid does not require any reaction time. The descaler dissolves and flushes away limescale, it is odour free and neutral in taste
- The 4 high-quality additives provide for optimum corrosion protection: metal and plastic parts in the device are not attacked

	00110732
30	

xavax

Quick Bio Descaler

Content	250 ml
Safety Lock	Twist Off Top
Usage	Universally Usable

- Suitable for all tea, coffee, espresso and pad machines as well as for fully automatic coffee machines, egg boilers, kettles, immersion heaters, pots, stainless steel pans, sink units, stainless steel, chrome, ceramic, plastic surfaces, etc. which need to be descaled very gently
- On the basis of citric acid which avoids flavourful losses or unpleasant odours during the decalcification process

	00111734
74	

Household Cleaner



xavax

"Coffee Clean" Special Cleaner for Fully Automatic Coffee Machines

Content	250 ml
Suitable for	Coffee Machine
Usage	Fully Automatic Coffee Machines

- Specially designed for cleaning high-quality coffee machines
- Cleans and protects lastingly everything which comes into direct contact with coffee: brewing device, container for coffee grounds, drip tray, sieves, coffee and water spout, cup tray
- Even coffee grease can easily be removed with the special cleaning formula
- The lubricating grease which is important for the mobility of the brewing device is not affected and is preserved
- Highly effective cleaning substances dissolve dirt and ensure hygiene and shine inside the coffee machine
- Simply spray the cleaner to the components which should be cleaned, let the product act and rinse off with clear water or wipe off with a moist cloth
- Due to the high-quality spray head, the cleaning solution is optimally distributed on the dirty components and dirt is easily flushed away
- For perfectly hygienic coffee

	00110766
10	

xavax

Degreaser/Cleaning Tablets for Automatic Coffee Machines, 10 pieces

Content	2.5 ml
Suitable for	Coffee Machine
Usage	Fully Automatic Coffee Machines

- When coffee is brewed, coffee fat forms, in particular at high pressure and temperature
- To keep the devices functioning coffee fat has to be removed from fully automatic and semi-automatic coffee machines, from espresso coffee machines and automatic coffee pod machines
- Brew groups, filter carriers, drip bowls are hygienically cleaned
- Taste losses with coffee are avoided
- Also suitable for cleaning vacuum flasks and teapots

	00111889
205 HB	

Qty PT

xavax

Cleaner for Milk Froth Brewing Devices

Content	500 ml
Suitable for	Coffee Machine
Usage	Milk Froth Nozzles

- Cleaned brewing devices provide for perfect foam with best taste
- During the cleaning process, all fat and protein deposits, which develop when cappucinos or milky coffees are made, are removed
- The lines and nozzles are cleaned lastingly and remain longer clean and pure
- Flavourful losses by old deposits are avoided
- Contains high-quality additives for highly effective cleaning and protection
- Application in cold or hot condition possible
- With child safety catch and sealed cap

	00110733
30	

Household Cleaner

xavax

Cleaner for Dishwashers with Fresh Fragrance, 250 ml

Content	250 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Removes deposits such as limescale, grease and scraps of food from the interior, the hoses and the valves
- Descales heating rods to optimise the heat output and save enery
- Freshens by leaving behind a fresh scent and ensures your washing machine is clean
- Regular care reduces the risk of malfunctions and consequently of follow-up costs caused by repairs
- Limescale deposits in the machine lead to longer warm-up times of your device and higher electricity costs

	00111725
	12

xavax

2-Phase Pro Tabs for Dishwashers, 160 Tabs

Content	18 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Ideal for very greasy dishes or dried-on residue
- Easy removal of stubborn dirty with easy use
- Good limescale removal
- Phosphate-free
- Easily dissolves tea and coffee stains
- Low foam build-up
- Also suitable for intensive programmes
- Sensitive decorative elements are protected
- Clean and dry storage thanks storage in the quality bucket with first-removal seal

	00111735
	1

Qty PT

Household Cleaner

xavax

Oven and Grill Cleaner, 300 ml

Content	300 ml
Suitable for	Oven and Barbecue Grill
Usage	Grill, Oven

- Works independently and without harming the appliance
- No odours
- Simple and quick to use: apply the cleaner, allow to work for 5 minutes and then wipe off the residue and dissolved dirt with a damp cloth

	00111758
	48

xavax

"Power Clean" Special Cleaner, 500 ml

Content	500 ml
Suitable for	Micro Wave and Kitchen Equipment
Usage	Fully Automatic Coffee Machines, Glass, Metal Surfaces, Microwave, Oven

- Highly effective special cleaner for surfaces made from stainless steel around the home
- Also suitable for glass, ceramic, plastic or chrome
- For the easy removal of dirt, greasy films, grease, oils, fingerprints and weather-related dirt
- Effectively removes soiling without harming the material
- Cleans, seals and adds shine

	00111755
	20

xavax

Degreaser, 500 ml

Content	500 ml
Suitable for	Oven and Barbecue Grill
Usage	Cooking Plate, For All Smooth Surfaces, Fully Automatic Coffee Machines, Glass Ceramic, Grill, Microwave, Oven

- The degreaser is gentle on the material and allows easy removal of grease residues from worktops, stoves, extractor hoods, kitchen cabinets and tiles
- Also removes burnt-on and dried up grease from pots, food processors and ovens
- Cleans grills and garden furniture as well and removes nicotine deposits from smooth, high-gloss surfaces
- Acts quickly and intensively for long-lasting cleanliness in your kitchen

	00111731
	8 PO

xavax

Glass Ceramic Cleaner, 250 ml

Content	250 ml
Suitable for	Ceremic glas-/ Induction-Hobs
Usage	Cooking Plate

- Removes stubborn grime and can be used on a daily basis
- The cleaner leaves an invisible film on the surface when rubbed dry; this makes the next cleaning process easier and gives the hob a lovely shine

	00111726
	12

xavax

Refrigerator Cleaning Spray, 500 ml

Content	500 ml
Suitable for	Fridge and Freezer
Usage	Fridge, Microwave

- Removes even stubborn dirt and grease deposits
- For inside and outside cleaning
- Fights bad odours, ensuring long-lasting freshness
- Also ideal for cleaning microwave ovens

				00111721
		24		

xavax

Cleaning Spray for Micro-waves, 500 ml

Content	500 ml
Suitable for	Micro Wave and Kitchen Equipment
Usage	Microwave

- Ideal for frequently used microwaves
- Allows easy removal of evaporation residues, splashes, food deposits, etc.
- Stops unpleasant odours
- Effective against bacteria and mould

				00111722
		24	PO	

Cleaning Kit

xavax

Hob Cleaning Kit, 3-Part, Cleaner, Scraper, Microfibre Cloth

- 3-part kit comprising: Scraper, Microfibre Cloth, Cleaner (100 ml)
- For daily care and the removal of stubborn dirt

Cleaner:
- After drying, the cleaner leaves behind an invisible film that makes the next clean easier and gives the hob a beautiful shine

Scraper:
- Suitable for glass, tiles and other smooth, hard surfaces
- Removes sticker, paint, soot, limescale residue and so on.
- Blade can be retracted for transport and replaced (replacement blades: 00110726)

Cloth:
- Universal cloth for optimum cleaning results from wet and dry cleaning
- Can be used with or without cleaning agent
- Long-lasting

				00111752
		44	HB	

Scraper

xavax

Special Glass Scraper for glass ceramic cooker surfaces

Material	Metal
Usage	For All Smooth Surfaces

- High-quality glass scraper, specially developed for glass ceramic hobs
- Also suitable for removing colour or residues of stickers from glass, tiles, etc.
- When not in use, the blade can easily be retracted (protective function)
- Ergonomically shaped grip that allows the scraper to be hung up
- Blade can easily be exchanged (replacement blades: item no.: 00110726)
- Size of the metal housing: 138 x 46 mm

				00110753
		12	BK	

Qty PT

xavax

Glass Scraper for Glass Ceramic Hob

Material	Plastic Material
Usage	For All Smooth Surfaces

- Also suitable for glass, tiles and other smooth, hard surfaces
- Removes sticker, paint, soot, limescale residue and so on.
- Blade can be retracted for transport and replaced (replacement blades Item No.: 00110726)

				00111750
		72	BK	

Blades/holder

xavax

Replacement Blades for Glass Scraping Tool for Glass Ceramic Hobs, 5 pieces

Number of Blades	5
Usage	Ceramic Stove Top

- Replacement blades for Xavax glass scraping tool for glass ceramic hobs
- Ground on both sides, thereby doubling the service life

				00110726
		24	BK	

Cleaners & Care Products

Household Cleaner

xavax

Iron Cleaning Spray, 50 ml

Content	50 ml
Suitable for	Electric Iron
Usage	Steam Iron

- The cleaner acts rapidly, protects and keeps the device clean for longer due to the highly efficient additives
- Suitable for aluminium, stainless steel and ceramics soleplates
- Easy to use thanks to the micro atomizer and the supplied microfibre cloth
- Ensures excellent gliding of your iron on the laundry

				00111720
		6	BK	

xavax

Washing Machine Care Cleaner with Fresh Fragrance, 250 ml

Content	250 ml
Suitable for	Washing Machine
Usage	Washing Machine

- Also cleans parts that cannot be accessed by hand, e.g. hoses, gaps, filters, spray nozzles and the complete drum
- Optimizes the heat output of your machine and helps you save energy
- Unpleasant odours and deposits are mostly due to low temperatures (washing cycles with temperatures below 40°C) and savings programmes, regularly cleaning your maching machine prevents such things occurring
- Freshens by leaving behind a fresh scent and ensures your washing machine is clean
- Regularly cleaning your machine minimizes the risk of defects and improves the washing performance
- Every new machine is tested by the manufacturer; using this washing machine cleaner when washing with the machine for the first time removes possible test water residues

				00111723
		12		

Impregnating

xavax

Impregnating agent for washing machines, 250 ml

- Fluorine-free and highly effective hydrophobic agent ideal for impregnating textiles of all types of fibre
- Also ideal for breathable all-weather protective clothing
- Especially ideal for maintaining water-repellent effects (re-impregnation)
- Confers resistance to water-based soiling
- Good resistance to wear
- Solvent-free

				00111736
		74		

Cleaning Kit

xavax

Washing Machine Care Set, descaler + cleaner

- Cleaner for washing machines
- Removes grease and limescale residue inside the machine
- Cleans important parts such as heating rods, hoses, filters and spray nozzles and protects them from blockages
- This will optimise the heat output and will save energy
- Unpleasant odours and washing agent residues are removed
- These residues can detrimentally affect the result of the washing cycle and could lead to expensive repairs

Descaler for washing machines
- Dissolves already encrusted calcareous deposits on heating rods, hoses and valves
- Optimizes the heat output and saves energy since the machine heats up faster
- Calcareous deposits do not come any longer into the laundry, the wash result is improved
- Protects plastic and rubber parts

				00110797
		4	PO	

Qty PT

Descaler

xavax

Universal Descaler, 500 ml

Content	500 ml
Safety Lock	Twist Off Top
Usage	Universally Usable

- For water digesters, pots, shower nozzles, tap filters, irons, immersion heaters, filter coffee and tea machines etc.
- Added high-quality additives provide for corrosion protection at the metal and plastic parts
- Lime can also be removed from high-grade steel, tiles and ceramics

	00110734
30	

xavax

Organic Quick Descaler, Promotional Size, 300 ml

Content	300 ml
Safety Lock	Twist Off Top
Usage	Universally Usable

- Suitable for all tea, coffee, espresso, pod machines and fully automatic coffee makers, egg cookers, kettles, immersion heaters, pots, stainless steel pans, sinks, stainless steel surfaces, chrome, ceramic, plastic etc. that must be descaled with particular care
- Based on citric acid, so there is no subsequent aftertaste or odour development during the descaling process

	00111753
60	

xavax

Washing Maschine Discaler, 250 ml

Content	250 ml
Safety Lock	Twist Off Top
Usage	Washing Machines

- Dissolves already encrusted calcareous deposits on heating rods, hoses and valves
- Optimizes the heat output and saves energy since the machine heats up faster
- Calcareous deposits do not come any longer into the laundry, the wash result is improved
- Protects plastic and rubber parts

	00111724
12	

xavax

Descaler for Steam Irons, 250 ml

Content	250 ml
Safety Lock	Twist Off Top
Usage	Steam Iron

- Practical ready to use solution for descaling steam irons
- Effectively descales steam irons and prevents the formation of new limescale deposits
- Special mixture for high-quality steam irons (does not endanger the inside sole of the iron)
- Applying the descaler to cold irons is unproblematic, chalky deposits do not crumb, does not lead to problems when ironing

	00111727
12	

xavax®

Descaling Tablets

Content	18 ml
Usage	Universally Usable

- Designed to dissolve and flush away carefully and easily already encrusted calcareous desposits (limescale)
- The pressed in tablets are a clever design for easy handling and boast an easier dosage compared to liquid descalers
- Very fast solubility

	00111768
6 SC	

Qty PT

Household Cleaner

xavax

Cleaning Tablets for Bottles, 30 Packs in Display

Suitable for	Bottles
Usage	Glass, Glass Ceramic

- Ideal for bottles with narrow necks that are hard to clean
- Reliable removal of deposits in bottles, e.g. due to syrups, limescale, tea or water marks
- Allow hygienic cleaning and prevent the development of bad odours
- Suitable for all materials, e.g. glass, aluminium, stainless steel or plastic bottles
- Especially easy dispensing and use thanks to tablet form
- Chlorine-free, phosphate-free

				00111757
		30	SC	

xavax

Cleaning Spray for Razors/ Epilators, 50 ml

Content	50 ml
Suitable for	Shavers/Epilator
Usage	Epilator, Shaver

- For optimal cleaning of electric razors, epilators or hair trimmers
- Removes the smallest hairs and residues (like skin scales and talc residues) from the shaving head, shaving foil and drive
- Increases the lifetime of your device and maintains its performance when used regularly
- The micro vaporizer allows easy and precise use of the cleaner
- Apply the cleaner only to removable parts when using it for mains-operated devices and rinse off well afterwards. Carefully wipe off the housing with a cloth onto which you have sprayed the cleaner. Make sure that no liquid gets into the device.

				00111729
		6	BK	

Qty PT

& coffee tea at a glance

Drinking Vessels

Storage & Presentation

Preparation

Machine Accessories

Thermal Mug

xavax

Thermal Mug "Elegant, 500 ml"

Capacity	500 ml
Diameter (Bottom)	6,5 cm
Diameter (Top)	7.7 cm
Height	23.3 cm

- Thanks to its narrow shape, the mug fits perfectly in all common cup holders
- Closeable drinks opening: easy to open and close with one hand at the press of a button
- Seal in the cover prevents leaks and spills
- With double-walled stainless steel insulating liner for an effective temperature vacuum so that drinks hold their temperature longer
- Seal can be removed for thorough cleaning

Black				00111236
		6	SC	

xavax

Thermal Mug "Everyday"

Capacity	400 ml
Diameter (Bottom)	6.8 cm
Diameter (Top)	8 cm
Height	21 cm

- Suitable for any hot or cold beverage
- Double-wall construction keeps the beverage at a consistent temperature for a long time
- Secure screw cap with closable drink-through opening to prevent your beverage from spilling
- Anti-slip silicone bottom prevents the mug from falling over
- Coloured stainless steel liner and plastic interior
- Fits in most cup holders in the car

Blue				00111224
		8	HB	

xavax

Thermal Mug "Everyday"

Capacity	400 ml
Diameter (Bottom)	6.8 cm
Diameter (Top)	8 cm
Height	21 cm

- Suitable for any hot or cold beverage
- Double-wall construction keeps the beverage at a consistent temperature for a long time
- Secure screw cap with closable drink-through opening to prevent your beverage from spilling
- Anti-slip silicone bottom prevents the mug from falling over
- Coloured stainless steel liner and plastic interior
- Fits in most cup holders in the car

Red				00111225
		8	HB	

xavax

Thermal Mug "Everyday"

Capacity	400 ml
Diameter (Bottom)	6.8 cm
Diameter (Top)	8 cm
Height	21 cm

- Suitable for any hot or cold beverage
- Double-wall construction keeps the beverage at a consistent temperature for a long time
- Secure screw cap with closable drink-through opening to prevent your beverage from spilling
- Anti-slip silicone bottom prevents the mug from falling over
- Coloured stainless steel liner and plastic interior
- Fits in most cup holders in the car

Silver				00111226
		8	HB	

Qty PT

xavax

Thermal Mug "Office, 270 ml"

Capacity	270 ml
Diameter (Bottom)	6.7 cm
Diameter (Top)	8,6 cm
Height	14 cm

- Suitable for all hot and cold drinks
- Thanks to dual-walled insulation, the temperature is maintained for a long time
- The drinks opening is protected from spilling by a sliding cover
- The sliding cover can be easily and quickly opened by hand
- Colour plastic jacket and stainless steel interior
- Height ideal for pad machines and automatic machines

Grey				00111247
		9	HB	

xavax

Thermal Mug "Office, 270 ml"

Capacity	270 ml
Diameter (Bottom)	6.7 cm
Diameter (Top)	8,6 cm
Height	14 cm

- Suitable for all hot and cold drinks
- Thanks to dual-walled insulation, the temperature is maintained for a long time
- The drinks opening is protected from spilling by a sliding cover
- The sliding cover can be easily and quickly opened by hand
- Colour plastic jacket and stainless steel interior
- Height ideal for pad machines and automatic machines

Black				00111248
		9	HB	

xavax

"To Go" Mug, 350 ml

Capacity	350 ml
Diameter (Bottom)	6 cm
Diameter (Top)	8.8 cm
Height	14 cm

- Suitable for all hot and cold drinks
- Secure screw closure with closable drinks opening protects against spills
- Protects the environment and the budget: mug can be reused any number of times
- Grip ring made from silicon offers additional protection against burns to the hands

				00111249
		40	HB	

Vacuum Jug

xavax

"Piccolo" Vacuum Jug, 0.4 l

Material Outside	Stainless Steel

- With a height of just 12 cm, this vacuum jug can be used for almost all fully automatic coffee machines
- The coffee flows directly into the jug, therefore no need to refill the beverage
- Screwable lid with one hand push button operation
- Sturdy and robust (stainless steel interior and exterior)
- The sturdy handle provides a secure hold

Stainless Steel				00111167
		12	SC	

Drinking Bottle

xavax

Glass Drinking Bottle with Sieve and Neoprene Sleeve, 500 ml, black

Material	Glass
Volume	0.5 l

- Temperature-resistant borosilicate glass: suitable for all hot and cold drinks
- Neoprene sleeve protects the hands from hot drinks, ensures an excellent grip and maintains the temperature of the contents
- Secure screw seal with silicone gasket protects against leaks
- Ideal for outdoor activities, trips, school or for the office
- With modern floral design

				00111233
		8	HB	

Drinking Glass

xavax

Glass Coffee Cup, with Decoration, 370 ml, 6 Pcs.

Capacity	370 ml

- Stackable
- Cup with handle also suitable for tea, cocoa, etc.

				00111253
		6	ET	

xavax

Latte Macchiato Glasses, Stand Display, 168 pcs

Capacity	250 ml
Height	12.5 cm

- For latte macchiato, iced coffee, iced shakes or iced tea
- Universal fitting for most coffee pod machines
- Stackable

				00111240
		168	SC	

Qty PT

Container for Coffee Pads

xavax

Tin for Coffee Pods

Diameter	8.3 cm
Height	18 cm

- Suitable for all common pad sizes
- Light-protected

				00111244
		4	ET	

Coffee/Tee Container

xavax

Stainless Steel Tin for 1 kg of Coffee Beans, with Scoop

Capacity	1000 g
Height	21.8 cm
Width	17 cm

- Coffee Tin:
- Also ideal for tea, cocoa, etc.
- Twist closure and side grip for problem-free opening and closing of the tin
- Cut-out in the plastic grip for hanging a coffee measuring spoon
- The aroma cover with integrated date display seals reliably with a quarter turn - air-tight, sunlight-resistant, heat-resistant and moisture-resistant - allowing coffee and tea to retain their full aroma for much longer
- Storage space inside the cover to protect the aroma (moisture-regulating granules, scents, etc. can be inserted)

Coffee Scoop:
- Ideal for measuring out coffee beans, sweets, ice, feed, nuts, flour, popcorn, etc.
- Handy hanging eyelet on the handle for comfortable hanging

				00111250
		12	SC	



xavax

Stainless Steel Container for 1 kg of Coffee Beans

Capacity	1000 g
Height	21.8 cm
Width	17 cm

- Also ideal for tea, cocoa, etc.
- Twist closure and side grip for problem-free opening and closing of the tin
- Cut-out in the plastic grip for hanging a coffee measuring spoon
- The aroma cover with integrated date display seals reliably with a quarter turn - air-tight, sunlight-resistant, heat-resistant and moisture-resistant - allowing coffee and tea to retain their full aroma for much longer
- Storage space inside the cover to protect the aroma (moisture-regulating granules, scents, etc. can be inserted)

				00111149
		12	SC	

xavax

Stainless Steel Container for 500 g of Coffee Beans

Capacity	500 g
Height	16 cm
Width	13 cm

- Stainless steel: odour-neutral for maximum coffee or tea flavour
- Air-tight seal with gasket ring keeps moisture away and retains the coffee aroma for a long period of time
- Anti-fingerprint coating for a long-lastingly shiny stainless steel surface
- Anti-static viewing window allows a quick and easy view of the container's contents
- Timeless design fits in any kitchen and with a wide range of coffee makers

				00111239
		16	SC	

Qty PT

Capsule Holder/Rack



xavax

"Rondello" Coffee Capsule Stand for Dolce Gusto, 32 capsules

Shade of colour	Chromed
Material	Metal
Max. Capsule Capacity	32
Depth	13 cm
Height	41 cm
Width	13 cm
Suitable for	Dolce Gusto Capsules

- Swivelling base for easy removal of the individual capsules
- Durable and easy to clean thanks to high-quality chrome plating
- Rotating capsule stand that holds up to 32 Dolce Gusto capsules
- 8 wire holders that each hold up to 4 capsules

				00111074
		6	SC	



xavax

"Torre" Coffee Capsule Stand for Nespresso, 40 capsules

Shade of colour	Chromed
Material	Metal
Max. Capsule Capacity	40
Depth	14 cm
Height	37 cm
Width	14 cm
Suitable for	Nespresso Capsules

- Durable and easy to clean thanks to high-quality chrome plating
- 4 wire holders that each hold up to 10 capsules
- High-quality chrome plating

				00111079
		12	SC	



xavax

"Donatore" Coffee Capsule Stand for Nespresso, 36 capsules

Shade of colour	Chromed
Material	Metal
Max. Capsule Capacity	36
Depth	8,6 cm
Height	27.2 cm
Width	15 cm
Suitable for	Nespresso Capsules

- Durable and easy to clean thanks to high-quality chrome plating
- 3 wire holders that each hold up to 12 capsules
- High-quality chrome plating

				00111059
		12	SC	

xavax

"Pilastro" Coffee Capsule Stand for Dolce Gusto, 16 Capsules

Shade of colour	Chromed
Material	Stainless Steel
Max. Capsule Capacity	16
Depth	8,6 cm
Height	23.8 cm
Width	15 cm
Suitable for	Dolce Gusto Capsules, Nespresso Vertuo Kapseln

- Durable and easy to clean thanks to high-quality chrome plating
- 4 wire holders for 4 capsules each (total of 16 capsules)
- The capsule stand is very space-saving and creates a highlight in any kitchen
- Suitable for all Dolce Gusto capsules as well as for Nespresso Vertuo capsules

				00111227
		12	SC	

Qty PT



xavax

"Rondello" Coffee Capsule Stand for Tassimo, 48 capsules

Shade of colour	Chromed
Material	Metal
Max. Capsule Capacity	48
Depth	16 cm
Height	29.5 cm
Width	16 cm
Suitable for	Tassimo Capsules

- Swivelling base for easy removal of the individual capsules
- Durable and easy to clean thanks to high-quality chrome plating
- Rotating capsule holder for 48 Tassimo capsules
- 6 wire holders that each hold up to 8 capsules

				00111070
		6	SC	

xavax

"Doppio" Coffee Capsule Stand for Tassimo, 26 capsules

Shade of colour	Chromed
Material	Metal
Max. Capsule Capacity	26
Depth	8.7 cm
Height	23 cm
Width	16.8 cm
Suitable for	Tassimo Capsules

- 2 wire holders that each hold up to 13 capsules (26 capsules altogether)
- The capsule stand is very compact and a highlight in every kitchen

				00111220
		12	SC	

Qty PT

Permanent Filter

xavax

Permanent filter for coffee maker, replacement for filter size 4

Suitable for	Coffee Machines
Set Contents in Pieces	1

- No more constantly having to buy more paper filters: this permanent filter can be reused over and over again
- Ideal coffee pouring thanks to the wedge shape
- Straightforward handling thanks to practical handle
- Fits perfectly into any conventional coffee maker
- Replaces paper filter size 4

				00111232
		24	HB	

xavax

Permanent Pods, Set of 2 for Senseo Coffee Machines (or identical designs)

Suitable for	Phillips Senseo
Set Contents in Pieces	2

- Refillable coffee or tea pod for Philips Senseo and identical-design coffee machines
- Make coffee or tea the way you like it at any time
- Fine filter mesh for specific coffee crema
- Especially easy to open with 3 holders
- Environment-friendly since no pods are required
- Long service life

				00111195
		6	BK	

Coffee Filter

xavax

Coffee Filter "Porcelain, white"

- Porcelain coffee filter with white, scratch-resistant glaze
- Size 4, perfect for four coffee cups
- Two handles for comfortable and convenient handling of the filter
- The pointed shape of the filter allows for the ideal removal of the coffee
- The coffee is filtered through an opening, allowing the coffee aroma to develop with particular intensity
- The grooves inside the filter ensure that the filter paper does not slip, regardless of which side the hot water is poured in from
- Ideal for making small quantities of coffee
- Suitable for dishwashers
- Porcelain filter fits almost all coffee or insulated jugs
- Baristas on the international coffee scene prepare their tasty coffee with porcelain coffee filters

Size 4				00111242
		4	SC	
Size 2				00111241
		6	SC	

Water Filter

xavax

Water Filter Cartridges, 6-Pack

Usage	Water filter jugs

- Improved filter performance
- e.g. also suitable for table water filters / filter jugs from Brita Maxtra and Maxtra+
- To reduce limescale and heavy metals (e.g. aluminium and copper) and taste-altering chlorine
- Filtered water for flavourful tea and coffee
- Reduced limescale deposits in coffee makers, irons and kettles
- Active carbon in the filter made from coconut shells: this sustainable raw material is eco-friendly and also features particularly fine pores
- Food-safe tested: filter cartridges are tested in accordance with EU Directive No. 1935/2004
- Capacity: per cartridge up to 150 litres for moderate water hardness or 1 month

				00111243
		20	SC	

Qty PT

xavax

Water Filter Cartridges, 6-Pack

Usage	Water filter jugs

- E.g. also suitable for table water filters / filter jugs from Brita Maxtra, Brita, Mavea, Bosch Tassimo, BWT MG2+, BWT Anna Duomax, Aqua Optima, Aldi, PearlCo, Aquaphor Maxfor and Dafi Unimax
- To reduce limescale and heavy metals (e.g. aluminium and copper) and taste-altering chlorine
- Filtered water for flavourful tea and coffee
- Reduced limescale deposits in coffee makers, irons and kettles
- Active carbon in the filter made from coconut shells: this sustainable raw material is eco-friendly and also features particularly fine pores
- Food-safe tested: filter cartridges are tested in accordance with EU Directive No. 1935/2004
- Capacity: per cartridge up to 150 litres for moderate water hardness or 1 month

	00111830
20 SC	

xavax

Water Filter Jug with 1 Filter Cartridge, 2.4 l, white

Usage	Water filter jugs

- Total volume 2.4 l and 1.2 l of filtered water
- Easy filling thanks to filling opening in the cover
- Suitable for all standard refrigerator doors
- Stable and non-slip thanks to rubber insert on the base
- Filtered water reduces limescale deposits in coffee makers, irons and kettles
- Food-safe tested: filter cartridges are tested in accordance with EU Directive No. 1935/2004
- Capacity: per cartridge up to 150 litres for moderate water hardness or 1 month

	00111251
6 SC	

Milk Jug

xavax

Milk Jug, stainless steel

Capacity	400 ml
Height	10.5 cm
Width	13.2 cm

- Highly polished, rust-free steel stainless steel jug in a cylindrical design with a volume of 400 ml
- For perfect milk foam add max. 200 ml of milk and foam up with a milk frother (00111106/00111221)
- Completely circumferential rim for drip-free pouring from all sides
- Suitable for all heat sources, except induction cooker

	00111166
6 SC	

Milk Frother



xavax

"Edelcopter" Milk Frother

Operating Mode	Electrical
Height	2.5 cm
Length	21 cm
Width	3.5 cm

- High-quality, sturdy stainless steel housing in a modern design
- Easy handling and cleaning
- Power-independent thanks to battery operation
- Extra-powerful motor and special spiral for good whisking and perfect milk foam in seconds

Silver	00111221
60 HB	

PREPARATION

Qty PT

xavax

"Milchicopter" Milk Frother

Operating Mode	Electrical
Height	3.7 cm
Length	20 cm
Width	2.5 cm

- With soft-touch surface in trendy design for resolute and pleasant handling
- Easy handling and cleaning
- Power-independent thanks to battery operation
- Suitable for cappuccino, latte macchiato, milkshakes, cocktails or even salad dressings
- Extra-powerful motor and special spiral for good whisking effect
- 2 AA batteries required

Black				00111106
		24	HB	

Tea & Coffee Maker

xavax

Tea & Coffee Maker "Stainless Steel"

Tea Filter	Stainless Steel

- Easy handling when using loose tea and coffee
- Once the required brewing time is up, the drink is immediately ready to serve in the stylish glass housing made from borosilicate glass
- The plunger is made from a fine-meshed stainless steel filter that even pushes limescale down with it
- Sophisticated glass design with stainless steel lid
- Easy to rinse

1 l				00111246
		16	SC	
0.6 l				00111245
		16	SC	

Measuring Spoon



xavax

Stainless Steel Coffee Measuring Scoop, 16.8 cm

Material	Stainless Steel

- Clear design fits in with any modern kitchen
- As a result, the curved stem also serves as a hook, e.g. for the kitchen rail: stylish kitchen helper always ready at hand
- Holds around 6g of coffee powder

Silver				00111211
		60	HB	

Qty PT

Milk Supply Hose

xavax

Milk Hose for Fully Automatic Coffee Machines, diameter: 6 mm

Material	Silicone

- Fantastic resistance against heat and high pressure
- Extremely smooth surface inside the tube largely prevents the formation of limescale even with very hard water
- This keeps the water flow rate stable and makes cleaning easy
- 1 m piece of silicone tube that can be cut individually to the required length
- The tube is 60° Shore (therefore, it remains stable when warm), translucent and food safe

				00111145
		6	BK	

Cleaning Kit

xavax

"Mini" Cleaning Kit for Fully Automatic Coffee Machines with 6 mm Milk Hose

- Contents of the kit:
- Extra long, very flexible milk hose brush (length: 33 cm, diameter: 3.5 mm and 6 mm) made of braided stainless steel wire, with two brushes
- For small, thin hoses and pipes
- Suitable for the majority of fully automatic coffee machines with milk hoses which suck in milk from a seperate container
- Cleaning brush for removing coffee powder from grinders, filter holders, brewing units, etc.
- Suitable for portafilter machines and fully automatic coffee machines
- 3.5 mm nozzle cleaning brush for cleaning nozzles, valves and outlets easily from limescale and coffee grease
- 2.5 mm nozzle cleaning brush, extra thin
- It is quite difficult to keep long milk suction hoses clean
- Milk contents such as milk fat, lactose (milk sugar), protein, etc. are deposited on the inside of the hoses and cannot be dissolved completely by simply rinsing the hose which results in flavourful losses
- Only mechanical cleaning with a brush can safely remove these deposits

				00111142
		6	HB	

Lubricant

xavax

Multi-purpose Silicone Grease, 20 g

Content	20 ml
Usage	Fully Automatic Coffee Machines

- For brewing assemblies and seals in automatic coffee makers, milk containers, couplings, etc.
- Can also be used without problems to grease kitchen appliances such as all-purpose slicers, mixers, food processors, etc.
- Also suitable for hot and cold water taps in sanitary and heating areas or in food technology
- Highly effective thanks to excellent adhesion to all materials
- Neutral behaviour towards plastics and elastomers
- Compatible with EPDM rubber
- Consistent properties: no drying-out, hardening or bleeding
- Resistant to cold and hot water as well as acetone, ethanol, ethylene glycol, glycerine and methanol
- No influence on aroma or taste
- Can be used at temperatures from -40°C to +200°C
- Transparent silicone grease

				00111177
		6	BK	

500 ml
SMOOTH
POWER
xavax

& Kitchen Table at a glance

- Storage
- Baking
- Cooking
- Bar & Vine
- Household Goods

Cake Transport Box

xavax

Tray Bake Transportation Box

External Dimension (Depth)	9 cm
External Dimension (Height)	38 cm
External Dimension (Width)	50 cm

- Tray bake transportation box for large gateaux and cakes with a height of up to approx. 6.0 cm and a surface of about 43x34 cm
- Transparent cover with a practical handle at the top and secure fasteners at the bottom for easy transportation
- The bottom side of the base plate is subdivided which allows decorative arrangement of spreads, sandwiches, etc.
- Easy to clean under running water or in the dishwasher

	00111497
4 PO	

Food Storage Box Set

xavax

Food Storage Box Set, 18 Pcs., red

- Includes 16 transparent boxes with matching red lids
- 6 x 300 ml, 3 x 600 ml, 1 x 3000 ml, 1 x 8500 ml, 1 x 35 ml, 1 x 90 ml, 4 x 200 ml, 1 x 230 ml
- Ideal for storing food
- Easy handling when opening and closing
- Suitable for a temperature range from -5°C to 85°C
- Food safe
- Suitable for microwaves
- Suitable for dishwashers

	00111468
2 PO	

Qty PT

Kitchen Tool Set

xavax

Dough Scraper Kit, Small, 24 Pcs in Display

Heat Resistance	200 °C

- Ideal for preparing, baking and cooking
- Residue-free removal of e.g. cream or dough from bowls
- Made from high-quality silicone: especially durable and robust, even at high temperatures
- With eyelet for hanging
- Dishwasher-safe

				00111472
		24	SC	

Storage Bag

xavax

Toaster Bag, Reusable, 17.5 x 16 cm

Material	Plastic

- Toaster stays clean: Crumbs, cheese, etc. stay in the bag
- Healthy cooking: no addition of fat needed thanks to non-stick coating
- Can be reused up to 50 times
- Heat-resistant up to 260°
- Easy to clean in the dishwasher Bag can be turned inside out
- Tip for coeliac disease sufferers: this bag can be used to keep gluten-free bread away from any crumbs in the toaster, thereby avoiding the risk of cross-contamination
- Suitable for all common toasters

				00111491
		24	PO	

Mat

xavax

Silicon Baking Mat, Square, 40 x 30 cm, red-brown

Shade of colour	Brown, Red
Material	Silicone

- Silicon has natural non-stick properties so that less flour is needed for dusting and dough is released more easily
- Ideal for decorating cakes and tarts, makes working with icing and marzipan easier
- Thanks to silicon sides, the mat remains in the same position when kneading / rolling out dough, for example
- Can be cut to size as an inlay for spring moulds
- Also suitable for refrigerators and freezers, e.g. for storing a roulade in the refrigerator
- Simply roll up the baking mat for space-saving storage
- Easy clean under running water or in the dishwasher

40 cm				00111470
		12	BA	

xavax

Oven Protector Foil, Reusable, Teflon® Non-Stick Coating, 35 x 43 cm

Shade of colour	Silver
Material	Glass Fiber (Teflon coating)

- Can be trimmed to size, therefore suitable for every oven and microwave
- Heat-resistant to 260°C
- Easy to clean with soapy water thanks to Teflon® non-stick coating
- No more tedious and time-consuming cleaning of the oven floor

35 cm				00111480
		24	PO	

xavax

Reusable Baking Foil, Can Be Trimmed to Size, Teflon Coating, 40 x 33 cm

Shade of colour	Black
Material	Glass Fiber (Teflon coating), Plastic

- Reusable baking foil can be used instead of disposable baking parchment
- Avoids waste and protects the environment Unlike baking parchment, the foil can be reused many times over
- Can be trimmed to size, making it suitable for every type and size of oven and baking sheet
- High-quality Teflon coating: no burning, no greasing required
- Can also be used in the microwave
- For electric and gas ovens
- Easy to clean in warm soapy water
- Heat-resistant up to 260°

33 cm				00111495
		12	SC	

Qty PT

Lid

xavax

Lid "Universal with Steam Vent for Pots and Pans"

Material	Glass, Silicone
Height	6,5 cm

- Versatile transparent glass lid for full view cooking
- Steam release vent minimizes the risk of liquids boiling over
- Thanks to the special design of the lid it replaces three lid sizes and can be used for pots as well as for pans with a diameter of 24, 26 or 28 cm
- Can easily and compactly be stored in a kitchen cupboard
- The elastic silicone border "nestles" against the respective border profile and prevents excessive heat loss
- Glas lid contains all splashes
- Easy to clean under running water or in the dishwasher

16 cm, 18 cm, 20 cm				00111544
		18	SU	
24 cm, 26 cm, 28 cm				00111545
		12	SU	

Kitchen Tools

xavax

Closure Clips Set with Handy Storage Box, Colourful, 30 Pcs.

Shade of colour	Blue, Green, White

- 30 differently coloured clips in 3 different sizes
- Ideal for freezing and storing food
- Closes bags and packaging so they are air-tight, protecting the contents reliably from moisture and insects
- Easy handling when opening and closing
- With handy, transparent storage tin

				00111469
		24	PO	

xavax

Serving Spoon Made From Stainless Steel / Nylon, 33 cm

Shade of colour	Black
Temperature Range	Up to 200°C

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Handy eyelet for hanging on kitchen rails, keeping the serving spoon handy at all times

				00111424
		12	HC	

xavax

Ladle Made From Stainless Steel / Nylon, 33.5 cm

Shade of colour	Black
Temperature Range	Up to 200°C

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Handy eyelet for hanging on kitchen rails, keeping the ladle handy at all times

				00111427
		12	HC	

Qty PT

xavax

Spatula Made From Stainless Steel / Nylon, 34.5 cm

Shade of colour	Black
Temperature Range	Up to 200°C

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Ideal for serving at the table
- Handy eyelet for hanging on kitchen rails, keeping the spatula handy at all times

				00111426
		12	HC	

xavax

Spaghetti Spoon Made From Stainless Steel / Nylon, 33.5 cm

Shade of colour	Black
Temperature Range	Up to 200°C

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Especially suitable for serving spaghetti, tagliatelle and fettuccine, no dropping of pasta and therefore no marks on the table
- Handy eyelet for hanging on kitchen rails, keeping the spaghetti spoon handy at all times

				00111425
		12	HC	

xavax

Skimmer Made From Stainless Steel / Nylon, 35.5 cm

Shade of colour	Black
Temperature Range	Up to 200°C

- Ideal for coated pots and pans, since Nylon prevents the surface from being scratched
- High-quality stainless steel handle for pleasant handling
- Robust, practical kitchen tool with long stem
- Long service life without bending or warping
- Handy eyelet for hanging on kitchen rails, keeping the skimmer handy at all times

				00111428
		12	HC	

xavax

Vegetable Peeler, 18 cm, stainless steel

Shade of colour	Black

- Round and stable grip shape for pleasant handling
- Mobile attachment of the blade head for safe and flexible peeling of all shapes of vegetable
- With handy potato eye remover
- Long-lasting blade sharpness with correct use
- Handy eyelet for hanging on kitchen rails, keeping the vegetable peeler handy at all times
- Suitable for left- and right-handed users

				00111432
		12	HC	

Qty PT

xavax

Pizza Cutter, 22 cm, stainless steel

Shade of colour	Black

- Round and stable grip shape for pleasant handling
- Handy pizza cutter in a sophisticated design for easy pizza portioning
- Pizza wheel cuts through the pizza cleanly, leaving behind no sticky residue like on a knife
- Handy eyelet for hanging on kitchen rails, keeping the pizza cutter handy at all times
- Integrated finger guard
- Suitable for left- and right-handed users

				00111429
		12	HC	

xavax

Universal Grater, 22 cm, stainless steel

Shade of colour	Black

- Round and stable grip shape for pleasant handling
- Handy grater in a convenient size
- Rust-free steel ensures excellent, lengthy use
- Handy eyelet for hanging on kitchen rails, keeping the universal grater handy at all times
- Suitable for left- and right-handed users

				00111431
		12	HC	

xavax

Ice Cream Scoop, 19 cm, stainless steel

Shade of colour	Black

- Round and stable grip shape for pleasant handling
- Easy to use
- Specially shaped spoon head that does not deform even with the hardest pressure on hard-frozen ice cream
- For creating beautiful balls of ice cream
- Handy eyelet for hanging on kitchen rails, keeping the ice cream scoop handy at all times
- Suitable for left- and right-handed users

				00111430
		12	HC	

Colander

xavax

Silicone Kitchen Strainer, foldable, petrol

Material	Silicone
Temperature Range	-20°C to 100°C
Width x Depth x Height	32.5 x 22 x 12.5 cm

- Ideal for draining noodles or pasta
- The rigid plastic frame and handles provide stability, allowing the strainer to also be hung inside a pot and used for cooking
- Ideal for cleaning fruit and vegetables
- Additional holes on the side allow liquid to drain out faster
- The folding middle section allows space-saving storage
- Silicone feet on the base for a better grip
- Easy clean under running water or in the dishwasher

Petrol				00111474
		20	HB	

Qty PT

Boil Over Protection

xavax

Boil Over Safeguard, made of silicone, round, 21 cm, green

- Sturdy, metal reinforced frame with handles
- Practical opening in the middle for throwing in foodstuffs during the cooking process
- Ideal as a baking pad in ovens for preparing crispy pizzas or tartes flambées
- Optimal splatter guard when roasting or heating up food in the microwave
- Also suitable as a pot or pan coaster
- Can also be used as a stencil for decorating cakes
- Easy to clean under running water or in the dishwasher

	00111558
36 HB	

Qty PT

Shaker

xavax

Cocktail Shaker, made of glass, 400 ml

Material	Glass, Stainless Steel
Width x Height	8.2 x 15.5 cm

- Set consisting of a drinking glass, a stainless steel attachment with an integrated sieve and a locking cap
- The locking cap measures 4 cl, therefore ideal for accurately measuring the individual ingredients
- Silicone ring for optimal leakage protection
- Selected receipts of various cocktails printed on the drinking glass
- A scale on the glass makes preparing drinks easy
- No need to fill the mixed drink into another container; the shaker can also be used as a stylish cocktail glass

Transparent				00111550
		6	SC	

Ice Cube Tray

xavax

Ice Cube Mould with Cover, For 36 Ice Cubes, Set of 2

- For ice-cold drinks: ice cube box for freezing and creating 36 ice cubes
- Also suitable for freezing sauces, pesto or baby porridge: simply take out each portion from the cube compartments
- No leakage of the contents on uneven surfaces and hygienic freezing thanks to firmly sealable cover
- Dishwasher-safe, freezer-safe
- Temperature resistance: -18° to +100°C

				00111462
		18	PO	

Qty PT

Drinking Bottle

xavax

"Water Power" Glass Drinking Bottle, 1 L, turquoise

Material	Glass
Volume	1 l

- Temperature-resistant borosilicate glass: suitable for all hot and cold drinks
- Elegant design
- With handy carrying loop for when out and about
- Fabric bag keeps cold drinks cool and hot drinks warm for longer at room temperature
- Ideal for outdoor activities, trips, school or for the office
- Secure stainless steel screw seal with silicone gasket protects against leaks

				00111471
		24	SC	

xavax

"Smooth Power" Glass Drinking Bottle, 0.5 l, turquoise

Material	Glass
Volume	0.5 l

- Temperature resistant borosilicate glass: suitable for all hot and cold beverages
- A silicone ring protects your hands from hot beverages and provides a secure grip
- With a practical carrying strap for on the go
- Ideal for outdoor activities, travel, school or for the office
- Secure screw cap with silicone seal to prevent your beverage from spilling
- Millilitre marks printed on

				00111599
		8	HB	

Scissors

xavax

Scissors "Universal Scissors, 24 Pieces in a Display Box"

Material	Plastic Material, Stainless Steel
Total Length	21, 23 cm

- Effortlessly cuts almost all materials such as paper, cardboard, foil, flowers, textile fabrics, etc.
- Integrated bottle opener and nutcracker in the handle
- Cap with cap lifter for opening bottles
- Specially shaped plastic grips for pleasant working, depending on the type of scissors, suitable for big and small hands
- Suitable for left- and right-handed users
- Includes safety cap for blade

Blue, Green, Purple, Red				00111546
		24	SC	

Salad Spinner

xavax

Salad Spinner

Diameter	26 cm
Height	18 cm

- Salad spinner with crank mechanism and removable sieve insert
- Rubber feet for a firm grip when spinning on the worktop
- Salad remains crunchy and fresh
- Plastic bowl also suitable for preparation and serving
- Easy to clean under running water or in the dishwasher

				00111467
		4	PO	

Qty PT

Small house hold appliances

at a glance

Kitchen

Kitchen Timer

xavax

"Enano" Kitchen Timer

Display	Analogue
Maximum Time Interval	60 Min.
Height	95 mm
Width	65 mm
Battery Type	None
Number of Batteries	0

- Simply twist the timer and set to the required time (up to 60 minutes)
- Loud signal tone when the set time is up
- 1 minute graduations
- Sturdy housing for placing the timer directly on the worktop in your kitchen
- High-quality metal housing
- Stylish design with trendy colours

				00111358
		24	SC	

xavax

Egg Timer, stainless steel

Display	Analogue
Maximum Time Interval	59 Min.
Height	75 mm
Width	60 mm
Battery Type	None
Number of Batteries	0

- Simply twist the timer and set to the required time (up to 59 minutes)
- Loud signal tone when the set time is up
- 1 minute graduations up to the 15th minute
- Sturdy housing for placing the timer directly on the worktop in your kitchen
- High-quality stainless steel housing

Silver				00095302
		12	SC	

xavax

Mechanical Kitchen Timer

Display	Analogue
Maximum Time Interval	59 Min.
Height	45 mm
Width	65 mm
Battery Type	None
Number of Batteries	0

- Simply twist the timer and set to the required time (up to 59 minutes)
- Loud signal tone when the set time is up
- 1 minute graduations
- Sturdy housing for placing the timer directly on the worktop in your kitchen
- Can also be attached to all magnetic surfaces (e.g. to refrigerator doors) by means of the magnet on the back
- Plastic housing with a high-quality stainless steel surface

Silver				00095303
		12	SC	

xavax

Kitchen Timer "Countdown"

Display	Digital
Height	70 mm
Width	15 mm
Battery Type	AAA Micro
Number of Batteries	1

- Up to 99 minutes and 59 seconds can be programmed thanks to 3 buttons; with start/stop button
- Loud signal tone
- Large, 4-digit display with XX:XX format
- Sturdy housing, can be mounted in many positions, e.g. by means of magnet, clip, built-in hanger and stand

White				00111319
		12	SC	
Black				00095304
		12	SC	

Qty PT

xavax

"Touch" Kitchen Timer, Digital, silver/black

Display	Digital
Height	72 mm
Width	24 mm
Battery Type	AAA Micro
Number of Batteries	2

- Programmable with 3 touch buttons for up to 99 minutes and 59 seconds, with Start/Stop button
- Loud signal tone
- 4-digit, large display with XX:XX display area
- Stylish, trendy design with large touchscreen and backlight
- Stable housing can be secured in many positions, e.g. with a magnet or built-in stand

Black, Silver				00095321
		12	SC	

Kitchen and fine scales

xavax

"Philina" Kitchen Scales, bamboo

Division	1 g
Battery Type	CR2032
Number of Batteries	2

- Weighing surface made of bamboo wood
- Accurate weight control thanks to high-precision sensor technology
- Easy to use thanks to two buttons (unit, on/tare)
- Automatic switch-off
- Display for low battery level and overload warning
- Large, easy to read LCD display with blue backlight
- Also displays ml, oz and lb

Wood Look				00113956
		18	SC	

xavax

"Stella" Digital Kitchen Scales

Division	1 g
Battery Type	AAA Micro
Number of Batteries	3

- Stylish designer scales made from stainless steel
- Exact weight monitoring thanks to ultra-precision sensor technology
- User-friendly with two buttons (Unit, On/Tare)
- Easy-to-read LCD display with four digits
- The display can switch between grams and millilitres, distinguishing between milk and water
- Overload alert
- Switches off if not used for around 120 seconds

Silver, White				00095319
		24	HB	

xavax

"Milla" Kitchen Scales

Division	1 g
Battery Type	CR2032
Number of Batteries	1

- Weighing surface made of high-quality safety glass, can easily be removed for cleaning
- High-precision sensor technology
- Easy to use thanks to two buttons (unit, on/tare)
- Automatically switches off after 60 seconds
- Display for low battery level and overload warning
- Easy to read display with four places
- Also displays ml, oz and lb

Silver				00106993
		10	SC	

Qty PT

xavax

"Jewel" Digital Fine Scales

Division	0.1 g
Battery Type	CR2032
Number of Batteries	2

- Weigh accurate to 0.1 g
- Thanks to their compact size, also idea as pocket scales for use on the move
- Protective cover can be used as a weighing dish
- Easy operation thanks to large, labelled buttons
- Large, illuminated LCD display
- 6 weighing units: g, ct, dwt, oz, ozt, gn
- Tare function
- Automatic switch-off to protect the battery (after 60 sec.)
- Anti-slip feet

Black				00095318
		20	SC	

Qty PT

Lightning

at a glance

- LED bulb 230 V
- LED bulb 12 V
- Halogen Bulbs 230 V
- Halogen Bulbs 12 V
- Fluorescent tubes
- Special Bulbs
- Plant Lamps

Overview of designs

LED lamps 230 V									
Description	A 55	A 58	A 60	A 65	A 67	A 70	C 35	C 37	C 38
Design									

Description	G 80	G 120	J	Line lamp	P 45	PAR 16	R 39	R 50
Design								

Description	R 63	R 80	ST64	Custom size	Socket	T 32	T 37	T8
Design								

LED lamps 12 V			
Description	MR 11	MR 16	Pin base
Design			

Halogen Bulbs 230 V					
Description	A 55	C 36	J	P45	Pin base
Design					

Halogen Bulbs 12 V		
MR 11	MR 16	Pin base

Spezial Bulb		
Pear	Tube lamp	Drops

LED Downlights

LED Built-in Spotlight, Set of 3, 7W, 450 lm, Light Colour: warm white, hol

Colour Reproduction Index RA (min.)	80 RA
Can be Dimmed	No
Light color / color temperature	Warm White - 3000 K
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 30° swivel mount allows targeted lighting direction
- Whether it be a piece of art or antique furniture, the integrated LED module with 38° beam angle and optical lens makes accent lighting possible
- Easy installation thanks to spring clamp attachment
- With an installation depth of just 44 mm and low intrinsic heat, these built-in spotlights are much better to use than conventional halogen spotlights
- The built-in LED lights can be operated directly on a 230 V supply and therefore replace old built-in halogen spotlights without a transformer, consuming significantly less energy
- The economical LEDs with 7W achieve the best lighting, comparable with the brightness of conventional 40W halogen spotlights
- Immediate start without flickering

				00112695
		20	SC	

LED Built-in Spotlight, Set of 3, 5W, 350 lm, Light Colour: warm white, holder: white

Colour Reproduction Index RA (min.)	80 RA
Can be Dimmed	No
Light color / color temperature	Warm White - 3000 K
Power Consumption of an Equivalent Incandescent Lamp	32 W

- 30° swivel mount allows targeted lighting direction
- Whether it be a piece of art or antique furniture, the integrated LED module with 38° beam angle and optical lens makes accent lighting possible
- Easy installation thanks to spring clamp attachment
- With an installation depth of just 44 mm and low intrinsic heat, these built-in spotlights are much better to use than conventional halogen spotlights
- The built-in LED lights can be operated directly on a 230 V supply and therefore replace old built-in halogen spotlights without a transformer, consuming significantly less energy
- The economical LEDs with 5W achieve the best lighting, comparable with the brightness of conventional 32 W halogen spotlights
- Immediate start without flickering

				00112694
		20	SC	

LED Bulb

LED Filament, E14, 470 lm Replaces 40W, Candle Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 121 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112603
		12	BK	

LED Filament, E14, 470 lm Replaces 40 W, Candle Bulb, warm white, 2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	300 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 97 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112616
		10	SC	

Qty PT

xavax

LED Filament, E14, 470 lm Replaces 40W, Candle Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112672
		12	BK	

xavax

LED Filament, E14, 470 lm Replaces 40W, Candle Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112668
		12	BK	

xavax

LED Filament, E14, 470 lm Replaces 40 W, Candle Bulb, Matt,warm white,2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112706
		10	SC	



xavax

LED Filament, E14, 470 lm Replaces 40 W, Candle Bulb, warm white, 2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112705
		10	SC	

Qty PT



xavax

LED Filament, E14, 470lm replaces 40W,candle bulb, warm white,dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Can be Dimmed	Yes
Design / Diameter / Height	C 35 / 35 mm / 118 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112560
		12	BK	



xavax

LED Filament, E14, 470lm replaces 40W,candle bulb, warm white,dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Can be Dimmed	Yes
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112562
		12	BK	

xavax

LED Filament, E14, 470 lm Replaces 40W, Candle Bulb, Matt, warm white,dimm.

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Can be Dimmed	Yes
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112607
		12	BK	

xavax

LED Filament, E14, 400 lm Replaces 35W, Vintage Candle Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	400 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 121 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2400 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape in amber look with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112602
		12	BK	

LED bulb

LED Filament, E14, 250 lm Replaces 25 W, Candle Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112604
		12	BK	

LED Filament, E14, 250lm replaces 25W, candle bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 99 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112555
		12	BK	



LED Filament, E14, 250 lm Replaces 25W, Candle Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112673
		12	BK	



LED Filament, E14, 250 lm Replaces 25W, Candle Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Can be Dimmed	No
Design / Diameter / Height	C 35 / 35 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112646
		12	BK	

Qty PT



xavax

LED Filament, E14, 250 lm Replaces 25W, Drop Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Can be Dimmed	No
Design / Diameter / Height	G 45 / 45 mm / 85 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112685
		12	BK	

xavax

LED Filament, E14, 470 lm Replaces 40 W, Drop Bulb, warm white, 2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	300 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 78 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 300° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112615
		10	SC	

xavax

LED Filament, E14, 470 lm Replaces 40W, Drop Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 85 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112601
		12	BK	

xavax

LED Filament, E14, 470 lm Replaces 40W, Drop Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 77 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112677
		12	BK	

LED bulb

xavax

LED Filament, E14, 470 lm Replaces 40W, Drop Bulb, Matt, warm white, dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Can be Dimmed	Yes
Design / Diameter / Height	P45 / 45 mm / 77 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112608
		12	BK	



xavax

LED Filament, E14, 470lm Replaces 40W, Drop Bulb, warm white, Dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Can be Dimmed	Yes
Design / Diameter / Height	P45 / 45 mm / 77 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112564
		12	BK	



xavax

LED Filament, E14, 400 lm replaces 35W, drop bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	280 °
Nominal Light Output	400 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 85 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Head mirror reflects the light to the side into the lampshade, ensuring glare-free light distribution
- Decorative drop shape with full-glass housing and silver head mirroring
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112577
		6	BK	

xavax

LED Filament, E14, 250 lm Replaces 25 W, Drop Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	250 lm
Nominal Power Consumption	2.5 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 77 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112675
		12	BK	

Qty PT

xavax

LED Filament, E14, 320 lm Replaces 29 W, Reflector Bulb R50, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	38 °
Nominal Light Output	320 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	R 50 / 50 mm / 86 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	29 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112605
		6	BK	

xavax

LED Bulb, E14, 470 lm Replaces 40 W, Candle Bulb, warm white, 2 Pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	200 °
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Can be Dimmed	No
Design / Diameter / Height	C 37 / 37 mm / 108 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112613
		10	SC	



xavax

LED Bulb, E14, 320lm replaces 32W, candle bulb, warm white, RA90

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	180 °
Nominal Light Output	320 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	C 37 / 37 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	32 W

- High colour reproduction of Ra90
- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112624
		6	BK	



xavax

LED Bulb, E14, 350lm Replaces 32W, Candle Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	150 °
Nominal Light Output	350 lm
Nominal Power Consumption	4.5 W
Can be Dimmed	No
Design / Diameter / Height	C 37 / 37 mm / 105 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	32 W

- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112594
		6	BK	

Qty PT

LED bulb

xavax

LED Bulb, E14, 470lm replaces 40W candle bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	230 °
Nominal Light Output	470 lm
Nominal Power Consumption	5.5 W
Can be Dimmed	No
Design / Diameter / Height	C 38 / 38 mm / 110 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white aluminium housing
- Simply replace with conventional candle bulbs

				00112527
		6	BK	



xavax

LED Bulb, E14, 470 lm replaces 40W, Candle Bulb, warm white, 3-stage dim.

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	280 °
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Can be Dimmed	Yes
Design / Diameter / Height	C 38 / 38 mm / 110 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- Handy lamp with built-in dimming function, making every light dimmable
- There is no need to change the normal light switch into a dimmer
- The built-in dimmer is actuated via the normal light switch by quickly switching it on and off:
- 1 x on: 100%
- 2 x off/on: 40%
- 3 x off/on: 15%
- As many lamps as needed can be switched with one switch
- If the bulb is switched off for around 5 seconds, it always starts at 100%
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

				00112583
		6	BK	



xavax

LED Bulb, E14, 470lm replaces 40W, candle bulb, warm white, dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	230 °
Nominal Light Output	470 lm
Nominal Power Consumption	6.2 W
Can be Dimmed	Yes
Design / Diameter / Height	C 38 / 38 mm / 110 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 230° light emission for nearly complete all-round lighting in rooms
- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish white aluminium housing - especially suitable also for decorative lights, e.g. chandeliers
- Special prism for even light emission
- Can replace conventional light bulbs

				00112535
		6	BK	



xavax

LED Bulb, E14, 806 lm Replaces 60W, Candle Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	200 °
Nominal Light Output	806 lm
Nominal Power Consumption	8 W
Can be Dimmed	No
Design / Diameter / Height	C 39 / 39 mm / 114 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Simply replace with conventional candle bulbs

				00112644
		6	BK	

Qty PT



xavax

LED Bulb, E14, 470 lm Replaces 40 W, Drop Bulb, warm white, 2 Pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	150 °
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 82 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112612
		10	SC	



xavax

LED Bulb, E14, 470lm replaces 40W, drop bulb, warm white, dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	160 °
Nominal Light Output	470 lm
Nominal Power Consumption	5.6 W
Can be Dimmed	Yes
Design / Diameter / Height	P45 / 45 mm / 80 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish white aluminium housing - especially suitable also for decorative lights, e.g. chandeliers
- Special prism for even light emission
- Can replace conventional light bulbs

				00112534
		6	BK	

xavax

LED Bulb, E14, 470lm Replaces 40W, Drop Bulb, daylight

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	180 °
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 78 mm
Lamp socket	E 14
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112654
		6	BK	

xavax

LED Bulb, E14, 240lm replaces 25W Reflector Bulb R39, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	120 °
Nominal Light Output	240 lm
Nominal Power Consumption	3 W
Can be Dimmed	No
Design / Diameter / Height	R 39 / 39 mm / 68 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general illumination tasks
- Can replace conventional light bulbs
- For interiors and exteriors

				00112548
		6	BK	

Qty PT

LED bulb

xavax

LED Bulb, E14, 450 lm Replaces 39 W, Reflector Bulb R50, warm white, 2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	120 °
Nominal Light Output	450 lm
Nominal Power Consumption	5 W
Can be Dimmed	No
Design / Diameter / Height	R 50 / 50 mm / 84 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	39 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

				00112702
		12	SC	

xavax

LED Bulb, E14, 330 lm Replaces 30W, Reflector Bulb R50, warm white, 2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	120 °
Nominal Light Output	330 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	R 50 / 50 mm / 86 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

				00112609
		12	SC	

xavax

LED Bulb, E14, 470lm replaces 40W, candle bulb, warm white, RA90

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	180 °
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Can be Dimmed	No
Design / Diameter / Height	C 37 / 37 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High colour reproduction of Ra90
- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112623
		6	BK	

xavax

LED Bulb, E14, 470lm replaces 40W Candle Bulb, daylight

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	180 °
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Can be Dimmed	No
Design / Diameter / Height	C 37 / 37 mm / 100 mm
Lamp socket	E 14
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 180° light output for virtually complete all-round lighting in the room
- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112653
		6	BK	

Qty PT



xavax

LED Bulb, E14, 470lm replaces 40W, drop bulb, warm white, RA90

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	180 °
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 78 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High colour reproduction of Ra90
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112622
		6	BK	



xavax

LED Bulb, E14, 250lm replaces 25W, drop bulb, warm white, RA90

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	180 °
Nominal Light Output	250 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 78 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- High colour reproduction of Ra90
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112625
		6	BK	



xavax

LED Bulb, E14, 330 lm replaces 30W, Reflector Bulb R50, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	120 °
Nominal Light Output	330 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	R 50 / 50 mm / 86 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

				00112680
		6	BK	

xavax

LED Filament, E27, 1521 lm Replaces 100W,Incandescent Bulb,Matt,neutral wh.

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	300 °
Nominal Light Output	1521 lm
Nominal Power Consumption	11 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	10000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- For indoor and outdoor use

				00112690
		6	BK	

xavax

LED Filament, E27, 1055 lm Replaces 75W, Incandescent Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	1055 lm
Nominal Power Consumption	7.5 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112679
		6	BK	

xavax

LED Filament, E27, 1055 lm Replaces 75W, Incandescent Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	1055 lm
Nominal Power Consumption	7.5 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112684
		6	BK	

xavax

LED Filament, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	300 °
Nominal Light Output	806 lm
Nominal Power Consumption	7 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- 300° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112614
		10	SC	

xavax

LED Filament, E27, 806 lm Replaces 60W, Incand. Bulb, Matt,warm white,2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	806 lm
Nominal Power Consumption	6,5 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112704
		10	SC	

Qty PT

xavax

LED Filament, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	806 lm
Nominal Power Consumption	6,5 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112703
		10	SC	

xavax

LED Filament, E27, 810lm replaces 60W, incandescent bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	810 lm
Nominal Power Consumption	6,5 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112552
		6	BK	

xavax

LED Filament, E27, 806 lm Replaces 60W, Incandescent Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	806 lm
Nominal Power Consumption	6,5 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112670
		6	BK	

xavax

LED Filament, E27, 470lm replaces 40W, incandescent bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112553
		6	BK	

Qty PT

LED bulb

LED Filament, E27, 470 lm Replaces 40W, Incandescent Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112671
		6	BK	

LED Filament, E27, 470 lm Replaces 40W, Incandescent Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112645
		6	BK	

LED Filament, E27, 400 lm replaces 35W, incandescent bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	280 °
Nominal Light Output	400 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 105 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Head mirror reflects the light to the side into the lampshade, ensuring glare-free light distribution
- Decorative light bulb shape with full-glass housing and silver head mirroring
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112576
		6	BK	

LED Filament, E27, 1521 lm Replaces 100 W, Incandescent Bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	1521 lm
Nominal Power Consumption	12 W
Can be Dimmed	No
Design / Diameter / Height	A 67 / 67 mm / 118 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	10000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112600
		4	BK	

Qty PT

xavax

LED Filament, E27, 1521 lm Replaces 100W, Incandescent Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	1521 lm
Nominal Power Consumption	12 W
Can be Dimmed	No
Design / Diameter / Height	A 67 / 67 mm / 118 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	10000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112678
		4	BK	

xavax

LED Filament, E27, 470lm replaces 40W, globe bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	G 80 / 80 mm / 115 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative globe shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112556
		2	BK	

xavax

LED Filament, E27, 1055lm Replaces 75W Globe Bulb, warm white, dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	1055 lm
Nominal Power Consumption	8 W
Can be Dimmed	Yes
Design / Diameter / Height	G 120 / 124 mm / 190 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W

- 330° light emission for nearly complete all-round lighting in rooms
- Large light cone with a diameter of 12.5 cm, especially suitable for living room lights with a large lampshade
- The special LED strips mean that this bulb creates the lighting characteristics of a conventional everyday bulb
- Dimmable
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112618
		8	SC	

xavax

LED Filament, E27, 470 lm Replaces 40W, Drop Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 77 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112647
		12	BK	

LED bulb

LED Filament, E27, 470lm replaces 40W, drop bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 84 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112557
		12	BK	

LED Filament, E27, 470 lm Replaces 40W, Drop Bulb, Matt, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	P45 / 45 mm / 77 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112676
		12	BK	

LED Filament, E27, 400lm replaces 35W, vintage bulb, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	400 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	ST64 / 64 mm / 143 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2400 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape in Bernstein look with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112683
		6	BK	

LED Filament, E27, 470 lm Replaces 40 W, T32 Tube Bulb, warm white,dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	470 lm
Nominal Power Consumption	4.5 W
Can be Dimmed	Yes
Design / Diameter / Height	T32 / 32 mm / 127 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112606
		10	BK	

Qty PT

xavax

LED Bulb, E27, 470lm replaces 40W, incandescent bulb, warm, dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	200 °
Nominal Light Output	470 lm
Nominal Power Consumption	7 W
Can be Dimmed	Yes
Design / Diameter / Height	A 58 / 58 mm / 102 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112633
		6	BK	

xavax

LED Bulb, E27, 1521 lm Replaces 100W, Incand. Bulb, warm white, 2 Pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	180 °
Nominal Light Output	1521 lm
Nominal Power Consumption	15 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 118 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112700
		10	SC	

xavax

LED Bulb, E27, 806lm replaces 60W, incandescent bulb, warm white, RA90

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	200 °
Nominal Light Output	806 lm
Nominal Power Consumption	9 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 108 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- High colour reproduction of Ra90
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs

				00112620
		6	BK	

xavax

LED Bulb, E27, 806lm replaces 60W, incandescent bulb, warm, dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	200 °
Nominal Light Output	806 lm
Nominal Power Consumption	10 W
Can be Dimmed	Yes
Design / Diameter / Height	A 60 / 60 mm / 108 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- 240° light emission for nearly complete all-round lighting in rooms
- High light yield
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white aluminium housing
- Can easily replace conventional incandescent bulbs

				00112632
		6	BK	

Qty PT

LED bulb

LED Lamp, E27, 806 lm Replaces 57 W, Incandescent, warm, 3-stage dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	200 °
Nominal Light Output	806 lm
Nominal Power Consumption	8.5 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 110 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Handy lamp with built-in dimming function, making every light dimmable
- There is no need to change the normal light switch into a dimmer
- The built-in dimmer is actuated via the normal light switch by quickly switching it on and off:
- 1 x on: 100%
- 2 x off/on: 40%
- 3 x off/on: 15%
- As many lamps as needed can be switched with one switch
- If the bulb is switched off for around 5 seconds, it always starts at 100%
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

				00112582
		6	BK	

LED Bulb, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 Pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	180 °
Nominal Light Output	806 lm
Nominal Power Consumption	9 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 108 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112701
		10	SC	

LED Bulb, E27, 806lm replaces 60W, incandescent bulb, daylight

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	200 °
Nominal Light Output	806 lm
Nominal Power Consumption	9 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 108 mm
Lamp socket	E 27
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112651
		6	BK	

LED Bulb, E27, 800lm replaces 60W, incandescent bulb, warm white/daylight

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	180 °
Nominal Light Output	800 lm
Nominal Power Consumption	10 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 123 mm
Lamp socket	E 27
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The light colour can be changed simply by activating the light switch
- Available light colours: warm white - neutral white - daylight
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs

				00112581
		6	BK	

Qty PT

xavax

LED Bulb, E27, 630lm replaces 50W Bulb, warm white, full glass

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	300 °
Nominal Light Output	630 lm
Nominal Power Consumption	6 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 108 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W

- 300° light emission for nearly complete all-round lighting in rooms
- Decorative bulb shape with full-glass housing, producing a look like a conventional incandescent lamp
- Particularly suitable for long-term lighting applications when extremely long power-on times are required, e.g. consulting rooms, entrance halls, candelabras
- Pleasant warm white colour for general lighting applications
- For interiors and exteriors

				00112568
		6	BK	

xavax

LED Bulb, E27, 470lm replaces 40W, incandescent bulb, warm white, RA90

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	200 °
Nominal Light Output	470 lm
Nominal Power Consumption	6 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 108 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High colour reproduction of Ra90
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs

				00112621
		6	BK	

xavax

LED Bulb, E27, 470lm replaces 40W, incandescent bulb, daylight

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	200 °
Nominal Light Output	470 lm
Nominal Power Consumption	5 W
Can be Dimmed	No
Design / Diameter / Height	A 60 / 60 mm / 108 mm
Lamp socket	E 27
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112652
		6	BK	

xavax

LED Bulb, E27, 1521lm replaces 100W, incandescent bulb, daylight

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	200 °
Nominal Light Output	1521 lm
Nominal Power Consumption	15 W
Can be Dimmed	No
Design / Diameter / Height	A 65 / 65 mm / 129 mm
Lamp socket	E 27
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	100 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

				00112650
		6	BK	

LED bulb

LED Bulb, E27, 530 lm Replaces 45 W, Reflector Bulb R63, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	120 °
Nominal Light Output	530 lm
Nominal Power Consumption	8 W
Can be Dimmed	No
Design / Diameter / Height	R 63 / 63 mm / 100 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	45 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

	00112681
6 BK	

LED Bulb, E27, 800lm replaces 60W Reflector Bulb R80, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	120 °
Nominal Light Output	800 lm
Nominal Power Consumption	10 W
Can be Dimmed	No
Design / Diameter / Height	R 80 / 80 mm / 112 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general illumination tasks
- Can replace conventional light bulbs
- For interiors and exteriors

	00112549
10 BK	



LED Bulb, E27, 470 lm replaces 40W tube bulb T37, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	280 °
Nominal Light Output	470 lm
Nominal Power Consumption	5.5 W
Can be Dimmed	No
Design / Diameter / Height	T37 / 37 mm / 140 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 280° light emission for nearly complete all-round lighting in rooms
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power is instant
- Stylish, white plastic housing
- Can replace conventional light bulbs

	00112543
6 BK	



LED Bulb, G9, 470 lm, Replaces 40W, Capsule, Warm White

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	280 °
Nominal Light Output	470 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	Base Pin / 13 mm / 60 mm
Lamp socket	G 9
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	20000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

	00112627
10 BK	

Qty PT



xavax

LED Bulb, G9, 430 lm, replaces 37W capsule, dimmable, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	280 °
Nominal Light Output	430 lm
Nominal Power Consumption	3.3 W
Can be Dimmed	Yes
Design / Diameter / Height	Base Pin / 14 mm / 56 mm
Lamp socket	G 9
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	37 W

- For all luminaires with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used
- Fully insulated, stylish plastic housing

				00112538
		10	BK	



xavax

LED Bulb, G9, 300 lm, Replaces 28W, Capsule, Warm White

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	280 °
Nominal Light Output	300 lm
Nominal Power Consumption	3 W
Can be Dimmed	No
Design / Diameter / Height	Base Pin / 14 mm / 62 mm
Lamp socket	G 9
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	20000 h
Power Consumption of an Equivalent Incandescent Lamp	28 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

				00112626
		10	BK	



xavax

LED Filament, G9, 200lm replaces 20W, capsule, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	300 °
Nominal Light Output	200 lm
Nominal Power Consumption	1.8 W
Can be Dimmed	No
Design / Diameter / Height	Base Pin / 20 mm / 60 mm
Lamp socket	G 9
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	20 W

- For all lights with conventional G9 holders
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Fully insulated, stylish plastic housing

				00112563
		10	BK	



xavax

LED Bulb, GU10, 400 lm Replaces 55W, PAR16 Reflector Bulb, warm white, RA90

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	40 °
Nominal Light Output	400 lm
Nominal Power Consumption	6,5 W
Can be Dimmed	No
Design / Diameter / Height	PAR 16 / 50 mm / 54 mm
Lamp socket	GU 10
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	55 W

- High colour reproduction of Ra90
- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

				00112587
		6	BK	

Qty PT

LED bulb

xavax

LED Bulb, GU10, 400lm replaces 55W, reflector bulb PAR16, daylight

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	40 °
Nominal Light Output	400 lm
Nominal Power Consumption	6,5 W
Can be Dimmed	No
Design / Diameter / Height	PAR 16 / 50 mm / 54 mm
Lamp socket	GU 10
Light color / color temperature	Daylight - 6500 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	55 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

				00112506
		6	BK	

xavax

LED Bulb, GU10, 350lm Repl. 50W, Refl. Bulb, PAR16, warm wht, Glass, 2 Pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	36 °
Nominal Light Output	350 lm
Nominal Power Consumption	3.6 W
Can be Dimmed	No
Design / Diameter / Height	PAR 16 / 51 mm / 55 mm
Lamp socket	GU 10
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting

				00112617
		5	SC	

xavax

LED Lamp, GU10, 350 lm Replaces 50W, Refl. PAR16, warm white, Glass, Dimmable

Colour Reproduction Index RA (min.)	90
Nominal Beam Angle	36 °
Nominal Light Output	350 lm
Nominal Power Consumption	5.5 W
Can be Dimmed	Yes
Design / Diameter / Height	PAR 16 / 51 mm / 55 mm
Lamp socket	GU 10
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling
- Dimmable

				00112636
		6	BK	

xavax

LED Bulb, GU10, 350lm Repl. 50W, Refl. Bulb, PAR16, warm wht, Glass, 2 Pcs

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	38 °
Nominal Light Output	350 lm
Nominal Power Consumption	5 W
Can be Dimmed	No
Design / Diameter / Height	PAR 16 / 50 mm / 54 mm
Lamp socket	GU 10
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/ off, e.g. in staircase lighting

				00112707
		5	SC	

Qty PT

xavax

LED Lamp, GU10, 345 lm Replaces 50W, Refl. PAR16, warm white, 3-stage dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	38 °
Nominal Light Output	345 lm
Nominal Power Consumption	4 W
Can be Dimmed	Yes
Design / Diameter / Height	PAR 16 / 50 mm / 54 mm
Lamp socket	GU 10
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Handy lamp with built-in dimming function, making every light dimmable
- There is no need to change the normal light switch into a dimmer
- The built-in dimmer is actuated via the normal light switch by quickly switching it on and off:
- 1 x on: 100%
- 2 x off/on: 50%
- 3 x off/on: 10%
- As many lamps as needed can be switched with one switch
- If the bulb is switched off for around 5 seconds, it always starts at 100%
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

				00112667
		6	BK	



xavax

LED Bulb, GU10, 400 lm Replaces 50 W, Reflector Lamp PAR16,warm white,glass

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	38 °
Nominal Light Output	400 lm
Nominal Power Consumption	5 W
Can be Dimmed	No
Design / Diameter / Height	PAR 16 / 50 mm / 53 mm
Lamp socket	GU 10
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

				00112666
		10	BK	



xavax

LED Bulb, GU10, 250 lm Replaces 38 W, Reflector Lamp PAR16,warm white,glass

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	38 °
Nominal Light Output	250 lm
Nominal Power Consumption	3 W
Can be Dimmed	No
Design / Diameter / Height	PAR 16 / 50 mm / 53 mm
Lamp socket	GU 10
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	38 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

				00112665
		10	BK	

xavax

LED Bulb, GX53, 500lm, Replaces 42W Capsule, Warm White

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	110 °
Nominal Light Output	500 lm
Nominal Power Consumption	4.8 W
Can be Dimmed	No
Design / Diameter / Height	Special Size / 75 mm / 26 mm
Lamp socket	GX 53
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	42 W

- Extremely flat design
- Easy mounting - Bulb can be mounted in any conventional GX53 fitting
- For interiors and exteriors

				00110316
		6	BK	

Qty PT

LED bulb



LED Bulb, R7s, 450 lm, Replaces 39W, Tube, Warm White

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	450 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	Line lamp / 13 mm / 78 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	20000 h
Power Consumption of an Equivalent Incandescent Lamp	39 W

- 330° light emission for nearly complete all-round lighting in rooms
- LED bulb as energy-saving replacement for conventional halogen tubes
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112628
		10	BK	



LED Bulb, R7s, 850 lm, Replaces 63W, Tube, Warm White

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	850 lm
Nominal Power Consumption	8 W
Can be Dimmed	No
Design / Diameter / Height	Base Pin / 13 mm / 118 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	20000 h
Power Consumption of an Equivalent Incandescent Lamp	63 W

- 330° light emission for nearly complete all-round lighting in rooms
- LED bulb as energy-saving replacement for conventional halogen tubes
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

				00112629
		10	BK	

LED Bulb, R7s, 2000 lm replaces 125 W, Tube, warm white, dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	2000 lm
Nominal Power Consumption	15 W
Can be Dimmed	Yes
Design / Diameter / Height	J / 29 mm / 118 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	125 W

- 330° light emission for nearly complete all-round lighting in rooms
- LED bulb as energy-saving replacement for conventional halogen tubes
- Dimmable
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112580
		6	BK	



LED Bulb, R7s, 1055 lm replaces 75W, Tube, warm white, dimmable

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	330 °
Nominal Light Output	1055 lm
Nominal Power Consumption	8 W
Can be Dimmed	Yes
Design / Diameter / Height	J / 29 mm / 78 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W

- 330° light emission for nearly complete all-round lighting in rooms
- LED bulb as energy-saving replacement for conventional halogen tubes
- Dimmable
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

				00112579
		6	BK	

Qty PT



xavax

LED Lamp, S14s, 640 lm Replaces 50 W, Linear Lamp, 50 cm, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	360 °
Nominal Light Output	640 lm
Nominal Power Consumption	8 W
Can be Dimmed	No
Design / Diameter / Height	Line lamp / 30 mm / 500 mm
Lamp socket	S14s
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Rod-shaped illuminant for linear lamps with two sockets (type: S14S)
- Replacement for conventional linear lamps (Linestra®, Ralina®, Philinea®), e.g. in bathrooms, kitchens, cupboards or mirror lighting
- Matt finish, indistinguishable visually from original linear lamps
- Very low energy consumption
- Very high light output for virtually complete all-round lighting in the room
- Warm, incandescent lamp-like light
- Long service life even when switched on frequently
- Low heat generation without UV radiation
- Full lighting power is instant
- Can replace conventional light bulbs

				00112586
	6	HB		



xavax

LED Lamp, S14s, 320 lm Replaces 30 W, Linear Lamp, 30 cm, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	360 °
Nominal Light Output	320 lm
Nominal Power Consumption	4 W
Can be Dimmed	No
Design / Diameter / Height	Line lamp / 30 mm / 300 mm
Lamp socket	S14s
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W

- Rod-shaped illuminant for linear lamps with two sockets (type: S14S)
- Replacement for conventional linear lamps (Linestra®, Ralina®, Philinea®), e.g. in bathrooms, kitchens, cupboards or mirror lighting
- Matt finish, indistinguishable visually from original linear lamps
- Very low energy consumption
- Very high light output for virtually complete all-round lighting in the room
- Warm, incandescent lamp-like light
- Long service life even when switched on frequently
- Low heat generation without UV radiation
- Full lighting power is instant
- Can replace conventional light bulbs

				00112585
	6	HB		

Starter

xavax

Starter for LED Tubes

- Easy to install, therefore quick and easy to replace
- 2A 250V~

				00112539
	12	BK		

LED Tubular Lamp

xavax

LED Bulb, G13, 2500lm replaces 58W, Tube Bulb T8, 150 cm,neut. white, glass

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	220 °
Nominal Light Output	2500 lm
Nominal Power Consumption	25 W
Can be Dimmed	No
Design	T8 ø 26 mm rod-shaped
Lamp socket	G 13
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	58 W

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adapter (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared with conventional fluorescent tubes

				00112573
	6	HB		

Qty PT



xavax®

LED Bulb, G13, 900lm replaces 18W, Tube T8, 60 cm, neutral white, glass

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	220 °
Nominal Light Output	900 lm
Nominal Power Consumption	9 W
Can be Dimmed	No
Design	T8 ø 26 mm rod-shaped
Lamp socket	G 13
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	18 W

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adapter (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared with conventional fluorescent tubes

				00112571
		6	HB	

Qty PT

LED Bulb



xavax

LED Bulb, G4, 260lm replaces 26W, capsule, dimmable, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	270 °
Nominal Light Output	260 lm
Nominal Power Consumption	2.6 W
Can be Dimmed	Yes
Design / Diameter / Height	Base Pin / 13 mm / 37 mm
Lamp socket	G 4
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	26 W

- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- With silicon coating for increased safety and better light performance
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

				00112518
		10	BK	



xavax

LED Bulb, G4, 180lm replaces 19W, capsule, dimmable, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	280 °
Nominal Light Output	180 lm
Nominal Power Consumption	1.6 W
Can be Dimmed	Yes
Design / Diameter / Height	Base Pin / 11 mm / 37 mm
Lamp socket	G 4
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	19 W

- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- With silicon coating for increased safety and better light performance
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

				00112517
		10	BK	



xavax

LED Bulb, G4, 160 lm Replaces 18 W, Capsule, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	270 °
Nominal Light Output	160 lm
Nominal Power Consumption	2 W
Can be Dimmed	No
Design / Diameter / Height	Base Pin / 13 mm / 37 mm
Lamp socket	G 4
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	18 W

- 270° light emission for nearly complete all-round lighting in rooms
- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- With silicon coating for increased safety and better light performance
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

				00112598
		12	BK	



xavax

LED Bulb, G4, 100 lm Replaces 11 W, Capsule, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	260 °
Nominal Light Output	100 lm
Nominal Power Consumption	1.3 W
Can be Dimmed	No
Design / Diameter / Height	Base Pin / 9 mm / 35 mm
Lamp socket	G 4
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	11 W

- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- With silicon coating for increased safety and better light performance
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

				00112597
		12	BK	

Qty PT

LED bulb



xavax

LED Bulb, GU4, 210 lm Replaces 22W, Reflector Bulb MR11, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	36 °
Nominal Light Output	210 lm
Nominal Power Consumption	2.6 W
Can be Dimmed	No
Design / Diameter / Height	MR 11 / 34 mm / 40 mm
Lamp socket	GU 4
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	22 W

- For all lights with conventional GU4 holders
- Ideal replacement for halogen reflector bulbs
- Very low consumption, despite high light yield
- Lower heat generation

				00112588
		10	BK	



xavax

LED Bulb, GU4, 184 lm Replaces 20W, Reflector Bulb MR11, warm white, Glass

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	36 °
Nominal Light Output	184 lm
Nominal Power Consumption	2.5 W
Can be Dimmed	No
Design / Diameter / Height	MR 11 / 35 mm / 38 mm
Lamp socket	GU 4
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	20 W

- For all luminaires with standard GU4 fittings
- Ideal replacement for halogen reflector bulbs
- Very low consumption, despite high light yield
- Lower heat generation

				00112664
		10	BK	



xavax

LED Bulb, GU 5.3, 430 lm Replaces 40 W, Reflector Bulb MR16, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	38 °
Nominal Light Output	430 lm
Nominal Power Consumption	6 W
Can be Dimmed	No
Design / Diameter / Height	MR 16 / 50 mm / 51 mm
Lamp socket	GU 5.3
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- Ideal for permanent lighting tasks
- Very low heat emission
- Immediate, full illumination
- High-quality housing for good appearance and cooling

				00112660
		6	BK	

xavax

LED Bulb, GU5.3, 350 lm Replaces 35W, Reflector Bulb MR16, warm white, Glass

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	36 °
Nominal Light Output	350 lm
Nominal Power Consumption	4.6 W
Can be Dimmed	No
Design / Diameter / Height	MR 16 / 51 mm / 46 mm
Lamp socket	GU 5.3
Light color / color temperature	Warm White - 2700 K
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

				00112661
		6	BK	

Qty PT



xavax

LED Bulb, GU5.3, 210lm replaces 22W, reflector bulb MR16, warm white

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	110 °
Nominal Light Output	210 lm
Nominal Power Consumption	3 W
Can be Dimmed	No
Design / Diameter / Height	MR 16 / 50 mm / 45 mm
Lamp socket	GU 5.3
Light color / color temperature	Warm White - 3000 K
Nominal Service Life	25000 h
Power Consumption of an Equivalent Incandescent Lamp	22 W

- Ideal for permanent lighting tasks
- Very low heat emission
- Immediate, full illumination
- High-quality housing for good appearance and cooling

				00112513
		6	BK	

Halogen Bulbs

Halogen Bulb

Halogen Candle Bulb, E14, 46W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	700 lm
Nominal Power Consumption	46 W
Angle of Radiation	360 °
Design / Diameter / Height	C 36 / 36 mm / 104 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	60 W
Nominal Light Output	700 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112461
		20	SC	

Halogen Candle Bulb, E14, 30W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	405 lm
Nominal Power Consumption	30 W
Angle of Radiation	360 °
Design / Diameter / Height	C 36 / 36 mm / 104 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Nominal Light Output	405 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112460
		20	SC	

Halogen Candle Bulb, E14, 20W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	235 lm
Nominal Power Consumption	20 W
Angle of Radiation	360 °
Design / Diameter / Height	C 36 / 36 mm / 104 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	26 W
Nominal Light Output	235 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112459
		20	SC	

Halogen Drop Bulb, E14, 30W, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	405 lm
Nominal Power Consumption	30 W
Angle of Radiation	360 °
Design / Diameter / Height	P 45 / 46 mm / 77 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Nominal Light Output	405 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112457
		20	SC	

Qty PT

xavax

Halogen Drop Bulb, E14, 20W, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	235 lm
Nominal Power Consumption	20 W
Angle of Radiation	360 °
Design / Diameter / Height	P 45 / 46 mm / 77 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	26 W
Nominal Light Output	235 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112456
		20	SC	

xavax

Halogen Bulb, E27, 116W, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	2135 lm
Nominal Power Consumption	116 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	150 W
Nominal Light Output	2135 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112455
		20	SC	

xavax

Halogen Bulb, E27, 77W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	1320 lm
Nominal Power Consumption	77 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	100 W
Nominal Light Output	1320 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112454
		20	SC	

xavax

Halogen Bulb, E27, 57W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	915 lm
Nominal Power Consumption	57 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	75 W
Nominal Light Output	915 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112453
		20	SC	

Halogen Bulbs

xavax

Halogen Bulb, E27, 46W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Power Consumption	46 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	60 W
Nominal Light Output	700 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112452
		20	SC	

xavax

Halogen Bulb, E27, 30W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Power Consumption	30 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Nominal Light Output	405 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112451
		20	SC	

xavax

Halogen Bulb, E27, 20W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Power Consumption	20 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	25 W
Nominal Light Output	235 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112450
		20	SC	

xavax

Halogen Drop Bulb, E27, 30W, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	405 lm
Nominal Power Consumption	30 W
Angle of Radiation	360 °
Design / Diameter / Height	P 45 / 46 mm / 74 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Nominal Light Output	405 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

				00112458
		20	SC	

Qty PT



xavax

Halogen Capsule, G9, 48W, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	740 lm
Nominal Power Consumption	48 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 14 mm / 43 mm
Lamp socket	G 9
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	60 W
Nominal Light Output	740 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Robust filament design thanks to innovative, unique bulb pinch technology
- Approved for use in open luminaires to IEC 60598-1
- Simple handling thanks to G9 plug-in base/holder system
- Transformerless operation
- 100% dimmable
- No UV radiation thanks to UV filter
- Meets IEC 60432-3 thanks to integrated fuse function

				00112468
		10	BK	



xavax

Halogen Capsule, G9, 33W, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	460 lm
Nominal Power Consumption	33 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 14 mm / 43 mm
Lamp socket	G 9
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Nominal Light Output	460 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Robust filament design thanks to innovative, unique bulb pinch technology
- Approved for use in open luminaires to IEC 60598-1
- Simple handling thanks to G9 plug-in base/holder system
- Transformerless operation
- 100% dimmable
- No UV radiation thanks to UV filter
- Meets IEC 60432-3 thanks to integrated fuse function

				00112467
		10	BK	



xavax

Halogen Capsule, G9, 20W, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	235 lm
Nominal Power Consumption	20 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 14 mm / 43 mm
Lamp socket	G 9
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	25 W
Nominal Light Output	235 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Robust filament design thanks to innovative, unique bulb pinch technology
- Approved for use in open luminaires to IEC 60598-1
- Simple handling thanks to G9 plug-in base/holder system
- Transformerless operation
- 100% dimmable
- No UV radiation thanks to UV filter
- Meets IEC 60432-3 thanks to integrated fuse function

				00112466
		10	BK	



xavax

Halogen Tube, R7S, 400W, 118mm, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	9000 lm
Nominal Power Consumption	400 W
Angle of Radiation	360 °
Design / Diameter / Height	J / 12 mm / 119.6 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 3000 K
Power Consumption of an Equivalent Incandescent Lamp	500 W
Nominal Light Output	9000 lm

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers

				00112476
		10	BK	

Qty PT

Halogen Bulbs



xavax

Halogen Tube, R7S, 230W, 118mm, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	5000 lm
Nominal Power Consumption	230 W
Angle of Radiation	360 °
Design / Diameter / Height	J / 12 mm / 119.6 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 2950 K
Power Consumption of an Equivalent Incandescent Lamp	300 W
Nominal Light Output	5000 lm

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers

				00112475
		10	BK	



xavax

Halogen Tube, R7S, 160W, 118mm, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	3100 lm
Nominal Power Consumption	160 W
Angle of Radiation	360 °
Design / Diameter / Height	J / 12 mm / 114.2 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 2900 K
Power Consumption of an Equivalent Incandescent Lamp	200 W
Nominal Light Output	3100 lm

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers

				00112474
		10	BK	



xavax

Halogen Tube, R7S, 120W, 78mm, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	2250 lm
Nominal Power Consumption	120 W
Angle of Radiation	360 °
Design / Diameter / Height	J / 12 mm / 74.9 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 2950 K
Power Consumption of an Equivalent Incandescent Lamp	150 W
Nominal Light Output	2250 lm

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers

				00112473
		10	BK	



xavax

Halogen Tube, R7S, 80W, 78mm, warm white

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	1400 lm
Nominal Power Consumption	80 W
Angle of Radiation	360 °
Design / Diameter / Height	J / 12 mm / 74.9 mm
Lamp socket	R7s
Light color / color temperature	Warm White - 2950 K
Power Consumption of an Equivalent Incandescent Lamp	100 W
Nominal Light Output	1400 lm

- 1:1 exchange for standard halogen tube lights
- Significantly lower CO2 emissions
- Lower heat generation (compared with the standard reference product)
- Operation without transformers

				00112472
		10	BK	

Qty PT

Halogen Bulb

xavax

Halogen Capsule, G4, 10W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Power Consumption	10 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 10 mm / 33 mm
Lamp socket	G 4
Light color / color temperature	Warm White - 2800 K
Nominal Light Output	145 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

	00112394
10	BK

xavax

Halogen Capsule, G4, 20W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Power Consumption	20 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 10 mm / 33 mm
Lamp socket	G 4
Light color / color temperature	Warm White - 2800 K
Nominal Light Output	375 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

	00112395
10	BK

xavax

Halogen Capsule, GY6.35, 50W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	910 lm
Nominal Power Consumption	50 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 44 mm
Lamp socket	GY 6.35
Light color / color temperature	Warm White - 3000 K
Power Consumption of an Equivalent Incandescent Lamp	74 W
Nominal Light Output	910 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- Axial filament for improved light control
- Special pins for corrosion protection
- No UV radiation thanks to UV filter

	00112481
10	BK

xavax

Halogen Capsule, GY6.35, 35W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	600 lm
Nominal Power Consumption	35 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 12 mm / 44 mm
Lamp socket	GY 6.35
Light color / color temperature	Warm White - 2900 K
Power Consumption of an Equivalent Incandescent Lamp	53 W
Nominal Light Output	600 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- Axial filament for improved light control
- Special pins for corrosion protection
- No UV radiation thanks to UV filter

	00112480
10	BK

Qty PT

Halogen Bulbs

xavax

Halogen Capsule, GY6.35, 20W, warm white, 2 pieces

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	290 lm
Nominal Power Consumption	20 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 12 mm / 44 mm
Lamp socket	GY 6.35
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	30 W
Nominal Light Output	290 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- Axial filament for improved light control
- Special pins for corrosion protection
- No UV radiation thanks to UV filter

				00112479
		10	BK	

Halogen Reflector Lamp

xavax

Halogen Reflector Bulb MR11, GU4, 35W, warm white

Light Colour	Warm White
Nominal Power Consumption	35 W
Weighted Energy Consumption	38 kWh/1000h
Can be Dimmed	Yes
Design	MR 11
Nominal Light Output	430

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

				00112483
		10	BK	

xavax

Halogen Reflector Bulb MR11, GU4, 20W, warm white

Light Colour	Warm White
Nominal Power Consumption	20 W
Weighted Energy Consumption	22 kWh/1000h
Can be Dimmed	Yes
Design	MR 11
Power Consumption of an Equivalent Incandescent Lamp	24 W

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

				00112399
		10	BK	

xavax

Halogen Reflector Bulb MR16, GU5.3, 20W, warm white

Light Colour	Warm White
Nominal Power Consumption	20 W
Weighted Energy Consumption	22 kWh/1000h
Can be Dimmed	Yes
Design	MR 16
Nominal Light Output	210

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

				00112484
		6	BK	

Qty PT

xavax

Halogen Reflector Bulb MR16, GU5.3, 35W, warm white

Light Colour	Warm White
Nominal Power Consumption	35 W
Weighted Energy Consumption	38 kWh/1000h
Can be Dimmed	Yes
Design	MR 16
Nominal Light Output	430

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

				00112485
		6	BK	

xavax

Halogen Reflector Bulb MR16, GU5.3, 50W, warm white

Light Colour	Warm White
Nominal Power Consumption	50 W
Weighted Energy Consumption	53 kWh/1000h
Can be Dimmed	Yes
Design	MR 16
Nominal Light Output	680

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

				00112486
		6	BK	

Tubular Lamps

Fluorescent Lamp

xavax

Fluorescent tube T8, G13, 18W, 60 cm, neutral white

Colour Reproduction Index RA (min.)	85
Nominal Power Consumption	18 W
Design	T8 ø 26 mm rod-shaped
Lamp socket	G 13
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	20000 h
Length	600 mm
Tube Diameter	26 mm
Nominal Light Output	1350 lm

- The triphosphorus coating ensures excellent colour reproduction, a high light flux and an excellent light yield
- Excellent colour rendition
- Ideal for furniture, display cases, bathroom cabinets and leisure applications
- For indoor and outdoor use
- Standard size: 28 mm diameter

				00112687
		25	SC	

xavax

Fluorescent tube T8, G13, 36W, 120 cm, neutral white

Colour Reproduction Index RA (min.)	85
Nominal Power Consumption	36 W
Design	T8 ø 26 mm rod-shaped
Lamp socket	G 13
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	20000 h
Length	1200 mm
Tube Diameter	26 mm
Nominal Light Output	3350 lm

- The triphosphorus coating ensures excellent colour reproduction, a high light flux and an excellent light yield
- Excellent colour rendition
- Ideal for furniture, display cases, bathroom cabinets and leisure applications
- For indoor and outdoor use
- Standard size: 28 mm diameter

				00112688
		25	SC	

xavax

Fluorescent tube T8, G13, 58W, 150 cm, neutral white

Colour Reproduction Index RA (min.)	85
Nominal Power Consumption	58 W
Design	T8 ø 26 mm rod-shaped
Lamp socket	G 13
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	20000 h
Length	1500 mm
Tube Diameter	26 mm
Nominal Light Output	5200 lm

- The triphosphorus coating ensures excellent colour reproduction, a high light flux and an excellent light yield
- Excellent colour rendition
- Ideal for furniture, display cases, bathroom cabinets and leisure applications
- For indoor and outdoor use
- Standard size: 28 mm diameter

				00112689
		25	SC	

Qty PT

Special Bulb

xavax

Oven Light, 25W, 300°, E14, pear shape, clear

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

- Heat-resistant up to 300° Celsius

				00112491
		10	BK	

xavax

Oven Light, 15W, 300°, E14, pear shape, clear

Light Colour	Warm White
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

- Heat-resistant up to 300° Celsius

				00112489
		10	BK	

xavax

Refrigerator Light, 15W, E14, pear shape, clear

Light Colour	Warm White
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

				00112492
		10	BK	

xavax

Refrigerator Light, 25W, E14, pear shape, clear

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

				00112493
		10	BK	

Qty PT



xavax

Halogen Extractor Hood Bulb, 40W, tube shape, clear, E14

Light Colour	Warm White
Nominal Power Consumption	40 W
Weighted Energy Consumption	40 kWh/1000h
Can be Dimmed	Yes
Design	Tube

- Special halogen bulb with a longer service life than normal special bulbs
- Immune to vibration
- Optimum light distribution

				00112487
		12	BK	



xavax

Halogen Extractor Hood Bulb, 25W, tube shape, clear, E14

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Tube

- Special halogen bulb with a longer service life than normal special bulbs
- Immune to vibration
- Optimum light distribution

				00112488
		12	BK	

xavax

Oven Light, 40W, 300°, E14, teardrop shape, matt

Light Colour	Warm White
Nominal Power Consumption	40 W
Weighted Energy Consumption	40 kWh/1000h
Can be Dimmed	Yes
Design	Drop

- Heat-resistant up to 300° Celsius
- High light performance

				00112490
		6	BK	

Lamps

xavax

Halogen Bulb for Extractor Hoods, 40 W, tubular, clear, E14

Colour Reproduction Index RA (min.)	100
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Lamp socket	E 14

- A special halogen bulb has a longer service life than a normal special bulb
- Insensitive to vibrations
- Optimum light distribution

				00112438
		12	BK	

Qty PT

LED Light

xavax

"Stick" LED Plant Lamp

- LED plant lamp with 60 LEDs
- Supports plant growth when daylight is scarce, over winter or during germination
- Growth-promoting light spectrum with blue and red light
- 3 light modes available: blue/red, blue, red (blue: helps plants grow more bushy; red: helps plants grow taller; blue/red: for even growth)
- Photon flux efficiency PPF 0.578µmol/J; Photon Flux PPF) 1.3µmol/s
- Lamp emits violet light, which is not suitable for room lighting
- 5 dimming stages
- Automatic on/off switch function with timer
- 2 lamp heads with mobile swan necks and 1 clip holder ensure maximum freedom with installation and orientation
- Low power consumption thanks to LED technology
- Power supply via USB connection

				00112697
		15	SC	

xavax

"Circle" LED Plant Lamp

- LED plant lamp with 48 LEDs
- Supports plant growth when daylight is scarce, over winter or during germination
- Growth-promoting light spectrum with blue and red light
- 3 light modes available: blue/red, blue, red (blue: helps plants grow more bushy; red: helps plants grow taller; blue/red: for even growth)
- Photon flux efficiency (PPF/J) 0.578µmol/J; Photon flux PPF) 1.3µmol/s
- Lamp emits violet light, which is not suitable for room lighting
- 5 dimming stages
- Automatic on/off switch function with timer
- 2 lamp heads with mobile swan necks and 1 clip holder ensure maximum freedom with installation and orientation
- Low power consumption thanks to LED technology
- Power supply via USB connection

				00112696
		15	SC	

Index

Overview of all products from A to Z

A

Anti-Slip Mat 20
Appliances-Water Connection 7

B

Baking/Roast Thermometer 33
Blades/holder 34, 59
Boil Over Protection 84
Bracket Set 50

C

Cake Transport Box 78
Capsule Holder/Rack 70
Clamp 11
Cleaning Cloth 20
Cleaning Kit 58, 60, 75
Coffee Filter 72
Coffee/Tee Container 69
Colander 83
Condenser Box 21
Connection Cable for Household Appliances 18
Container for Coffee Pads 69
Cooker Connection Socket 18
Cutlery accessories 50

D

Descaler 54, 61
Drain Hose 11
Drinking Bottle 68. 86
Drinking Glass 68

E

Exhaust Air Hose 21

F

Fluorescent Lamp 134
Food Storage Box Set 78

H

Halogen Bulb 126, 131
Halogen Reflector Lamp 132
Hob frame 35
Holder 38
Home Appliance Vibration Damper 24
Hose Connector 6, 14
Hose Extension 10
Hose Weight 14
Household Appliance Base 24
Household Appliance Stacking Kit 22
Household Appliance Thermometer 29
Household Cleaner 54, 56, 57, 60, 63
Household Filter 30, 36, 41

I

Ice Cube Tray 85
Impregnating 60
Induction Hob Adapter 33
Ironing Board Replacement Cushion 27
Ironing Machine Roller Cover 27

K

Kitchen and fine scales 91
Kitchen Timer 90
Kitchen Tool Set 79
Kitchen Tools 81

L

Lamps 136
Lashing Strap 20
LED Bulb 97, 123
LED Downlights 97
LED Light 137
LED Tubular Lamp 121
Lid 81
Lubricant 75

M

Mat 50, 79
Measuring Spoon 74
Microwave Cover 39
Microwave Plate Set 39
Microwave-Safe Dishes 38
Milk Frother 73
Milk Jug 73
Milk Supply Hose 75
Mounting Frame 38

O

Oven Rack 35

P

Pedestal 42
Permanent Filter 72
Poetry 6
Power Extension Cable 19
Power Plug 18
Protection 6
Protective Cloth 27

R

Reducer 37
Roasting/Baking Dish 35

S

Salad Spinner 86
Scissors 86
Scraper 34, 58
Sealing Tape 34
Shaker 85
Siphon/-accessoires 15
Special Bulb 28, 32, 36, 135
Starter 121
Stop Valve 14
Storage Bag 79
Supply Hose 8

T

Tea & Coffee Maker 74
Thermal Mug 66
Thermostat Valve Adapter 51

V

Vacuum Cleaner Air Filter 42
Vacuum Cleaner Bag 42
Vacuum Cleaner Motor Filter 42
Vacuum Cleaner Nozzle 47
Vacuum Cleaner Replacement Part 49
Vacuum Jug 67

W

Wash/Dryer Ball 25
Water Filter 31, 72

Made and distributed by
Hama GmbH & Co KG
Dresdner Str. 9, 86653
Monheim/Germany
www.xavax.eu

All listed brands are trademarks of the
respective companies.
Errors and omissions excepted,
and subject to technical changes.
Our general terms of business are applied.
The depicted articles are
colour patterns which may slightly differ
from the original.

Printed in Germany.

097416/12.2021
4 007249 974167