



Complete Catalogue **2023**





# the content

## at a glance

### Lighting

Overview of designs	6
LED lamps 230V	7
LED lamps 12 V	32
Halogen Bulbs, 230 V	35
Halogen Bulbs, 12 V	38
Fluorescent tubes	39
Special Bulbs	41
Plant Lamps	47

### Xavax Barista

Coffee-/tea can	50
Capsule stand	52
Coffee preparation	54
Milk preparation	58
Cleaning & Care	60

### To Go

Drink To Go	66
Eat To Go	73

### Household Goods & Decoration

Storage	80
Baking	81
Bar & Wine	82
Household Goods	83
Cooking	84

### Small household appliances

Kitchen	88
---------	----

### Cleaning & Care

Washing Up	94
Kitchen Cleaning	95
Washing & Ironing	97
Descalers	98
Special Cleaner	100

### Accessories for household appliances

Device Connection sanitary	104
Device Connection (Electric)	112
Washing & Drying	113
Ironing	119
Cooling & Freezing	120
Electric Stove	122
Cooking Hood	125
Special Bulbs	127
Microwave	132
Deep Fryer	134
Vacuum cleaner accessories	135
Rinsing	142
Heating	143

### Service Assortment

Supply hoses	146
Drain hoses	150
Siphon connection	152
Exhaust hose	155
Cooling	158
Washing/Drying	159
Cooking	163
Cleaning and care	165

# Lightning

at a glance

---

LED bulb 230 V

---

LED bulb 12 V

---

Halogen Bulbs 230 V

---

Halogen Bulbs 12 V

---

Fluorescent tubes

---

Special Bulbs

---

Plant Lamps










---































# Overview of designs




LED lamps 230 V									
Description	A 55	A 58	A 60	A 65	A 67	A 70	C 35	C 37	C 38
Design									




Description	G 80	G 120	J	Line lamp	P 45	PAR 16	R 39	R 50
Design								

Description	R 63	R 80	ST64	Custom size	Socket	T 32	T 37	T8
Design								

LED lamps 12 V			
Description	MR 11	MR 16	Pin base
Design			

Halogen Bulbs 230 V					
Description	A 55	C 36	J	P45	Pin base
Design					


Halogen Bulbs 12 V		
MR 11	MR 16	Pin base
		

Spezial Bulb		
Pear	Tube lamp	Drops
		

LAMPS




## Lights, stationary



**LED Built-in Spotlight, Set of 3, 7W, 450 lm, Light Colour: warm white, holder**

Light Colour	Warm White
Can be Dimmed	No
Power Consumption of an Equivalent Incandescent Lamp	40 W
Diameter	75 mm
Height	47 mm

- 30° swivel mount allows targeted lighting direction
- Whether it be a piece of art or antique furniture, the integrated LED module with 38° beam angle and optical lens makes accent lighting possible
- Easy installation thanks to spring clamp attachment
- With an installation depth of just 44 mm and low intrinsic heat, these built-in spotlights are much better to use than conventional halogen spotlights
- The built-in LED lights can be operated directly on a 230 V supply and therefore replace old built-in halogen spotlights without a transformer, consuming significantly less energy
- The economical LEDs with 7W achieve the best lighting, comparable with the brightness of conventional 40W halogen spotlights
- Immediate start without flickering



**LED Built-in Spotlight, Set of 3, 5W, 350 lm, Light Colour: warm white, holder: white**

Light Colour	Warm White
Can be Dimmed	No
Power Consumption of an Equivalent Incandescent Lamp	32 W
Diameter	75 mm
Height	47 mm

- 30° swivel mount allows targeted lighting direction
- Whether it be a piece of art or antique furniture, the integrated LED module with 38° beam angle and optical lens makes accent lighting possible
- Easy installation thanks to spring clamp attachment
- With an installation depth of just 44 mm and low intrinsic heat, these built-in spotlights are much better to use than conventional halogen spotlights
- The built-in LED lights can be operated directly on a 230 V supply and therefore replace old built-in halogen spotlights without a transformer, consuming significantly less energy
- The economical LEDs with 5W achieve the best lighting, comparable with the brightness of conventional 32 W halogen spotlights
- Immediate start without flickering

## Starter




**Starter for LED Tubes**

Product Division	Kitchen & Household
------------------	---------------------

- Easy to install, therefore quick and easy to replace
- 2A 250V~

## Lamps



**LED Filament, E14, 806 lm Replaces 60W, Candle Bulb, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 98 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Simply replace with conventional candle bulbs


LED LAMPS 230V

00112695		
20	SC	

00112694		
20	SC	

00112896		
18	BK	

00112822		
10	HB	




**LED Bulb, E14, 806 lm Replaces 60W, Candle Bulb, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 37 mm / 110 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Simply replace with conventional candle bulbs

00112846		
10	HB	




**LED Bulb, E14, 470 lm Replaces 40W, Candle Bulb, neutral white**

Colour Reproduction Index RA (min.)	80
Light Colour	Neutral White
Can be Dimmed	No
Colour Temperature	4000 K
Design / Diameter / Height	Candle / 37 mm / 108 mm
Lamp socket	E 14
Nominal Service Life	15000 h

- |  |      |
|--|------|
| Power Consumption of an Equivalent Incandescent Lamp | 40 W |
|--|------|
- Very low energy consumption
  - Low heat generation without UV radiation
  - Full lighting power instantly after switch-on
  - Stylish, white plastic housing
  - Can easily replace conventional incandescent bulbs

00112692		
12	HB	




**LED Filament, E14, 470 lm Replaces 40 W, Candle Bulb, Daylight, matt**

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight
Can be Dimmed	No
Colour Temperature	6500 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112830		
8	HB	




**LED Filament, E14, 470 lm Replaces 40 W, Candle Bulb, warm white, clear, 2 pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112905		
10	SC	




**LED Filament, E14, 470 lm  
Replaces 40 W, Candle Bulb,  
Matt,warm white,2 pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112906		
10	SC	




**LED Filament, E14, 470 lm  
Replaces 40 W, Candle Bulb,  
warm white, clear**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112823		
8	HB	




**LED Filament, E14, 470 lm  
Replaces 40 W, Candle Bulb,  
matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112828		
8	HB	




**LED Bulb, E14, 470 lm replaces  
40 W candle bulb, warm  
white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 37 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Simply replace with conventional candle bulbs

00112847		
10	HB	




**LED Filament, E14, 470 lm**  
**Replaces 40 W, Candle, warm white, matt, RA90, Dimmable**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High colour reproduction of Ra90
- Dimmable
- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112831	
8	HB




**LED Filament, E14, 470 lm**  
**Replaces 40 W, Candle Bulb, warm wh., cl., Dimm.**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112821	
8	HB




**LED Filament, E14, 470 lm**  
**Replaces 40 W, Candle Bulb, matt, warm wh., Dimm.**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112826	
8	HB




**LED Filament, E14, 250 lm**  
**Replaces 25 W, Candle Bulb, warm white, clear**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112824	
8	HB






**LED Filament, E14, 250 lm  
Replaces 25 W, Candle Bulb,  
matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112829		
8	HB	




**LED Filament, E14, 250 lm  
Replaces 25W, Candle Bulb,  
Matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112646		
12	HB	




**LED Filament, E14, 250 lm  
Replaces 25 W, Candle, warm wh.,  
matt, RA90, Dimm**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Candle / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- High colour reproduction of Ra90
- Dimmable
- Decorative candle shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112832		
8	HB	




**LED Filament, E14, 470 lm  
replaces 40 W, Flickering  
Candle, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle flame / 35 mm / 121 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112842		
12	HB	




**LED Filament, E14, 400 lm  
Replaces 35 W, Flickering  
Candle, amber, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2400 K
Design / Diameter / Height	Candle flame / 35 mm / 121 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	35 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape in amber look with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112841		
12	HB	




**LED Filament, E14, 250 lm re-  
places 25 W, Twisted Candle,  
warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Candle turned / 35 mm / 100 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative candle shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112843		
12	HB	




**LED Bulb, E14, 330 lm Repla-  
ces 30 W, Reflector Bulb R39,  
warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor R 39 / 39 mm / 68 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	30 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

00112875		
10	HB	




**LED Bulb, E14, 470 lm Repla-  
ces 40 W, Reflector Bulb R50,  
warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Reflektor R 50 / 50 mm / 88 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

00112922		
10	HB	




**LED Bulb, E14, 470 lm Replaces 40W, Reflector Bulb R50, warm white, 2 pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Reflektor R 50 / 50 mm / 88 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

00112908	
6	SC




**LED Bulb, E14, 320 lm Replaces 29 W, Reflector Bulb R50, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor R 50 / 50 mm / 86 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	29 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

00112874	
10	HB




**LED Filament, E14, 470 lm Replaces 40 W, Drop Bulb, matt, Daylight**

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight/Warm White
Can be Dimmed	No
Colour Temperature	6500 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112851	
8	HB




**LED Filament, E14, 470 lm Replaces 40 W, Drop Bulb, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112835	
8	HB




**LED Filament, E14, 470 lm  
Replaces 40 W, Drop Bulb,  
matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112839	
8	HB




**LED Filament, E14, 470 lm  
Replaces 40 W, Drop Bulb,  
warm wh.,matt,RA90,Dimm**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High colour reproduction of Ra90
- Dimmable
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112852	
8	HB




**LED Filament, E14, 470 lm Re-  
places 40W, Drop Bulb, warm  
white, clear, Dimmable**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112833	
8	HB




**LED Filament, E14, 470 lm  
Replaces 40 W, Drop Bulb,  
matt, warm wh., Dimm.**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112837	
8	HB




**LED Filament, E14, 400 lm replaces 35W, drop bulb, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 85 mm
Lamp socket	E 14
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Head mirror reflects the light to the side into the lampshade, ensuring glare-free light distribution
- Decorative drop shape with full-glass housing and silver head mirroring
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

00112577		
12	BK	




**LED Filament, E14, 250 lm Replaces 25 W, Drop Bulb, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112836		
8	HB	




**LED Filament, E14, 250 lm Replaces 25 W, Drop Bulb, matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112850		
8	HB	




**LED Filament, E14, 250 lm Replaces 25 W, Drop Bulb, warm white, matt, RA90, Dimmable**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- High colour reproduction of Ra90
- Dimmable
- Decorative droplet shape
- Especially suitable for permanent lighting applications where prolonged "on" periods are required, e.g. practice rooms, porches, chandeliers
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112853		
8	HB	




**LED Filament, E27, 470 lm  
Replaces 40 W, Globe Bulb  
G80, matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Globe G 80 / 80 mm / 115 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative globe shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112880		
6	HB	




**LED Filament, E27, 806 lm  
Replaces 60 W, Globe Bulb,  
G95, matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Globe G 95 / 95 mm / 135 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Large light cone with 9.5 cm diameter especially ideal for living room lights with a large lampshade
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112879		
24	SC	




**LED Filament, E27, 806 lm  
Replaces 60 W, Globe Bulb,  
G95, clear, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Globe G 95 / 95 mm / 135 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Large light cone with 9.5 cm diameter especially ideal for living room lights with a large lampshade
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112819		
24	HB	




**LED Filament, E27, 680 lm  
Replaces 52 W, Globe Bulb,  
G95, amber, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2400 K
Design / Diameter / Height	Globe G 95 / 95 mm / 135 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	52 W

- Large light cone with 9.5 cm diameter especially ideal for living room lights with a large lampshade
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Comforting, warm light colour for especially cosy lighting
- For general lighting tasks
- For indoor and outdoor use

00112820		
24	HB	






**LED Filament, E27, 1055lm**  
Replaces 75W Globe Bulb,  
warm white, dimmable

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Globe G 125 / 124 mm / 190 mm
Lamp socket	E 27
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	75 W

- 330° light emission for nearly complete all-round lighting in rooms
- Large light cone with a diameter of 12.5 cm, especially suitable for living room lights with a large lampshade
- The special LED strips mean that this bulb creates the lighting characteristics of a conventional everyday bulb
- Dimmable
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

00112618		
8	SC	




**LED Filament, E27, 1055 lm**  
Replaces 75 W, Drop Bulb,  
matt, warm wh., Dimm.

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Globe G 125 / 124 mm / 168 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	75 W

- Large light cone with 12 cm diameter especially ideal for living room lights with a large lampshade
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Dimmable
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112878		
16	SC	




**LED Filament, E27, 1521 lm**  
Replaces 100 W, Incand.  
Bulb, matt, Daylight

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight
Can be Dimmed	No
Colour Temperature	6500 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	100 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112813		
8	HB	




**LED Filament, E27, 1521 lm**  
Replaces 100W, Incand. Bulb,  
warm white, clear

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	100 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112802		
8	HB	




**LED Filament, E27, 1521 lm  
Replaces 100 W, Incandesc.  
Bulb, matt, warm wh.**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	100 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112809	
8	HB




**LED Filament, E27, 1521 lm  
Replaces 100W, Incand. Bulb,  
warm white, clear**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	100 W

- With an energy efficiency of > 210 lm per Watt, the light source corresponds to the best energy efficiency class A
- The light consumes significantly less energy with the same brightness as a standard LED bulb (11 W)
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112928	
8	HB




**LED Bulb, E27, 1521 lm  
Replaces 100W, Incand. Bulb,  
warm white, 2 Pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Light Bulb / 60 mm / 112 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	100 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

00112900	
5	SC




**LED Filament, E27, 1521 lm  
Repl. 100 W, Incand. Bulb, warm  
wh., matt, RA90, Dimm**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 67 mm / 118 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	100 W

- High colour reproduction of Ra90
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Can easily replace conventional incandescent bulbs

00112816	
8	HB




**LED Filament, E27, 1521 lm  
Replaces 100 W, Incand.  
Bulb, warm wh., Dimm., matt**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	100 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112806		
8	HB	




**LED Filament, E27, 1521 lm  
Replaces 100W, Incand. Bulb,  
warm white, clear, Dimmable**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	100 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112800		
8	HB	




**LED Filament, E27, 1055 lm  
Replaces 75 W, Incand. Bulb,  
warm white, clear**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	75 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112803		
8	HB	




**LED Filament, E27, 1055 lm  
Replaces 75 W, Incand. Bulb,  
matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	75 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112810		
8	HB	




**LED Bulb, E27, 1055 lm Replaces 75 W, Incandescent Bulb, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 110 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	75 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

00112844	
10	HB




**LED Filament, E27, 806 lm Replaces 60 W, Incand. Bulb, matt, Daylight**

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight
Can be Dimmed	No
Colour Temperature	6500 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- For indoor and outdoor use

00112814	
8	HB




**LED Filament, E27, 806 lm Replaces 60 W, Incand. Bulb, warm white, clear**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- With an energy efficiency of > 210 lm per Watt, the light source corresponds to the best energy efficiency class A
- The light consumes significantly less energy with the same brightness as a standard LED bulb (7.5 W)
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112927	
8	HB




**LED Bulb, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 4 Pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Light Bulb / 60 mm / 108 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

00112930	
10	SC




**LED Filament, E27, 806 lm  
Replaces 60W, Incand. Bulb,  
Matt,warm white,2 pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112904		
10	SC	




**LED Filament, E27,806 lm  
Replaces 60W,Incand. Light  
Bulb,warm wh.,cl.,2 pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112903		
10	SC	




**LED Filament, E27, 806 lm  
Replaces 60W, Incand. Bulb,  
warm white, clear**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112804		
8	HB	




**LED Filament, E27, 806 lm  
Replaces 60 W, Incand. Bulb,  
matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112811		
8	HB	




**LED Bulb, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 Pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Light Bulb / 60 mm / 108 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

00112901	
5	SC




**LED Bulb, E27, 806 lm Replaces 60W, Incand. Bulb, warm white, 2 Pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Light Bulb / 60 mm / 108 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- High light yield
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

00112929	
5	SC




**LED Bulb, E27, 806 lm Replaces 60W, Incandescent Bulb, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 108 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional incandescent bulbs

00112845	
10	HB




**LED Filament, E27,806 lm Replaces 60 W,Incand. Bulb,warm wh.,matt,RA90,Dimm**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- High colour reproduction of Ra90
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Can easily replace conventional incandescent bulbs

00112817	
8	HB






**LED Filament, E27, 806 lm**  
Replaces 60 W, Incand. Bulb,  
warm wh., cl., Dimm.

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112801		
8	HB	




**LED Filament, E27, 806 lm**  
Replaces 60 W, Incand. Bulb,  
warm wh., matt, Dimm.

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112807		
8	HB	




**LED Filament, E27, 470 lm**  
Replaces 40 W, Incand. Bulb,  
matt, Daylight

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight
Can be Dimmed	No
Colour Temperature	6500 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- For indoor and outdoor use

00112815		
8	HB	




**LED Filament, E27, 470 lm**  
Replaces 40W, Incand. Bulb,  
warm white, clear

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112805		
8	HB	




**LED Filament, E27, 470 lm  
Replaces 40 W, Incand. Bulb,  
matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative incandescent bulb shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112812	
8	HB




**LED Filament, E27, 470 lm  
Replaces 40 W, Incand. Bulb,  
warm wh., RA90, Dimm**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High colour reproduction of Ra90
- Dimmable
- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Can easily replace conventional incandescent bulbs

00112818	
8	HB




**LED Filament, E27, 400 lm  
replaces 35W, incandescent  
bulb, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Light Bulb / 60 mm / 105 mm
Lamp socket	E 27
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	35 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Head mirror reflects the light to the side into the lampshade, ensuring glare-free light distribution
- Decorative light bulb shape with full-glass housing and silver head mirroring
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

00112576	
12	HB




**LED Filament, E27, 685 lm  
Replaces 53 W, Vintage Bulb,  
Dimmable, amber warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2400 K
Design / Diameter / Height	Piston ST 64 / 64 mm / 143 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	53 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape in Bernstein look with full glass casing
- Dimmable
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112876	
6	HB




**LED Filament, E27, 410 lm Replaces 36 W, Vintage Bulb, amber, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2400 K
Design / Diameter / Height	Piston ST 64 / 64 mm / 143 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	36 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape in Bernstein look with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112877		
6	HB	




**LED Bulb, E27, 630 lm Replaces 60 W, Reflector Bulb R63, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Reflektor R 63 / 63 mm / 104 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

00112872		
12	HB	




**LED Bulb, E27, 806 lm Replaces 60 W, Reflector Bulb R63, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Reflektor R 63 / 63 mm / 101 mm
Lamp socket	E 27
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	60 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

00112925		
8	HB	




**LED Bulb, E27, 1050 lm Replaces 75 W, Reflector Bulb R80, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	3000 K
Design / Diameter / Height	Reflektor R 80 / 80 mm / 112 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	75 W

- Especially suitable for permanent lighting applications where prolonged "on" periods are required
- Pleasant, warm white light colour for general lighting tasks
- Can easily replace conventional incandescent bulbs
- For indoor and outdoor use

00112871		
8	HB	




**LED Filament, E27, 470 lm Replaces 40 W, T32 Tube Bulb, warm white, dimmable**

Colour Reproduction Index RA (min.)	80
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Röhrenlampe T 32 / 32 mm / 127 mm
Lamp socket	E 27
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- 330° light emission for nearly complete all-round lighting in rooms
- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative bulb shape with full glass casing
- Pleasant, warm white light colour for general illumination tasks
- For interiors and exteriors

00112606	
12	HB




**LED Filament, E27, 470 lm Replaces 40 W, Drop Bulb, warm white, clear**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112834	
8	HB




**LED Filament, E27, 470 lm Replaces 40 W, Drop Bulb, matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	40 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112838	
8	HB




**LED Bulb, E27, 470 lm Replaces 40 W, Drop Bulb, matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 80 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	40 W

- Very low energy consumption
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Stylish, white plastic housing
- Can easily replace conventional drop bulbs

00112848	
10	HB




**LED Filament, E27, 250 lm  
Replaces 25 W, Drop Bulb,  
matt, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Drop P 45 / 45 mm / 77 mm
Lamp socket	E 27
Power Consumption of an Equivalent Incandescent Lamp	25 W

- The special LED strips means that this bulb creates the lighting characteristics of a conventional everyday bulb
- Decorative droplet shape with full glass casing
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112840		
8	HB	




**LED Bulb, G9, 520 lm, Replaces 43W, Capsule, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	PIN G 9 / 16 mm / 61 mm
Lamp socket	G 9
Power Consumption of an Equivalent Incandescent Lamp	43 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used
- Fully insulated, stylish plastic housing

00112886		
10	BK	




**LED Bulb, G9, 250 lm, Replaces 25W, Capsule, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	PIN G 9 / 15 mm / 55 mm
Lamp socket	G 9
Power Consumption of an Equivalent Incandescent Lamp	25 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used
- Fully insulated, stylish plastic housing

00112885		
10	BK	




**LED Bulb, G9, 470 lm, Replaces 40W, Capsule, Warm White**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 13 mm / 60 mm
Lamp socket	G 9
Nominal Service Life	20000 h
Power Consumption of an Equivalent Incandescent Lamp	40 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

00112627		
18	BK	




**LED Bulb, G9, 370 lm, Replaces 33 W, Capsule, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 17 mm / 53 mm
Lamp socket	G 9
Power Consumption of an Equivalent Incandescent Lamp	34 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

00112861		
	10	BK




**LED Bulb, G9, 320 lm, Replaces 30 W, Capsule, Dimmable, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 17 mm / 53 mm
Lamp socket	G 9
Power Consumption of an Equivalent Incandescent Lamp	30 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used
- Fully insulated, stylish plastic housing

00112860		
	10	BK




**LED Bulb, G9, 300 lm, Replaces 28 W, Capsule, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 17 mm / 50 mm
Lamp socket	G 9
Power Consumption of an Equivalent Incandescent Lamp	28 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

00112862		
	10	BK




**LED Bulb, G9, 300 lm, Replaces 28 W, Capsule, Dimmable, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 17 mm / 53 mm
Lamp socket	G 9
Power Consumption of an Equivalent Incandescent Lamp	28 W

- For all lights with standard G9 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used
- Fully insulated, stylish plastic housing

00112859		
	10	BK






**LED Bulb, GU10, 350 lm Replaces 50 W, Reflector Lamp PAR16, daylight, Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight
Can be Dimmed	No
Colour Temperature	6500 K
Design / Diameter / Height	Reflektor Par 16 / 50 mm / 54 mm
Lamp socket	GU 10
Power Consumption of an Equivalent Incandescent Lamp	50 W

- The light emitted by this illuminant has a colour spectrum that very closely approximates that of natural daylight, creating feel-good lighting for private spaces, practices and seminar rooms
- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

00112857		
10	HB	




**LED Bulb, GU10, 350 lm Replaces 50 W, Reflector Bulb PAR16, warm wh., RA90**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor Par 16 / 50 mm / 54 mm
Lamp socket	GU 10
Power Consumption of an Equivalent Incandescent Lamp	50 W

- High colour reproduction of RA90
- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling

00112858		
10	HB	




**LED Bulb, GU10, 350lm Repl. 50W, Refl. bulb, PAR16, warm wh., Glass, 2 Pcs**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor Par 16 / 50 mm / 54 mm
Lamp socket	GU 10
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

00112924		
5	SC	




**LED Lamp, GU10, 350 lm Replaces 50W, Refl. PAR16, warm white, Glass, Dimmable**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor Par 16 / 50 mm / 54 mm
Lamp socket	GU 10
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Suitable as replacement for halogen bulbs and energy-saving bulbs in all private areas
- Delightfully warm colour temperature and good colour reproduction, ideal for use in general and mood lighting
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting
- High-quality, visually appealing housing for good cooling
- Dimmable

00112808		
10	HB	




**LED Bulb, GU10, 445 lm**  
Replaces 60W, Reflector Bulb PAR16, warm white, Glas

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor Par 16 / 50 mm / 54 mm
Lamp socket	GU 10
Power Consumption of an Equivalent Incandescent Lamp	40 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

00112884		
10	HB	




**LED Bulb, GU10, 250 lm**  
Replaces 38 W, Reflector Lamp PAR16, warm wh., Glass

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor Par 16 / 50 mm / 54 mm
Lamp socket	GU 10
Power Consumption of an Equivalent Incandescent Lamp	38 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

00112856		
10	HB	




**LED Bulb, R7s, 1055 lm,**  
Replaces 75W, Tube, warm white

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Rod shape J 118 / 18 mm / 118 mm
Lamp socket	R7s
Power Consumption of an Equivalent Incandescent Lamp	75 W

- LED bulb as energy-saving replacement for conventional halogen tubes
- Pleasant, warm white light colour for general lighting tasks
- For indoor and outdoor use

00112883		
10	BK	




**LED Lamp, S14s, 640 lm**  
Replaces 50 W, Linear Lamp, 50 cm, warm white

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Line lamp / 30 mm / 500 mm
Lamp socket	S14s
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	50 W

- Rod-shaped illuminant for linear lamps with two sockets (type: S14S)
- Replacement for conventional linear lamps (Linestra®, Ralina®, Philinea®), e.g. in bathrooms, kitchens, cupboards or mirror lighting
- Matt finish, indistinguishable visually from original linear lamps
- Very low energy consumption
- Very high light output for virtually complete all-round lighting in the room
- Warm, incandescent lamp-like light
- Long service life even when switched on frequently
- Low heat generation without UV radiation
- Full lighting power is instant
- Can replace conventional light bulbs

00112586		
6	HB	




**LED Lamp, S14s, 320 lm Replaces 30 W, Linear Lamp, 30 cm, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Line lamp / 30 mm / 300 mm
Lamp socket	S14s
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	30 W

- Rod-shaped illuminant for linear lamps with two sockets (type: S14S)
- Replacement for conventional linear lamps (Linestra®, Ralina®, Philinea®), e.g. in bathrooms, kitchens, cupboards or mirror lighting
- Matt finish, indistinguishable visually from original linear lamps
- Very low energy consumption
- Very high light output for virtually complete all-round lighting in the room
- Warm, incandescent lamp-like light
- Long service life even when switched on frequently
- Low heat generation without UV radiation
- Full lighting power is instant
- Can replace conventional light bulbs

00112585	
6	HB

## LED Tubular Lamp




**LED Bulb, G13, 900lm replaces 18W, Tube T8, 60 cm, neutral white, glass**

Colour Reproduction Index RA (min.)	80
Nominal Beam Angle	220 °
Nominal Light Output	900 lm
Nominal Power Consumption	9 W
Can be Dimmed	No
Design	T8 ø 26 mm rod-shaped
Lamp socket	G 13
Light color / color temperature	Neutral White - 4000 K
Nominal Service Life	30000 h
Power Consumption of an Equivalent Incandescent Lamp	18 W

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adaptor (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared with conventional fluorescent tubes

00112571	
6	HB

Lamps




**LED Bulb, G4, 250 lm replaces 25W, Capsule, Dimmable, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 13 mm / 28 mm
Lamp socket	G 4
Power Consumption of an Equivalent Incandescent Lamp	25 W

- For all lights with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- With silicon coating for increased safety and better light performance
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

00112867	
10	BK




**LED Bulb, G4, 180lm replaces 19W, capsule, dimmable, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 11 mm / 37 mm
Lamp socket	G 4
Nominal Service Life	15000 h
Power Consumption of an Equivalent Incandescent Lamp	19 W

- For all luminaires with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- With silicon coating for increased safety and better light performance
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

00112517	
18	BK




**LED Bulb, G4, 160 lm Replaces 17 W, Capsule, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 11 mm / 39 mm
Lamp socket	G 4
Power Consumption of an Equivalent Incandescent Lamp	17 W

- For all lights with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

00112869	
10	BK




**LED Bulb, G4, 150 lm replaces 16W, Capsule, Dimmable, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 10 mm / 38.5 mm
Lamp socket	G 4
Power Consumption of an Equivalent Incandescent Lamp	16 W

- For all lights with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- With silicon coating for increased safety and better light performance
- Very low energy consumption, ideal for permanent lighting, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

00112868	
10	BK




**LED Bulb, G4, 100 lm Replaces 11 W, Capsule, warm white**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Base Pin / 10 mm / 33 mm
Lamp socket	G 4
Power Consumption of an Equivalent Incandescent Lamp	11 W

- For all lights with standard G4 fittings
- Less power and heat generation than conventional halogen bayonet base bulbs
- Exceptionally low consumption is ideal for permanent illumination, e.g. as a night light in bedrooms or in corridors
- Also suitable for table or work lighting if several LED lamps are used

00112870		
10	BK	




**LED Bulb, GU4, 185 lm Replaces 20 W, Reflector Lamp MR11, warm white, Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor MR 11 / 35 mm / 40 mm
Lamp socket	GU 4
Power Consumption of an Equivalent Incandescent Lamp	20 W

- For all lights with standard GU4 fittings
- Ideal replacement for halogen reflector bulbs
- Very low consumption, despite high light yield
- Lower heat generation

00112866		
10	BK	




**LED Bulb, GU5.3, 450 lm Replaces 40 W, Reflector Bulb MR16, warm wh., Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor MR 16 / 50 mm / 46 mm
Lamp socket	GU 5.3
Power Consumption of an Equivalent Incandescent Lamp	40 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

00112863		
10	HB	




**LED Bulb, GU5.3, 350 lm Replaces 35 W, Reflector Lamp MR16, warm wh., Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor MR 16 / 50 mm / 46 mm
Lamp socket	GU 5.3
Power Consumption of an Equivalent Incandescent Lamp	35 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

00112864		
10	HB	

LED LAMPS 12V




**LED Bulb, GU5.3, 245 lm**  
**Replaces 22 W, Reflector Bulb**  
**MR16, warm wh., Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Reflektor MR 16 / 50 mm / 46 mm
Lamp socket	GU 5.3
Power Consumption of an Equivalent Incandescent Lamp	22 W

- Very attractive glass structure, which can be used as a replacement for halogen lamps and energy-saving lamps in all private areas and guarantees an elegant look
- High-quality housing for good cooling
- Resilient to switching, therefore also suitable for frequent switching on/off, e.g. in staircase lighting

00112865		
10	HB	

## Suction cup




**Suction cup for light (MR16, GU10, GX53, R30, R40, Par20)**

Material	Silicone
Weight	3 g

- Suitable for most LED bulbs or halogen lamps with MR16, GU10, GX52, R30, R40, PAR20 base
- With the bulb remover, the light bulb is easier to change especially with narrow light shades and built-in spotlights. It sits very deep and in most cases is almost impossible to grip with fingers
- The light bulb removal tool is your extended hand: it suctions easily and firmly onto the smooth surface and you can remove or insert the bulb from or into the fitting by pulling it or turning it, depending on the design
- This process prevents deposits and finger marks too

00112923		
120	HB	

## Halogen Bulb




**Halogen Candle Bulb, E14, 46W, warm white, 2 pieces**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	700 lm
Nominal Power Consumption	46 W
Angle of Radiation	360 °
Design / Diameter / Height	C 36 / 36 mm / 104 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	60 W
Nominal Light Output	700 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

00112461	
20	SC




**Halogen Candle Bulb, E14, 30W, warm white, 2 pieces**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	405 lm
Nominal Power Consumption	30 W
Angle of Radiation	360 °
Design / Diameter / Height	C 36 / 36 mm / 104 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Nominal Light Output	405 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

00112460	
20	SC




**Halogen Candle Bulb, E14, 20W, warm white, 2 pieces**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	235 lm
Nominal Power Consumption	20 W
Angle of Radiation	360 °
Design / Diameter / Height	C 36 / 36 mm / 104 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	26 W
Nominal Light Output	235 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

00112459	
20	SC



**Halogen Drop Bulb, E14, 30W, warm white**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	405 lm
Nominal Power Consumption	30 W
Angle of Radiation	360 °
Design / Diameter / Height	P 45 / 46 mm / 77 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	40 W
Nominal Light Output	405 lm


- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

00112457	
20	SC



# Halogen Bulbs

HALOGEN BULBS 230V



**Halogen Drop Bulb, E14, 20W, warm white**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	235 lm
Nominal Power Consumption	20 W
Angle of Radiation	360 °
Design / Diameter / Height	P 45 / 46 mm / 77 mm
Lamp socket	E 14
Light color / color temperature	Warm White - 2700 K
Power Consumption of an Equivalent Incandescent Lamp	26 W
Nominal Light Output	235 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

00112456	
20	SC



**Halogen Bulb, E27, 116W, warm white**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	2135 lm
Nominal Power Consumption	116 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	150 W
Nominal Light Output	2135 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

00112455	
20	SC




**Halogen Bulb, E27, 77W, warm white, 2 pieces**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	1320 lm
Nominal Power Consumption	77 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	100 W
Nominal Light Output	1320 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter

00112454	
20	SC



**Halogen Bulb, E27, 57W, warm white, 2 pieces**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	915 lm
Nominal Power Consumption	57 W
Angle of Radiation	360 °
Design / Diameter / Height	A 55 / 56 mm / 97 mm
Lamp socket	E 27
Light color / color temperature	Warm White - 2800 K
Power Consumption of an Equivalent Incandescent Lamp	75 W
Nominal Light Output	915 lm

- Simple direct replacement for conventional incandescent bulbs
- Same pleasant light quality as that of an incandescent bulb
- Instant full light output (100 %) after switch-on, no warm-up time
- No UV radiation thanks to UV filter



00112453	
20	SC



# Halogen Bulbs

HALOGEN BULBS 12V

## Halogen Bulb




**Halogen Capsule, GY6.35, 50W, warm white, 2 pieces**

Colour Reproduction Index RA (min.)	100
Nominal Beam Angle	360 °
Nominal Light Output	910 lm
Nominal Power Consumption	50 W
Angle of Radiation	360 °
Design / Diameter / Height	Base Pin / 44 mm
Lamp socket	GY 6.35
Light color / color temperature	Warm White - 3000 K
Power Consumption of an Equivalent Incandescent Lamp	74 W
Nominal Light Output	910 lm

- Brilliant accent light
- Incredibly small dimensions for revolutionary new luminaire designs
- Approved for use in open luminaires to IEC 60598-1
- Axial filament for improved light control
- Special pins for corrosion protection
- No UV radiation thanks to UV filter

00112481		
10	BK	

## Halogen Reflector Lamp



**Halogen Reflector Bulb MR11, GU4, 35W, warm white**

Light Colour	Warm White
Nominal Power Consumption	35 W
Weighted Energy Consumption	38 kWh/1000h
Can be Dimmed	Yes
Design	MR 11
Nominal Light Output	430

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

00112483		
10	BK	




**Halogen Reflector Bulb MR11, GU4, 20W, warm white**

Light Colour	Warm White
Nominal Power Consumption	20 W
Weighted Energy Consumption	22 kWh/1000h
Can be Dimmed	Yes
Design	MR 11
Power Consumption of an Equivalent Incandescent Lamp	24 W
Nominal Light Output	205

- Brilliant accent light
- Dichroic reflector reduces heat in light beam by up to 66 %
- Approved for use in open luminaires to IEC 60598-1
- No UV radiation thanks to UV filter

00112399		
10	BK	

Lamps




**LED Bulb, G13, 2880 lm  
Replaces 58 W Tube Bulb T8,  
150 cm, neutral wh., Gl.**

Colour Reproduction Index RA (min.)	80
Light Colour	Neutral White
Can be Dimmed	No
Colour Temperature	4000 K
Design / Diameter / Height	Röhrenlampe T 8 / 28 mm / 1514 mm
Lamp socket	G 13

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adaptor (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared to conventional fluorescent tubes

00112899	
6	HB




**LED Bulb, G13, 2160 lm  
Replaces 36 W, Tube Bulb T8,  
120 cm, neutral wh.,Gl.**

Colour Reproduction Index RA (min.)	80
Light Colour	Neutral White
Can be Dimmed	No
Colour Temperature	4000 K
Design / Diameter / Height	Röhrenlampe T 8 / 28 mm / 1200 mm
Lamp socket	G 13

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adaptor (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared to conventional fluorescent tubes

00112898	
6	HB




**LED Bulb, G13, 1800 lm Re-  
places 18 W, Tube T8, 60 cm,  
neutral white, Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Neutral White
Can be Dimmed	No
Colour Temperature	4000 K
Design / Diameter / Height	Röhrenlampe T 8 / 28 mm / 600 mm
Lamp socket	G 13

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adaptor (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared to conventional fluorescent tubes

00112897	
6	HB




**LED Bulb, G13, 2880 lm  
Replaces 58 W, Tube Bulb T8,  
150 cm, daylight, Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight
Can be Dimmed	No
Colour Temperature	6500 K
Design / Diameter / Height	Röhrenlampe T 8 / 28 mm / 1500 mm
Lamp socket	G 13

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adaptor (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared to conventional fluorescent tubes

00112889	
6	HB




**LED Bulb, G13, 1080 lm Replaces 18 W, Tube T8, 60 cm, daylight, Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight
Can be Dimmed	No
Colour Temperature	6500 K
Design / Diameter / Height	Röhrenlampe T 8 / 28 mm / 600 mm
Lamp socket	G 13

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adapter (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared to conventional fluorescent tubes

00112887	
6	HB



**LED Bulb, G13, 2160 lm Replaces 36 W, Tube Bulb T8, 120 cm, daylight, Glass**

Colour Reproduction Index RA (min.)	80
Light Colour	Daylight
Colour Temperature	6500 K
Design / Diameter / Height	Röhrenlampe T 8 / 28 mm / 1200 mm
Lamp socket	G 13

- Easy exchange of fluorescent tubes, which are operated in lamp housing using starters and a conventional AC-adapter (CLB and LLB)
- No conversion of lights required - the supplied dummy starter must, however, be exchanged with the existing starter
- Immediate start without flickering even at low temperatures down to -20°C
- The brightness in the primary beam direction is almost identical to that of fluorescent tubes (except when the light is fitted with highly efficient specular louvres)
- Long service life even when switched on frequently
- Saves about 50% energy compared to conventional fluorescent tubes

00112888	
6	HB

Special Bulb



**LED Filament, E14, 180 lm  
2W, Vintage Lamp Candle,  
warm white**

Light Colour	Warm White
Nominal Power Consumption	2 W
Weighted Energy Consumption	2 kWh/1000h
Can be Dimmed	No
Design	C 35

- The special LED strips mean that this bulb looks like and is the same size as a conventional candle light bulb
- The amber-coloured glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting



**LED Filament, E14, 280 lm  
4W, Vintage Lamp Candle,  
Dimmable, warm white**

Nominal Power Consumption	4 W
Weighted Energy Consumption	4 kWh/1000h
Can be Dimmed	Yes
Design	C 35

- The special LED strips mean that this bulb looks like and is the same size as a conventional candle light bulb
- The smoked glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting
- Dimmable



**LED Filament, E14, 320 lm  
4W, Vintage Lamp Candle,  
Dimmable, warm white**

Nominal Power Consumption	4 W
Weighted Energy Consumption	4 kWh/1000h
Can be Dimmed	Yes
Design	C 35

- The special LED strips mean that this bulb looks like and is the same size as a conventional candle light bulb
- The amber-coloured glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting
- Dimmable



**LED Filament, E27, 400 lm  
4W, Vintage Lamp Incandescent Bulb,  
warm white**

Nominal Power Consumption	4 W
Weighted Energy Consumption	4 kWh/1000h
Can be Dimmed	No
Design	A 60

- The special LED strips mean that this bulb looks like and is the same size as a conventional incandescent bulb
- The amber-coloured glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting

SPECIAL BULB

00112909

8 HB

00112911

8 HB

00112910

8 HB

00112912

8 HB

# Special Bulbs

SPECIAL BULB



**LED Filament, E27, 340 lm  
6W, Vintage Lamp Incandescent Bulb, warm white**

Nominal Power Consumption	6 W
Weighted Energy Consumption	6 kWh/1000h
Can be Dimmed	No
Design	A 60

- The special LED strips mean that this bulb looks like and is the same size as a conventional incandescent bulb
- The smoked glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting

00112914		
8	HB	



**LED Filament, E27, 600 lm 8 W, Vintage Lamp Incandescent Bulb, Dimmable, warm white**

Nominal Power Consumption	8 W
Weighted Energy Consumption	8 kWh/1000h
Can be Dimmed	Yes
Design	A 60

- The special LED strips mean that this bulb looks like and is the same size as a conventional incandescent bulb
- The amber-coloured glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting
- Dimmable

00112913		
8	HB	



**LED Filament, E27, 380 lm 8W, Vintage Lamp Incandescent Bulb, Dimmable, warm white**

Nominal Power Consumption	8 W
Weighted Energy Consumption	8 kWh/1000h
Can be Dimmed	Yes
Design	A 60

- The special LED strips mean that this bulb looks like and is the same size as a conventional incandescent bulb
- The smoked glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting
- Dimmable

00112915		
8	HB	



**LED Filament Plant Growth Lamp 8W**

Nominal Power Consumption	8 W
Weighted Energy Consumption	8 kWh/1000h
Can be Dimmed	No
Design	A 60

- Supports plant growth when daylight is scarce, over winter or during germination
- Can compensate for a lack of natural sunlight and improve the plant's light-dependent processes such as photosynthesis and photomorphogenesis
- The lamp emits violet light which is not suitable for illuminating rooms: growth-promoting light for plants with blue and red colour components
- Photosynthetic photon efficacy (PPE) 1.6  $\mu\text{mol/l}$ ; photosynthetic photon flow per sec. (PPF) 12.8  $\mu\text{mol/s}$
- All-round beam
- Very low energy consumption of just 8W
- E27 socket for easy screwing into conventional sockets

00112849		
10	HB	





**LED Filament, E27, 450 lm 6 W, Vintage Lamp Globe 80, warm white**

Nominal Power Consumption	6 W
Weighted Energy Consumption	6 kWh/1000h
Can be Dimmed	No
Design	G 80

- The special LED strips mean that this bulb looks like and is the same size as a globe bulb
- The smoked glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting

00112919		
6	HB	



**LED Filament, E27, 650 lm 8 W, Vintage Lamp Globe 80, Dimmable, warm white**

Nominal Power Consumption	8 W
Weighted Energy Consumption	8 kWh/1000h
Can be Dimmed	Yes
Design	G 80

- The special LED strips mean that this bulb looks like and is the same size as a conventional globe bulb.
- The amber-coloured glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting
- Dimmable

00112918		
6	HB	



**LED Filament, E27, 420 lm 8 W, Vintage Lamp Globe 125, Dimmable, warm white**

Nominal Power Consumption	8 W
Weighted Energy Consumption	8 kWh/1000h
Can be Dimmed	Yes
Design	G 120

- The special LED strips mean that this bulb looks like and is the same size as a globe bulb
- The smoked glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting
- Dimmable

00112921		
16	SC	



**LED Filament, E27, 650 lm 8 W, Vintage Lamp Globe 125, Dimmable, warm white**

Nominal Power Consumption	8 W
Weighted Energy Consumption	8 kWh/1000h
Can be Dimmed	Yes
Design	G 120

- The special LED strips mean that this bulb looks like and is the same size as a conventional globe bulb.
- The amber-coloured glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting
- Dimmable

00112920		
16	SC	

# Special Bulbs

SPECIAL BULB



**LED Filament, E27, 430 lm  
6W, Vintage Lamp Edison  
Bulb, warm white**

Nominal Power Consumption	6 W
Weighted Energy Consumption	6 kWh/1000h
Can be Dimmed	No
Design	Special Size

- The special LED strips mean that this bulb looks like and is the same size as an Edison bulb
- The smoked glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting

00112916	
6	HB




**LED Filament, E27, 420 lm  
8W, Vintage Lamp Edison  
Bulb, Dimmable, warm white**

Nominal Power Consumption	8 W
Weighted Energy Consumption	8 kWh/1000h
Can be Dimmed	Yes
Design	Special Size

- The special LED strips mean that this bulb looks like and is the same size as an Edison bulb
- The smoked glass creates an extra-warm, yellowish and atmospheric light and can be used as a decorative, mood or night light
- Fine vintage look with full glass housing creates design accents
- Not suitable as standalone room lighting
- Dimmable

00112917	
6	HB

Lamps




**Oven Light, 15 W, Heat-resistant to 300°, E14, Pear Shape, clear**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2000 K
Design / Diameter / Height	Pear Shape / 22 mm / 48 mm
Lamp socket	E 14
Nominal Service Life	1000 h

- Heat-resistant to 300°C

00112892	
10	BK




**LED Filament, E14, 470 lm  
Replaces 40W, Tube Bulb, Re-  
frigerators/Extractor Hoods**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Bulb T 25 / 25 mm / 83 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High light yield
- Very low energy consumption of just 4W
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Can easily replace conventional incandescent bulbs

00112827	
10	BK




**LED Filament, E14, 250 lm  
Replaces 25W, Tube Bulb, Re-  
frigerators/Extractor Hoods**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Bulb T 25 / 25 mm / 83 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- High light yield
- Very low energy consumption of just 2W
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Can easily replace conventional incandescent bulbs

00112825		
10	BK	




**Oven Light, 25 W, Heat-  
resistant to 300°, E14, Pear  
Shape, clear**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2200 K
Design / Diameter / Height	Bulb T 25 / 25 mm / 54 mm
Lamp socket	E 14
Nominal Service Life	1000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- Heat-resistant to 300°C

00112893		
10	BK	




**LED Refrigerator Bulb, 2 W,  
E14, neutral white**

Colour Reproduction Index RA (min.)	80
Light Colour	Neutral White
Can be Dimmed	No
Colour Temperature	4000 K
Design / Diameter / Height	Bulb T 25 / 25 mm / 59 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	20 W

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
- Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small bulbs can be used
- Operating temperature: -20°C to +40°C

00112895		
10	BK	




**Oven Light, 40 W, Heat-re-  
sistant to 300°, E14, Droplet  
Shape, clear**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2500 K
Design / Diameter / Height	Drop P 45 / 45 mm / 70 mm
Lamp socket	E 14
Nominal Service Life	1000 h

- Heat-resistant to 300° Celsius
- High light performance

00112894		
10	HB	

SPECIAL BULB




**Halogen Oven Bulb 28 W,  
Heat-Resistant up to 300°,  
G9, clear**

Colour Reproduction Index RA (min.)	99
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2800 K
Design / Diameter / Height	PIN G 9 / 14 mm / 42 mm
Lamp socket	G 9
Nominal Service Life	2000 h

- Heat-resistant to 300° Celsius
- Clear
- 1 blister-packaged unit

00111451	
12	BK

LED Light




“Stick” LED Plant Lamp

Max. Lumen	14.7
Number of LEDs	60

- LED plant lamp with 60 LEDs
- Supports plant growth when daylight is scarce, over winter or during germination
- Growth-promoting light spectrum with blue and red light
- 3 light modes available: blue/red, blue, red (blue: helps plants grow more bushy; red: helps plants grow taller; blue/red: for even growth)
- Photosynthetic photon efficacy (PPE) 0.578  $\mu\text{mol/J}$ ; photosynthetic photon flow per sec. (PPF) 1.3  $\mu\text{mol/s}$
- Lamp emits violet light, which is not suitable for room lighting
- 5 dim levels
- Integrated timer switch: when you activate the timer, the lamps will turn on every day at the time you specify for a selected interval of 3, 6 or 12 hours
- 2 lamp heads with mobile swan necks and 1 clip holder ensure maximum freedom for installation and orientation
- Low power consumption thanks to LED technology
- Power supply via USB connection

00112697		
15	SC	

Lights, changeable



Growing Station with LED Plant Lamp, Approx. 3 Pots Ø 10 cm, Full-spectrum

Max. Lumen	14.7
Number of LEDs	60

- LED plant lamp with 48 LEDs
- Supports plant growth when daylight is scarce, over winter or during germination
- Growth-promoting light spectrum with blue and red light
- 3 light modes available: blue/red, blue, red (blue: helps plants grow more bushy; red: helps plants grow taller; blue/red: for even growth)
- Photosynthetic photon efficacy (PPE) 0.578  $\mu\text{mol/J}$ ; photosynthetic photon flow per sec. (PPF) 1.3  $\mu\text{mol/s}$
- Lamp emits violet light, which is not suitable for room lighting
- 5 dim levels
- Integrated timer switch: when you activate the timer, the lamps will turn on every day at the time you specify for a selected interval of 3, 6 or 12 hours
- 2 lamp heads with mobile swan necks and 1 clip holder ensure maximum freedom for installation and orientation
- Low power consumption thanks to LED technology
- Power supply via USB connection

00112696		
15	SC	

White	00112926	
	12	SC

- Supports photosynthesis: the built-in full-spectrum LED lamp simulates sunlight and generates an energy-efficient, ideal light spectrum in neutral white (no interfering red)
- Photosynthetic photon flow per sec. (PPF) 17  $\mu\text{mol/s}$ ; photosynthetically active photon flow density PPF (0.1 m | 0.2 m | 0.3 m) 420 | 230 | 80  $\mu\text{mol}/(\text{m}^2\cdot\text{s})$
- Simulation of the day/night cycle: electronic control switches the plant lamp on for 16 hours and off for 8 hours
- Even coverage: wide light radiance illuminates the entire interior of the LED growing station
- The growth lamp can be easily assembled in 5 steps
- Space for plenty of pots on the surface: the surface can accommodate multiple pots, so that various plants can be grown simultaneously, e.g. 3 pots with a diameter of 10 cm or multiple small growing trays









# Xavax Barista at a glance

---

Coffee-/tea can

---

Capsule stand

---

Coffee preparation

---

Milk preparation

---

Cleaning & Care

---



Container for Coffee Pads

COFFEE/TEA CAN



## Coffee Pad Tin for Storing 20 Senseo Pads etc., Metal, silver



Diameter	8.2 cm
Height	18 cm

- Coffee pad storage made easy: the handy storage tin is suitable for all coffee pad sizes, e.g. Senseo, Tassimo, Jacobs, etc.
- Well stored: inside the box, the coffee pads are protected from light so they keep their aroma for longer. The ideal container with keep-fresh effect
- Pad tin with lots of space, able to accommodate up to 20 tea or coffee pads - or space for around 300 g of coffee beans or around 340 g of ground coffee and espresso powder
- Versatile box: of course, the storage tin is not just for tea and coffee pads: it's important to store nuts, Gummibears, sweets, biscuits, cocoa powder, pasta, rice and so on properly too
- Timeless design: the simple coffee pad tin in elegant silver suits all coffee preferences and every style of home - and cuts a fine figure next to all pad machines
- Long-lasting and plastic-free: the material gives the round pad tin an elegant stainless steel feel and is of course food-safe and taste-neutral - for unadulterated full-bodied coffee enjoyment
- Beautiful storage tin for the kitchen:

simply transfer coffee pads from the packaging into the pad box - for a tidy living ambience

Schwarz	00111272
Silber	00111264
	24 SC



Coffee/Tea Container



COFFEE/TEA CAN

**Coffee Tin for 1.3 kg Beans or 1.5 kg Powder, Airtight, Aroma-tight, black**



Height	24.5 cm
Width	15 cm

- Large coffee tin with plenty of space: the storage tin holds 1300 g of whole beans or 1500 g of coffee powder - simply fill up with entire 1 kg packs before the coffee runs out
- Aroma tin for coffee: the air-tight aroma closure with sealing ring keeps moisture out and preserves the fine nuances of flavour for a long time - aroma-safe for ground coffee, roasted coffee beans or even loose tea
- Versatile box: of course, not only coffee beans fit into the storage box - it's also important to store cocoa, biscuits, pasta, rice, muesli, sugar, flour, nuts, coffee pods, capsules and so on correctly
- Insight without opening: the anti-static viewing window of the coffee aroma tin provides the perfect view of the contents - so you can see immediately if and when you need to replenish your favourite roast
- High-quality and durable carbon steel: the material gives the round metal storage tin an elegant stainless steel feel and is of course food-safe and odourless - for unadulterated full-bodied coffee enjoyment
- Robust surface: the large coffee tin in black matt has a scratch-resistant anti-fingerprint coating - so no fingerprints mar the beautiful kitchen tin either
- Timeless design: the coffee tin with viewing window suits all coffee preferences and every style of living - and cuts a fine figure next to all coffee machines, from the French press to filter machines and fully automatic coffee makers

1300 g	00111262
6	SC

**Coffee Tin for 500 g of Beans or 700 g of Powder, Airtight, Aroma-tight, bl**



Height	16.5 cm
Width	12.5 cm

- Small coffee tin, for espresso too: the storage tin holds 500 g of whole beans or 700 g of coffee powder - simply fill up with entire 500 g packs before the coffee runs out
- Aroma tin for coffee: the air-tight aroma closure with sealing ring keeps moisture out and preserves the fine nuances of flavour for a long time - aroma-safe for ground coffee, roasted coffee beans or even loose tea
- Versatile box: of course, not only coffee beans fit into the storage box - it's also important to store spices, cocoa, biscuits, pasta, rice, muesli, sugar, flour, nuts, coffee pods, capsules and so on correctly.
- Insight without opening: the anti-static viewing window of the coffee aroma tin provides the perfect view of the contents - so you can see immediately if and when you need to replenish your favourite roast
- High-quality and durable carbon steel: the material gives the round metal storage tin an elegant stainless steel feel and is of course food-safe and odourless - for unadulterated full-bodied coffee enjoyment
- Robust surface: the small coffee tin in black matt has a scratch-resistant anti-fingerprint coating - so no fingerprints mar the beautiful kitchen tin either
- Timeless design: the coffee tin with viewing window suits all coffee preferences and every style of living - and cuts a fine figure next to all coffee machines, from the French press to filter machines and fully automatic coffee makers

500 g	00111275
16	SC

Pillar

CAPSULE STAND




## Coffee Capsule Stand for Nespresso, Holder for 40 Capsules, black matt



Material	Metal
Max. Capsule Capacity	40
Width x Depth x Height	13.5 x 14 x 37 cm
Suitable for	Nespresso Capsules

- Coffee capsule storage made easy: the practical stand organises all Nespresso capsules in one place and shows the quantity in stock at a glance
- Capsule holder with plenty of space: up to 40 coffee capsules can be organised separately, e.g. depending on the variety - 4 separate wire holders hold 10 capsules each
- Clever capsule dispenser: the Nespresso capsules can be removed from the capsule holder from above as well as from below - arranging and providing direct access to up to 8 varieties
- A touch is all it takes: capsule holder as a practical alternative to drawers, boxes or other containers for coffee capsules
- Saves space: the coffee capsule holder for placing on the table takes up little space - ideal for a worktop, kitchen table or sideboard
- Neat coffee capsule storage: simply transfer Nespresso capsules from the packaging into the stand - for a tidy living environment
- Elegant design: the Nespresso capsule holder in elegant matt black is a visual highlight in the modern kitchen - and cuts a fine figure next to your Nespresso machine
- As individual as you are: fill the simple capsule dispenser with your favourite varieties - the coffee capsules of your choice provide colour accents according to your coffee taste
- Durable and robust: plastic-free, chrome-plated capsule holder made of iron steel - for a long service life
- Also fits other coffee capsules, pads and pods of the same size as Nespresso, such as Gourmesso, Cialdissima and Dallmayr capsa

			00111265
	12	SC	



## Coffee Capsule Stand for Dolce Gusto, Nespresso Vertuo, Holds 16 Capsules, blk




Material	Metal
Max. Capsule Capacity	16
Width x Depth x Height	14 x 8.5 x 24 cm
Suitable for	Dolce Gusto Capsules/Nespresso Vertuo Kapseln

- Coffee capsule storage made easy: the practical stand organises all Dolce Gusto and Nespresso Vertuo capsules in one place and shows the quantity in stock at a glance
- Capsule holder with plenty of space: up to 16 coffee capsules can be organised separately, e.g. depending on the variety - 4 separate wire holders hold 4 capsules each
- Clever capsule dispenser: the Dolce Gusto capsules can be removed from the top of the capsule holder - for direct access to each variety
- A touch is all it takes: capsule holder as a practical alternative to drawers, boxes or other containers for coffee capsules
- Saves space: the coffee capsule holder for placing on the table takes up little space - ideal for a worktop, kitchen table or sideboard, even in small kitchens
- Neat coffee capsule storage: whether it be Nespresso Vertuo or Dolce Gusto, simply transfer the capsules from the packaging into the stand - for a tidy living environment
- Elegant design: the capsule holder in elegant matt black is a visual highlight in the modern kitchen - and cuts a fine figure next to your capsule machine
- As individual as you are: fill the sleek capsule dispenser with your favourite varieties - for a decorative arrangement of the coffee capsules
- Durable and robust: plastic-free, chrome-plated capsule holder made of iron steel - for a long service life
- Also fits other coffee capsules, pads and pods of the same size as Nescafé Dolce Gusto, e.g. Nespresso Vertuo, Caffè Tiziano Bonini or Gimoka

			00111266
	12	SC	





CAPSULE STAND

## Coffee Capsule Stand for Tassimo, Holder for 26 Capsules, black matt



Material	Metal
Max. Capsule Capacity	26
Width x Depth x Height	16 x 8 x 23 cm
Suitable for	Tassimo Capsules

- Coffee capsule storage made easy: the practical stand organises all Bosch Tassimo capsules in one place and shows the quantity in stock at a glance
- Capsule holder with plenty of space: up to 26 coffee capsules can be organised separately, e.g. depending on the variety - 2 separate wire holders hold 13 capsules each
- Clever capsule dispenser: the Tassimo capsules can be removed from the capsule holder from above as well as from below - arranging and providing direct access to up to 4 varieties
- A touch is all it takes: capsule holder as a practical alternative to drawers, boxes or other containers for coffee capsules
- Saves space: the coffee capsule holder for placing on the table takes up little space - ideal for a worktop, kitchen table or sideboard, even in small kitchens
- Neat coffee capsule storage: simply transfer Tassimo capsules from the packaging into the stand - for a tidy living environment
- Elegant design: the capsule holder in elegant matt black is a visual highlight in the modern kitchen - and cuts a fine figure next to your capsule machine
- As individual as you are: fill the sleek capsule dispenser with your favourite varieties - for a decorative arrangement of the coffee capsules
- Durable and robust: plastic-free, chrome-plated capsule holder made of iron steel - for a long service life
- Also fits other coffee capsules, pads and pods of the same size as the Tassimo T-Disc system, e.g. Jacobs, Kenco, Carte Noire, L'OR, Cadbury or Twinings

		0011269
	12	SC

Permanent Filter



## Permanent Filter for Coffee Makers, Coffee Filter Replacement for Size 4, b



Suitable for	Coffee Machines
Set Contents in Pieces	1

- Use coffee machines with permanent filters in an environmentally friendly way: the permanent coffee filter is the ideal replacement for disposable paper filter bags - creating less waste quickly
- Universal coffee filter: fits in standard filter coffee machines from the usual manufacturers as well as hand filters, coffee filter attachments etc. made of plastic, stainless steel, ceramic or porcelain, provided they are larger than the permanent filter
- Reusable replacement for coffee filter size 4 (1x4): up to 4 x 200 ml cups of coffee or 6 x 125 ml cups with one surge infusion, or 8-12 cups with two surge infusions
- Simple and safe: simply insert the wedge-shaped permanent filter like a paper filter and use it indefinitely - for your favourite coffee enjoyment without annoying folds or coffee grounds in the cup
- 120 mesh: extra-fine filter mesh made of stainless steel - tasteless, food-safe and fine-pored for the finest coffee aroma
- Long-lasting and sturdy: the reusable coffee filter can be easily emptied, washed out and reused as many times as you wish
- Easy to look after, hygienic and dishwasher-safe: of the permanent coffee filter can be quickly washed by hand or in the dishwasher
- Straightforward thanks to the handle: the practical handle makes it easy to remove the permanent filter from the coffee maker and attachment
- Cheaper alternative: permanent coffee filters are cheaper compared to disposable filter bags for coffee makers, coffee attachments, etc.

0011263		
24	HB	



## Reusable Pads, Set of 2 for Senseo and Similar Models, Reusable Pad Filter, blk



Suitable for	Phillips Senseo
Set Contents in Pieces	2

- Make using a coffee maker with pads eco-friendly: the self-fill coffee pads are the ideal replacement for disposable pads, creating less waste in an instant
- Versatile: long-term pads for the Philips Senseo and all similar appliances from common coffee machine manufacturers
- Simple and safe: 3 holders make the reusable coffee pads easy to open and close, ensuring maximum enjoyment without messy coffee grounds
- Brew your favourite powder with a coffee filter in the pad machine: you decide what you put in the coffee pads, whether it be regular, stomach-friendly or decaffeinated, strong or not so strong
- Perfect coffee crema: refillable coffee pads with an extra-fine filter mesh - food-safe and fine-pored for the finest coffee aroma
- Easy to look after, hygienic and dishwasher-safe: the universal coffee pads can be quickly washed by hand or in the dishwasher
- Long-lasting: the reusable coffee pads can be easily emptied, washed out and reused as many times as you wish
- Space-saving design: reusable pads and coffee powder are significantly more economical and take up less space than conventional disposable coffee pads, and there's a lot less packaging waste too
- Handy set of 2: prepare the next cup while the first serving is still brewing, or use it as a coffee and tea pad
- Cheaper than disposable: reusable pad filters for Senseo and similar machines are cheaper compared to disposable coffee pads, so you save money

0011261		
16	HB	





## Tampfer Kit



COFFEE PREPARATION

## Tamping Set, 51 mm Tamper, Stainless Steel, with Tamper Mat, Non-slip, black



Suitable for

Espresso

- Must-have sieve tamper: the balanced contact pressure with the tamper improves the water flow through the entire powder - so all the aromas unfold
- Flat base: flat pressure surface of the hand tamper ensures correct distribution and precise pressure on the espresso powder in the sieve, resulting in perfect espresso- Durable and rust-proof: the base of the espresso tamper with a 51 mm diameter is made of high-quality 304 stainless steel - food-safe, rust and plastic-free-Sits beautifully in the hand: ergonomic tamper handle with easy-care, oxidised aluminium alloy- Solid weight: at 340 g, the stainless steel tamper enables comfortable handling- Easy to clean: the base can be removed from the tamper handle and facilitates thorough hygienic cleaning. The stainless steel part of the coffee tamper is dishwasher safe- With tamper mat: the silicone tamper tray creates a firm place for the sieve stamp - ideal when hobby or professional baristas need to be quick- Special surface: nubs in the tamper holder for optimal ventilation of the coffee stamp - easy drying on the mat- Non-slip and 2-in-1: tamping

mat as storage surface for the tamper and filter support when pressing coffee - tamping without sliding around- The tamper mat protects the espresso stamp as well as the worktop, kitchen counter etc. from damage- The stainless steel barista tamper with black handle is a visual highlight next to your filter machine

0011276

36 SC

Box



## Knock Container, Knock Box for Quiet Knocking, Non-slip, black



Diameter	11 cm
----------	-------

- Quickly clean without scraping: knock out the filter head with a few knocks on the knock box - no coffee brew gets stuck- Low-noise: dampening silicone coating on the knock bar of the stainless steel knock box - even with vigorous knocking- Non-slip thanks to 5 mm foam padding: clever anti-slip coating on the underside of the knock box for filters - no sliding around and the work surface is protected- Plenty of space: up to 13 coffee pucks fit into the knock container- Compact: the flexibly positionable knock box also fits into small kitchens and corners - much more practical than knock drawers or other grounds containers- Splash guard: the raised rear wall on the barista knock container prevents coffee grounds from splashing out of the knock tray- Use the leftovers: the collected coffee grounds in the knock container are suitable as a plant fertiliser, skin exfoliator or as a home remedy against odours, for example- Easy to clean: the coffee grounds container as well as the filter are emptied and cleaned in no time - no tight corners, no mould- Can be dismantled: for easy, thorough cleaning, the crossbar

can be removed from the knock box and rubber cover- Robust: the knock box is made of 304 stainless steel for a long service life, even with intensive use- Timeless design: the coffee knock container in elegant black matches any style of home - and simply looks good next to your filter machine

		00111277
	24	SC

Tea & Coffee Maker



## Stainless Steel Espresso Maker for 4 Cups, Stove-top Pot, Incl. Induction, 200 ml



- Traditionally strong: the espresso maker made of stainless steel is indispensable for preparing the typical caffè - like from a caffettiera from Italy- Generous volume: the water reservoir of the mocha coffee pot holds 200 ml, ideal for up to 4 cups of 50 ml each or 8 espressi of 25 ml each - for sharing coffee in the morning or after a meal- For all types of hob: thanks to the base plate with approx.  $\square$  of 8.5 cm, the versatile espresso maker can be used with induction as well as on typical hobs, electric and gas hobs, glass-ceramic and ceramic hobs without any problems- Coffee maker for on the go: the stainless steel espresso maker ensures freshly brewed espresso even with a camping stove - even in a camper van or on holiday- Heat-resistant handle made of PE plastic: the handle does not get hot during coffee preparation, sits comfortably in the hand and protects fingers from burns- With one hand: the handle and hinged lid on the mocha pot allow for single-handed pouring and serving- Saves space: the small stove-top pot hardly takes up any room - the perfect solution for making coffee quickly on the cooker, even in small

kitchens- With overpressure valve: the safety valve protects the espresso pot in the event of excessive heat and simply releases the excess pressure if necessary- Robust and durable: the espresso pot made of high-quality, stainless 304 and 430 stainless steel is of course food-safe and free of aluminium - for unadulterated, full-bodied coffee enjoyment

0.2 l		00111274
	18	SC



## Measuring Spoon



**Coffee Measuring Spoon, 6 g/15 ml - Quantity per Cup, Length 16.8 cm, Stain**



Material	Stainless Steel
<ul style="list-style-type: none"> <li>• Coffee measuring spoon for the perfect amount per cup: with the volume of 6 g or 15 ml, your filter coffee gets a tasty aroma with the right strength - for an enjoyable coffee moment</li> <li>• With the coffee dosing spoon, this also makes it easy to calculate the amount of filter coffee needed for a litre or your coffee pot</li> <li>• No more judging it by eye: the coffee spoon guarantees you a consistent taste experience without having to estimate the volume</li> <li>• In addition to coffee powder, the coffee measuring spoon can also be used as a dosing spoon for cocoa, loose tea, matcha or honey</li> <li>• Also ideal as a measuring spoon for baking ingredients such as sugar, flour, baking powder - corresponds to approx. one heaped tablespoon or three level teaspoons</li> <li>• Coffee measuring spoon with long handle: with the long 13.5 cm handle, you can easily reach the bottom of your coffee tin</li> <li>• Coffee measuring spoon with discreet design for hanging up: the curved handle is easy to use, hang on the magnetic kitchen bar or on hooks and is therefore always within reach</li> </ul>	<ul style="list-style-type: none"> <li>• Robust and durable: the barista coffee measuring spoon made of high-quality 304 stainless steel is of course food-safe and plastic-free</li> <li>• Easy to look after, rust-free and easy and hygienic to clean: the coffee dosing spoon is easily washable by hand and even dishwasher safe</li> </ul>
Silver	00111267
	20 HB



**Coffee Measuring Spoon, 6 g/15 ml - Quantity per Cup, Length 14.5 cm, Stain**



Material	Stainless Steel
<ul style="list-style-type: none"> <li>• Coffee measuring spoon for the perfect amount per cup: with the volume of 6 g or 15 ml, your filter coffee gets a tasty aroma with the right strength - for an enjoyable coffee moment</li> <li>• With the coffee dosing spoon, this also makes it easy to calculate the amount of filter coffee needed for a litre or your coffee pot</li> <li>• No more judging it by eye: the coffee spoon guarantees you a consistent taste experience without having to estimate the volume</li> <li>• In addition to coffee powder, the coffee measuring spoon can also be used as a dosing spoon for cocoa, loose tea, matcha or honey</li> <li>• Also ideal as a measuring spoon for baking ingredients such as sugar, flour, baking powder - corresponds to approx. one heaped tablespoon or three level teaspoons</li> <li>• Coffee measuring spoon with long handle: with the long 11 cm handle, you can easily reach the bottom of your coffee tin</li> <li>• Coffee measuring spoon with discreet design for hanging up: the handle with a hole is easy to use, hang on the magnetic kitchen bar or on hooks and is therefore always within reach</li> </ul>	<ul style="list-style-type: none"> <li>• Robust and durable: the barista coffee measuring spoon made of high-quality 304 stainless steel is of course food-safe and plastic-free</li> <li>• Easy to look after, rust-free and easy and hygienic to clean: the coffee dosing spoon is easily washable by hand</li> </ul>
	00111273
	18 HB

COFFEE PREPARATION

# Coffee/Tea Preparation

MILK PREPARATION

Milk Jug



**Stainless Steel Barista Milk Jug, Milk Froth Jug, 350ml, matt black**



Capacity	350 ml
Height	9 cm
Width	7.5 cm

- Milk measuring cup with 350 ml and practical scale: inside indication of filling level - precise measuring for just the right amount of milk foam without overflowing- Millilitre scale: 100 ml, 150 ml, 200 ml, 250 ml, 300 ml, 350 ml- Ounce scale: 4 oz, 6 oz, 8 oz, 10 oz, 12 oz- The finest latte art: the pouring spout on the milk jug enables precise pouring without dripping - with a little practice, impressive motifs can be created on cappuccinos and similar drinks.
- Easy to use thanks to the handle: the milk jug handle has a high-quality finish and its shape helps you to find exactly the right pouring angle for artistic milk foam patterns- Perfect height: the frothing jug fits perfectly under the milk frother of coffee machines from all manufacturers, e.g. fully automatic machines and espresso machines- More than trendy design: the black milk frother jug looks good and is suitable for any type of milk, whether cow or plant milk, from soy to almond to oat
- Multi-functional thanks to the measurement display in the stainless

steel jug, e.g. for cooking, baking or mixing cocktails, also as a cream pourer, for serving dressings, tea, juice, smoothies or milkshakes- Robust and durable: the barista milk jug made of high-quality 304 stainless steel is of course food-safe and plastic-free- Easy-care, rust-free and simple and hygienic to clean: the milk frothing jug can be easily washed by hand and is even dishwasher safe

			<b>00111260</b>
	12	SC	

Milk Frother



**Electric Milk Frother, Hand Rod Battery-operated, small, black**



Operating Mode	Electrical
Height	3.7 cm
Length	20.5 cm
Width	2.5 cm

- Froth milk with absolute ease: the Quirl is a special spiral with a diameter of around 2.3 cm and creates the ideal vortex for creating foam crowns with a perfect consistency
- Extra-powerful motor: 14,000 revolutions per minute (rpm) guarantee a creamy milk foam finish
- No more cable spaghetti: the cordless milk frother with batteries is always ready for use, with no need for any mains power or crowded plug sockets
- The compact milk frother takes up barely any space in the kitchen, making it the ideal add-on for pod, pad and espresso machines, filter coffee makers and automatic coffee machines without integrated milk frother
- Create milk foam while out and about, whether you're camping or on a mini-break: the compact rod milk frother ensures the ultimate enjoyment of milky coffees wherever you are
- Fits well in the hand: the milk frother impresses with its soft-touch, easy-grip surface and trendy design in discreet black and silver
- A joy to use: manual slider (On/Off) for

easy handling - no need to keep any buttons pressed

- Multi-functional frother for milk and more: makes simply great milk foam as well as milkshakes, cream-based and other cocktails, salad dressings and sauces and can even whisk eggs perfectly
- The foam attachment made from high-quality 304 stainless steel is of course food-safe and easy to clean and keep hygienic

Black			<b>00111258</b>
	18	HB	



Tube



MILK PREPARATION

## Milk Hose for Fully Automatic Coffee Makers, Silicone Hose, Durchmesser 6 mm, translucent



Material	Silicone
Inner Diameter	3 mm
Outside Diameter	6 mm

- Universal spare part for water and milk hoses in filter and espresso machines, as well as fully automatic coffee makers with milk frothing systems
- Flexible, leak-proof and reliable: the silicone milk hose is soft enough to fit perfectly into the appliance, while remaining dimensionally stable and leak-proof
- Ideal wall thickness and maximum flexibility thanks to optimised diameter: 3 mm inside, 6 mm outside
- Cold-resistant down to -110° C, heat-resistant up to +300° C: hose with optimised sealing effect for all liquids in coffee machines with milk systems
- Fantastic resistance to negative pressure and vacuum: the silicone hose is perfectly adapted to the requirements of fully automatic coffee makers and similar appliances
- 60° Shore A: the silicone tubing remains stable and in shape even when warm, is translucent and of course food-safe
- Made-to-measure silicone hose: the 1 m length can be cut precisely to the desired length - no matter how long or short you want the milk hose to be
- Stable flow, easy cleaning: extremely smooth surface inside the silicone hose prevents limescale marks to the greatest possible extent - even with water with a high limescale content
- Against residues: the smooth surface inside makes it all the easier to clean the milk tube, e.g. with a cleaning brush
- Dishwasher-safe: the silicone hose for coffee machines can also be cleaned in the dishwasher
- Made in Germany

0011271		
6	HB	

# Cleaners & Care Products

CLEANING & CARE

## Descaler



### Premium Descaler for Automatic Coffee Makers, Liquid w. Amidosulfonic Acid, 500 ml



Content	500 ml
Safety Lock	Twist Off Top
Usage	Fully Automatic Coffee Machines

- Easy hot descaling: the special formula of the limescale remover prevents any foaming of the solution, even at 15 bars of machine pressure - so no damage caused by excess gas pressure
- Thorough quick descaler without soaking time: the amidosulfonic acid-based descaler dissolves limescale from the machine and pipes even while it is being flushed through and flushes out the deposits
- Optimised corrosion protection thanks to 4 high-quality additives: the liquid descaler does not attack metal or plastic parts, ensuring long-term and gentle limescale removal and a longer service life for automatic coffee makers, filter coffee makers, etc.
- Odourless/tasteless: the universal descaler leaves behind no nasty taste of its own, and no extra rinsing is required
- The limescale remover is suitable for semi-automatic and automatic coffee makers as well as for coffee pad, filter and capsule machines, as well as for descaling kettles, steamers, shower heads, taps, washing machines and many other household objects and appliances
- Also for hygienic limescale removal from tools without an acid-sensitive surface, such as in medical practices, nail studios and hair salons for wash-basins, etc.
- Store safely: sealed lid with child lock
- rPET bottle: environmentally friendly container made from recycled PET
- Highly effective liquid descaler: 500 ml for 5 applications per bottle
- Made in Germany: high-quality universal descaler for automatic coffee makers manufactured in Germany

			00111283
	30	K.A.	

## Household Cleaner



### "Coffee Clean" Fine Atomiser Specialist Cleaner for Automatic Coffee Makers, 250 ml



Content	250 ml
Suitable for	Coffee Machine
Usage	Fully Automatic Coffee Machines

- Developed for high-quality coffee makers: the special formula cleans, cares for and provides long-term protection for the interior and all components that come into contact with coffee, such as the brewing assembly, coffee grounds holder, drip tray, sieve, coffee and water outlet, the cup rest area, and so on.
- Powerful coffee degreaser: even removes fatty and oily deposits that are non-soluble in water and gently degreases
- Precision cleaning: the gliding grease required for the mobility of the brewing equipment is unaffected and remains intact, so no regreasing of the moving parts is needed after cleaning
- Highly effective substances: the powerful cleaning agent for automatic coffee makers dissolves dirt from treated surfaces, ensuring hygiene and shine inside the coffee maker
- Apply the automatic coffee maker cleaner evenly: the high-quality spray head distributes the cleaning solution over the soiled parts perfectly and all of the dirt just flows easily off
- Easy cleaning in 3 steps, even on ultra-modern automatic coffee makers: spray the parts to be cleaned, allow the cleaner to work and rinse off with clear water or wipe with a damp cloth. That's it!
- Ideal protection: the cleaning agent for automatic coffee makers ensures hygienic and gentle cleaning and a longer service life for your machine
- Premium coffee maker cleaning product made in Germany

			00111284
	10	K.A.	





## Cleaning Tablets f. Coffee Machine, Universal Coffee Grease Remover, 10 Tabs



Suitable for	Coffee Machine
Usage	Fully Automatic Coffee Machines

• Powerful coffee grease remover with active oxygen: the cleaning tablets remove the stubborn coffee grease residues that form when coffee is brewed due to the pressure and temperatures in the coffee machine- Descaling and rinsing is not enough: the cleaning tablets also remove non-water-soluble grease and oil deposits and gently degrease- Proper cleaning keeps coffee machines in good working order for a long time, especially for fully automatic coffee machines, filter coffee machines, coffee pod machines and espresso machines- Hygienic cleaning for hard-to-reach places: the degreaser tablets are ideal for brewing assemblies, filters, coffee spouts and drip trays- Real, full-bodied coffee enjoyment: regular use prevents unwanted deposits over the long term and avoids loss of taste- Universally suitable for cleaning, protecting and caring for all coffee machines and appliances from the most popular manufacturers- Versatile: also for thorough cleaning of tea or coffee pots, other insulated containers, etc.- Pre-measured cleaning tablets: exact dosage without measuring

or weighing make using the coffee machine cleaner easier- Handy blister packaging: the tablets are protected from moisture and can be removed individually- Made in Germany: high-quality degreasing and cleaning tablets made in Germany- For 10 cleaning applications

00111281		
156	HB	

Qty PT



## Milk System Cleaner, Liquid Milk Cleaner for Fully Automatic Coffee Machines, 500 ml



Content	500 ml
Suitable for	Coffee Machine
Usage	Milk Froth Nozzles

• Simply clean brewing equipment: because milk goes off so quickly, milk-carrying parts need to be cleaned more often - The thorough cleaning process removes all fat and protein deposits that occur when frothing milk and preparing café au lait, cappuccino, etc.- Comprehensive cleaning of milk frothers and similar equipment: ideal for all types of milk nozzles, lines, milk tanks, spouts and hoses, hard-to-reach components stay clean longer- Real, full-bodied latte enjoyment: regular use prevents unwanted deposits over the long term and avoids loss of taste- Universally suitable for cleaning, protecting and caring for all coffee machines and appliances from the most popular manufacturers, including filter and espresso machines- Special formula: milk system cleaner with high-quality additives for highly effective cleaning of the coffee machine- Particularly economical: thanks to the concentrated formula of the liquid cleaner, 20 ml per application is sufficient - up to 25 applications per bottle

• Practical to use: can be used when the

machine is hot or cold- Store safely: sealed lid with child lock- rPET bottle: environmentally friendly container made from recycled PET- Made in Germany: high-quality special cleaner for milk systems manufactured in Germany

00111282		
30	K.A.	



## Cleaning Kit



## Cleaning Brushes f. Autom. Coffee Makers w. Brush, Hose Brush, Set of 4



- Regular use of the cleaning kit prevents undesirable long-term deposits of limescale, coffee grease, lactose or protein
- Increases the service life of coffee makers from all manufacturers, from semi- and fully automatic coffee makers to espresso and filter coffee machines
- Flexible cleaning brush with extra-long handle made from woven stainless steel wire has 2 brush ends with a diameter of 3.5 and 6 mm - 2 in 1 for any milk hose, no matter how thin
- 33 cm length: the brush for automatic coffee makers allows the hygienic cleaning of the entire milk line, outlets, small pipes and hard-to-reach places
- Versatile cleaning brush for filter coffee makers and more: removes coffee powder from all components such as the grinder, filter, grounds container, brewing assembly or mechanisms
- Hard as a brush, but soft as a powder puff: adjust the cleaning brush hardness to suit using the bristle adjusting ring
- High-quality design: the robust cleaning brush for filter coffee makers and so on does not lose bristles and is easy to clean. The wire and handle are in stylish black
- 2 special nozzle brushes with a diameter of 3.5 mm and extra-thin 2.5 mm: the small cleaning brushes are perfect for cleaning milk foamer nozzles, valves, etc.
- Universal cleaning kit even for delicate tea or coffee pots, reusable metal or glass straws, baby bottles, test tubes or in-between spaces
- Easy to care for: the brushes are dishwasher-safe
- Made in Germany

		00111278	
	11	HB	



## Lubricant



### Multi-silicone Grease Food-safe, f. Fully Automatic Coffee Makers, Brewing Assembly, 20g



Content	20 ml
Usage	Fully Automatic Coffee Machines
<ul style="list-style-type: none"> <li>High-quality silicone grease for brewing assemblies: the silicone paste is ideal as a lubricating grease for the brewing assembly, milk container, couplings, O-rings and seals in fully automatic coffee makers</li> <li>Physiologically harmless, odourless and tasteless: the transparent silicone grease is food-safe and leaves no taste of its own - for unadulterated, full-bodied coffee enjoyment</li> <li>Smooth brewing process: the coffee machine grease maintains sealing rings and improves the sealing effect and mobility of the individual parts - brewing without squeaking or creaking</li> <li>Ideal for maintenance, protection and care for a longer life of automatic coffee makers, filter coffee makers and espresso machines</li> <li>Cold and heat-resistant silicone grease: temperature-resistant and flexible for use in environments from -40° to +200° Celsius</li> <li>Versatile: water and vapour resistant with excellent adhesion to all materials</li> <li>Suitable for cold and hot water valves: as a lubricant also for installations for</li> </ul>	<ul style="list-style-type: none"> <li>heating, sanitary, food technology etc.</li> <li>Also as a lubricating oil for greasing appliances such as food processors, food slicers or blenders</li> <li>High resistance, does not resinify: consistently good lubricating properties and viscosity without drying out, hardening or bleeding, resistant to acetone, ethanol, ethylene glycol, glycerine and methanol</li> <li>Compatible with common EPDM rubber as well as plastics and elastomers</li> <li>Made in Germany</li> </ul>
	0011177
	15 HB

## Cleaner tabs



### Grinder Cleaner for Automatic Coffee Makers & Coffee Grinders, All Brands,



<ul style="list-style-type: none"> <li>Food-safe cleaning beans: real coffee beans as a natural carrier material for the grinder cleaner are naturally gluten-free, odour and taste-neutral and contain no allergens</li> <li>Combination of cleaning beans and highly effective cleaning formula for effective and hygienic cleaning - grinding the beans cleans the automatic coffee maker grinder better than other granulated products</li> <li>For coffee and espresso grinders and appliances with a grinder: universally suitable for cleaning, protecting and caring for all coffee machines and appliances from the most popular manufacturers, including filter and espresso machines</li> <li>Practical dry cleaning: since the grinder is designed to crush beans, the carrier material ensures the best possible distribution and cleaning effect without blocking the grinder</li> <li>For steel and ceramic grinders: the grinder cleaner protects the individual parts and thoroughly cleans the grinding discs and cones in the coffee maker and grinder</li> <li>Easy cleaning without removal or dismantling of the grinder</li> <li>Authentically full-bodied coffee enjoyment: regular use prevents deposits of coffee grease, coffee oil and bitter substances on the grinding discs, in grooves, etc.</li> </ul>	<ul style="list-style-type: none"> <li>Gentle degreasing: regular cleaning protects the grinder, one of the most sensitive and damage-prone components of automatic coffee makers</li> <li>Made in Germany: high-quality grinder and mill cleaner manufactured in Germany</li> <li>For 3 applications</li> </ul>
	00111759
	39 HB



xavax



# To Go at a glance

---

Drink To Go

---

Eat To Go

---



# Drinking Vessels

Thermal Mug



DRINK TO GO



Thermal Mug, 400 ml, Insulated Mug To Go with Drinks Opening, pastel blue



Capacity	400 ml
Diameter (Bottom)	7 cm
Diameter (Top)	7 cm
Height	19.5 cm

- Insulated mug for hot drinks: enjoy coffee, tea and mulled wine in the coffee mug while on the go and keep warm
  - Insulated mug for cold drinks: cocktail to go, smoothie to go or water - always have a refreshing drink to hand in summer
  - To Go mug with double wall insulation: hot drinks stay hot for around 7 hours, cold drinks for around 9 hours. Rinse the mug with hot / ice-cold water first to prolong the duration
  - Lid with quick-press closure: open the drinks opening at the press of a button in seconds - no spills while out shopping, on trains or on the way to work
  - 360° drinks opening: enjoy the drink from any angle
  - Also readily to hand in the car: the thermal coffee mug fits in common cup holders in cars, trucks and caravans
  - Reusable drinks mug for outdoor activities: the closure keeps wasps and other insects out - ideal when hiking, barbecuing or chilling by the lake.
- Children can drink from the drinks mug without danger
- Easy to fill: remove the lid, fill with coffee, milk, sugar, ice cubes or fruit
  - Resistant to fruit acids and food-safe: the drink tastes like it should - the material doesn't leave any flavour residue
  - Lightweight mug to go: compact container for on the go
  - The high-quality stainless steel reusable mug can be used for many years thanks to its long-lasting and robust materials
  - With its popular pastel shades, drinks to go taste even better
  - Environmentally friendly packaging without plastic

Pastel Blue	00181594	
	24	SC





**Thermal Mug, 270 ml, Insulated Mug To Go with Drinks Opening, pastel blue**



Capacity	270 ml
Diameter (Bottom)	6.7 cm
Diameter (Top)	8,6 cm
Height	14 cm

- Insulated mug for hot drinks: enjoy coffee, tea and mulled wine in the coffee mug while on the go and warm up
- Insulated mug for cold drinks: cocktail, smoothie to go or water - always have a refreshing drink handy in summer
- To Go mug with double insulation: hot and cold drinks keep their temperature for around 2 hours. Rinse the mug with hot/ice-cold water first.
- Lid with closeable drinks opening: push the closure over the drinks opening in a flash to ensure there are no spills when shopping, on a train or en route to work
- Also handy in the car: the thermal coffee mug fits in common cup holders in cars, trucks and caravans
- Reusable drinks mug for outdoors: the lid keeps wasps and insects out - ideal when hiking, BBQ-ing, etc. Children can drink from the drinks mug without danger
- Easy to fill: remove the lid, fill with coffee, milk, sugar, ice cubes or fruit
- Ideal size for pad machines, coffee makers, water dispensers; place the thermal mug without the lid under the machines
- Resistant to fruit acids and food-safe: the material leaves behind no flavours
- Lightweight mug to go: compact container for on the go
- The stainless steel reusable mug with plastic jacket can be used for years thanks to its durable and robust materials
- With its popular pastel shades, drinks to go taste even better
- Environmentally friendly packaging without plastic

Pastel Blue				<b>00181586</b>
		12	SC	

Vacuum Bottle



**Drinking Bottle, 750 ml, Twist Closure, Leak-proof, Carbonated Drinks-safe, blue**



Capacity	750 ml
Height	28 cm

- Insulated bottle for hot drinks: enjoy coffee, tea and mulled wine while on the go and keep warm
- Insulated bottle for cold drinks: iced coffee, smoothie to go, lemonade or water - always have a refreshing drink to hand in summer
- Stainless steel bottle with double-walled insulation: hot drinks stay hot for around 9 hours, cold drinks for around 12 hours. Rinse the mug with hot / ice-cold water first to prolong the duration
- Leak-proof screw closure with handle: the screw lid tightly seals the insulated bottle and is easily opened and closed
- Your favourite soda or sparkling water: stainless steel drinking bottle for carbonated drinks
- Easy to fill: remove the lid, fill with coffee, milk, sugar, ice cubes or fruit
- Resistant to fruit acids and food-safe: the material does not leave behind any flavours
- Reusable drinking bottle for outdoor activities: the closure keeps wasps and other insects out - ideal when hiking, barbecuing or chilling by the lake. Children can also drink from the drinking bottle without danger
- Lightweight drinking bottle: lightweight stainless steel, perfect for on the move
- The stainless steel reusable bottle can be used for many years thanks to its long-lasting and robust materials
- With its popular pastel shades, drinks to go taste even better
- Environmentally friendly packaging without plastic

Pastel Blue				<b>00181589</b>
		12	SC	

DRINK TO GO

# Drinking Vessels

DRINK TO GO



**Drinking Bottle, 500 ml, Twist Closure, Leak-proof, Carbonated Drinks-safe,**



Capacity	500 ml
Height	26 cm


- Insulated mug for hot drinks: enjoy coffee, tea and mulled wine in the coffee mug while on the go and warm up
- Insulated bottle for cold drinks: iced coffee, smoothie to go, lemonade or water - always have a refreshing drink handy in summer
- Stainless steel bottle with double insulation: hot drinks stay hot for around 7 hours, cold drinks for around 9. Rinse the mug with hot / ice-cold water first
- Leak-proof screw closure with clip: the screw lid tightly seals the insulated bottle and is easily opened and closed with the clip closure
- Your favourite soda or sparkling water: stainless steel drinking bottle for fizzy drinks
- Secret compartment: the lid features a compartment for tablets, vitamins, supplements or drinks powders
- Easy to fill: remove the lid, fill with coffee, milk, sugar, ice cubes or fruit
- Resistant to fruit acids and food-safe: the material leaves behind no flavours
- Reusable drinking bottle for outdoors: the closure keeps wasps and insects out - ideal when hiking, BBQ-ing or chilling by the lake. Children can also drink from the drinking bottle without danger
- Lightweight drinking bottle: lightweight stainless steel, perfect for on the go
- The stainless steel reusable bottle can be used for years thanks to its resilient and robust materials
- With its popular pastel shades, drinks to go taste even better
- Environmentally friendly packaging without plastic

Pastel Blue	00181587
	12 SC





## Drinking Bottle



DRINK TO GO

### Glass Bottle, 450ml, with Protective Sleeve, Insert, for Carbonated & Hot/Cold



Material	Glas
----------	------

- For hot and cold drinks: in the temperature
- Resistant borosilicate glass, hot tea tastes just as good as iced tea
- Glass drinking bottle with protective sleeve: the non-slip neoprene sleeve turns the glass bottle into an insulated bottle, keeping drinks hot or cold for up to 2 hours longer
- With insert: as a tea strainer for loose and freshly brewed tea or as fruit strainer for infused water, with handle for easy removal
- Keeps tight: leak-proof with silicone seal in the screw cap
- For a wide range of drinks: the leak-proof glass drinking bottle can also be filled with smoothies, milkshakes, juices, etc.
- Drinking bottle suitable for carbonated drinks: water bottle for still water, sparkling water, fruit spritzer or isodrinks
- Fruit acid resistant: fruit spritzer and lemon slices do not harm the glass bottle
- Transparent drinking bottle: keep an eye on how much is left to drink
- Food safe: drinks taste like they should
- The material doesn't leave any flavour residue
- Reusable drinking bottle for outdoor activities: closure protects against wasps and other insects; children drink from it safely
- The reusable bottle can be used for many years with its durable and robust materials of borosilicate glass and stainless steel
- With the popular pastel shades, the drink to go tastes even better
- Environmentally friendly packaging without plastic

0,45 l	00181598
20	SC



# Drinking Vessels

DRINK TO GO



**Glass Bottle, 1l, with Protective Sleeve, Loop, for Carbonated & Hot/Cold**



Material	Glass
<ul style="list-style-type: none"> <li>• For hot and cold drinks: in the temperature</li> <li>• Resistant borosilicate glass, hot tea tastes just as good as iced tea</li> <li>• Glass drinking bottle with protective sleeve: The fabric bag turns the glass bottle into an insulated bottle, keeping drinks hot or cold for longer</li> <li>• Keeps tight: leak-proof with silicone seal in the screw cap</li> <li>• For a wide range of drinks: the leak-proof glass drinking bottle can also be filled with smoothies, milkshakes, juices, etc.</li> <li>• Drinking bottle suitable for carbonated drinks: water bottle for still water, sparkling water, fruit spritzer or isodrinks</li> <li>• Fruit acid resistant: fruit spritzer and lemon slices do not harm the glass bottle</li> <li>• Always in reach: drinking bottle with fabric wrist strap, always have your drink ready when you're on the go</li> <li>• Transparent drinking bottle: keep an eye on how much is left to drink</li> <li>• Food safe: drinks taste like they should</li> <li>• The material doesn't leave any flavour residue</li> <li>• Reusable drinking bottle for outdoor</li> </ul>	<ul style="list-style-type: none"> <li>activities: closure protects against wasps and other insects; children drink from it safely</li> <li>• The reusable bottle can be used for many years with its durable and robust materials of borosilicate glass and stainless steel</li> <li>• With the popular pastel shades, the drink to go tastes even better</li> <li>• Environmentally friendly packaging without plastic</li> </ul>
1 l	00181597
	12 SC



**Glass Bottle, 500ml, with Marking, Loop, for Carbonated & Hot/Cold**



Material	Glass
<ul style="list-style-type: none"> <li>• For hot and cold drinks: in the temperature</li> <li>• Resistant borosilicate glass, hot tea tastes just as good as iced tea</li> <li>• Glass drinking bottle with protective sleeve: Hands are protected from heat with the non-slip silicone rim</li> <li>• Keeps tight: leak-proof with silicone seal in the screw cap</li> <li>• For a wide range of drinks: the leak-proof drinking bottle made from glass can also be filled with smoothies, milkshakes, juices, etc.</li> <li>• Drinking bottle suitable for carbonated drinks: water bottle for still water, sparkling water, fruit spritzer or isodrinks- Fruit acid resistant: fruit spritzer and lemon slices do not harm the glass bottle</li> <li>• Time marker for a drink reminder: the millilitre scale from 100</li> <li>• 500 ml shows the drinking progress and thus motivates you to drink more liquid</li> <li>• Always in reach: drinking bottle with fabric wrist strap, always have your drink ready when you're on the go</li> <li>• Transparent drinking bottle: keep an eye on how much is left to drink</li> <li>• Food safe: drinks taste like they should</li> </ul>	<ul style="list-style-type: none"> <li>• The material doesn't leave any flavour residue</li> <li>• Reusable drinking bottle for outdoor activities: closure protects against wasps and other insects; children drink from it safely</li> <li>• The reusable bottle can be used for many years with its durable and robust materials of borosilicate glass and stainless steel</li> <li>• With the popular pastel shades, the drink to go tastes even better</li> <li>• Environmentally friendly packaging without plastic</li> </ul>
0,5 l	00181596
	15 SC



DRINK TO GO

## Drinking Bottle "Lid with handle, transparent"



Material	Plastic Material
----------	------------------

- Keeps tight: leak-proof closure with silicone seal in the screw cap - the water bottle can be transported in a bag without worries
- Large, wide-neck opening: remove the screw cap, add ice cubes, fruit, mint and quench that thirst
- For a wide range of drinks: the leak-proof drinking bottle can also be filled with smoothies, milkshakes, juices, etc.
- Fruit acid resistant: fruit spritzer and lemon slices do not harm the bottle
- Always in reach: drinking bottle with handle, drinks always to hand on the go
- Transparent drinking bottle: keep an eye on how much is left to drink
- Food safe: drinks taste like they should - the material doesn't leave any flavour residue
- Reusable drinking bottle for outdoor activities: closure protects against wasps and insects - ideal for hiking, BBQ-ing, chilling by the lake; children can also drink safely from the water bottle
- Lightweight drinking bottle: light-weight companion perfect for on the go
- The reusable bottle can be used for

1,25 l		00181593
	6	SC
0,9 l		00181592
	12	SC



# Drinking Vessels

DRINK TO GO



## Drinking Bottle "for sports with carrying strap, transparent blue"



Material	Plastic Material			
<ul style="list-style-type: none"> <li>• 1-click closure: The snap-close lock of the drinking bottle can be opened with just a press of a button to immediately quench your thirst when jogging, cycling, hiking or at the gym</li> <li>• Large drinking opening: you can drink quickly through the large attachment without having to suck or squeeze</li> <li>• Large wide-neck opening: Remove screw closure, add ice cubes and/or fruit</li> <li>• Leak-proof: with silicon seal in the lid and on the click closure</li> <li>• Always ready at hand: drinking bottle with removable fabric hand strap; hold the drink in your while on the go or grab it quickly from the snap hook on the running or hiking backpack</li> <li>• Transparent sports drinking bottle: see how much drink is left at a glance</li> <li>• Bottle suitable for carbonated drinks: water bottle for still water, sparkling water, fruit spritzer or isotonic drink</li> <li>• Fruit acid-resistant: fruit spritzer and lemon slices don't bother the sports bottle</li> <li>• Food safe: material does not leave behind any flavours</li> <li>• Reusable drinks bottle for outdoor activities: Closure protects against wasps and other insects; children can</li> </ul>	<ul style="list-style-type: none"> <li>• drink safely from it</li> <li>• Lightweight drinks bottle: light companion for all types of sport, also as a bicycle bottle in the bicycle bottle holder</li> <li>• The reusable bottle can be used for many years thanks to its long-lasting and robust materials</li> <li>• With its popular pastel shades, the drink to go tastes even better</li> <li>• Environmentally friendly packaging without plastic</li> </ul>			
	1 l			00181591
		12	SC	
0,5 l			00181590	
		12	SC	



# Tableware & Cutlery | Storage

## Cutlery set



### Cutlery Set, Knife, Fork, Spoon, Stainless Steel, To-Go Cutlery with Box, blue



• With knife, fork, spoon - everything you need for a healthy to-go meal from the lunch box, bento box or soup mug- Practical case: neatly stored in the storage box before and after meals, ideal for carrying everything hygienically in your bag- The cutlery to go is dishwasher-safe- Travel cutlery for all outdoor activities: for picnics and camping, when travelling, at school, at university and at work- Food safe: food tastes like it should - the material doesn't leave any flavour residue- The reusable cutlery made of stainless steel can be used for many years- With its popular pastel shades, healthy meals to go taste even better- Environmentally friendly packaging without plastic, environmentally conscious alternative to disposable cutlery

			00181599
	80	SC	

## Set of Lunchboxes



EAT TO GO

### 2-piece lunch box, stacking, leak-proof, 500 ml per bento box, pastel blue



- 2 in 1: Ingredients and meals can be stored separately from each other in the two sandwich boxes, for example the sandwich is stored separately from the vegetables or snacks
- Bento box with elastic strap: The two food boxes are held together with an elastic strap, keeping everything tidy in the backpack, schoolbag and so on.
- Be perfectly prepared for the day with meal prepping: simply prepare a healthy meal to go the day before
- Holds tight: leak-proof lid with silicone seal - the food container can be transported in a bag without worries
- Thanks to its air and water-tight silicone seal, the breakfast box keeps snacks and meals fresh and crunchy during outdoor activities, picnics, trips, at school, at university and at work
- The snacks boxes can be used individually as needed
- All components of the To-Go box are dishwasher-safe
- Food safe: food tastes like it should - the material doesn't leave any flavour residue
- The reusable box can be used for years with its resilient and robust materials
- With its popular pastel shades,

healthy meals to go taste even better  
• Environmentally friendly packaging without plastic

			00181599
	30	SC	

# Storage

Cup

EAT TO GO



## Stainless Steel Thermal Mug, 500 ml, Leak-proof Soup Mug, pastel blue



Capacity	0.5 l
Diameter	8.9 cm
Height	13 cm

- Thermal mug for hot dishes: enjoy soups and stews in the soup mug while on the go and keep yourself warm
- Insulated mug for cold dishes: gazpacho, fruit salad, crudités - always have light dishes with you in summer
- Lunch pot with double wall insulation: hot dishes stay hot for 6 hours, cold ones for 9. Rinse the mug first with hot / ice-cold water to keep the temperature for longer
- Be perfectly prepared for the day with meal prepping: simply prepare a healthy meal to go the day before
- Holds tight: leak-proof screw closure with silicone seal - the food container can be transported in a bag without worries
- Food safe: food tastes like it should - the material doesn't leave any flavour residue
- Large opening: stews and soups actually end up in the soup mug when filled
- Suitable for dishwashers
- Thanks to its air and water-tight silicone seal, the lunch bowl keeps snacks and meals fresh and crunchy on outdoor activities, picnics, trips, at school, at uni and at work
- Lightweight To-Go mug: compact container for on the go
- The reusable mug made from stainless steel with plastic lid can be used for many years thanks to its long-lasting and robust materials
- With its popular pastel shades, healthy meals to go taste even better
- Environmentally friendly packaging without plastic

			00181588
	12	SC	







**Cereal Mug To Go, with Topper, 2 Compartments, 500 + 200 ml, pastel blue/grey**



Capacity	0.700 l
Diameter	8.7 cm
Height	15 cm

- Two containers for the separate storage of ingredients: mug, e.g. for yoghurt, milk, dips, toppers, e.g. for cereal, fruit and nuts
- Be perfectly prepared for the day with meal prepping: simply prepare a healthy breakfast the day before
- Keeps snacks in separate compartments fresh and crunchy on outdoor activities, picnics, trips, at school, at uni and at work
- Leak-proof: cereal mug and lid (topper) with screw closure and silicone seal
- Food safe: food tastes like it should - the material doesn't leave any flavour residue
- Cleanly separated, securely sealed: screw closure on the cereal mug, screw the transparent ingredient topper onto the screw closure
- Lightweight mug to go: with its practical handle, the ideal container for on the go
- All components of the To-Go cereal mug are dishwasher-safe
- The reusable mug can be used for many years thanks to its long-lasting and robust materials

			00181582
	24	SC	



EAT TO GO

# Storage

Box

EAT TO GO



## Salad Box To Go, Dressing Container, Topper 3 Compartments, Cutlery, 1.4 l, past. blue



Capacity

1.4 l

- 3 containers for the separate storage of ingredients: salad bowl, topper, dressing container - allowing salads to be prepared and mixed fresh without getting soggy
- Salad bowl with lots of space for vegetables, leafy greens, melon and so on, but also for other dishes, such as pasta and rice
- Dressing container (80 ml) for dressings, dips, sauces, pesto
- Insert with compartment divider: three compartments (400 ml) for more clarity and appetising serving, e.g. for toppings, olives, croutons, seeds, nuts
- For reheating: the lunch box is microwave-safe, so one-pot meals such as pasta bowls can be reheated
- Cleanly separated, securely sealed: closure clips for easy opening and closing of the salad box
- With cutlery: with a fork for salad to go, etc., the cutlery holder is on the underside of the food box cover
- Be perfectly prepared for the day with meal prepping: simply prepare a healthy meal to go the day before
- All components of the salad container are dishwasher-safe
- Bowl keeps snacks fresh and crunchy on outdoor activities, picnics, trips, at school, at uni and at work
- Food safe: the material does not leave behind any flavours
- The reusable mug can be used for many years thanks to its long-lasting and robust materials
- With its popular pastel shades, healthy meals go taste even better
- Environmentally friendly packaging without plastic

00181584

12 SC







EAT TO GO

## Large Lunch Box, for Microwave, with Cutlery, 1700 ml, pastel blue / grey



Capacity	1.7 l
----------	-------

- For reheating: the lunch box is suitable for microwaves so all one-pot meals such as noodle bowls can be heated up
- For cold dishes, e.g. as a breakfast box: salad, fruit and sandwiches also fit perfectly in the snack box
- Be perfectly prepared for the day with meal prepping: simply prepare a healthy meal to go the day before
- With cutlery: the fork ensures everything for lunch to go is there, such as fruit, crudités, fried rice, noodles, yesterday's leftovers; the cutlery holder is integrated into underside of the food box lid
- Practical seal: closure clips for easy opening and closing of the sandwich box
- Lunch box keeps snacks and meals fresh and crunchy on outdoor activities, picnics, trips, at school, at uni and at work
- Food safe: food tastes like it should - the material doesn't leave any flavour residue
- All components of the lunch box are dishwasher-safe
- The reusable mug can be used for many years thanks to its long-lasting and robust materials
- With its popular pastel shades, healthy meals to go taste even better
- Environmentally friendly packaging without plastic

			00181585
	12	SC	

## Round Lunch Box, for Microwave, with Cutlery, 1100 ml, pastel blue / grey



Capacity	1.1 l
Diameter	14 cm

- For reheating: the round lunch box is suitable for microwaves so all one-pot meals such as noodle bowls can be heated up
- For cold dishes, e.g. as a breakfast box: salad and fruit also fit perfectly in the snack box
- Be perfectly prepared for the day with meal prepping: simply prepare a healthy meal to go the day before
- With cutlery: the fork and spoon ensure everything for lunch to go is there, such as fruit, crudités, fried rice, noodles, yesterday's leftovers; the cutlery holder is integrated into the food box
- Practical handle: use as a carrying handle or retrieve the lunch box from the microwave using the handle so that you don't burn yourself
- Lunch bowl keeps snacks and meals fresh and crunchy on outdoor activities, picnics, trips, at school, at uni and at work
- Food safe: food tastes like it should - the material doesn't leave any flavour residue
- With easy-to-use screw closure
- Lightweight mug to go: with its handle and compact size, it's the ideal container for on the go
- All components of the lunch pot are dishwasher-safe
- The reusable mug can be used for many years thanks to its long-lasting and robust materials
- With its popular pastel shades, healthy meals to go taste even better
- Environmentally friendly packaging without plastic

			00181583
	24	SC	





# & Household Goods & Decoration at a glance

---

Storage

---

Baking

---

Bar & Wine

---

Household Goods

---

Cooking

---





## Cake Transport Box



STORAGE



## Tray Bake Transportation Box


External Dimension (Depth)	9 cm
External Dimension (Height)	38 cm
External Dimension (Width)	50 cm

- Tray bake transportation box for large gateaux and cakes with a height of up to approx. 6.0 cm and a surface of about 43x34 cm
- Transparent cover with a practical handle at the top and secure fasteners at the bottom for easy transportation
- The bottom side of the base plate is subdivided which allows decorative arrangement of spreads, sandwiches, etc.
- Easy to clean under running water or in the dishwasher

00111497

4

## Household Filter



**Protective Inlay for Air Fryers, Non-Slip Mats, Can be Cut to Size**

Usage	Deep-Fat Fryer
-------	----------------

- The protective inlays keep the air fryer clean
- The un-perforated inlay is placed in the lower / outer basket and protects against any leaking liquids
- The perforated inlay is placed on the inner basket / on the plate and prevents the grilled food from getting stuck on the grille
- Steam-permeable material for free air circulation within the air fryer
- Heat-resistant to 260°C
- Can be cut to the desired size - suitable for all commercially available air fryers
- Side tabs for conveniently removing the inlays after use
- Easy to clean: dishwasher-safe
- The filters can be reused, and if used correctly up to 100 times

		<b>00111419</b>		
	12	HB		

## Mat




**Silicon Baking Mat, Square, 40 x 30 cm, red-brown**

Shade of colour	Brown, Red
-----------------	------------

Material	Silicone
----------	----------

- Silicon has natural non-stick properties so that less flour is needed for dusting and dough is released more easily
- Ideal for decorating cakes and tarts, makes working with icing and marzipan easier
- Thanks to silicon sides, the mat remains in the same position when kneading / rolling out dough, for example
- Can be cut to size as an inlay for spring moulds
- Also suitable for refrigerators and freezers, e.g. for storing a roulade in the refrigerator
- Simply roll up the baking mat for space-saving storage
- Easy clean under running water or in the dishwasher

40 cm			<b>00111470</b>		
	12	BA			



**Oven Protector Foil, Reusable, Teflon® Non-Stick Coating, 35 x 43 cm**

Shade of colour	Silver
-----------------	--------

Material	Glass Fiber (Teflon coating)
----------	------------------------------

- Can be trimmed to size, therefore suitable for every oven and microwave
- Heat-resistant to 260°C
- Easy to clean with soapy water thanks to Teflon® non-stick coating
- No more tedious and time-consuming cleaning of the oven floor

35 cm			<b>00111480</b>		
	24				



**Reusable Baking Foil, Can Be Trimmed to Size, Teflon Coating, 40 x 33 cm**

Shade of colour	Black
-----------------	-------


Material	Glass Fiber (Teflon coating), Plastic
----------	---------------------------------------

- Reusable baking foil can be used instead of disposable baking parchment
- Avoids waste and protects the environment Unlike baking parchment, the foil can be reused many times over
- Can be trimmed to size, making it suitable for every type and size of oven and baking sheet
- High-quality Teflon coating: no burning, no greasing required
- Can also be used in the microwave
- For electric and gas ovens
- Easy to clean in warm soapy water
- Heat-resistant up to 260°

33 cm			<b>00111495</b>		
	12	SC			

BAKING

Shaker



**Cocktail Shaker, made of glass, 400 ml**

Material	Glass, Stainless Steel
Width x Height	8.2 x 15.5 cm

- Set consisting of a drinking glass, a stainless steel attachment with an integrated sieve and a locking cap
- The locking cap measures 4 cl, therefore ideal for accurately measuring the individual ingredients
- Silicone ring for optimal leakage protection
- Selected receipts of various cocktails printed on the drinking glass
- A scale on the glass makes preparing drinks easy
- No need to fill the mixed drink into another container; the shaker can also be used as a stylish cocktail glass

Transparent	00111550
6 SC	

Ice Cube Tray




**Ice Cube Mould with Cover, For 36 Ice Cubes, Set of 2**

- For ice-cold drinks: ice cube box for freezing and creating 36 ice cubes
- Also suitable for freezing sauces, pesto or baby porridge: simply take out each portion from the cube compartments
- No leakage of the contents on uneven surfaces and hygienic freezing thanks to firmly sealable cover
- Dishwasher-safe, freezer-safe
- Temperature resistance: -18° to +100°C

00111462
18

## Pillar




### Drainer Rack with Bottle Holder for up to 6 Bottles, Jars or Beakers

Width x Depth x Height	14 x 17 cm
------------------------	------------

- Metal drainer rack
- For up to 6 bottles of all kinds
- Suitable for bottles of all fizzy systems
- Universal use
- Removable drip tray for easy cleaning
- Easy to clean, simply wipe with a dishcloth
- Compact, space-saving dimensions, takes up barely any space on the sink unit

00111459		
12	SC	

## Lighter



### Multi-Function Lighter, Flexible, Filled, 10 pcs in Display

Length	28.5 cm
--------	---------

- Infinite gas control offers a choice between a large and a small flame
- Practical viewing window for constant monitoring of the remaining gas volume
- Refillable
- A flexible neck ensures more safety when lighting
- Lock slider as child safety mechanism to protect against misuse
- Hanging fitting
- 4 different colours: black, red, silver and blue

00111481		
20	SC	



### Multi-Function Lighter, fixed, 14 pcs in display

Length	28.5 cm
--------	---------

- Infinite gas control offers a choice between a large and a small flame
- Practical viewing window for constant monitoring of the remaining gas volume
- Refillable
- Hanging device for ideal space-saving storage
- Lock slider as child safety mechanism to protect against misuse
- 4 different colours: black, red, yellow and blue

00111482		
28	SC	

# Protection Hoods | Cooking & Baking

COOKING

Lid\*



**xavax**

**Universal Lid with Steam Vent for Pots and Pans, 16, 18, 20 cm, glass**

- Versatile transparent glass lid for full view cooking
- Steam release vent minimizes the risk of liquids boiling over
- Thanks to the special design of the lid it replaces three lid sizes and can be used for pots as well as for pans with a diameter of 16, 18 or 20 cm
- Can easily and compactly be stored in a kitchen cupboard

		00111544
18	SU	



**xavax**

**Universal Lid with Steam Vent for Pots and Pans, 24, 26, 28 cm, glass**

- Versatile transparent glass lid for full view cooking
- Steam release vent minimizes the risk of liquids boiling over
- Thanks to the special design of the lid it replaces three lid sizes and can be used for pots as well as for pans with a diameter of 24, 26 or 28 cm
- Can easily and compactly be stored in a kitchen cupboard

		00111545
12	SU	

Kitchen Tools



**xavax**

**Closure Clips Set with Handy Storage Box, Colourful, 30 Pcs.**

Shade of colour	Blue, Green, White
-----------------	--------------------

- 30 differently coloured clips in 3 different sizes
- Ideal for freezing and storing food
- Closes bags and packaging so they are air-tight, protecting the contents reliably from moisture and insects
- Easy handling when opening and closing
- With handy, transparent storage tin

		00111469
24		



**xavax**

**Pizza Cutter, 22 cm, stainless steel**

Shade of colour	Black
-----------------	-------

- Round and stable grip shape for pleasant handling
- Handy pizza cutter in a sophisticated design for easy pizza portioning
- Pizza wheel cuts through the pizza cleanly, leaving behind no sticky residue like on a knife
- Handy eyelet for hanging on kitchen rails, keeping the pizza cutter handy at all times
- Integrated finger guard
- Suitable for left- and right-handed users

		00111429
12	HC	





# Small house hold appliances

at a glance

---

Kitchen

---







# Clocks & Watches

## Kitchen Timer



**Egg Timer, stainless steel**

Display	Analogue
Maximum Time Interval	59 Min.
Height	75 mm
Width	60 mm
Battery Type	None
Number of Batteries	0

- Simply twist the timer and set to the required time (up to 59 minutes)
- Loud signal tone when the set time is up
- 1 minute graduations up to the 15th minute
- Sturdy housing for placing the timer directly on the worktop in your kitchen
- High-quality stainless steel housing

Silver				<b>00095302</b>
	12	SC		



**Mechanical Kitchen Timer**

Display	Analogue
Maximum Time Interval	59 Min.
Height	45 mm
Width	65 mm
Battery Type	None
Number of Batteries	0

- Simply twist the timer and set to the required time (up to 59 minutes)
- Loud signal tone when the set time is up
- 1 minute graduations
- Sturdy housing for placing the timer directly on the worktop in your kitchen
- Can also be attached to all magnetic surfaces (e.g. to refrigerator doors) by means of the magnet on the back
- Plastic housing with a high-quality stainless steel surface

Silver				<b>00095303</b>
	12	SC		



**Kitchen Timer "Countdown"**

Display	Digital
Height	70 mm
Width	15 mm
Battery Type	AAA Micro
Number of Batteries	1

- Up to 99 minutes and 59 seconds can be programmed thanks to 3 buttons; with start/stop button
- Loud signal tone
- Large, 4-digit display with XX:XX format
- Sturdy housing, can be mounted in many positions, e.g. by means of magnet, clip, built-in hanger and stand

White				<b>00111319</b>
		12	SC	
Black				<b>00095304</b>
		12	SC	



**"Rotation" Timer, Digital, silver/black**

Display	Digital
Battery Type	AAA Micro
Number of Batteries	3

- Set the time quickly: simply turn the outer ring
- With touch button to start and stop
- 3 volume modes: mute, normal, loud
- 4-digit LED display with large numbers (00:00 to 99:55)
- Energy-saving mode: display is dimmed after 5 seconds and switched off after 10 seconds
- Lots of ways to attach: with magnet, anti-slip pads and cut-out for wall mounting

Black, Silver				<b>00185858</b>
		6	HB	

KITCHEN




**"Touch" Kitchen Timer, Digital, silver/black**

Display	Digital
Height	72 mm
Width	24 mm
Battery Type	AAA Micro
Number of Batteries	2

- Programmable with 3 touch buttons for up to 99 minutes and 59 seconds, with Start/Stop button
- Loud signal tone
- 4-digit, large display with XX:XX display area
- Stylish, trendy design with large touchscreen and backlight
- Stable housing can be secured in many positions, e.g. with a magnet or built-in stand

Black, Silver	<b>00095321</b>
Qty	12
PT	SC

## Scales



**"Stella" Digital Kitchen Scales**

Material	Plastic Material, Stainless Steel
Battery Type	AAA Micro
Number of Batteries	3

- Stylish designer scales made from stainless steel
- Exact weight monitoring thanks to ultra-precision sensor technology
- User-friendly with two buttons (Unit, On/Tare)
- Easy-to-read LCD display with four digits
- The display can switch between grams and millilitres, distinguishing between milk and water
- Overload alert
- Switches off if not used for around 120 seconds

	<b>00095319</b>
Qty	24
PT	HB




**"Jewel" Digital Fine Scales**

Material	Plastic Material, Stainless Steel
Battery Type	CR2032
Number of Batteries	2

- Weigh accurate to 0.1 g
- Thanks to their compact size, also idea as pocket scales for use on the move
- Protective cover can be used as a weighing dish
- Easy operation thanks to large, labelled buttons
- Large, illuminated LCD display
- 6 weighing units: g, ct, dwt, oz, ozt, gn
- Tare function
- Automatic switch-off to protect the battery (after 60 sec.)
- Anti-slip feet

Black	<b>00095318</b>
Qty	20
PT	SC



**"Philina" kitchen scales, Bamboo**

Material	Bamboo
Battery Type	CR2032
Number of Batteries	2

- Weighing surface made from fine bamboo wood
- Exact weight monitoring thanks to ultra-precision sensor technology
- Easy to use thanks to two buttons (Unit, On/Tare)
- Automatic switch-off
- Display when the battery is low and overload indicator
- Large, easy-to-read LCD display with blue backlight
- Also displays ml, oz and pounds

Wood Look	<b>00113956</b>
Qty	18
PT	SC

KITCHEN





KITCHEN



## "Milla" Kitchen Scales

Material	Glass, Plastic Material
Number of Batteries	1

- Weighing surface made of high-quality safety glass, can easily be removed for cleaning
- High-precision sensor technology
- Easy to use thanks to two buttons (unit, on/tare)
- Automatically switches off after 60 seconds
- Display for low battery level and overload warning
- Easy to read display with four places
- Also displays ml, oz and lb

Silver	00106993		
	10	SC	





xavax

Waschmaschinen-Pflege-Reiniger

Beseitigt unangenehme Gerüche, Verschmutzungen und Ablagerungen



Frische-duft

MADE IN GERMANY

xavax

Bio Schnell-Entkalker



Bio

mit Zitronensäure  
schnell wirksam  
schonend und gründlich

00111734



# & Cleaning Care at a glance

---

Washing Up

---

Kitchen Cleaning

---

Washing & Ironing

---

Descalers

---

Special Cleaner

---



# Cleaners & Care Products

## Household Cleaner



**xavax**

**Cleaner for Dishwashers with Fresh Fragrance, 250 ml**

Content	250 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Removes deposits such as limescale, grease and scraps of food from the interior, the hoses and the valves
- Descals heating rods to optimise the heat output and save energy
- Freshens by leaving behind a fresh scent and ensures your washing machine is clean
- Regular care reduces the risk of malfunctions and consequently of follow-up costs caused by repairs
- Limescale deposits in the machine lead to longer warm-up times of your device and higher electricity costs



**xavax**

**2-Phase Pro Tabs for Dishwashers, 160 Tabs**

Content	18 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Ideal for very greasy dishes or dried-on residue
- Easy removal of stubborn dirty with easy use
- Good limescale removal
- Phosphate-free
- Easily dissolves tea and coffee stains
- Low foam build-up
- Also suitable for intensive programmes
- Sensitive decorative elements are protected
- Clean and dry storage thanks storage in the quality bucket with first-removal seal

00111725

12 K.A.

00111735

1

WASHING UP

## Household Cleaner



**Oven and Grill Cleaner,  
300 ml**

Content	300 ml
Suitable for	Oven and Barbecue Grill
Usage	Grill, Oven

- Works independently and without harming the appliance
- No odours
- Simple and quick to use: apply the cleaner, allow to work for 5 minutes and then wipe off the residue and dissolved dirt with a damp cloth

00111758	
48	K.A.



**"Power Clean" Special  
Cleaner, 500 ml**

Content	500 ml
Suitable for	Micro Wave and Kitchen Equipment
Usage	Fully Automatic Coffee Machines, Glass, Metal Surfaces, Microwave, Oven

- Highly effective special cleaner for surfaces made from stainless steel around the home
- Also suitable for glass, ceramic, plastic or chrome
- For the easy removal of dirt, greasy films, grease, oils, fingerprints and weather-related dirt
- Effectively removes soiling without harming the material
- Cleans, seals and adds shine

00111755	
20	K.A.



**Glass Ceramic Cleaner,  
250 ml**

Content	250 ml
Suitable for	Ceramic glass-/ Induction-Hobs
Usage	Cooking Plate

- Removes stubborn grime and can be used on a daily basis
- The cleaner leaves an invisible film on the surface when rubbed dry; this makes the next cleaning process easier and gives the hob a lovely shine

00111726	
12	K.A.



**Refrigerator Cleaning Spray,  
500 ml**

Content	500 ml
Suitable for	Fridge and Freezer
Usage	Fridge, Microwave

- Removes even stubborn dirt and grease deposits
- For inside and outside cleaning
- Fights bad odours, ensuring long-lasting freshness
- Also ideal for cleaning microwave ovens

00111721	
24	K.A.

Cleaning Kit



### Hob Cleaning Kit, 3-Part, Cleaner, Scraper, Microfibre Cloth

- 3-part kit comprising: Scraper, Microfibre Cloth, Cleaner (100 ml)
- For daily care and the removal of stubborn dirt

**Cleaner:**

- After drying, the cleaner leaves behind an invisible film that makes the next clean easier and gives the hob a beautiful shine

**Scraper:**


- Suitable for glass, tiles and other smooth, hard surfaces
- Removes sticker, paint, soot, limescale residue and so on.
- Blade can be retracted for transport and replaced (replacement blades: 00110726)

**Cloth:**

- Universal cloth for optimum cleaning results from wet and dry cleaning
- Can be used with or without cleaning agent
- Long-lasting

00111752		
44	HB	

Scraper



### Special Glass Scraper for glass ceramic cooker surfaces

Material	Metal
Usage	For All Smooth Surfaces

- High-quality glass scraper, specially developed for glass ceramic hobs
- Also suitable for removing colour or residues of stickers from glass, tiles, etc.
- When not in use, the blade can easily be retracted (protective function)
- Ergonomically shaped grip that allows the scraper to be hung up
- Blade can easily be exchanged (replacement blades: item no.: 00110726)
- Size of the metal housing: 138 x 46 mm

00110753		
12	BK	




### Glass Scraper for Glass Ceramic and Induction Hobs

Material	Plastic Material
Usage	For All Smooth Surfaces, Glass Ceramic

- Also suitable for glass, tiles and other smooth, hard surfaces
- Removes sticker, paint, soot, limescale residue and so on.
- Blade can be retracted for transport and replaced (replacement blades Item No.: 00110726)

00111750		
72	BK	

Blades/holder




### Replacement Blades for Glass Scraping Tool for Glass Ceramic Hobs, 5 pieces

Number of Blades	5
Usage	Ceramic Stove Top

- Replacement blades for Xavax glass scraping tool for glass ceramic hobs
- Ground on both sides, thereby doubling the service life

00110726		
24	BK	


## Household Cleaner



**Iron Cleaning Spray, 50 ml**

Content	50 ml
Suitable for	Electric Iron
Usage	Steam Iron

- The cleaner acts rapidly, protects and keeps the device clean for longer due to the highly efficient additives
- Suitable for aluminium, stainless steel and ceramics soleplates
- Easy to use thanks to the micro atomizer and the supplied microfibre cloth
- Ensures excellent gliding of your iron on the laundry



**Washing Machine Care Cleaner with Fresh Fragrance, 250 ml**

Content	250 ml
Suitable for	Washing Machine
Usage	Washing Machine

- Also cleans parts that cannot be accessed by hand, e.g. hoses, gaps, filters, spray nozzles and the complete drum
- Optimizes the heat output of your machine and helps you save energy
- Unpleasant odours and deposits are mostly due to low temperatures (washing cycles with temperatures below 40°C) and savings programmes, regularly cleaning your machine prevents such things occurring
- Freshens by leaving behind a fresh scent and ensures your washing machine is clean
- Regularly cleaning your machine minimizes the risk of defects and improves the washing performance
- Every new machine is tested by the manufacturer; using this washing machine cleaner when washing with the machine for the first time removes possible test water residues

## Cleaning Kit



**Washing Machine Care Set, descaler + cleaner**

- Cleaner for washing machines
- Removes grease and limescale residue inside the machine
- Cleans important parts such as heating rods, hoses, filters and spray nozzles and protects them from blockages
- This will optimise the heat output and will save energy
- Unpleasant odours and washing agent residues are removed
- These residues can detrimentally affect the result of the washing cycle and could lead to expensive repairs

- Descaler for washing machines
- Dissolves already encrusted calcareous deposits on heating rods, hoses and valves
- Optimizes the heat output and saves energy since the machine heats up faster
- Calcareous deposits do not come any longer into the laundry, the wash result is improved
- Protects plastic and rubber parts

00111720		
6	BK	

00111723		
12	K.A.	

00110797		
4		

# Cleaners & Care Products

## Descaler



### Universal Descaler, 500 ml



### Quick Bio Descaler



### Washing Maschine Discaler, 250 ml



### Descaler for Steam Irons, 250 ml

DESCALERS

Content	500 ml
Safety Lock	Twist Off Top
Usage	Universally Usable

- For water digesters, pots, shower nozzles, tap filters, irons, immersion heaters, filter coffee and tea machines etc.
- Added high-quality additives provide for corrosion protection at the metal and plastic parts
- Lime can also be removed from high-grade steel, tiles and ceramics

Content	250 ml
Safety Lock	Twist Off Top
Usage	Universally Usable

- Suitable for all tea, coffee, espresso and pad machines as well as for fully automatic coffee machines, egg boilers, kettles, immersion heaters, pots, stainless steel pans, sink units, stainless steel, chrome, ceramic, plastic surfaces, etc. which need to be descaled very gently
- On the basis of citric acid which avoids flavourful losses or unpleasant odours during the decalcification process

Content	250 ml
Safety Lock	Twist Off Top
Usage	Washing Machines

- Dissolves already encrusted calcareous deposits on heating rods, hoses and valves
- Optimizes the heat output and saves energy since the machine heats up faster
- Calcareous deposits do not come any longer into the laundry, the wash result is improved
- Protects plastic and rubber parts

Content	250 ml
Safety Lock	Twist Off Top
Usage	Steam Iron

- Practical ready to use solution for descaling steam irons
- Effectively descales steam irons and prevents the formation of new limescale deposits
- Special mixture for high-quality steam irons (does not endanger the inside sole of the iron)
- Applying the descaler to cold irons is unproblematic, chalky deposits do not crumb, does not lead to problems when ironing

00110734		
30	K.A.	

00111734		
74	K.A.	

00111724		
12	K.A.	

00111727		
12	K.A.	





## Descaling Tablets

Content	18 ml
Usage	Universally Usable

- Designed to dissolve and flush away carefully and easily already encrusted calcareous desposits (limescale)
- The pressed in tablets are a clever design for easy handling and boast an easier dosage compared to liquid descalers
- Very fast solubility

00111768		
6	SC	




## Organic Quick Descaler, Promotional Size, 300 ml

Content	300 ml
Safety Lock	Twist Off Top
Usage	Universally Usable

- Suitable for all tea, coffee, espresso, pod machines and fully automatic coffee makers, egg cookers, kettles, immersion heaters, pots, stainless steel pans, sinks, stainless steel surfaces, chrome, ceramic, plastic etc. that must be descaled with particular care
- Based on citric acid, so there is no subsequent aftertaste or odour development during the descaling process

00111753		
60	K.A.	

### Household Cleaner



## Limescale Catcher for Kettles and Boilers, Stainless Steel, 2 Pcs

Suitable for	Electric Kettle/Kettle
--------------	------------------------

- For kettles and boilers
- Easy to use: Place the limescale catchers in kettles or boilers, add the water and bring to the boil
- The limescale rings can be left permanently in the kettle or boiler for the recommended ten-day cleaning period
- Can also be used for other appliance used to heat water
- Limescale deposits onto the limescale remover's stainless steel material with each use, preventing limescale from building up on the appliance's base and walls
- Eco-friendly limescale removal method: no additional chemical agents used
- Can be reused a virtually unlimited number of times
- Made from rust-free stainless steel

00110729		
30	HB	

DESCALERS

Household Cleaner



**Cleaning Tablets for Bottles,  
30 Packs in Display**

SPECIAL CLEANER

Suitable for	Bottles
Usage	Glass, Glass Ceramic

- Ideal for bottles with narrow necks that are hard to clean
- Reliable removal of deposits in bottles, e.g. due to syrups, limescale, tea or water marks
- Allow hygienic cleaning and prevent the development of bad odours
- Suitable for all materials, e.g. glass, aluminium, stainless steel or plastic bottles
- Especially easy dispensing and use thanks to tablet form
- Chlorine-free, phosphate-free

00111757	
30	SC







# Accessories for household appliances

at a glance

---

Device Connection (Sanitary)

---

Device Connection (Electric)

---

Washing & Drying

---

Ironing

---

Cooling & Freezing

---

Electric Stove

---

Cooking Hood

---

Microwave

---

Deep Fryer

---

Vacuum cleaner accessories

---

Rinsing

---

Heating

---



## Protection



### Hose Break Protection for Inlet Hose

Shade of colour	Chrome
Nominal Diameter/mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/mm 2	3/4" (DN:20), 26.9 mm

- For washing machines and dishwashers
- Easy to mount (also afterwards), is screwed between the tap and the inlet hose

				00110881
	8	BK		

## Tube



### Tube „Water stop hose for washing machines, dishwashers (EOL)“

Nominal Diameter/mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Straight
Burst Pressure	60 bar
Maximum Operating Pressure	10 bar
Maximum Temperature	93 °C

- The outer protective sleeve prevents water damage in the event of leaks or breakage of the hose
- Protects the appliance from rust particles thanks to integrated sieve
- Stops the supply of water in the event of leaks or breakage of the hose
- Leak is indicated by a red colour display
- VDE tested

1.5 m				00111874
	8	HB		



### Tube "Water stop hose for washing machines, dishwashers"

- The outer protective sleeve prevents water damage in the event of leaks or breakage of the hose- Protects the appliance from rust particles thanks to integrated sieve- Stops the supply of water in the event of leaks or breakage of the hose- Leak is indicated by a red colour display

1.5 m				00111444
	8	HB		
2.5 m				00111445
	5	HB		



### Tube "Cold water for washing machines and dishwashers"

Nominal Diameter/mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Connection Nut, straight
Burst Pressure	60 bar
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Operating Pressure	10 bar
Maximum Temperature	25 °C

- Protection of the device from rust particles thanks to integrated sieve
- Safety against leaking water thanks to rubber seal
- Angled union nut for connection to the machine, straight union nut for connection to the water pipe
- VDE-tested

1.5 m				00111833
	8	HB		
2.5 m				00111834
	8	HB		
3.5 m				00111835
	8	HB		

DEVICE CONNECTION (SANITARY)

## Hose Connector




Supply Hose Connector, brass

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Tempe- rature	120 °C

- Professional design in metal, suitable for high water pressure and for hot water connections
- Male thread: 2 x 3/4" (26,9 mm)

00111095		
8	BK	




Supply Hose Y-Splitter

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Tempe- rature	120 °C

- Professional version in metal
- Also suitable for high water pressure and hot water connections
- For connecting two inlet hoses
- Internal thread to connect to the tap
- External thread to connect 2 inlet hoses

00111069		
6	BK	




Y-Distributor for Supply Hoses, for Ø 3/4 Inch (26.9 mm)

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Tempe- rature	120 °C

- Professional design in metal, robust and temperature-resistant
- Also suitable for high water pressure and hot water connections
- Seal guarantees protection from water leaks
- Y-distributor suitable for common thread ID/nominal width/mm 3/4" (DN:20) 26.9 mm
- Internal thread: 1 x 3/4" for connection to the tap
- External thread: 2 x 3/4" for connecting two supply hoses

00220735		
8	HB	

## Appliances-Water Connection



Angle Valve with Machine Connector

Connection	Copper Tube Connection, Water Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	1/2" (DN:15), 21.3 mm

- Is directly installed at water connection pipes with 1/2" (21.3 mm) connection
- Hose connection: 3/4" (26.9 mm) for dishwasher/washing machine, separately lockable
- Copper pipe connection: 10 mm to water tap, separately lockable
- Chrome-plated


00111054		
6	BK	

DEVICE CONNECTION (SANITARY)

# Heating & Plumbing | Mounting Materials

DEVICE CONNECTION (SANITARY)

## Hose Extension




### Hose Extension "Reinforced Hose, Extension"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Threatfitting External Threat
Material	Steel Wire Braiding (Rustproof)
Maximum Tempe- rature	93 °C

- Extreme kink resistance, excellent flexibility and high flow capacity
- Offers the greatest possible protection against water damage for washing machines, dishwashers or connections to drinking water purification systems (ice cube makers, boilers, side-by-side refrigerators, etc.)
- Also ideally suited for extending fixed-connection supply hoses with water stop devices (Aquastop)
- High-quality woven material made from rust-free stainless steel wire
- DVGW type examination certificate: DW-0304BT0257
- Approval as a hose line for drinking water installation (Group I) with DVGW tests W 543, W 270 and BGA KTW-A 0304 confirming excellent microbiological purity and mechanical resilience

3 m				<b>00111892</b>
	8	HB		
2 m				<b>00111891</b>
	8	HB		
1 m				<b>00111890</b>
	8	HB		



### Cold Water Supply Hose Extension, 2.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfitting External Threat
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Tempe- rature	25 °C

- Protection against leaking water thanks to rubber seal
- Union nut for connection to the machine, connector for connection to the supply hose
- VDE tested

2.5 m				<b>00111836</b>
	8	HB		

## Clamp



### Clamp "2 Pieces"

Material	Steel (Rustproof, Galvanized)
----------	----------------------------------

- Tape and casing made of stainless steel, galvanized screw

110 - 130 mm				<b>00110835</b>
	6	BK		



### Hose Clip, 20-32 mm

Material	Steel (Rustproof, Galvanized)
----------	----------------------------------

- For inlet and drain hoses
- Tape and casing made of stainless steel
- Galvanized screw

20 - 32 mm				<b>00110813</b>
	6	BK		

Tube



**Tube**  
"for Washing Machines, Dishwashers, straight/angled"

Type of Connection	Angled/Straight
Material	Polypropylene (PP)
Maximum Temperature	100 °C
Inner Diameter	21 mm
Outside Diameter	28 mm

- Connection: straight: 21 mm / angled: 21 mm
- Complete with mounting elbow
- High pressure resistance (crush resistance)
- High resistance to chemicals

1.5 m				<b>00111052</b>
	10	HB		



**Tube**  
"Set for Condenser Dryer"

Type of Connection	Straight
Material	Polyethylene (PE)
Maximum Temperature	70 °C
Inner Diameter	10 mm
Outside Diameter	15 mm

- Consisting of: 1 x drain hose 1.5 m, 1 x siphon connection with seal, 3 x hose clamps, 1 x non-return valve
- High pressure resistance (crush resistance)

1.5 m				<b>00111894</b>
	6	BK		



**Drain Hose for all Washing Machines, Dishwashers, 1.5 m**

Type of Connection	Straight
Material	Polypropylene (PP)
Inner Diameter	21 mm
Outside Diameter	27 mm

- Connection: 2x straight 21 mm/19 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals

1.5 m				<b>00111877</b>
	18	HB		



**Drain Hose for all Washing Machines, Dishwashers, 1.2 - 4 m**

Type of Connection	Straight
Material	Polyethylene (PE)
Maximum Temperature	70 °C
Inner Diameter	22 mm
Length of Hose	1.2 m to 4 m
Outside Diameter	28 mm

- Connection: straight: 21 mm/straight: 21 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Extendable hose, allowing it to be used for lengths of 1.2 to 4 m

				<b>00111876</b>
	8	HB		

DEVICE CONNECTION (SANITARY)

# Household Accessories

## Stop Valve



**Non-return Valve, with 2 Hose Clamps, for max. Ø 10 mm**

- If a washing machine and a condensing or heat pump dryer is connected to a single siphon connection, the waste water could be pumped from one machine to the other
- A non-return valve in the waste water pipe prevents this backflow
- Suitable for drain hoses with an inner diameter of up to 10 mm
- With 2 hose clamps 10 - 16 mm

00220733

8 HB

## Hose Connector



**Brass Drain Hose Connector**

Material	Brass
Maximum Temperature	120 °C

- Professional metal version



**Drain Hose Connector, Brass, for Ø 20 mm**

Material	Brass
Maximum Temperature	120 °C

- Professional design in metal, robust and temperature-resistant
- Connector suitable for common drain hoses with an internal diameter of 20 mm
- With 2 hose clamps 20 - 32 mm

00111094

6 BK

00220732

8 HB

DEVICE CONNECTION (SANITARY)





**Drain Hose Connector**

Material	Acrylonitrile-Butadiene-Styrene (ABS)
Maximum Temperature	120 °C



**Drain Hose Connector, for Ø 20 mm**

Material	Acrylonitrile-Butadiene-Styrene (ABS)
Maximum Temperature	120 °C

- Connector suitable for common drain hoses with an internal diameter of 20 mm
- Max. temperature 120 °C
- With 2 hose clamps 20 - 32 mm



**Y-Connector for Drain Hose**

Material	Acrylonitrile-Butadiene-Styrene (ABS)
Maximum Temperature	120 °C

Siphon/-accessoires



**In-Wall Waste Pipe Connection without Opening for Cleaning**

Gland 1	20 mm
Nominal Diameter/mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- The drain hose can be mounted to the wall connection
- Conical drain hose connection fits hoses with a diameter of 20 mm, 23 mm and 3/4 inches

00110810		
6	BK	

00220729		
6	HB	

00110875		
6	BK	

00111356		
6	BK	

DEVICE CONNECTION (SANITARY)



## Siphon Connection for Wall-mounted Siphons without Cleaning Opening

Gland 1	20 mm
Nominal Diameter/mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- drain hose can be secured to the wall connection
- Conical drain hose connection suitable for hoses with a diameter of 20 mm, 23 mm and 3/4 inch
- Thread designation/nominal bore/mm 1" (DN:25) 33.7 mm
- With 1 hose clamp 20 - 32 mm
- Seal guarantees protection from water leaks

00220737

7 HB



## Siphon Connector with Union Nut

Nominal Diameter/mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Drain hose connection suitable for hoses with a diameter of 18 - 23 mm
- Includes hose clamp

00111092

6 BK



## Siphon Connection with Condensate Connection

Gland 1	8 mm
Nominal Diameter/mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Second connection for condensing dryer outlet hose
- 1" (33.7 mm) union nut
- 1 x 20 mm connection, for washing machine and dishwasher outlet hose
- 1 x 8 mm connection, for dryer condensate outlet hose connection

00111893

6 BK



## Siphon Connection with Condensation Trap, for Drain Hoses

Gland 1	8 mm
Nominal Diameter/mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Second connection for condensing dryer outlet hose
- 1" (33.7 mm) union nut
- 1 x 20 mm connection, for washing machine and dishwasher outlet hose
- 1 x 8 mm connection, for dryer condensate outlet hose connection
- Seal guarantees protection from water leaks

00220736

8 HB

DEVICE CONNECTION (SANITARY)



**Dual-device Connection with 1" Seal**

Gland 1	23 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Adapter turns a single connection into a double connection: ideal if multiple appliances with a waste water connection are to be connected to a single siphon
- Seal guarantees protection from water leaks
- Easy, safe installation: Hose clamps secure the drain hose to the double-appliance connection, with union nuts for tightening the adapter to the siphon
- Y-adapter 19 - 23.5 mm hose connection is suitable for hoses with interior dimensions of 19 - 23 mm

00111829		
6	BK	



**Waste Pipe Connection**

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

00110812		
6	BK	



**Siphon Connection for Drain Hoses**

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Thread designation/nominal bore/mm 1" (DN:25) 33.7 mm
- Hose connection suitable for common drain hoses with an internal diameter of 20 mm
- With 1 hose clamp 20 - 32 mm
- Seal guarantees protection from water leaks

00220734		
6	HB	

# Plugs & Sockets | Electrical Installation


## Power Plug



**Plug with Earth Contact, 5-Pin, Angled, Reconnectable, 400 V / 16 A**

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Angled plug compliant with DIN 49446
- Plug can be reconnected
- For indoor use

			<b>00111976</b>
	6	BK	




**Plug with Earth Contact, 5-Pin, Angled, Reconnectable, 400 V / 16 A**

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Angled plug compliant with DIN 49446
- Plug can be reconnected
- For indoor use

			<b>00220799</b>
	6	HB	

## Connection Cable for Household Appliances



**Connection Cable for Household Appliances "Electric Stove Supply Line"**

Shade of colour	White
Number of Wires	5
Wire Cross-Section	2.5 mm <sup>2</sup>

2.5 m			<b>00220797</b>
	8	HB	
1.5 m			<b>00220796</b>
	6	HB	



**Connection Cable for Household Appliances „Electric stove supply line, EOL“**

Shade of colour	White
Number of Wires	5
Wire Cross-Section	2.5 mm <sup>2</sup>

- Prefabricated connection cable
- Open ends with core cable ends
- Cable: H05VV-F 5 x 2.5 mm<sup>2</sup>

2.5 m			<b>00110827</b>
	15	BK	
1.5 m			<b>00110826</b>
	28	BK	

## Power Cable



**Device Connection Cable with Angled Power Plug, for Cookers etc., 2 m**

- For heavy and 3-phase AC current connections- Max. rated load 400 V / 16 A- Cable with wire end ferrules- Angled plug compliant with DIN 49446- For indoor use

Black			<b>00220798</b>
	5	HB	




**Device Connection Cable with Angled Heavy Current Plug, 2 m**

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Cable with wire end ferrules
- Angled plug compliant with DIN 49446
- For indoor use

Black			<b>00111975</b>
	3	BK	

DEVICE CONNECTION (ELECTRIC)

## Cleaning Cloth



**Microfibre Cloths, 30 x 30 cm, blue/green/yellow/red**

Material	15% Polyamide, 85% Polyester
Width x Length	30 x 30 cm

- Removes dust, grease and dirt
- Excellent cleaning results with moist and dry cleaning
- One extra cloth for every surface, with different textures for more hygiene (device surfaces - red/glass - blue/universal - yellow/kitchen - green)
- Can be used with or without cleaning agents
- Washable, can therefore be used for a long time

Blue, Green, Red, Yellow	<b>0011391</b>
6 HB	

## Anti-Slip Mat




**Anti-Slip Mat for Washing Machines**

Shade of colour	Grey
Width x Length	60 x 60 cm

- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Odour-neutral
- Extremely resilient and tear-resistant thanks to high density
- Highly specific recycled rubber granulate with polyurethane bonding
- Rot-resistant and compatible with water
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Germany
- Width x length x height: 60 x 60 x 0.6 cm

	<b>0011362</b>
10	




**Anti-Slip Pads with Vibration Protection, 10 x 10 x 1.5 cm, Set of 4**

Shade of colour	Black
Width x Length	10 x 10 cm

- Set of 4 pads for all 4 corners of the device or appliance involved
- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Highly specific recycled rubber granulate with polyurethane bonding
- Rot-resistant and compatible with water
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Germany

	<b>00110215</b>
42 HB	

## Lashing Strap



**Safety Lashing Strap with Ratchet for Laundry Drier**

Length	600 cm
--------	--------

- Wrap the strap around the entire column (comprising the washing machine and laundry drier), thread it through the ratchet and lash tight
- After tensioning, the drier sits firmly on the washing machine
- This prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Max. lashing strength: 800 daN
- Material: impregnated polyester

	<b>0011896</b>
12 HB	



Tube



## Vent Hose Adapter for Laundry Dryers

Material	Polyvinyl Chloride (PVC)
Outside Diameter	102 mm

- Fits all 102 mm vent hoses
- Ideal for dryers with 100 mm connection
- Can easily be inserted in wall sleeves or wall ducts
- Allows the vent hose to be easily plugged on and off (advantageous if this one can only be mounted for drying)
- Secure fit, no hose clip needed

0.2 m				<b>00111306</b>
	6	BK		



## Tube "Laundry Dryer"

Material	Polyvinyl Chloride (PVC)
Outside Diameter	102 mm

- Flexible PVC hose mounted on a spring steel helix wire
- Can be cut to length just as one likes
- Incl. 2 hose brackets, 90-110 mm

2 m				<b>00110944</b>
		24	HB	
4 m				<b>00110945</b>
		12	HB	

Condenser Box



## Condenser Box for Vented Tumble Dryers

Shade of colour	White
Material	Plastic Material
Size	28.5 x 23,5 x 23 cm

- No annoying laying of the exhaust air hose through the window opening or hole in the wall
- Just attach the exhaust air hose to the extra large and sturdy condensate box (capacity: 7l)
- With additional, removable container for ice which ensures an even better condensation of the warm water vapour

				<b>00111341</b>
	2	SC		

Household Appliance Stacking Kit



## Intermediate Frame for Washing Machine and Dryer, with Pull-out Shelf

Shade of colour	White
Material	Metal
Width x Depth	60 x 55.5 cm

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- The intermediate kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm- Extendable worktop with a shelf of 52 x 40 cm, can be loaded with up to 12 kg- Also suitable for washing machines with a sloping or curved front and for machines where the detergent drawer extends to the lid as well as for dryers that have a cleaning flap in the lower part of the front- Special side rails prevent the dryer from moving, for example, when the washing machine is spinning- Particularly stable and resilient: the frame itself weighs only 4.7 kg but has a load capacity of up to 150 kg

				<b>00111363</b>
	5	SC		

WASHING & DRYING




## Stacking Kit for Washing Machines / Dryers, Integrated Laundry Maiden

Shade of colour	White
Material	Metal
Width x Depth	61 x 60 cm

- Universal, compatible with most washing machines and tumble dryers with a work surface of 60 x 60 cm
- Integrated, pull-out laundry maiden (max. load up to 10 kg) for hanging up smaller items of laundry at a comfortable working height or as a handy storage area for the laundry basket
- Practical handle on the laundry maiden for easier operation
- With safety lashing strap - prevents the dryer from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install without screw fixings, since it is pre-assembled

00110225	
5	SC




## "Smart" Stacking Kit for Washing Machine / Dryer, Pull-Out Plate, Plastic

Shade of colour	White
Material	Plastic Material
Width x Depth	55 x 60 cm

- Incl. pull-out plate (max. load up to 10 kg), handy storage and work surface at a comfortable working height (e.g. for folding laundry, tidying, etc.)
- With practical handle on the pull-out plate for easier operation
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Structure made of high-resistance, reinforced technopolymer ensures the stability of household appliances
- Side castors so the drawer is easier to pull out
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install, since it is pre-assembled
- Universally suitable for all appliances with a worktop of 60 x 60 cm
- Can be screwed on if necessary

00110223	
4	SC



## "Basic" Intermediate Frame for Washing Machine and Dryer, 250 kg Load Capac

Shade of colour	White
Material	Plastic Material
Width x Depth	55 x 60 cm

- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- The intermediate kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm
- Also suitable for washing machines with a sloping or curved front and for machines where the detergent drawer extends to the lid, as well as for dryers that have a cleaning flap in the lower part of the front
- Special side rails prevent the dryer from moving, for example, when the washing machine is spinning
- Particularly stable and resilient: the plastic frame itself weighs only 1.3 kg but has a load capacity of up to 250 kg

00110222	
6	SC



## Intermediate Frame (open front) for Washing Machine and Dryer, 55 - 66 cm

Shade of colour	White
Material	Metal
Width x Depth	55 cm

- Xavax in-house development
- Frame with an expanding system, therefore easy to transport as well as quick and easy to mount
- Universally compatible with all units with a width from 55 to 66 cm, can be adapted individually to the width of the washing machine cover
- Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door

- Also suitable for:
- Washing machines with an oblique or arched front
  - Washing machines with a washing powder drawer that reaches up to the lid
  - Dryers with a cleaning flap at the lower part of the front

00111379	
12	HB



### Intermediate Frame for Washing machine/Dryer

Shade of colour	White
Material	Metal
Width x Depth	60 x 60 cm

- Quick and easy to install
- Universally suitable for all appliances with a surface of 60 x 60 cm

- Not suitable for:
- Washing machines with an angled or curved front
  - Washing machines with a detergent drawer that reaches to the cover
  - Dryers that have a cleaning flap in the front lower section

00110815		
8	SC	




### Dryer Fixing Plates for Adhesion, set of 4

Shade of colour	White
Material	Plastic Material
Width x Depth	6,5 x 5,5 cm

- When a washing machine and dryer are combined to form a column, the fixing plates are stuck under the feet of the dryer
- In addition to the extremely strong adhesion, the dryer secures itself due to its weight as the fixings next to the border also have a bottom plate on which lies the dryer weight
- The glue is insensitive to moisture and changes in temperature
- Suitable for dryer feet up to a diameter of 45 mm

00111310		
48	HB	

### Home Appliance Vibration Damper



### Vibration damper

Shade of colour	White
Number of Dampers	4
Diameter	45 mm
Height	17 mm

- For absorbing the operational vibrations of washing machines, dishwashers and tumble dryers
- For increased stability and for noise attenuation
- Prevents sliding on smooth floors
- Protects tiles from scratches
- Can be used anywhere and is easy to attach
- Made from thermoplastic material (TPR)
- Diameter: internal 4.5 cm; external 6.5 cm
- Can hold up to 90 kg

00110879		
48	HB	

### Household Appliance Base



### "Giant" Washing Machine Base Unit, 50 cm Tall, 60 x 60 cm with Shelf

Maximum Load Capacity	150 kg
Height	50 cm
Length	60 cm
Width	60 cm

- A storage compartment open on all sides offers sufficient space under the pedestal for detergent, fabric softener and so on
- Each foot is individually adjustable up to 1 cm in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- With a support surface of 60 x 60 cm, the base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances weighing up to 150 kg
- The large shelf area is therefore also suitable for washing machines with a capacity of 7 - 10 kg
- The high-quality metal base is particularly stable and resilient; this also reduces vibrations, for example when the washing machine is spinning
- The underframe protects your machine from the backflow of water from the drain, flood water up to 50 cm and wetness on the ground, for example from loose hoses

00111380		
1	SC	



**Washing Machine Base Cabinet 60x60 cm with Shelf, 40 cm Height, 150 kg Load Capacity**

Maximum Load Capacity	150 kg
Height	40 cm
Length	60.6 cm
Width	60.6 cm

- Storage compartment open on three sides can be individually attached at a height of 5 cm, 10 cm or 15 cm and offers sufficient space under the pedestal for detergent, fabric softener and so on
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- With a support surface of 60 x 60 cm, the base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances weighing up to 150 kg- The cross struts of the storage shelf make the high-quality metal base particularly stable and resilient; at the same time, they reduce vibrations, for example when the washing machine is spinning- The underframe protects your machine from the backflow of water from the drain, flood water up to 40 cm and wetness on the ground, for example from loose hoses
- The floor under the washing machine or other household appliances can be cleaned quickly and easily without having to move the heavy appliances out of the way

White	00111078
1	SC



**Furniture Mover with 4 Heavy-duty Castors, Height-adjustable Feet, 150 kg Load Capacity**

Maximum Load Capacity	150 kg
Height	11 cm

- Sturdy swivel castors with one brake per castor for comfortable transport and a secure stand; the plastic castors absorb vibrations so that washing machines and other appliances can be operated on the rolling board
- Each foot is individually adjustable in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- The flexible surface can be adjusted from 50 x 50 cm to a size of up to 70 x 70 cm thanks to pull-out rails. The transport rollers can therefore be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture, heavy plants or warehouse and transport boxes with a weight of up to 150 kg
- The anti-slip surface and special reinforcements on the corners make the base unit particularly stable and resilient, allowing the machine to be transported safely without it moving around

White	00110233
5	SC




**Washing Machine Base Frame, Adjustable, 13-18 cm Height, 150 kg Load Capacity**

Maximum Load Capacity	150 kg
-----------------------	--------

- Each foot is individually adjustable in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- The flexible surface can be adjusted from 52 x 52 cm to a size of up to 72 x 72 cm thanks to pull-out rails. The base unit can therefore be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture as heavy or warehouse and transport boxes with a weight of up to 150 kg
- The anti-slip plastic surface and special reinforcements on the corners make the base unit particularly stable and resilient, keeping the machine steady even when spinning and stopping it from moving around
- The underframe protects your machine from the backflow of water from the drain, flood water up to 18 cm and wetness on the ground, for example from loose hoses
- The floor under the washing machine or other household appliances can be cleaned quickly and easily without having to move the heavy appliances out of the way

White	00110232
4	SC

## Wash/Dryer Ball



**Wool Dryer Balls, 3 Units**

Shade of colour	Cream Nature
Temperature Resistance up to	100 °C
Diameter	75 mm

- 100% natural, made from sheep's wool
- Soft laundry without the use of chemicals: ideal for sensitive skin
- Hypoallergenic, ideal for allergy sufferers and babies
- Improves the wearing comfort of laundry
- Reduces static charge on textiles
- Laundry becomes less creased while drying
- Saves time and 25% energy: protects the environment and the wallet
- Can be reused a virtually unlimited number of times
- Ideal for the care of down jackets and duvets
- Dryer balls made from wool make less noise than plastic dryer balls
- Easy to use: pop all three dryer balls with the laundry into the dryer

	00111377
48	HB

# Household Accessories



## Drying Balls, 2 pcs

Shade of colour	Blue, Green
Temperature Resistance up to	125 °C
Diameter	60 mm

- Simply place both drying balls in the tumble dryer with the laundry
- Reduces the drying time by up to 25%, ideal for down jackets
- Saves energy and time, protects the environment and the wallet
- Soft laundry without the use of chemicals, ideal for allergy sufferers
- Fewer creases in laundry and less lint build-up
- Can be reused a virtually unlimited number of times

00111013

12 SC



## "Power Pearls" wash ball

Shade of colour	Green
Temperature Resistance up to	90 °C
Diameter	100 mm

- Plastic ball filled with 120 g ceramic wash pearls
- The vast micro surface of the pearls filters the water and allows for improved detergent distribution
- Detergent quantity can be reduced to 1/4 of the usual amount with no sacrifice to usual cleanliness
- Ideal for those who suffer from skin irritations or allergies caused by detergent residues, as the natural pearls emit no fragrances
- Textiles are protected, colours remain brighter for longer, since the amount of chemicals per wash is vastly reduced, resulting in possible wash temperatures from cold to 90 °
- The specially shaped wash ball with its internal balls moves atypically within the drum, thus supporting the mechanical wash in the washing machine, as it rubs against textiles and thus releases dirt from fibres, disperses the wash more efficiently, and unfolds laundry more effectively
- Due to the movement of the beads, the detergent is released and foamed more efficiently in the water - so more oxygen is introduced into the wash water
- Can be used with all liquid or powder detergents
- Used correctly, the wash ball can be used for around 2 years, before the mineral balls become depleted

00110226

60 SC

WASHING & DRYING



Protective Cloth



**Iron Protector Mat,  
25 x 34 cm**

Material	Glass Fibre, Polytetrafluoroethylene (PTFE)
Width x Length	25 x 34 cm

- Non-stick coating and steam-permeable material (made from fibre glass and PTFE) protect the ironed fabric perfectly
- Simply place on the area to be ironed
- Prevents the formation of shiny spots and ensures shine-free ironed creases
- Textile appliqués are protected
- Can be cut to size and reused

			<b>00110218</b>
	12	SU	

IRONING

# Measuring Devices & Sensors | Filters

COOLING & FREEZING

## Thermometer



### Analogue Thermometer for Refrigerator, Freezer and Chest Freezer

Display	Analogue
Width x Depth x Height	2.2 x 2 x 21 cm

- When the temperature is set correctly, dishes remain fresh for longer and bacteria growth is reduced
- The thermometer helps to avoid unnecessary energy consumption and save electricity costs
- Colour scale for easier reading
- Hanging hook and eyelet for easy attachment
- Temperature display in degrees Celsius

White	00111019
22 HB	




### Analogue Thermometer for Refrigerator, Freezer and Chest Freezer, Round

Display	Analogue
Width x Depth x Height	5.3 x 1.3 x 7 cm

- When the temperature is set correctly, dishes remain fresh for longer and bacteria growth is reduced
- The thermometer helps to avoid unnecessary energy consumption and save electricity costs
- Colour scale for easier reading
- Thermometer can be stuck (adhesive pad on the back) or hung in a suitable place
- Temperature display in degrees Celsius

White	00111309
85 HB	



### Analogue Thermometer for Refrigerator, Freezer and Chest Freezer

Display	Analogue
Width x Depth x Height	2.4 x 1 x 15.3 cm

- When the temperature is set correctly, dishes remain fresh for longer and bacteria growth is reduced
- The thermometer helps to avoid unnecessary energy consumption and save electricity costs
- Colour scale for easier reading
- Hanging hook for easy attachment
- Temperature display in degrees Celsius

White	00110822
34 HB	



### Thermometer "for fridge, freezer and chest freezer, digital"

Display	Digital
Width x Depth x Height	6.7 x 2.5 x 4.3 cm

- When the temperature is set correctly, dishes remain fresh for longer and bacteria growth is reduced
- The thermometer helps to avoid unnecessary energy consumption and save electricity costs
- Thermometer for placing, hanging or magnetically attaching

Black	00185853
White	00185854
6 HB	



### Digital Refrigerator/Freezer Thermometer

Display	Digital
Width x Depth x Height	6.7 x 1.5 x 4 cm

- A correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Holder for standing or hanging the thermometer up or for attaching it by means of a magnet
- The large digital display (50 x 20 mm) makes it easy to read off the temperature
- The temperature can be displayed in Celsius or Fahrenheit

Black	00111357
10 BK	



### Refrigerator/Freezer Thermometer, digital

Display	Digital
Width x Depth x Height	5 x 1.4 x 5 cm

- Correct internal temperature keeps food fresh longer and limits/prevents bacterial growth
- Easy attachment and removal by means of a hook and loop tape (adhesive attachment on the back of the thermometer)
- Large digital display for ease of reading
- The temperature can be displayed in °C or Fahrenheit

White	00110823
6 BK	

## Water Filter



### Water Connection Kit for US Refrigerators

Usage	Side by Side Fridge
-------	---------------------

- Contains all the components needed for connection
- Quick-fasteners allow the cables and connections to be installed and removed without tools
- Consisting of: 6-metre water line (food safe) and a 5-piece plug and connection kit
- Securing rings ensure additional stability of the connection system

	00220739
10 HB	



## External Universal Water Filter for Side-by-Side Refrigerators

Usage	Side by Side Fridge
-------	---------------------

- This filter cartridge is compatible with Samsung 10105J/Daewoo DD7098/EF9603, fits all upright refrigerators (side-by-side) that are connected to the water supply via a 1/4 inch (approx. 6 mm) plastic hose. These quick connections allow the plastic hoses to be connected in seconds
- This filter can be used universally as a pre-filter
- No sealing tape, no cumbersome adapters needed. After removing the stopper at the inlet/outlet, the integrated hose seal reliably shuts off the hose
- Contains a high-quality carbon block that has been manufactured especially for use in refrigerators. The carbon effectively removes up to 99% of chlorine
- The cartridge also removes other contamination such as solid particles dissolved in water, e.g. clay, sand, rust. The result is a significant improvement in taste and fewer deposits in your refrigerator's water and ice system
- Refrigerator filter replaces the following original filter types: DA29-10105J, WSF100, EF-9603, 3890JC2990A, 3650JD8050A, BL-9808, DD-7098, 3019974800, 497818, FUS001, 481931039257, USC-100, GXRTQ, GXITD and many others
- Tested according to EU 1935/2004

00111822	
36	HB

# Cables & Adapters | Thermometers

## Induction Hob Adapter



### Induction Hob Adapter "Consisting of Stainless Steel/ Aluminium"

Material	Metal
----------	-------

- The adapter conducts the heat from the hob to the pots, pans, roasters, kettles, etc.
- Suitable for aluminium, stainless steel, glass, copper and ceramic crockery
- Central part made from rust-free stainless steel with an aluminium core
- For containers with a similar diameter, max. 19 cm
- A long, insulated handle makes handling the induction hob adapter plate easier and prevents burns when lifting
- The plate can be easily cleaned under running water or in the dishwasher

19 cm				00111397
		12	SC	
23.5 cm				00111396
		10	SC	

## Baking/Roast Thermometer



### Digital Multi-Thermometer

Resolution	0.1 °C
Display	Digital
Measuring Range	-45°C to +200°C
Usage	Drinking Temperature, Roast Temperatur

- With removable silicone fastener for storing and closing opened bottles
- For measuring the inside temperature of meals (cutting the foodstuffs up is not necessary)
- For exact (medium, well done) roasting, cooking and baking
- Quick, exact indication on the display (resolution: 0.1°C)
- Ideal for fish, meat and vegetables
- Food safe
- Battery (1.5V LR44) included in the delivery package
- With temperature table for different applications
- Baby food: 37.0°C
- Water for tea: 60-90°C
- Oil for roasting: 150-190°C
- Olive oil: up to 160°C
- Beef, medium: core temperature: 60-65°C
- Poultry: core temperature: 80-90°C
- Red wine, new/dry: 14-16°C
- Technical details:
- Measuring range: -45°C up to 200°C (-49°F up to 392°F)
- Measuring error: at 0°C up to 79.9°C = 2%
- Quick response time: 4-10 seconds

				00111014
		6	HB	



### Digital multi-thermometer

Resolution	0.1 °C
Display	Digital
Measuring Range	-50°C to +300°C
Usage	Drinking Temperature, Roast Temperatur

- With removable silicone seal for storing and sealing opened bottles
- For measuring the internal temperature of food (no cutting required)
- For on-point roasting (medium, well), cooking and baking
- Also ideal for baby bottles
- Fast, precise display (resolution: 0.1°C)
- Ideal for fish, meat and vegetables
- Food safe
- Battery (3V CR2032) not included in the extent of delivery
- With temperature table for various applications
- With backlight for easy reading
- Baby food: 37.0°C
- Water for tea: 60-90°C
- Oil for frying: 150-190°C
- Olive oil: max. 160°C
- Beef medium 60-65°C core temperature
- Poultry: 80-90°C core temperature
- Young red wine, dry: 14-16°C

- Technical data:
- Measuring range: -50°C to 300°C (-58°F to +572°F)
  - Measuring range deviation: at 0°C to 80°C = +/-2°C; at <-10°C und >80°C = +/-4°C
  - Rapid response time: 4-10 seconds

				00185856
		16	HB	



### Digital Meat Thermometer with Timer, cable sensor

Display	Digital
Measuring Range	-10°C to +250°C
Usage	Drinking Temperature, Oven, Roast Temperatur

- The stainless steel probe (160 mm) with 1 m heat-resistant cable allows you to measure the inside temperature of food - simply insert the probe
- Ideal for vegetables, roasts, cakes and steaks as well as for soups, wine, tea water, baby food and much more
- For controlling different cooking levels by setting a specific temperature: an alarm can prevent the set temperature to be exceeded, this prevents food from overcooking
- Can be used as a timer or thermometer, countdown and countup timer adjustable up to maximally 99 minutes and 59 seconds
- Suitable for continuous operation, e.g. for the complete roasting time (insertion sensor in the oven and measuring body outside)
- Sturdy housing can be attached in many positions, e.g. by a magnet, built-in suspension eye and stand

				00111381
		6	HB	

ELECTRIC STOVE



## Mechanical Meat and Oven Thermometer

Resolution	1 °C
Display	Analogue
Measuring Range	30°-100°C Meat, 50 ° -250 ° C Oven
Usage	Oven, Roast Temperatur

- Needle 1 (red) measures the current oven temperature
- Needle 2 (black) measures the core temperature
- For exact (English, medium, well done) roasting, cooking and baking
- Ideal for fish, poultry, meat
- Food-safe
- Measuring range - oven: 50°C to 250°C
- Measuring range - meat/baked goods: 30°C to 100°C
- Size: Ø 73 mm
- Stainless steel 430, matt (18/0)

00111018	
6	SC

## Sealing Tape




## Sealing Tape for Ceramic Hob, 3 x 1.10 m

Material	Foam
Width x Length	15 x 1100 mm
Thickness	2 mm

- Protects from liquids that may get under the hob
- Ensures a firm fit of the hob in the worktop
- Can also be used for sealing kitchen sinks or as universal insulating or sealing tape
- Self-adhesive on one side

Black	00111867
6	BK

## Scraper




## Special Glass Scraper for Glass Ceramic Cooking Surfaces

Material	Metal
Usage	Glass Ceramic

- Glass scraper in first equipment quality, specially developed for glass ceramic hobs
- Also removes colour or residues of stickers on glass, tiles, etc.
- When not in use, the blade can easily be retracted (protective function)
- Ergonomically shaped grip, can be hung up
- The blade can easily be replaced (replacement blades item no.: 00111096)
- Dimensions of the metal housing: 138 x 46 mm

00111010	
12	BK

## Blades/holder



## Replacement Blades for Glass Scraping Tool for Glass Ceramic Hobs

Number of Blades	5
Usage	Ceramic Stove Top

- Replacement blades for Xavax glass scraping tool for glass ceramic hobs (item no. 00111010)
- Ground on both sides, thereby doubling the service life

00111096	
24	BK

ELECTRIC STOVE



Hob frame



## Compensation Frame for Hobs



Material	Stainless Steel
----------	-----------------

- Easy and quick to use
- Saves buying and installing a new worktop or a larger and more expensive hob
- High-quality, rust-free stainless steel

ELECTRIC STOVE

0011872	
5	


## Household Filter



**Activated Carbon Filter for Cooker Hoods, set of 2**

Filter Type	Odour Filter
Size	470 x 570 mm
Usage	Fume Hood


- Special, particularly absorbent texture made of fibres
- Many odours are trapped to a large extent due to the addition of activated carbon
- Can be individually cut to size
- Fire protection class according to ISO 9772 (HF1)



**Extractor Flat/Activated Charcoal Filter, Set of 2**

Filter Type	Grease Trap, Odour Filter
Size	470 x 570 mm
Usage	Fume Hood



- Kit comprising one charcoal odour filter and one flat filter
- With saturation display (indicator colour changes from grey-brown to red)
- Replace the filter when indicated by the red saturation display
- The addition of activated charcoal traps most cooking odours
- Can be trimmed to size
- Flat filter: fire safety class ISO 9772 (UL 94 HBF)
- Activated charcoal filter: fire safety class ISO 9772 (HF1)



**Fleece Filter for Cooker Hoods, 2 pcs./set**

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- can be individually cut to size



**Flat Filter for Cooker Hoods, set of 2**

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- With saturation indicator (indicator colour discolours from grey-brown into red)
- Replace filter when the saturation indicator is red
- Can be individually cut to size
- Fire protection class according to ISO 9772 (HF1)

COOKING HOOD

00110832		
18	PO	

00110871		
30	PO	

00110831		
18	PO	

00111868		
70	PO	




**Flat Filter for Cooker Hoods, set of 2**

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- With saturation indicator (indicator colour discolours from grey-brown into red)
- Replace filter when the saturation indicator is red
- Can be individually cut to size
- Fire protection class according to ISO 9772 (UL 94 HBF)

**Reducer**



**Reducer "Fume Hood"**

Shade of colour	White
Material	Plastic Material

100 - 125 mm	<b>00111061</b>
	10 HC
125 - 150 mm	<b>00110836</b>
	10 HC

	<b>00110830</b>
	120 PO

COOKING HOOD

Special Bulb




Oven Bulb, 25W, 300°, E14, pear-shaped, clear

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

- Heat-proof up to 300° Celcius
- Pear-shaped incandescent lamp
- Bulb diameter: 26 x 58 mm
- Clear
- 25 W; E 14; voltage: 230 V


00110838		
6	BK	



Bulb for Cooling Appliances, 25W, E14, pear-shaped, clear

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape


00112444		
10	BK	



Bulb for Cooling Appliances, 15W, E14, pear-shaped, clear

Light Colour	Warm White
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

00112443		
10	BK	



Oven Bulb, 15W, 300°, E14, pear-shaped, clear


Light Colour	Warm White
Nominal Power Consumption	15 W
Weighted Energy Consumption	15 kWh/1000h
Can be Dimmed	Yes
Design	Pear Shape

- Heat-resistant up to 300° Celcius

00112440		
10	BK	

SPECIAL BULB

# Special Bulbs




**LED Refrigerator Bulb, 1.7W, E14, neutral white**

Nominal Power Consumption	1.7 W
Weighted Energy Consumption	2 kWh/1000h
Can be Dimmed	No
Design	Pear Shape

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
- Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small bulbs can be used
- Operating temperature: -20°C to +40°C

00110212		
10	BK	




**Halogen Bulb for Extractor Hoods, 25 W, tubular, clear, E14**

Light Colour	Warm White
Nominal Power Consumption	25 W
Weighted Energy Consumption	25 kWh/1000h
Can be Dimmed	Yes
Design	Tube

- A special halogen bulb has a longer service life than a normal special bulb
- Insensitive to vibrations
- Optimum light distribution

00112439		
12	BK	




**Oven Bulb, 40W, 300°, E14, drop-shaped, frosted**

Light Colour	Warm White
Nominal Power Consumption	40 W
Weighted Energy Consumption	40 kWh/1000h
Can be Dimmed	Yes
Design	Drop

- Heat-resistant up to 300° Celcius
- High light efficiency

00112441		
6	BK	



**Halogen Bulb for Ovens, 33W, 300°, G9, clear**

Light Colour	Warm White
Nominal Power Consumption	33 W
Weighted Energy Consumption	33 kWh/1000h
Can be Dimmed	Yes
Design	Base Pin

- Heat-resistant up to 300° Celcius
- Clear
- 1 piece packed in blister

00111307		
12	BK	

SPECIAL BULB



Lamps




**Oven Light, 15 W, Heat-resistant to 300°, E14, Pear Shape, clear**

Colour Reproduction Index RA (min.)	95
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2000 K
Design / Diameter / Height	Pear Shape / 22 mm / 48 mm
Lamp socket	E 14
Nominal Service Life	1000 h

- Heat-resistant to 300° Celsius

00111440		
10	BK	




**LED Filament, E14, 470 lm Replaces 40W, for Refrigerators/Extractor Hoods**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Bulb T 25 / 25 mm / 86 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High light yield
- Very low energy consumption of just 4W
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Can easily replace conventional incandescent bulbs
- No mercury or lead

00111450		
10	BK	




**LED Filament, E14, 250 lm Replaces 25W, for Refrigerators/Extractor Hoods**

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	Bulb T 25 / 25 mm / 83 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- High light yield
- Very low energy consumption of just 2W
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- Can easily replace conventional incandescent bulbs
- No mercury or lead

00111449		
10	BK	



**Oven Bulb, 25 W, Heat-resistant to 300°, E14, Pear Shape, clear**


Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2200 K
Design / Diameter / Height	Bulb T 25 / 25 mm / 54 mm
Lamp socket	E 14
Nominal Service Life	1000 h
Power Consumption of an Equivalent Incandescent Lamp	25 W

- Heat-resistant to 300° Celsius
- Light bulb: pear shape
- Bulb diameter: 26 x 58 mm- Clear- 25 W; E 14; Voltage: 230 V

00111443		
10	BK	

SPECIAL BULB

# Bulbs




**LED Refrigerator Bulb, 2W, E14, neutral white**

Colour Reproduction Index RA (min.)	80
Light Colour	Neutral White
Can be Dimmed	No
Colour Temperature	4000 K
Design / Diameter / Height	Bulb T 25 / 25 mm / 59 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	20 W

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
- Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small bulbs can be used
- Operating temperature: -20°C to +40°C

00111446		
10	BK	




**Oven Light, 40 W, Heat-resistant to 300°C, E14, Droplet Shape, clear**

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2500 K
Design / Diameter / Height	Drop P 45 / 45 mm / 70 mm
Lamp socket	E 14
Nominal Service Life	1000 h

- Heat-resistant to 300°C

00111441		
10	HB	




**Halogen Bulb for Extractor Hoods, 40 W, tubular, clear, E14**

Colour Reproduction Index RA (min.)	100
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	26 / 80 mm
Lamp socket	E 14

- A special halogen bulb has a longer service life than a normal special bulb
- Insensitive to vibrations
- Optimum light distribution

00112438		
12	BK	




**Halogen Extractor Hood Bulb, 25W, Tube Shape, Clear, E14**

Colour Reproduction Index RA (min.)	100
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	26 / 80 mm
Lamp socket	E 14
Nominal Service Life	2000 h

- Immune to vibration
- Optimum light distribution

00111439		
12	BK	

SPECIAL BULB



**Halogen Oven Bulb 33 W,  
Heat-Resistant up to 300°,  
G9, clear**

Colour Reproduction Index RA (min.)	100
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	Pear Shape / 14 mm / 43 mm
Lamp socket	G 9
Nominal Service Life	2000 h

- Heat-resistant to 300° Celsius
- Clear
- 1 blister-packaged unit

SPECIAL BULB

00111442		
12	BK	

# Holders | Tableware & Cutlery

## Holder



### Holder "for Microwave"

Material	Metal
Maximum Load Capacity	30 kg

- Space-saving and simple installation
- The width and depth can be adjusted
- Punched recesses ensure device stability
- Maximum load capacity: 30kg
- Max. width: 43 cm
- Retaining arms can be extended from 36.5 to 51 cm depth

White	00110930	
Silver	00110931	
	4	SC

MICROWAVE

## Microwave-Safe Dishes



### Microwave Box Set, 3 Part, red

- Set comprising two microwave boxes each with a 600 ml capacity and one microwave box with a 1300 ml capacity, with matching lids
- Microwave box with a 1300 ml capacity is divided into two compartments for appetising and clearly arranged food
- Suitable for portioned freezing of pre-made food
- When required, portions can be thawed without removing them from the container and heated directly
- Offset grips make it easy to open
- Resistant from -20° to +120°C
- Dishwasher-safe
- Break-resistant
- Odourless/tasteless
- Food safe

Red	00111463	
	6	SC



### Set of 2 Microwave Egg Cookers, Polypropylene, 6 x 8 cm

Temperature Range	-20°C to 120°C
-------------------	----------------

- Microwave egg cooker made from PP for the quick preparation of an egg
- Perfectly cooked egg in less than a minute
- The egg is beaten directly in the cooker - so no more tedious peeling: the egg cooker acts as the egg's shell
- Calorie-conscious cooking: no fat required
- Easy to clean in the dishwasher

Red, Transparent	00111490	
	48	SU

## Microwave Cover



### "S-Capo" Microwave Cover

Temperature Range	-30°C to 110°C
-------------------	----------------

Diameter	22 cm
Height	10.3 cm

- Shortens cooking time by reducing the cooking space
- Contains all splashes
- Allows built up steam to be released
- Especially high, practical handle for easily removing the cover from a dinner plate
- Large handle and centred steam vents prevent burns when the cover is removed

	00111534	
	12	



**"M-Capo" Microwave Cover**

Temperature Range	-30°C to 110°C
Diameter	26 cm
Height	10.3 cm

- Shortens cooking time by reducing the cooking space
- Contains all splashes
- Allows built up steam to be released
- Especially high, practical handle for easily removing the cover from a dinner plate
- Large handle and centred steam vents prevent burns when the cover is removed

00111542	
14	



**"Basic" Microwave Cover, 48 Pcs.**

Temperature Range	-5°C bis 80°C
Diameter	26 cm
Height	6,5 cm

- Reliable spray protection
- Shortens the cooking time by reducing the cooking space
- Steam outlet openings on the outer edge avoid excess pressure
- Handy recesses in the middle for easy removal of the cover from dishes

00110216	
48	

MICROWAVE



## Household Filter



## Universal Comb Filter for Fryers

DEEP FRYER

Filter Type	Grease Trap, Odour Filter
Size	330 x 296 mm
Usage	Deep-Fat Fryer

- A charcoal odour filter and a grease filter with saturation display (indicator colour changes from grey-brown to red)
- Replace the filter when indicated by the red saturation display
- Can be trimmed to size (saves buying expensive filter cassettes)
- Flat filter: fire safety class ISO 9772 (UL 94 HBF)
- Activated charcoal filter: fire safety class ISO 9772 (HF1)

00110872

60 PO

## Pedestal



### Pedestal "Organizer for cordless Vacuum Cleaners", Black, Silver

Material	Aluminium
----------	-----------

- Stable stand for vacuum cleaners, tidy organiser for accessories in the individual holders
- Space for two floor nozzles
- Aluminium design for an elegant look
- Drill-free installation
- Silicone pad under the base prevents the base from slipping and scratching the floor
- Generous cable guide hole for easy cable winding - ideal for charging battery-powered vacuum cleaners
- Also compatible with Dyson, Bosch, AEG, Philips, Rowenta and models with similar designs

00110235		
4	SC	



### Pedestal "Organizer for cordless Vacuum Cleaners", Black

- Stable stand for vacuum cleaners, tidy organiser for accessories in the individual holders
- Space for two floor nozzles
- Aluminium design for an elegant look
- Drill-free installation
- Silicone pad under the base prevents the base from slipping and scratching the floor
- Generous cable guide hole for easy cable winding - ideal for charging battery-powered vacuum cleaners
- Also compatible with Dyson, Bosch, AEG, Philips, Rowenta and models with similar designs thanks to the numerous mounting holes for the charging station

00181562		
4	SC	

## Vacuum Cleaner Air Filter



### Air filter "MF 02" for vacuum cleaners, 4 pcs.

- Special air filter, universal in use

00110242		
50	PO	

## Vacuum Cleaner Motor Filter



### MF 01 Motor Filter


Width x Length	12 x 17 cm
----------------	------------

- By cutting, the filter can very easily be adapted to nearly all vacuum cleaners

00110241		
50	PO	

# Household Accessories

## Vacuum Cleaner Bag



### Vacuum Cleaner Bags AE 03



### Vacuum Cleaner Bags AE 09



### Vacuum Cleaner Bags BS 01



### Vacuum Cleaner Bags BS 02

VACUUM CLEANER ACCESSORIES

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	123 x 99 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal

Replacement for AEG vacuum cleaner bags with the designation:

- S-Bag; 200/201/205/206/210

Replacement bags for the AEG/Electrolux vacuum cleaner series with the designation:

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 92 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites

- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate

- With dust seal

- Suitable for:

- AEG vacuum cleaner bags with the designation: Size 51
- AEG appliances with the designation: Smart 460; Smart 470; Smart 485; VOZ Y
- Delta appliances with the designation: KS 1202
- FIF appliances with the designation: KS 1202; KS 1204
- Primera appliances with the designation: EVC 175
- Electrolux appliances with the designation: E 59
- Progress appliances with the designation: P 61

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	100 x 109 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites

- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate

- With dust seal

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	98 x 85 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites

- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate

- With dust seal

- Highly resilient plastic connector

Replacement for Bosch/Siemens vacuum cleaner bag with the designation:

- D, E, F, G XL, G XXL, G XXL Plus, H

Replacement bags for the Bosch vacuum cleaner series with the designation:

- BSG 70000 - 79999, BSGL 50000 - 59999

Replacement bags for the Siemens vacuum cleaner series with the designation:

- VS 07 G..., VS 5..., VS 7..., VS 10..., VS 69..., VS Z 5..., VS Z 6..., D, E, F, G XXL, H, Type D, Type E, Type F

Replacement bags for the Kärcher vacuum cleaner series with the designation:

- 6.904-329

Replacement bags for the Progress vacuum cleaner series with the designation:

MicroMultiVlies	00181551
26 HB	

MicroMultiVlies	00181553
26 HB	

MicroMultiVlies	00181554
26 HB	

MicroMultiVlies	00181555
26 HB	



**Vacuum Cleaner Bags AE 06**

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	110 x 100 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal

MicroMultiVlies	00181552
26 HB	




**Vacuum Cleaner Bags XA 01**

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	110 x 99 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

MicroMultiVlies	00181556
26 HB	




**Vacuum Cleaner Bags XA 05**

Exhaust Air/Motor Filter	Original Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	97 x 86 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Suitable for Clatronic vacuum cleaner bags with the designation:
  - Size: SSB 30
- Suitable for Silva vacuum cleaner bags with the designation:
  - Size: TB 16
- Also suitable for various vacuum cleaner bags from:
  - Bomann; LG Electronics; Holland Electro; Privileg; Satrap; Solac; Gold Star

MicroMultiVlies	00181558
26 HB	




**Vacuum Cleaner Bags XA 02**

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	82 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Suitable for Bomann vacuum cleaner bags with the designation:
  - Size: B 52
- Suitable for Clatronics:
  - Size: SSB 98
- Suitable for Hoover:
  - Size: H 55
- Suitable for Progress:
  - Size: P 56; P 67/5
- Suitable for Severin:
  - Size: SB 9022
- Suitable for Taurus:
  - Size: 948.603; 948.623
- Suitable for Schott:
  - Size: ST 31 EC
- Suitable for Chromex:
  - Size: CH 960; CH 283; CH 284; CH 285
- Suitable for De Sina:
  - Size: 1090641
- Suitable for Silva:
  - Size: TB 13
- Also suitable for various vacuum cleaner bags from:

MicroMultiVlies	00181557
26 HB	

# Household Accessories



## Vacuum Cleaner Bags MI 01

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	93 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

Replacement for Miele vacuum cleaner bags with the designation:  
• Size F//M; (bottom = 3 rolls)

Replacement bags for the Miele vacuum cleaner series with the designation:  
• S 4, S 241 to S 256 i, S 290 to S 299 i, S 300i to S 399i, S 4000 to S 4999, S 6000 to 6999, S 500 to S 599, S 700 to S 799, Cat & Dog 4000, Hybrid, Parquet & Co 4000, Tango and Tango Plus

MicroMultiVlies	00181559
26 HB	



## Vacuum Cleaner Bags NI 02

Exhaust Air/Motor Filter	Not Needed
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	97 x 82 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- Suitable for
- Nilfisk vacuum cleaner bags with the designation: 818 460 00; 223 595 00
- Nilfisk appliances with the designation: Arnoldi; Extreme X 110 > 300; GM 200 > 499; GM 500 > 599; GMD 400 > 430; Home; Hygienic; King 510; King 520; King 530; King 540; King Great Dane; King Special; Mocca; Seasons; Siena; Special; DS ZS N
- Team appliances with the designation: ST 16

MicroMultiVlies	00181561
26 HB	



## Vacuum Cleaner Bags MI 02

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	92 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

Replacement bags for Miele vacuum cleaner bags with the designation:  
• G/H/N (bottom = 4 rolls)

Replacement bags also for the Miele vacuum cleaner series with the designation:  
• Cat & Dog 5000, Haus & Co 5000, Medicair 5000, Parquet & Co 5000, Premium 5000, Tango and Tango Plus

Miele  
• S 8000 to 8999

Hoover  
• ATC 18LI – Athos Cordless  
• AT 70 AT00...100 – Athos  
• TAT 0100...2999 – Athos  
• H 72, H 73

MicroMultiVlies	00181560
26 HB	



## AE 01 Vacuum Cleaner Bags, 4 Pcs

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 90 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

Replacement for AEG vacuum cleaner bags with the designation:  
• Size 28, ACE... series, CE series, (Eco) Vampyr 5000 series

Replacement for Electrolux vacuum cleaner bags with the designation:  
• E 53

Replacement for Progress vacuum cleaner bags with the designation:  
• P 60

Replacement for Volta vacuum cleaner bags with the designation:  
• V 31

Replacement for Hoover vacuum cleaner bags with the designation:  
• AE 23

Also suitable for various vacuum cleaner bags from:

MicroMultiVlies	00181550
26 HB	



## Vacuum Cleaner Nozzle



### Vacuum Cleaner Nozzle "Basic"

Tube Connection	32, 35
-----------------	--------

- Fits virtually all vacuum cleaners
- 35 mm tube connection, also suitable for 32 mm tubes with included adapter
- The compact shape means it can also be used in small areas
- The double thread lifter very effectively removes hair and fabric fibres
- Ideal for car seats and upholstered furniture, for example

Combined Vacuum Cleaner Nozzle	<b>00110298</b>
	12 HB
Hard Floor Nozzle	<b>00110246</b>
	6 BK
Crevice Tool	<b>00110245</b>
Upholstery Nozzle	<b>00110244</b>
	6 BK



### Vacuum Cleaner Nozzle "Comfort"

Tube Connection	32, 35
-----------------	--------

- Especially flat construction, ideal for reaching under low sofas and cabinets
- Air intake channel across the entire width: very good cleaning across the entire nozzle width thanks to newly designed air channel, ideal for large surfaces
- The double thread lifter effectively removes hair and fabric fibres
- Convenient foot switch (carpet - hard floor)
- Stainless steel base plate for an especially long service life
- Excellent agility thanks to combined turn and tilt joint so that the suction pipe can be placed on the floor
- Very smooth running and gentle on the floor thanks to rubberised rollers
- with all-round brush crown: for the best suction results on all smooth surfaces
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

Combined Vacuum Cleaner Nozzle	<b>00110287</b>
	12 HB



### Vacuum Cleaner Nozzle "with horsehair"

Tube Connection	32, 35
-----------------	--------

- The two rubberised castors are very free-running and prevent the natural fibres from wearing out quickly
- Flat construction, ideal for reaching under low sofas and cabinets
- Excellent cleaning across the entire nozzle width
- Nozzle with swivel joint
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

Parquett Nozzle	<b>00110237</b>
	6 BK



### Turbo Brush with Universal Connection, for Vacuum Cleaners

- With rotating brush roller, ideal for pet hair, fabric threads and similar dirt
- Removes deep-seated dirt, eliminates footprints and refreshes the carpet pile
- Also suitable for hard floors
- Brush is powered by the air current (does not require an additional power connection)
- With cleaning flap for easy cleaning of the turbines
- With cleaning flap for cleaning of the brush roller
- Very smooth running and gentle on the floor thanks to 4 rubberised rollers
- Compatible with virtually all vacuum cleaners thanks to universal tube connection 31 - 37 mm

Turbo Brush	<b>00110234</b>
	6 HB



## Vacuum Cleaner Nozzle "with dust brush"

Tube Connection	32, 35
-----------------	--------

- Slimline design
- The attachable dust brush removes dust and fluff even from small grooves and spaces (e.g. air vents inside the car)
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

Crevice Tool	<b>00110243</b>
	6 BK



## Vacuum Cleaner Nozzle "for furniture"

Tube Connection	32, 35
-----------------	--------

- Stubborn dust and fluff will be removed by the fibres (e.g. on uneven surfaces or furniture decoration)
- The rectangular shape means it can also be used in larger areas
- Also suitable for use in the car
- For vacuum cleaners with a 35 mm tube connection (incl. adapter for 32 mm tubes)

Hardfloor Accessories	<b>00110247</b>
	6 BK



## Vacuum Cleaner Nozzle "Rotatable"

Tube Connection	32, 35
-----------------	--------

- Fits virtually all vacuum cleaners
- 35 mm tube connection, also suitable for 32 mm tubes with included adapter
- The swivel joint allows the nozzle opening to be swivelled around 360°, enabling it to be used even in hard-to-reach places
- The brush crown is made from soft synthetic fibres, making it also suitable for sensitive surfaces
- Ideal for car seats, furniture and shelves, for example

Round Dusting Nozzle	<b>00110238</b>
	6 BK

### Vacuum Cleaner Replacement Part



## Telescopic Vacuum Cleaner Tube TR-100, 35 mm, chromium-plated

Diameter Machine End	35 mm
Diameter Nozzles	35 mm
Diameter Tube End	35 mm
Length	0.79 m

- Suitable for nearly all vacuum cleaners
- With 35 mm connection
- Very sturdy due to chrome-plated metal design
- Adjustable to the required length by simply pressing a button (extendible from 485 mm to 790 mm)

	<b>00110269</b>
	6 BK



**Adapter SD-501**

Diameter Nozzles	35 mm
Diameter Tube End	32 mm
Length	0.045 m

- Universal adapter for all nozzles and brushes with 35mm tube connection

00110259		
6	BK	

Basket



## "2in1" Cutlery Basket for Dishwasher

RINSING


Material	Plastic
Width x Depth x Height	16 x 27 x 15 cm

- Practical 2-in-1 solution: Cutlery basket can be used in its entirety or divided into two smaller baskets
- Allows flexible distribution of crockery in the dishwasher, e.g. if there is not much crockery or especially large pans
- Space-saving design with large capacity
- Division into seven chambers allows very clean dishwashing results
- High-quality materials and perfect workmanship ensure a long service life and prevent breaks or discolouration

00110201

12 SC

## Thermostat Valve Adapter



### Adapter for Radiator Valves with M28 x 1.5 mm Connection Thread

External Connection Thread	M 30 x 1,5 mm
Internal Connection Thread	M 28 x 1.5 mm
Material	Aluminium/Stainless Steel

- The adapter is suitable for nearly all standard radiator valves with a connection thread of M28 x 1.5 mm
- The following companies produce radiator valves with these dimensions: Herz, MMA, Remagg, TA, Comap, Markaryds, SAN, Slovarm
- Simply screw on to mount - no special tools are required
- The adapter can be used for the following Xavax articles: 00111971, 00111972, 00111850, 00111923

00111945	
6	HB





# Service Assortment

at a glance

---

Supply hoses

---

Supply hose accessories

---

Drain hoses

---

Drain hose accessories

---

Siphon connection

---

Exhaust hose

---

Exhaust hose accessories

---

Cooling

---

Washing/Drying

---

Cooking

---

Cleaning and care

---



# Household Accessories | Heating & Plumbing

SUPPLY HOSES

## Tube



**Tube „Cold Water Hose for Washing Machines, Dishwashers, Polybag“**

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Connection Nut, straight
Burst Pressure	60 bar
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Operating Pressure	10 bar
Maximum Temperature	25 °C

- Connection: 3/4" (1.91 cm) straight sleeve nut; 3/4" (1.91 cm) angled sleeve nut
- Sieve and rubber seal
- VDE approved

1.5 m				<b>00110952</b>
	15	PO		
2.5 m				<b>00110953</b>
	10	PO		
3.5 m				<b>00110954</b>
	12	PO		

## Hose Extension



**Reinforced Water Supply Hose, 2 m, 1 piece/poly bag**

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Connection Nut, straight
Burst Pressure	90 bar
Material	Steel Wire Braiding (Rustproof)
Maximum Operating Pressure	10 bar
Maximum Temperature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified

2 m				<b>00110968</b>
	15	PO		



**Hose Extension "Armored hose, Extension, Polypropylene"**

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threading External Thread
Material	Steel Wire Braiding (Rustproof)
Maximum Temperature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified

2 m				<b>00110960</b>
	20	PO		
1 m				<b>00110959</b>
	20	PO		
0.5 m				<b>00111393</b>
	20	PO		



**Cold Water Supply Hose Extension, 2.5 m, 1 piece/poly bag**

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threading External Thread
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Temperature	25 °C

- Connection: 3/4" (1.91 cm) straight / straight
- VDE tested

2.5 m				<b>00110955</b>
	15	PO		



## Protection



**Hose Break Protection for Inlet Hose**

Shade of colour	Chrome
Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm

- For washing machines and dishwashers
- Easy to mount (also afterwards), is screwed between the tap and the inlet hose

00110881

8 BK



**Hose break protection for supply hose**

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Material	Brass

- For washing machines and dishwashers
- Easy installation (even afterwards), is easily screwed between the water tap and the supply hose

00220740

8 HB

## Stop Valve



**Non-return Valve, with 2 Hose Clamps, for max. Ø 10 mm**

- If a washing machine and a condensing or heat pump dryer is connected to a single siphon connection, the waste water could be pumped from one machine to the other
- A non-return valve in the waste water pipe prevents this backflow
- Suitable for drain hoses with an inner diameter of up to 10 mm
- With 2 hose clamps 10 - 16 mm

00220733

8 HB



**Non-return valve, with 2 hose clamps**

- If a washing machine and a condensing or heat pump dryer is connected to a single siphon connection, the waste water could be pumped from one machine to the other
- A non-return valve in the waste water pipe prevents this backflow
- Suitable for drain hoses with an inner diameter of up to 10 mm

00111398

6 BK

# Household Accessories | Heating & Plumbing

## Hose Connector



Supply Hose Connector, brass

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Temperature	120 °C

- Professional design in metal, suitable for high water pressure and for hot water connections
- Male thread: 2 x 3/4" (26,9 mm)

00111095

8 BK



Supply Hose Y-Splitter

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 3	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Temperature	120 °C

- Professional version in metal
- Also suitable for high water pressure and hot water connections
- For connecting two inlet hoses
- Internal thread to connect to the tap
- External thread to connect 2 inlet hoses

00111069

6 BK

## Appliances-Water Connection



Machine connection

Connection	Copper Tube Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	3/8" (DN:10), 17.2 mm

- For installation, only the angle valve needs to be closed (shutting off the domestic water supply is not necessary)
- The machine connection is easily inserted into the pipe to the water tap
- Hose connection can be individually shut off
- Chrome-plated

00220742

7 HB



Angle Valve with Machine Connector

Connection	Copper Tube Connection, Water Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	1/2" (DN:15), 21.3 mm

- Is directly installed at water connection pipes with 1/2" (21.3 mm) connection
- Hose connection: 3/4" (26.9 mm) for dishwasher/washing machine, separately lockable
- Copper pipe connection: 10 mm to water tap, separately lockable
- Chrome-plated

00111054

6 BK

SUPPLY HOSE ACCESSORIES





## Corner valve with machine connection

Connection	Copper Tube Connection, Water Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	1/2" (DN:15), 21.3 mm

- Direct attachment of water connection pipes with 1/2" (21.3 mm) connection
- Hose connection 3/4" (26.9 mm) for dishwashers / washing machines, can be individually shut off
- Copper pipe connection 10 mm to the water tap, can be individually shut off
- Chrome-plated

00220743	
7	HB

# Household Accessories

Tube



**Tube**  
"Set for Condenser Dryer"

Type of Connection	Straight
Material	Polyethylene (PE)
Maximum Temperature	70 °C
Inner Diameter	10 mm
Outside Diameter	15 mm

- Consisting of: 1 x drain hose 1.5 m, 1 x siphon connection with seal, 3 x hose clamps, 1 x non-return valve
- High pressure resistance (crush resistance)

1.5 m	00111894
6 BK	



**Tube**  
"Extension, Polybag"

Type of Connection	Straight
Material	Polypropylene (PP)
Maximum Temperature	100 °C
Inner Diameter	20 mm
Outside Diameter	25 mm

- High pressure resistance (crush resistance)
- High resistance to chemicals
- Connection: 2x straight

1.5 m	00110962
10	
2.5 m	00110963
10	



**Tube „for Washing Machines, Dishwashers, extendable, Polybag“**

Type of Connection	Straight
Material	Polyethylene (PE)
Maximum Temperature	70 °C
Inner Diameter	21 mm
Length of Hose	1.2 m to 4 m
Outside Diameter	25 mm

- Connection: straight: 21 mm / straight: 21 mm
- Complete with mounting elbow
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Length: extendable from 1.2 to 4 m

00110956
15



**Drain hose set for condenser dryers**

Type of Connection	Straight
Material	Polyethylene (PE)
Maximum Temperature	70 °C
Inner Diameter	10 mm
Length of Hose	1.5 m
Outside Diameter	15 mm

- Consisting of: 1 x drain hose 1.5 m, 1 x siphon connection with seal, 3 x hose clamps, 1 x non-return valve
- High pressure resistance (crush resistance)

00220747
6 HB

DRAIN HOSES

# Mounting Materials | Household Accessories

## Clamp



**Clamp**  
"10 Pieces, Polybag"

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- For inlet and drain hoses
- Band and body made from stainless steel
- Galvanized screw

20 - 32 mm	<b>00110981</b>
40 SC	

## Hose Connector



**Brass Drain Hose Connector**

Material	Brass
----------	-------

Maximum Temperature	120 °C
---------------------	--------

- Professional metal version

	<b>00111094</b>
6 BK	




**Drain Hose Connector**

Material	Acrylonitrile-Butadiene-Styrene (ABS)
----------	---------------------------------------

Maximum Temperature	120 °C
---------------------	--------

	<b>00110810</b>
6 BK	



**Y-Connector for Drain Hose**

Material	Acrylonitrile-Butadiene-Styrene (ABS)
----------	---------------------------------------


Maximum Temperature	120 °C
---------------------	--------

	<b>00110875</b>
6 BK	

DRAIN HOSE ACCESSORIES

# Heating & Plumbing

## Siphon/-accessoires



**xavax**

**In-Wall Waste Pipe Connection without Opening for Cleaning, 10 pieces/PB**

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Connect the drain hose to the in-wall syphon
- Conical drain hose connection fits hoses with a diameter of 20 mm, 23 mm and 3/4 inches



**xavax**

**Double Appliance Connection Grommet with Backflow Preventer, for Recessed Siphon**

Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Ideal for connecting two appliances with a waste water connection to just one siphon connection
- Made from impact-resistant polypropylene with backflow preventer
- Backflow preventer only opens when water is draining, thus preventing water from being pumped from one machine into the other
- Easy to fit to recessed siphons (gasket fixed onto the pipe)
- 1" union nut; 2 x hose connection 20 - 24 mm



**xavax**

**In-Wall Waste Pipe Connection without Opening for Cleaning**

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- The drain hose can be mounted to the wall connection
- Conical drain hose connection fits hoses with a diameter of 20 mm, 23 mm and 3/4 inches



**xavax**

**Flexible 1 1/2" Siphon, 1 piece/poly bag**

Gland 1	20 mm
Material	Plastic Material

- Suitable for wall connection from 40 mm to 50 mm
- With two 1" (2.54 cm) siphon connections for washing machines and dishwashers
- Including 2 odor traps
- Tested according to DIN EN 274/19545

SIPHON CONNECTION

00110978	
10	PO

00220746	
7	HB

00111356	
6	BK

00110967	
15	PO



## Siphon Connector with Union Nut

Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Drain hose connection suitable for hoses with a diameter of 18 - 23 mm
- Includes hose clamp



## Siphon Connector with Union Nut

Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Drain hose connection suitable for hoses 18 - 23 mm in diameter
- Includes hose clamp



## Siphon Connection with Condensate Connection

Gland 1	8 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Second connection for condensing dryer outlet hose
- 1" (33.7 mm) union nut
- 1 x 20 mm connection, for washing machine and dishwasher outlet hose
- 1 x 8 mm connection, for dryer condensate outlet hose connection



## Y-Connector for Drain Hoses, with 1" Seal

Gland 1	23 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Adapter turns a single connection into a double connection: ideal if multiple appliances with a waste water connection are to be connected to a single siphon
- Seal guarantees protection from water leaks
- Easy, safe installation: Hose clamps secure the drain hose to the double-appliance connection, with union nuts for tightening the adapter to the siphon
- Y-adapter 19 - 23.5 mm hose connection is suitable for hoses with interior dimensions of 19 - 23 mm
- Thread designation/nominal bore/mm 1" (DN:25) 33.7 mm
- With 2 hose clamps 20 - 32 mm

SIPHON CONNECTION

00111092		
6	BK	

00220744		
7	HB	

00111893		
6	BK	

00220738		
8	HB	



# Heating & Plumbing



**Dual-device Connection with 1" Seal**

Gland 1	23 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material



**Waste Pipe Connection**

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

SIPHON CONNECTION

- Adapter turns a single connection into a double connection: ideal if multiple appliances with a waste water connection are to be connected to a single siphon
- Seal guarantees protection from water leaks
- Easy, safe installation: Hose clamps secure the drain hose to the double-appliance connection, with union nuts for tightening the adapter to the siphon
- Y-adapter 19 - 23.5 mm hose connection is suitable for hoses with interior dimensions of 19 - 23 mm

00111829		
6	BK	

00110812		
6	BK	

Tube



## Vent Hose Adapter for Laundry Dryers

Material	Polyvinyl Chloride (PVC)
Outside Diameter	102 mm

- Fits all 102 mm vent hoses
- Ideal for dryers with 100 mm connection
- Can easily be inserted in wall sleeves or wall ducts
- Allows the vent hose to be easily plugged on and off (advantageous if this one can only be mounted for drying)
- Secure fit, no hose clip needed

0.2 m				<b>0011306</b>
	6	BK		



## Tube "Laundry Dryer"

Material	Polyvinyl Chloride (PVC)
Outside Diameter	102 mm

- Flexible PVC hose mounted on a spring steel helix wire
- Can be cut to length just as one likes
- Incl. 2 hose brackets, 90-110 mm

2 m				<b>00110944</b>
	24	HB		
4 m				<b>00110945</b>
	12	HB		

EXHAUST HOSE

# Mounting Materials

Clamp



**xavax**

Clamp  
"10 Pieces, Polybag"

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- To fix exhaust pipes of laundry dryers
- Band and body made from stainless steel
- Galvanized screw

90 - 110 mm	<b>00110982</b>
1	SC



**xavax**

Clamp  
"2 Pieces"

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- Tape and casing made of stainless steel, galvanized screw

110 - 130 mm	<b>00110835</b>
6	BK



**xavax**

Hose Clamp, 110-130 mm,  
2 Pcs

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- Ribbon and housing made from rust-free steel, galvanised screw

110 - 130 mm	<b>00220745</b>
6	HB



**xavax**

Hose Clamp, 90-110 mm,  
2 Pcs

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- For attaching exhaust pipes / tubes (max. pipe diameter: 110 mm) to laundry dryers, for extensions and wall break-throughs
- Ribbon and housing made from rust-free steel, galvanised screw

90 - 110 mm	<b>00220748</b>
6	HB

EXHAUST HOSE ACCESSORIES



## Hose Clamp, 20 - 32 mm

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- For supply and drain hoses
- Ribbon and housing made from rust-free steel
- Tinned screw
- Hexagon head screw with cross recess enables easy screwing on and tightening by hand or with a cordless screwdriver
- Also suitable for attaching hoses for water pumps, solar systems, cars, boats and pool heating

20 - 32 mm	00220730
8	HB

## Water Filter



### Water Connection Kit for US Refrigerators

Usage	Side by Side Fridge
<ul style="list-style-type: none"> <li>• Contains all the components needed for connection</li> <li>• Quick-fasteners allow the cables and connections to be installed and removed without tools</li> <li>• Consisting of: 6-metre water line (food safe) and a 5-piece plug and connection kit</li> <li>• Securing rings ensure additional stability of the connection system</li> </ul>	



### External Universal Water Filter for Side-by-Side Refrigerators

Usage	Side by Side Fridge
<ul style="list-style-type: none"> <li>• This filter cartridge is compatible with Samsung 10105J/Daewoo DD7098/EF9603, fits all upright refrigerators (side-by-side) that are connected to the water supply via a 1/4 inch (approx. 6 mm) plastic hose. These quick connections allow the plastic hoses to be connected in seconds</li> <li>• This filter can be used universally as a pre-filter</li> <li>• No sealing tape, no cumbersome adapters needed. After removing the stopper at the inlet/outlet, the integrated hose seal reliably shuts off the hose</li> <li>• Contains a high-quality carbon block that has been manufactured especially for use in refrigerators. The carbon effectively removes up to 99% of chlorine</li> <li>• The cartridge also removes other contamination such as solid particles dissolved in water, e.g. clay, sand, rust. The result is a significant improvement in taste and fewer deposits in your refrigerator's water and ice system</li> <li>• Refrigerator filter replaces the following original filter types: DA29-10105J, WSF100, EF-9603, 3890JC2990A, 3650JD8050A, BL-9808, DD-7098, 3019974800, 497818, FUS001, 481931039257, USC-100, GXRTQ, GXITD and many others</li> <li>• Tested according to EU 1935/2004</li> </ul>	



COOLING

00220739

10 HB

00111822

36 HB





## Anti-Slip Mat



### Anti-Slip Mat for Washing Machines

Shade of colour	Grey
Width x Length	60 x 60 cm

- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Odour-neutral
- Extremely resilient and tear-resistant thanks to high density
- Highly specific recycled rubber granulate with polyurethane bonding
- Rot-resistant and compatible with water
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Germany
- Width x length x height: 60 x 60 x 0.6 cm



### Anti-Slip Pads with Vibration Protection, 10 x 10 x 1.5 cm, Set of 4

Shade of colour	Black
Width x Length	10 x 10 cm

- Set of 4 pads for all 4 corners of the device or appliance involved
- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Highly specific recycled rubber granulate with polyurethane bonding
- Rot-resistant and compatible with water
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Germany

## Lashing Strap



### Safety Lashing Strap with Ratchet for Laundry Drier

Length	600 cm
--------	--------

- Wrap the strap around the entire column (comprising the washing machine and laundry drier), thread it through the ratchet and lash tight
- After tensioning, the drier sits firmly on the washing machine
- This prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Max. lashing strength: 800 daN
- Material: impregnated polyester

## Household Appliance Stacking Kit



### Intermediate Frame for Washing Machine and Dryer, with Pull-out Shelf

Shade of colour	White
Material	Metal
Width x Depth	60 x 55.5 cm

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- The intermediate kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm- Extendable worktop with a shelf of 52 x 40 cm, can be loaded with up to 12 kg- Also suitable for washing machines with a sloping or curved front and for machines where the detergent drawer extends to the lid as well as for dryers that have a cleaning flap in the lower part of the front- Special side rails prevent the dryer from moving, for example, when the washing machine is spinning- Particularly stable and resilient: the frame itself weighs only 4.7 kg but has a load capacity of up to 150 kg

WASHING/DRYING

0011362

10

00110215

42 HB

00111896

12 HB

00111363

5 SC

# Household Accessories




**xavax®**

## Stacking Kit for Washing Machines / Dryers, Integrated Laundry Maiden

Shade of colour	White
Material	Metal
Width x Depth	61 x 60 cm

- Universal, compatible with most washing machines and tumble dryers with a work surface of 60 x 60 cm
- Integrated, pull-out laundry maiden (max. load up to 10 kg) for hanging up smaller items of laundry at a comfortable working height or as a handy storage area for the laundry basket
- Practical handle on the laundry maiden for easier operation
- With safety lashing strap - prevents the dryer from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install without screw fixings, since it is pre-assembled




**xavax®**

## "Smart" Stacking Kit for Washing Machine / Dryer, Pull-Out Plate, Plastic

Shade of colour	White
Material	Plastic Material
Width x Depth	55 x 60 cm

- Incl. pull-out plate (max. load up to 10 kg), handy storage and work surface at a comfortable working height (e.g. for folding laundry, tidying, etc.)
- With practical handle on the pull-out plate for easier operation
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Structure made of high-resistance, reinforced technopolymer ensures the stability of household appliances
- Side castors so the drawer is easier to pull out
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install, since it is pre-assembled
- Universally suitable for all appliances with a worktop of 60 x 60 cm
- Can be screwed on if necessary



**xavax®**

## "Basic" Intermediate Frame for Washing Machine and Dryer, 250 kg Load Capac

Shade of colour	White
Material	Plastic Material
Width x Depth	55 x 60 cm

- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- The intermediate kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm
- Also suitable for washing machines with a sloping or curved front and for machines where the detergent drawer extends to the lid, as well as for dryers that have a cleaning flap in the lower part of the front
- Special side rails prevent the dryer from moving, for example, when the washing machine is spinning
- Particularly stable and resilient: the plastic frame itself weighs only 1.3 kg but has a load capacity of up to 250 kg



**xavax®**

## Intermediate Frame (open front) for Washing Machine and Dryer, 55 - 66 cm

Shade of colour	White
Material	Metal
Width x Depth	55 cm

- Xavax in-house development
- Frame with an expanding system, therefore easy to transport as well as quick and easy to mount
- Universally compatible with all units with a width from 55 to 66 cm, can be adapted individually to the width of the washing machine cover
- Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door

- Also suitable for:
- Washing machines with an oblique or arched front
  - Washing machines with a washing powder drawer that reaches up to the lid
  - Dryers with a cleaning flap at the lower part of the front


WASHING/DRYING

00110225	
5	SC

00110223	
4	SC

00110222	
6	SC

00111379	
12	HB



## Intermediate Frame for Washing machine/Dryer

Shade of colour	White
Material	Metal
Width x Depth	60 x 60 cm

- Quick and easy to install
- Universally suitable for all appliances with a surface of 60 x 60 cm

Not suitable for:

- Washing machines with an angled or curved front
- Washing machines with a detergent drawer that reaches to the cover
- Dryers that have a cleaning flap in the front lower section

00110815	
8	SC




## Dryer Fixing Plates for Adhesion, set of 4

Shade of colour	White
Material	Plastic Material
Width x Depth	6,5 x 5,5 cm

- When a washing machine and dryer are combined to form a column, the fixing plates are stuck under the feet of the dryer
- In addition to the extremely strong adhesion, the dryer secures itself due to its weight as the fixings next to the border also have a bottom plate on which lies the dryer weight
- The glue is insensitive to moisture and changes in temperature
- Suitable for dryer feet up to a diameter of 45 mm

00111310	
48	HB

### Home Appliance Vibration Damper



## Vibration damper

Shade of colour	White
Number of Dampers	4
Diameter	45 mm
Height	17 mm

- For absorbing the operational vibrations of washing machines, dishwashers and tumble dryers
- For increased stability and for noise attenuation
- Prevents sliding on smooth floors
- Protects tiles from scratches
- Can be used anywhere and is easy to attach
- Made from thermoplastic material (TPR)
- Diameter: internal 4.5 cm; external 6.5 cm
- Can hold up to 90 kg

00110879	
48	HB

### Household Appliance Base



## "Giant" Washing Machine Base Unit, 50 cm Tall, 60 x 60 cm with Shelf

Maximum Load Capacity	150 kg
Height	50 cm
Length	60 cm
Width	60 cm

- A storage compartment open on all sides offers sufficient space under the pedestal for detergent, fabric softener and so on
- Each foot is individually adjustable up to 1 cm in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- With a support surface of 60 x 60 cm, the base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances weighing up to 150 kg
- The large shelf area is therefore also suitable for washing machines with a capacity of 7 - 10 kg
- The high-quality metal base is particularly stable and resilient; this also reduces vibrations, for example when the washing machine is spinning
- The underframe protects your machine from the backflow of water from the drain, flood water up to 50 cm and wetness on the ground, for example from loose hoses

White	00111380
1	SC

# Household Accessories



**Washing Machine Base Cabinet 60x60 cm with Shelf, 40 cm Height, 150 kg Load Capacity**

Maximum Load Capacity	150 kg
Height	40 cm
Length	60.6 cm
Width	60.6 cm

- Storage compartment open on three sides can be individually attached at a height of 5 cm, 10 cm or 15 cm and offers sufficient space under the pedestal for detergent, fabric softener and so on
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- With a support surface of 60 x 60 cm, the base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances weighing up to 150 kg- The cross struts of the storage shelf make the high-quality metal base particularly stable and resilient; at the same time, they reduce vibrations, for example when the washing machine is spinning- The underframe protects your machine from the backflow of water from the drain, flood water up to 40 cm and wetness on the ground, for example from loose hoses
- The floor under the washing machine or other household appliances can be cleaned quickly and easily without having to move the heavy appliances out of the way

White				<b>00111078</b>
	1	SC		



**Furniture Mover with 4 Heavy-duty Castors, Height-adjustable Feet, 150 kg Load Capacity**

Maximum Load Capacity	150 kg
Height	11 cm

- Sturdy swivel castors with one brake per castor for comfortable transport and a secure stand; the plastic castors absorb vibrations so that washing machines and other appliances can be operated on the rolling board
- Each foot is individually adjustable in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- The flexible surface can be adjusted from 50 x 50 cm to a size of up to 70 x 70 cm thanks to pull-out rails. The transport rollers can therefore be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture, heavy plants or warehouse and transport boxes with a weight of up to 150 kg
- The anti-slip surface and special reinforcements on the corners make the base unit particularly stable and resilient, allowing the machine to be transported safely without it moving around
- The underframe protects your machine from the backflow of water from the drain, flood water up to 11 cm and wetness on the ground, for example from loose hoses

White				<b>00110233</b>
	5	SC		



**Washing Machine Base Frame, Adjustable, 13-18 cm Height, 150 kg Load Capacity**


Maximum Load Capacity	150 kg
-----------------------	--------

- Each foot is individually adjustable in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- The flexible surface can be adjusted from 52 x 52 cm to a size of up to 72 x 72 cm thanks to pull-out rails. The base unit can therefore be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture as heavy or warehouse and transport boxes with a weight of up to 150 kg
- The anti-slip plastic surface and special reinforcements on the corners make the base unit particularly stable and resilient, keeping the machine steady even when spinning and stopping it from moving around
- The underframe protects your machine from the backflow of water from the drain, flood water up to 18 cm and wetness on the ground, for example from loose hoses
- The floor under the washing machine or other household appliances can be cleaned quickly and easily without having to move the heavy appliances out of the way

White				<b>00110232</b>
	4	SC		

WASHING/DRYING

## Connection Cable for Household Appliances




### Connection Cable for Household Appliances „Electric Stove Supply Line, Polybag“

Shade of colour	White
Number of Wires	5
Wire Cross-Section	2.5 mm <sup>2</sup>

- Prefabricated connection cable
- Open ends with conductor end sleeves
- Cable: H05VV-F 5 x 2.5mm<sup>2</sup>

2.5 m				<b>00110971</b>
		30	PO	
1.5 m				<b>00110970</b>
		50	PO	


## Connection Box for Kitchen Appliances



### Kitchen Connection Splitter for Electrical Appliances

- Incl. connection cable for cooker connection socket 2.0 m H05VV-F 5G2.5mm<sup>2</sup>
- Incl. connection cable for hob 2.0 m H05VV-F 4G2.5mm
- Incl. connection cable with earthed socket for ovens H05VV-F 3G1.5mm
- Mountable and reconnectable clamps
- No routing of additional sockets
- Existing cooker connection socket can continue to be used
- Low installation depth (approx. 27 mm)
- Housing can be installed on both sides
- Max. overall connected load: 11kW 3 x 16A (1 x 16A for the oven and 2 x 16A for the hob)

White				<b>00111999</b>
		8	PO	



### Kitchen Connection Splitter for Electrical Appliances

- Incl. connection cable for cooker connection socket 2.0 m H05VV-F 5G2.5mm<sup>2</sup>
- Incl. connection cable with earthed socket for ovens H05VV-F 3G1.5mm<sup>2</sup>
- Cable inlet for connecting existing stove cables to the stove top
- Mountable and reconnectable clamps
- No routing of additional sockets
- Existing cooker connection socket can continue to be used
- Low installation depth (approx. 27 mm)
- Housing can be installed on both sides
- Max. overall connected load: 11kW 3 x 16A (1 x 16A for the oven and 2 x 16A for the hob)

White				<b>00110228</b>
		10	PO	

## Power Cable



### Device Connection Cable with Angled Heavy Current Plug, 2 m

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Cable with wire end ferrules
- Angled plug compliant with DIN 49446
- For indoor use

Black				<b>00111975</b>
		3	BK	

COOKING



# Cooking & Baking

Hob frame



## Compensation Frame for Hobs

Material: Stainless Steel

- Easy and quick to use
- Saves buying and installing a new worktop or a larger and more expensive hob
- High-quality, rust-free stainless steel

COOKING

00111872

5

## Descaler



### Washing Maschine Descaler, 250 ml

Content	250 ml
Safety Lock	Twist Off Top
Usage	Washing Machines

- Dissolves already encrusted calcareous deposits on heating rods, hoses and valves
- Optimizes the heat output and saves energy since the machine heats up faster
- Calcareous deposits do not come any longer into the laundry, the wash result is improved
- Protects plastic and rubber parts

## Household Cleaner



### Cleaner for Dishwashers with Fresh Fragrance, 250 ml

Content	250 ml
Suitable for	Dishwasher
Usage	Dishwasher


- Removes deposits such as limescale, grease and scraps of food from the interior, the hoses and the valves
- Descales heating rods to optimise the heat output and save energy
- Freshens by leaving behind a fresh scent and ensures your washing machine is clean
- Regular care reduces the risk of malfunctions and consequently of follow-up costs caused by repairs
- Limescale deposits in the machine lead to longer warm-up times of your device and higher electricity costs



### Glass Ceramic Cleaner, 250 ml

Content	250 ml
Suitable for	Ceramic glass-/ Induction-Hobs
Usage	Cooking Plate

- Removes stubborn grime and can be used on a daily basis
- The cleaner leaves an invisible film on the surface when rubbed dry; this makes the next cleaning process easier and gives the hob a lovely shine



### Washing Machine Care Cleaner with Fresh Fragrance, 250 ml

Content	250 ml
Suitable for	Washing Machine
Usage	Washing Machine

- Also cleans parts that cannot be accessed by hand, e.g. hoses, gaps, filters, spray nozzles and the complete drum
- Optimizes the heat output of your machine and helps you save energy
- Unpleasant odours and deposits are mostly due to low temperatures (washing cycles with temperatures below 40°C) and savings programmes, regularly cleaning your machine prevents such things occurring
- Freshens by leaving behind a fresh scent and ensures your washing machine is clean
- Regularly cleaning your machine minimizes the risk of defects and improves the washing performance
- Every new machine is tested by the manufacturer; using this washing machine cleaner when washing with the machine for the first time removes possible test water residues

00111724

12

00111725

12

00111726

12

00111723

12

## Overview of all products from A to Z

<b>A</b>		Household Appliance Stacking Kit	114, 159	Protective Cloth	119
Anti-Slip Mat	113, 159	Household Cleaner	60, 94, 95, 97, 99, 100, 165	<b>R</b>	
Appliances-Water Connection	105, 148	Household Filter	81, 125, 134	Reducer	126
<b>B</b>		<b>I</b>		<b>S</b>	
Baking/Roast Thermometer	122	Ice Cube Tray	82	Scales	89
Basket	142	Induction Hob Adapter	122	Scraper	96, 123
Blades/holder	96, 123	<b>K</b>		Sealing Tape	123
Box	56, 76	Kitchen Timer	88	Set of Lunchboxes	73
<b>C</b>		Kitchen Tools	84	Shaker	82
Cake Transport Box	80	<b>L</b>		Siphon/-accessoires	109, 152
Clamp	106, 151, 156	Lamps	7, 32, 39, 44, 129	Special Bulb	41, 127
Cleaner tabs	63	Lashing Strap	113, 159	Starter	7
Cleaning Cloth	113	LED Light	47	Stop Valve	108, 147
Cleaning Kit	62, 96, 97	LED Tubular Lamp	31	Suction cup	34
Coffee/Tee Container	51	Lid	84	<b>T</b>	
Condenser Box	114	Lighter	83	Tampfer Kit	55
Connection Box for Kitchen Appliances	163	Lights, changeable	47	Tea & Coffee Maker	56
Connection Cable for		Lights, stationary	7	Thermal Mug	66
Household Appliances	112, 163	Lubricant	63	Thermometer	120
Container for Coffee Pads	50	<b>M</b>		Thermostat Valve Adapter	143
Cup	74	Mat	81	Tube	59, 104, 107, 114, 146, 150, 155
Cutlery set	73	Measuring Spoon	57	<b>V</b>	
<b>D</b>		Microwave Cover	132	Vacuum Bottle	67
Descaler	60, 98, 165	Microwave-Safe Dishes	132	Vacuum Cleaner Air Filter	135
Drinking Bottle	69	Milk Frother	58	Vacuum Cleaner Bag	136
<b>H</b>		Milk Jug	58	Vacuum Cleaner Motor Filter	135
Halogen Bulb	35, 38	<b>P</b>		Vacuum Cleaner Nozzle	139
Halogen Reflector Lamp	38	Pedestal	135	Vacuum Cleaner Replacement Part	140
Hob frame	124, 164	Permanent Filter	54	<b>W</b>	
Holder	132	Pillar	52, 83	Wash/Dryer Ball	117
Home Appliance Vibration Damper	116, 161	Power Cable	112, 163	Water Filter	120, 158
Hose Connector	105, 108, 148, 151	Power Plug	112		
Hose Extension	106, 146	Protection	104, 147		
Household Appliance Base	116, 161				





Made and distributed by  
Hama GmbH & Co KG  
Dresdner Str. 9, 86653  
Monheim/Germany  
[www.xavax.eu](http://www.xavax.eu)

All listed brands are trademarks of the  
respective companies.  
Errors and omissions excepted,  
and subject to technical changes.  
Our general terms of business are applied.  
The depicted articles are  
colour patterns which may slightly differ  
from the original.

Printed in Germany.

