



Complete Catalogue
2026/2027



the content

at a glance

Xavax Barista

Coffee-/tea can	6
Capsule stand	8
Coffee mug	10
Coffee preparation	11
Milk preparation	17
Cleaning & Care	19

Cleaning & Care

Washing Up	26
Kitchen Cleaning	27
Washing & Ironing	30
Descalers	31
Special Cleaner	33

Accessories for household appliances

Device Connection sanitary	36
Device Connection (Electric)	38
Washing & Drying	39
Cooling & Freezing	47
Electric Stove	48
Cooking Hood	50
Special Bulbs	52
Microwave	54
Deep Fryer	55
Vacuum cleaner accessories	56
Heating	60

Service Assortment

Supply hoses	64
Drain hoses	68
Siphon connection	71
Exhaust hose	73
Cooling	75
Washing/Drying	76
Cooking	82
Cleaning and care	84





Xavax Barista at a glance

Coffee-/tea can

Capsule stand

Coffee mug

Coffee preparation

Milk preparation

Cleaning & Care

COFFEE/TEA CAN

Container for Coffee Pads



Container for Coffee Pads
"Storage for 20 Senseo pods or similar,
Metal"



Diameter	8.2 cm
Height	18 cm

- Coffee pad storage made easy: the handy storage tin is suitable for all coffee pad sizes, e.g. Senseo, Tassimo, Jacobs, etc.
 - Well stored: inside the box, the coffee pads are protected from light so they keep their aroma for longer. The ideal container with keep-fresh effect
 - Pad tin with lots of space, able to accommodate up to 20 tea or coffee pads - or space for around 300 g of coffee beans or around 340 g of ground coffee and espresso powder
 - Versatile box: of course, the storage tin is not just for tea and coffee pads: it's important to store nuts, Gummy bears, sweets, biscuits, cocoa powder, pasta, rice and so on properly too
 - Timeless design: the simple coffee pad tin in elegant silver suits all coffee preferences and every style of home - and cuts a fine figure next to all pad machines
 - Long-lasting and plastic-free: the material gives the round pad tin an elegant stainless steel feel and is of course food-safe and taste-neutral - for unadulterated full-bodied coffee enjoyment
 - Beautiful storage tin for the kitchen:
- Silver00111264

Black00111272

24

SC



Coffee/Tea Container



COFFEE/TEA CAN

Coffee Tin for 1.3 kg Beans or 1.5 kg Powder, Airtight, Aroma-tight, black



Height	24.5 cm
Width	15 cm

- Large coffee tin with plenty of space: the storage tin holds 1300 g of whole beans or 1500 g of coffee powder - simply fill up with entire 1 kg packs before the coffee runs out
- Aroma tin for coffee: the air-tight aroma closure with sealing ring keeps moisture out and preserves the fine nuances of flavour for a long time - aroma-safe for ground coffee, roasted coffee beans or even loose tea
- Versatile box: of course, not only coffee beans fit into the storage box - it's also important to store cocoa, biscuits, pasta, rice, muesli, sugar, flour, nuts, coffee pods, capsules and so on correctly
- Insight without opening: the anti-static viewing window of the coffee aroma tin provides the perfect view of the contents - so you can see immediately if and when you need to replenish your favourite roast
- High-quality and durable carbon steel: the material gives the round metal storage tin an elegant stainless steel feel and is of course food-safe and odourless - for unadulterated full-bodied coffee enjoyment
- Robust surface: the large coffee tin in black matt has a scratch-resistant anti-fingerprint coating - so no fingerprints mar the beautiful kitchen tin either
- Timeless design: the coffee tin with viewing window suits all coffee preferences and every style of living - and cuts a fine figure next to all coffee machines, from the French press to filter machines and fully automatic coffee makers

1300 g	00111262
6	SC

Coffee Tin for 500 g of Beans or 700 g of Powder, Airtight, Aroma-tight, bl



Height	16.5 cm
Width	12.5 cm

- Small coffee tin, for espresso too: the storage tin holds 500 g of whole beans or 700 g of coffee powder - simply fill up with entire 500 g packs before the coffee runs out
- Aroma tin for coffee: the air-tight aroma closure with sealing ring keeps moisture out and preserves the fine nuances of flavour for a long time - aroma-safe for ground coffee, roasted coffee beans or even loose tea
- Versatile box: of course, not only coffee beans fit into the storage box - it's also important to store spices, cocoa, biscuits, pasta, rice, muesli, sugar, flour, nuts, coffee pods, capsules and so on correctly.
- Insight without opening: the anti-static viewing window of the coffee aroma tin provides the perfect view of the contents - so you can see immediately if and when you need to replenish your favourite roast
- High-quality and durable carbon steel: the material gives the round metal storage tin an elegant stainless steel feel and is of course food-safe and odourless - for unadulterated full-bodied coffee enjoyment
- Robust surface: the small coffee tin in black matt has a scratch-resistant anti-fingerprint coating - so no fingerprints mar the beautiful kitchen tin either
- Timeless design: the coffee tin with viewing window suits all coffee preferences and every style of living - and cuts a fine figure next to all coffee machines, from the French press to filter machines and fully automatic coffee makers

500 g	00111275
16	SC

Pillar



Coffee Capsule Stand for Nespresso, Holder for 40 Capsules, black matt



Material	Metal
Max. Capsule Capacity	40
Width x Depth x Height	13.5 x 14 x 37 cm
Suitable for	Nespresso Capsules

- Coffee capsule storage made easy: the practical stand organises all Nespresso capsules in one place and shows the quantity in stock at a glance
 - Capsule holder with plenty of space: up to 40 coffee capsules can be organised separately, e.g. depending on the variety - 4 separate wire holders hold 10 capsules each
 - Clever capsule dispenser: the Nespresso capsules can be removed from the capsule holder from above as well as from below - arranging and providing direct access to up to 8 varieties
 - A touch is all it takes: capsule holder as a practical alternative to drawers, boxes or other containers for coffee capsules
 - Saves space: the coffee capsule holder for placing on the table takes up little space - ideal for a worktop, kitchen table or sideboard
 - Neat coffee capsule storage: simply transfer Nespresso capsules from the packaging into the stand - for a tidy living environment
 - Elegant design: the Nespresso capsule holder in elegant matt black is a visual highlight in the modern kitchen - and cuts a fine figure next to your Nespresso machine
- As individual as you are: fill the simple capsule dispenser with your favourite varieties - the coffee capsules of your choice provide colour accents according to your coffee taste
 - Durable and robust: plastic-free, chrome-plated capsule holder made of iron steel - for a long service life
 - Also fits other coffee capsules, pads and pods of the same size as Nespresso, such as Gourmesso, Cialdissima and Dallmayr capsa

				00111265
		12	SC	



Coffee Capsule Stand for Dolce Gusto, Nespresso Vertuo, Holds 16 Capsules,



Material	Metal
Max. Capsule Capacity	16
Width x Depth x Height	14 x 8.5 x 24 cm
Suitable for	Dolce Gusto Capsules/Nespresso Vertuo Capsules

- Coffee capsule storage made easy: the practical stand organises all Dolce Gusto and Nespresso Vertuo capsules in one place and shows the quantity in stock at a glance
 - Capsule holder with plenty of space: up to 16 coffee capsules can be organised separately, e.g. depending on the variety - 4 separate wire holders hold 4 capsules each
 - Clever capsule dispenser: the Dolce Gusto capsules can be removed from the top of the capsule holder - for direct access to each variety
 - A touch is all it takes: capsule holder as a practical alternative to drawers, boxes or other containers for coffee capsules
 - Saves space: the coffee capsule holder for placing on the table takes up little space - ideal for a worktop, kitchen table or sideboard, even in small kitchens
 - Neat coffee capsule storage: whether it be Nespresso Vertuo or Dolce Gusto, simply transfer the capsules from the packaging into the stand - for a tidy living environment
- Elegant design: the capsule holder in elegant matt black is a visual highlight in the modern kitchen - and cuts a fine figure next to your capsule machine
 - As individual as you are: fill the sleek capsule dispenser with your favourite varieties - for a decorative arrangement of the coffee capsules
 - Durable and robust: plastic-free, chrome-plated capsule holder made of iron steel - for a long service life
 - Also fits other coffee capsules, pads and pods of the same size as Nescafé Dolce Gusto, e.g. Nespresso Vertuo, Caffè Tiziano Bonini or Gimoka

				00111266
		12	SC	



CAPSULE STAND

Coffee Capsule Stand for Tassimo, Holder for 26 Capsules, black matt



Material	Metal
Max. Capsule Capacity	26
Width x Depth x Height	16 x 8 x 23 cm
Suitable for	Tassimo Capsules

- Coffee capsule storage made easy: the practical stand organises all Bosch Tassimo capsules in one place and shows the quantity in stock at a glance
- Capsule holder with plenty of space: up to 26 coffee capsules can be organised separately, e.g. depending on the variety - 2 separate wire holders hold 13 capsules each
- Clever capsule dispenser: the Tassimo capsules can be removed from the capsule holder from above as well as from below - arranging and providing direct access to up to 4 varieties
- A touch is all it takes: capsule holder as a practical alternative to drawers, boxes or other containers for coffee capsules
- Saves space: the coffee capsule holder for placing on the table takes up little space - ideal for a worktop, kitchen table or sideboard, even in small kitchens
- Neat coffee capsule storage: simply transfer Tassimo capsules from the packaging into the stand - for a tidy living environment
- Elegant design: the capsule holder in elegant matt black is a visual highlight in the modern kitchen - and cuts a fine figure next to your capsule machine
- As individual as you are: fill the sleek capsule dispenser with your favourite varieties - for a decorative arrangement of the coffee capsules
- Durable and robust: plastic-free, chrome-plated capsule holder made of iron steel - for a long service life
- Also fits other coffee capsules, pads and pods of the same size as the Tassimo T-Disc system, e.g. Jacobs, Kenco, Carte Noire, L'OR, Cadbury or Twinings

			00111269
	12	SC	

Drinking Vessels

COFFEE MUG

Thermal Mug



"Barista Lover" coffee mugs, stainless steel, pack of 8 in display, black and beige



Capacity	350 ml
Diameter (Bottom)	6.8 cm
Diameter (Top)	9 cm
Height	15 cm

- Also readily to hand in the car: the thermal coffee mug fits in common cup holders in cars, trucks and caravans
- Stainless steel bottle with double-walled insulation: hot drinks stay hot for around 4 hours, cold drinks for around 8 hours. Rinse the mug with hot / ice-cold water first to prolong the duration
- Food safe
- The high-quality stainless steel reusable mug can be used for many years thanks to its long-lasting and robust materials
- Suitable for dishwashers
- Leak-proof
- The silicone sleeve ensures a non-slip grip
- Non-slip base for a secure grip
- 2 colours: Black and beige



		00111288
	8	SC

Permanent Filter



Permanent Filter for Coffee Makers, Coffee Filter Replacement for Size 4, black



Suitable for	Coffee Machines
Set Contents in Pieces	1

- Coffee machine with permanent filter produces less waste: the permanent coffee filter is the ideal replacement for single-use filter papers
- Universal coffee filter: fits in standard filter coffee machines from the usual manufacturers as well as hand filters, coffee filter attachments etc. made of plastic, stainless steel, ceramic or porcelain, provided they are larger than the permanent filter
- Reusable replacement for coffee filter size 4 (1x4): up to 4 x 200 ml cups of coffee or 6 x 125 ml cups with one surge infusion, or 8-12 cups with two surge infusions
- Simple and safe: simply insert the wedge-shaped permanent filter like a paper filter and use it indefinitely - for your favourite coffee enjoyment without annoying folds or coffee grounds in the cup
- 120 mesh: extra-fine filter mesh made of stainless steel - tasteless, food-safe and fine-pored for the finest coffee aroma
- Long-lasting and sturdy: the reusable coffee filter can be easily emptied, washed out and reused as many times as you wish
- Easy to look after, hygienic and dishwasher-safe: of the permanent coffee filter can be quickly washed by hand or in the dishwasher
- Straightforward thanks to the handle: the practical handle makes it easy to remove the permanent filter from the coffee maker and attachment
- Cheaper alternative: permanent coffee filters are cheaper compared to disposable filter bags for coffee makers, coffee attachments, etc., so you save money

			00111263
	24	HB	



Permanent Filter for Coffee Makers, Coffee Filter Replacement for Size 4, black



Suitable for	Coffee Machines
Set Contents in Pieces	1

- Using the coffee maker with the permanent filter: The permanent coffee filter is the ideal replacement for disposable filters made from paper
- Universal coffee filter: fits in standard filter coffee machines from the usual manufacturers as well as hand filters, coffee filter attachments etc. made of plastic, stainless steel, ceramic or porcelain, provided they are larger than the permanent filter
- Reusable replacement for coffee filter size 4 (1x4): up to 4 x 200 ml cups of coffee or 6 x 125 ml cups with one surge infusion, or 8-12 cups with two surge infusions
- Simple and safe: simply insert the wedge-shaped permanent filter like a paper filter and use it indefinitely - for your favourite coffee enjoyment without annoying folds or coffee grounds in the cup
- 100 mesh: extra-fine filter mesh made of stainless steel - tasteless, food-safe and fine-pored for the finest coffee aroma
- Long-lasting and robust: the reusable coffee filter can be easily emptied, washed out and reused as many times as you wish
- Easy to clean, hygienic and dishwasher safe: the permanent coffee filter can be quickly washed by hand or in the dishwasher
- Straightforward thanks to the handle: the practical handle makes it easy to remove the permanent filter from the coffee maker and attachment
- Cheaper alternative: permanent coffee filters are cheaper compared to disposable filter bags for coffee makers, coffee attachments, etc., so you save money

			00111289
	24	HB	

COFFEE PREPARATION



Reusable Pads, Set of 2 for Senseo and Similar Models, Reusable Pad Filter,



Suitable for	Phillips Senseo
Set Contents in Pieces	2

- Coffee machine with pads produces less waste: the self-fill coffee pads are the ideal replacement for single-use pads
- Versatile: long-term pads for the Philips Senseo and all similar appliances from common coffee machine manufacturers
- Simple and safe: 3 holders make the reusable coffee pads easy to open and close, ensuring maximum enjoyment without messy coffee grounds
- Brew your favourite powder with a coffee filter in the pad machine: you decide what you put in the coffee pads, whether it be regular, stomach-friendly or decaffeinated, strong or not so strong
- Perfect coffee crema: refillable coffee pads with an extra-fine filter mesh - food-safe and fine-pored for the finest coffee aroma
- Easy to look after, hygienic and dishwasher-safe: the universal coffee pads can be quickly washed by hand or in the dishwasher
- Long-lasting: the reusable coffee pads can be easily emptied, washed out and reused as many times as you wish
- Space-saving design: reusable pads and coffee powder are significantly more economical and take up less space than conventional disposable coffee pads, and there's a lot less packaging waste too
- Handy set of 2: prepare the next cup while the first serving is still brewing, or use it as a coffee and tea pad
- Cheaper than disposable: reusable pad filters for Senseo and similar machines are cheaper compared to disposable coffee pads, so you save money

			00111261
	16	HB	



Tampfer Kit



Tamping Set, 51 mm Tamper, Stainless Steel, with Tamper Mat, Non-slip, black



Suitable for	Espresso				
• Must-have sieve tamper: the balanced contact pressure with the tamper improves the water flow through the entire powder - so all the aromas unfold • Flat base: flat pressure surface of the hand tamper ensures correct distribution and precise pressure on the espresso powder in the sieve, resulting in perfect espresso • Durable and rust-proof: the base of the espresso tamper with a 51 mm diameter is made of high-quality 304 stainless steel - food-safe, rust and plastic-free- Sits beautifully in the hand: ergonomic tamper handle with easy-care, oxidised aluminium alloy • Solid weight: at 340 g, the stainless steel tamper enables comfortable handling • Easy to clean: the base can be removed from the tamper handle and facilitates thorough hygienic cleaning. The stainless steel part of the coffee tamper is dishwasher safe • With tamper mat: the silicone tamper tray creates a firm place for the sieve stamp - ideal when hobby or professional baristas need to be quick • Special surface: nubs in the tamper					
- holder for optimal ventilation of the coffee stamp - easy drying on the mat • Non-slip and 2-in-1: tamping mat as storage surface for the tamper and filter support when pressing coffee - tamping without sliding around • The tamper mat protects the espresso stamp as well as the worktop, kitchen counter etc. from damage • The stainless steel barista tamper with black handle is a visual highlight next to your filter machine					
<table><tr><td colspan="2">00111276</td></tr><tr><td></td><td>36 SC</td></tr></table>		00111276			36 SC
00111276					
	36 SC				



Tamping Set, 58 mm Tamper, Stainless Steel, with Tamper Mat, Non-slip, black



Suitable for	Espresso				
• Must-have sieve tamper: the balanced contact pressure with the tamper improves the water flow through the entire powder - so all the aromas unfold • Flat base: flat pressure surface of the hand tamper ensures correct distribution and precise pressure on the espresso powder in the sieve, resulting in perfect espresso • Durable and rust-proof: the base of the espresso tamper with a 58 mm diameter is made of high-quality 304 stainless steel - food-safe, rust and plastic-free • Sits beautifully in the hand: ergonomic tamper handle with easy-care, oxidised aluminium alloy • Solid weight: at 406 g, the stainless steel tamper enables comfortable handling • Easy to clean: the base can be removed from the tamper handle and facilitates thorough hygienic cleaning. The stainless steel part of the coffee tamper is dishwasher safe • With tamper mat: the silicone tamper tray creates a firm place for the sieve stamp - ideal when hobby or professional baristas need to be quick					
• Special surface: nubs in the tamper holder for optimal ventilation of the coffee stamp - easy drying on the mat • Non-slip and 2-in-1: tamping mat as storage surface for the tamper and filter support when pressing coffee - tamping without sliding around • The tamper mat protects the espresso stamp as well as the worktop, kitchen counter etc. from damage • The stainless steel barista tamper with black handle is a visual highlight next to your filter machine					
<table><tr><td colspan="2">00111285</td></tr><tr><td></td><td>30 SC</td></tr></table>		00111285			30 SC
00111285					
	30 SC				

COFFEE PREPARATION

Anti-Slip Mat



Silicone Tamper Mat, Non-Slip, Raised Edge, 30 x 15 cm, black



Width x Length	15 x 30 cm
----------------	------------

- For optimised protection of work surfaces against dirt, scratches, pressure points and other damage
- Raised edge: this prevents liquids or coffee grounds from spilling onto a sideboard, etc.
- Versatile: practical work board also for small dough mixtures, marinating, grating vegetables, cheese, etc. or modelling chocolates
- Easy to look after: quick and easy cleaning
- Robust and durable: tamper mat made from heat-resistant silicone
- Food safe
- BPA-free

Black	00111279
48	HB

Box



Knock Container, Knock Box for Quiet Knocking, Non-slip, black



Diameter	11 cm
----------	-------

- Quickly clean without scraping: knock out the filter head with a few knocks on the knock box - no coffee brew gets stuck
- Low-noise: dampening silicone coating on the knock bar of the stainless steel knock box - even with vigorous knocking
- Non-slip thanks to 5 mm foam padding: clever anti-slip coating on the underside of the knock box for filters - no sliding around and the work surface is protected
- Plenty of space: up to 13 coffee pucks fit into the knock container
- Compact: the flexibly positionable knock box also fits into small kitchens and corners - much more practical than knock drawers or other grounds containers
- Splash guard: the raised rear wall on the barista knock container prevents coffee grounds from splashing out of the knock tray
- Use the leftovers: the collected coffee grounds in the knock container are suitable as a plant fertiliser, skin ex-foliator or as a home remedy against odours, for example
- Easy to clean: the coffee grounds

- container as well as the filter are emptied and cleaned in no time - no tight corners, no mould
- Can be dismantled: for easy, thorough cleaning, the crossbar can be removed from the knock box and rubber cover
- Robust: the knock box is made of 304 stainless steel for a long service life, even with intensive use
- Timeless design: the coffee knock container in elegant black matches any style of home - and simply looks good next to your filter machine

				00111277
		24	SC	



Tea & Coffee Maker



COFFEE PREPARATION

Stainless Steel Espresso Maker for 4 Cups, Stove-top Pot, Incl. Induction,



- Traditionally strong: the espresso maker made of stainless steel is indispensable for preparing the typical caffè - like from a caffettiera from Italy
- Generous volume: the water reservoir of the mocha coffee pot holds 200 ml, ideal for up to 4 cups of 50 ml each or 8 espressi of 25 ml each - for sharing coffee in the morning or after a meal
- For all types of hob: thanks to the base plate with approx. $\varnothing$ of 8.5 cm, the versatile espresso maker can be used with induction as well as on typical hobs, electric and gas hobs, glass-ceramic and ceramic hobs without any problems
- Coffee maker for on the go: the stainless steel espresso maker ensures freshly brewed espresso even with a camping stove - even in a camper van or on holiday
- Heat-resistant handle made of PE plastic: the handle does not get hot during coffee preparation, sits comfortably in the hand and protects fingers from burns
- With one hand: the handle and hinged lid on the mocha pot allow for single-handed pouring and serving
- Saves space: the small stove-top pot hardly takes up any room - the perfect solution for making coffee quickly on the cooker, even in small kitchens
- With overpressure valve: the safety valve protects the espresso pot in the event of excessive heat and simply releases the excess pressure if necessary
- Robust and durable: the espresso pot made of high-quality, stainless 304 and 430 stainless steel is food-safe and free of aluminium - for unadulterated, full-bodied coffee enjoyment

0.2 l	00111274	
	18	SC

Coffee/Tea Preparation

COFFEE PREPARATION

Measuring Spoon



Coffee Measuring Spoon, 6 g/15 ml - Quantity per Cup, Length 16.8 cm, Stain



Material	Stainless Steel
----------	-----------------

- Coffee measuring spoon for the perfect amount per cup: with the volume of 6 g or 15 ml, your filter coffee gets a tasty aroma with the right strength - for an enjoyable coffee moment
- With the coffee dosing spoon, this also makes it easy to calculate the amount of filter coffee needed for a litre or your coffee pot
- No more judging it by eye: the coffee spoon guarantees you a consistent taste experience without having to estimate the volume
- In addition to coffee powder, the coffee measuring spoon can also be used as a dosing spoon for cocoa, loose tea, matcha or honey
- Also ideal as a measuring spoon for baking ingredients such as sugar, flour, baking powder - corresponds to approx. one heaped tablespoon or three level teaspoons
- Coffee measuring spoon with long handle: with the long 13.5 cm handle, you can easily reach the bottom of your coffee tin
- Coffee measuring spoon with discreet design for hanging up: the curved handle is easy to use, hang on the magnetic kitchen bar or on hooks and is therefore always within reach
- Robust and durable: the barista coffee measuring spoon made of high-quality 304 stainless steel is of course food-safe and plastic-free
- Easy to look after, rust-free and easy and hygienic to clean: the coffee dosing spoon is easily washable by hand and even dishwasher safe

Silver	00111267
	20 HB

Coffee Measuring Spoon, 6 g/15 ml - Quantity per Cup, Length 14.5 cm, Stain



Material	Stainless Steel
----------	-----------------

- Coffee measuring spoon for the perfect amount per cup: with the volume of 6 g or 15 ml, your filter coffee gets a tasty aroma with the right strength - for an enjoyable coffee moment
- With the coffee dosing spoon, this also makes it easy to calculate the amount of filter coffee needed for a litre or your coffee pot
- No more judging it by eye: the coffee spoon guarantees you a consistent taste experience without having to estimate the volume
- In addition to coffee powder, the coffee measuring spoon can also be used as a dosing spoon for cocoa, loose tea, matcha or honey
- Also ideal as a measuring spoon for baking ingredients such as sugar, flour, baking powder - corresponds to approx. one heaped tablespoon or three level teaspoons
- Coffee measuring spoon with long handle: with the long 11 cm handle, you can easily reach the bottom of your coffee tin
- Coffee measuring spoon with discreet design for hanging up: the handle with a hole is easy to use, hang on the magnetic kitchen bar or on hooks and is therefore always within reach
- Robust and durable: the barista coffee measuring spoon made of high-quality 304 stainless steel is of course food-safe and plastic-free
- Easy to look after, rust-free and easy and hygienic to clean: the coffee dosing spoon is easily washable by hand

Black	00111273
	18 HB

Milk Jug



Barista Milk Jug with Latte Art Pen, Stainless Steel, 600 ml, silver



Capacity	600 ml
Height	11 cm
Width	9 cm

- Milk measuring cup with 600 ml and practical scale: inside indication of filling level - precise measuring for just the right amount of milk foam without overfilling
- Millilitre scale: 180 ml, 240 ml, 300 ml, 360 ml, 420 ml, 480 ml, 540 ml, 600 ml
- Ounce scale: 6 oz, 8 oz, 10 oz, 12 oz, 14 oz, 16 oz, 18 oz, 20 oz
- The finest latte art: the pouring spout on the milk jug enables precise pouring without dripping - with a little practice, impressive motifs can be created on cappuccinos and similar drinks.
- Easy to use thanks to the handle: the milk jug handle has a high-quality finish and its shape helps you to find exactly the right pouring angle for artistic milk foam patterns
- With latte art pen: pointed and broad tip for drawing patterns, length 13 cm
- More than a trendy design: the silver milk frother jug looks good and is suitable for any type of milk, whether cow or plant milk, from soy to almond to oat
- Multi-functional thanks to the measurement display in the stainless steel jug, e.g. for cooking, baking or mixing cocktails, also as a cream pourer, for serving dressings, tea, juice, smoothies or milkshakes
- Robust and durable: the barista milk jug and coffee art pen are made from high-quality 304 stainless steel, making them naturally food-safe and plastic-free
- Easy to look after and simple and hygienic to clean: the milk frothing jug and pen can be easily washed by hand and are dishwasher-safe

			00111280
	24	SC	



Stainless Steel Barista Milk Jug, Milk Froth Jug, 350ml, matt black



Capacity	350 ml
Height	9 cm
Width	7.5 cm

- Milk measuring cup with 350 ml and practical scale: inside indication of filling level - precise measuring for just the right amount of milk foam without overfilling- Millilitre scale: 100 ml, 150 ml, 200 ml, 250 ml, 300 ml, 350 ml- Ounce scale: 4 oz, 6 oz, 8 oz, 10 oz, 12 oz- The finest latte art: the pouring spout on the milk jug enables precise pouring without dripping - with a little practice, impressive motifs can be created on cappuccinos and similar drinks.
- Easy to use thanks to the handle: the milk jug handle has a high-quality finish and its shape helps you to find exactly the right pouring angle for artistic milk foam patterns- Perfect height: the frothing jug fits perfectly under the milk frother of coffee machines from all manufacturers, e.g. fully automatic machines and espresso machines- More than trendy design: the black milk frother jug looks good and is suitable for any type of milk, whether cow or plant milk, from soy to almond to oat
- Multi-functional thanks to the measurement display in the stainless steel jug, e.g. for cooking, baking or mixing cocktails, also as a cream pourer, for serving dressings, tea, juice, smoothies or milkshakes- Robust and durable: the barista milk jug made of high-quality 304 stainless steel is of course food-safe and plastic-free- Easy-care, rust-free and simple and hygienic to clean: the milk frothing jug can be easily washed by hand and is even dishwasher safe

			00111260
	12	SC	

MILK PREPARATION

Milk Frother



Electric Milk Frother, Hand Rod
Battery-operated, small, black



Operating Mode	Electrical
Height	3.7 cm
Length	20.5 cm
Width	2.5 cm

- Froth milk with absolute ease: the Quirl is a special spiral with a diameter of around 2.3 cm and creates the ideal vortex for creating foam crowns with a perfect consistency
- Extra-powerful motor: 14,000 revolutions per minute (rpm) guarantee a creamy milk foam finish
- No more cable spaghetti: the cordless milk frother with batteries is always ready for use, with no need for any mains power or crowded plug sockets
- The compact milk frother takes up barely any space in the kitchen, making it the ideal add-on for pod, pad and espresso machines, filter coffee makers and automatic coffee machines without integrated milk frother
- Create milk foam while out and about, whether you're camping or on a mini-break: the compact rod milk frother ensures the ultimate enjoyment of milky coffees wherever you are
- Fits well in the hand: the milk frother impresses with its soft-touch, easy-grip surface and trendy design in discreet black and silver
- A joy to use: manual slider (On/Off) for easy handling - no need to keep any buttons pressed
- Multi-functional frother for milk and more: makes simply great milk foam as well as milkshakes, cream-based and other cocktails, salad dressings and sauces and can even whisk eggs perfectly
- The foam attachment made from high-quality 304 stainless steel is of course food-safe and easy to clean and keep hygienic

Black	00111258
18	HB

Tube



Milk Hose for Fully Automatic Coffee
Makers, Silicone Hose, Ø 6 mm, translu



Material	Silicone
Inner Diameter	3 mm
Outside Diameter	6 mm

- Universal spare part for water and milk hoses in filter and espresso machines, as well as fully automatic coffee makers with milk frothing systems
- Flexible, leak-proof and reliable: the silicone milk hose is soft enough to fit perfectly into the appliance, while remaining dimensionally stable and leak-proof
- Ideal wall thickness and maximum flexibility thanks to optimised diameter: Ø 3 mm inside, Ø 6 mm outside
- Cold-resistant down to -110° C, heat-resistant up to +300° C: hose with optimised sealing effect for all liquids in coffee machines with milk systems
- Fantastic resistance to negative pressure and vacuum: the silicone hose is perfectly adapted to the requirements of fully automatic coffee makers and similar appliances
- 60° Shore A: the silicone tubing remains stable and in shape even when warm, is translucent and of course food-safe
- Made-to-measure silicone hose: the 1 m length can be cut precisely to the desired length - no matter how long or short you want the milk hose to be
- Stable flow, easy cleaning: extremely smooth surface inside the silicone hose prevents limescale marks to the greatest possible extent - even with water with a high limescale content

				00111271
		115	HB	

Descaler



Premium Descaler f. Autom. Coffee Machines, Liquid w. Amidosulfonic Acid, 500 ml



Safety Lock	Twist Off Top
Content	500 ml
Usage	Fully Automatic Coffee Machines

- Easy hot descaling: the special formula of the limescale remover prevents any foaming of the solution, even at 15 bars of machine pressure - so no damage caused by excess gas pressure
- Thorough quick descaler without soaking time: the amidosulfonic acid-based descaler dissolves limescale from the machine and pipes even while it is being flushed through and flushes out the deposits
- Optimised corrosion protection thanks to 4 high-quality additives: the liquid descaler does not attack metal or plastic parts, ensuring long-term and gentle limescale removal and a longer service life for automatic coffee makers, filter coffee makers, etc.
- Odourless/tasteless: the universal descaler leaves behind no nasty taste of its own, and no extra rinsing is required
- The limescale remover is suitable for semi-automatic and automatic coffee makers as well as for coffee pad, filter and capsule machines, as well as for descaling kettles, steamers, shower heads, taps, washing machines and many other household objects and appliances
- Also for hygienic limescale removal from tools without an acid-sensitive surface, such as in medical practices, nail studios and hair salons for wash-basins, etc.
- Store safely: sealed lid with child lock
- Bottle made from 100% rPET
- Highly effective liquid descaler: 500 ml for 5 applications per bottle
- Made in Germany: high-quality universal descaler for automatic coffee makers manufactured in Germany

		00111283
	30	K.A.

Household Cleaner



"Coffee Clean" Fine Atomiser Specialist Cleaner for Automatic Coffee Makers



Content	250 ml
Suitable for	Coffee Machine
Usage	Fully Automatic Coffee Machines

- Developed for high-quality coffee makers: the special formula cleans, cares for and provides long-term protection for the interior and all components that come into contact with coffee, such as the brewing assembly, coffee grounds holder, drip tray, sieve, coffee and water outlet, the cup rest area, and so on.
- Powerful coffee degreaser: even removes fatty and oily deposits that are non-soluble in water and gently degreases
- Precision cleaning: the gliding grease required for the mobility of the brewing equipment is unaffected and remains intact, so no regreasing of the moving parts is needed after cleaning
- Highly effective substances: the powerful cleaning agent for automatic coffee makers dissolves dirt from treated surfaces, ensuring hygiene and shine inside the coffee maker
- Apply the automatic coffee maker cleaner evenly: the high-quality spray head distributes the cleaning solution over the soiled parts perfectly and all of the dirt just flows easily off
- Easy cleaning in 3 steps, even on ultra-modern automatic coffee makers: spray the parts to be cleaned, allow the cleaner to work and rinse off with clear water or wipe with a damp cloth. That's it!
- Ideal protection: the cleaning agent for automatic coffee makers ensures hygienic and gentle cleaning and a longer service life for your machine
- Premium coffee maker cleaning product made in Germany

		00111284
	10	K.A.

CLEANING & CARE



Cleaning Tablets f. Coffee Machine, Universal
Coffee Grease Remover, 10 Tab



Content	2.5 ml
Suitable for	Coffee Machine
Usage	Fully Automatic Coffee Machines

- Powerful coffee grease remover with active oxygen: the cleaning tablets remove the stubborn coffee grease residues that form when coffee is brewed due to the pressure and temperatures in the coffee machine- Descaling and rinsing is not enough: the cleaning tablets also remove non-water-soluble grease and oil deposits and gently degrease- Proper cleaning keeps coffee machines in good working order for a long time, especially for fully automatic coffee machines, filter coffee machines, coffee pod machines and espresso machines- Hygienic cleaning for hard-to-reach places: the degreaser tablets are ideal for brewing assemblies, filters, coffee spouts and drip trays- Real, full-bodied coffee enjoyment: regular use prevents unwanted deposits over the long term and avoids loss of taste- Universally suitable for cleaning, protecting and caring for all coffee machines and appliances from the most popular manufacturers- Versatile: also for thorough cleaning of tea or coffee pots, other insulated containers, etc.- Pre-measured cleaning tablets:
- exact dosage without measuring or weighing make using the coffee machine cleaner easier- Handy blister packaging: the tablets are protected from moisture and can be removed individually- Made in Germany: high-quality degreasing and cleaning tablets made in Germany- For 10 cleaning applications

		00111281
	156	HB



Milk System Cleaner, Liquid Milk Cleaner for
Fully Automatic Coffee Machines, 500 ml



Content	500 ml
Suitable for	Coffee Machine
Usage	Milk Froth Nozzles

- Simply clean brewing equipment: because milk goes off so quickly, milk-carrying parts need to be cleaned more often
 - The thorough cleaning process removes all fat and protein deposits that occur when frothing milk and preparing café au lait, cappuccino, etc.
 - Comprehensive cleaning of milk frothers and similar equipment: ideal for all types of milk nozzles, lines, milk tanks, spouts and hoses, hard-to-reach components stay clean longer
 - Real, full-bodied latte enjoyment: regular use prevents unwanted deposits over the long term and avoids loss of taste
 - Universally suitable for cleaning, protecting and caring for all coffee machines and appliances from the most popular manufacturers, including filter and espresso machines
 - Special formula: milk system cleaner with high-quality additives for highly effective cleaning of the coffee machine
 - Particularly economical: thanks to the concentrated formula of the liquid cleaner, 20 ml per application is
- sufficient - up to 25 applications per bottle

 - Practical to use: can be used when the machine is hot or cold
 - Store safely: sealed lid with child lock
 - Bottle made from 100% rPET
 - Made in Germany: high-quality special cleaner for milk systems manufactured in Germany

		00111282
	30	K.A.



Cleaning Kit



CLEANING & CARE

Cleaning Brushes f. Autom. Coffee Makers w. Brush, Hose Brush, Set of 4



- Regular use of the cleaning kit prevents undesirable long-term deposits of limescale, coffee grease, lactose or protein
- Increases the service life of coffee makers from all manufacturers, from semi- and fully automatic coffee makers to espresso and filter coffee machines
- Flexible cleaning brush with extra-long handle made from woven stainless steel wire has 2 brush ends with a diameter of 3.5 and 6 mm - 2 in 1 for any milk hose, no matter how thin
- 33 cm length: the brush for automatic coffee makers allows the hygienic cleaning of the entire milk line, outlets, small pipes and hard-to-reach places
- Versatile cleaning brush for filter coffee makers and more: removes coffee powder from all components such as the grinder, filter, grounds container, brewing assembly or mechanisms
- Hard as a brush, but soft as a powder puff: adjust the cleaning brush hardness to suit using the bristle adjusting ring
- High-quality design: the robust cleaning brush for filter coffee makers and so on does not lose bristles and is easy to clean. The wire and handle are in stylish black
- 2 special nozzle brushes with a diameter of 3.5 mm and extra-thin 2.5 mm: the small cleaning brushes are perfect for cleaning milk foamer nozzles, valves, etc.
- Universal cleaning kit even for delicate tea or coffee pots, reusable metal or glass straws, baby bottles, test tubes or in-between spaces
- Easy to care for: the brushes are dishwasher-safe
- Made in Germany

			0011278
	66	HB	

Lubricant



Multi-silicone Grease Food-safe, f. Fully Automatic Coffee Makers, Brewing Assembly, 20g



Content	20 ml
Usage	Fully Automatic Coffee Machines

- High-quality silicone grease for brewing assemblies: the silicone paste is ideal as a lubricating grease for the brewing assembly, milk container, couplings, O-rings and seals in fully automatic coffee makers
- Physiologically harmless, odourless and tasteless: the transparent silicone grease is food-safe and leaves no taste of its own - for unadulterated, full-bodied coffee enjoyment
- Smooth brewing process: the coffee machine grease maintains sealing rings and improves the sealing effect and mobility of the individual parts - brewing without squeaking or creaking
- Ideal for maintenance, protection and care for a longer life of automatic coffee makers, filter coffee makers and espresso machines
- Cold and heat-resistant silicone grease: temperature-resistant and flexible for use in environments from -40° to +200° Celsius
- Versatile: water and vapour resistant with excellent adhesion to all materials
- Suitable for cold and hot water valves: as a lubricant also for installations for heating, sanitary, food technology etc.
- Also as a lubricating oil for greasing appliances such as food processors, food slicers or blenders
- High resistance, does not resinify: consistently good lubricating properties and viscosity without drying out, hardening or bleeding, resistant to acetone, ethanol, ethylene glycol, glycerine and methanol
- Compatible with common EPDM rubber as well as plastics and elastomers
- Made in Germany

			0011177
	70	HB	

Cleaner tabs



Grinder Cleaner for Automatic Coffee Makers & Coffee Grinders, All Brands,



- Food-safe cleaning beans: real coffee beans as a natural carrier material for the grinder cleaner are naturally gluten-free, odour and taste-neutral and contain no allergens
- Combination of cleaning beans and highly effective cleaning formula for effective and hygienic cleaning - grinding the beans cleans the automatic coffee maker grinder better than other granulated products
- For coffee and espresso grinders and appliances with a grinder: universally suitable for cleaning, protecting and caring for all coffee machines and appliances from the most popular manufacturers, including filter and espresso machines
- Practical dry cleaning: since the grinder is designed to crush beans, the carrier material ensures the best possible distribution and cleaning effect without blocking the grinder
- For steel and ceramic grinders: the grinder cleaner protects the individual parts and thoroughly cleans the grinding discs and cones in the coffee maker and grinder
- Easy cleaning without removal or dismantling of the grinder
- Authentically full-bodied coffee enjoyment: regular use prevents deposits of coffee grease, coffee oil and bitter substances on the grinding discs, in grooves, etc.
- Gentle degreasing: regular cleaning protects the grinder, one of the most sensitive and damage-prone components of automatic coffee makers
- Made in Germany: high-quality grinder and mill cleaner manufactured in Germany
- For 3 applications

			00111759
	39	HB	



& Cleaning Care at a glance

Washing Up

Kitchen Cleaning

Washing & Ironing

Descalers

Special Cleaner



Cleaners & Care Products

WASHING UP

Household Cleaner



xavax

Dishwasher Cleaner with Fresh Fragrance, 250 ml

Content	250 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Removes deposits such as limescale, grease and food residues in the interior, in hoses and valves
- Descales the heating rods
- The heating performance remains the same, the dishwasher can heat up quickly without having to expend more energy to do so
- Provides a pleasant fresh scent and a clean and well-maintained machine
- Regular maintenance reduces the risk of malfunctions and thus subsequent costs due to repairs
- Limescale deposits in the machine lead to longer heating times of your appliance with higher electricity costs



xavax

2-Phase Pro Tabs for Dishwashers, 160 Tabs

Content	18 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Ideal for very greasy dishes or dried-on residue
- Easy removal of stubborn dirty with easy use
- Good limescale removal
- Phosphate-free
- Easily dissolves tea and coffee stains
- Low foam build-up
- Also suitable for intensive programmes
- Sensitive decorative elements are protected
- Clean and dry storage thanks storage in the quality bucket with first-removal seal

			00111725
	12	K.A.	

			00111735
	1		


Household Cleaner



Oven and Grill Cleaner, 300 ml

Content	300 ml
Suitable for	Oven and Barbecue Grill
Usage	Grill, Oven

- Works independently and without harming the appliance
- No odours
- Simple and quick to use: apply the cleaner, allow to work for 5 minutes and then wipe off the residue and dissolved dirt with a damp cloth



Hot Air Fryer Cleaner, 300 ml

Content	300 ml
Usage	Deep-Fat Fryer

- Works independently with mild soiling, but for stubborn marks simply work in using a dish sponge, for example
- Simple and quick to use: the hot air fryer is clean again in just a few minutes, inside and out



"Power Clean" Special Cleaner, 500 ml

Content	500 ml
Suitable for	Micro Wave and Kitchen Equipment
Usage	Fully Automatic Coffee Machines, Glass, Metal Surfaces, Microwave, Oven

- Highly effective special cleaner for surfaces made from stainless steel around the home
- Also suitable for glass, ceramic, plastic or chrome
- For the easy removal of dirt, greasy films, grease, oils, fingerprints and weather-related dirt
- Effectively removes soiling without harming the material
- Cleans, seals and adds shine



Glass Ceramic Cleaner, 250 ml

Content	250 ml
Suitable for	Ceramic glas-/ Induction-Hobs
Usage	Cooking Plate

- Removes stubborn grime and can be used on a daily basis
- The cleaner leaves an invisible film on the surface when rubbed dry; this makes the next cleaning process easier and gives the hob a lovely shine

KITCHEN CLEANING

00111758

48 K.A.

00111764

12 SC

00111755

20 K.A.

00111726

12 K.A.

KITCHEN CLEANING



Refrigerator Cleaning Spray,
500 ml

Content	500 ml
Suitable for	Fridge and Freezer
Usage	Fridge, Microwave

- Removes even stubborn dirt and grease deposits
- For inside and outside cleaning
- Fights bad odours, ensuring long-lasting freshness
- Also ideal for cleaning microwave ovens

				00111721
	24	K.A.		

Cleaning Kit




Hob Cleaning Kit, 3-Part,
Cleaner, Scraper, Microfibre
Cloth

- 3-part kit comprising: Scraper, Microfibre Cloth, Cleaner (100 ml)
 - For daily care and the removal of stubborn dirt
- Cleaner:
- After drying, the cleaner leaves behind an invisible film that makes the next clean easier and gives the hob a beautiful shine
- Scraper:
- Suitable for glass, tiles and other smooth, hard surfaces
 - Removes sticker, paint, soot, limescale residue and so on.
 - Blade can be retracted for transport and replaced (replacement blades: 00110726)
- Cloth:
- Universal cloth for optimum cleaning results from wet and dry cleaning
 - Can be used with or without cleaning agent
 - Long-lasting

				00111752
	44	HB		

Scraper



Special Glass Scraper for
glass ceramic cooker surfaces

Usage	For All Smooth Surfaces
• High-quality glass scraper, specially developed for glass ceramic hobs • Also suitable for removing colour or residues of stickers from glass, tiles, etc. • When not in use, the blade can easily be retracted (protective function) • Ergonomically shaped grip that allows the scraper to be hung up • Blade can easily be exchanged (replacement blades: item no.: 00110726) • Size of the metal housing: 138 x 46 mm	

				00110753
	12	BK		




Glass Scraper, Universally
Suitable for Many Surfaces,
Four Replacement Bla

Usage	For All Smooth Surfaces
• The glass scraper is flexible in use: e.g. for ceramic hobs, glass, sticky labels or tiles • Whether it be food spills on a ceramic hob or glue and paint splashes from the crafting table: with the two blades made from plastic or metal, unwanted residue can be removed super-quickly and super-easily • Gentle cleaning with plastic blades on scratch-sensitive surfaces, such as furniture • Safe handling: blade is stored inside the housing • The rubberised, ergonomically shaped handle sits securely and comfortably in the hand	

				00111760
	12	HB		

Blades/holder



Replacement Blades for Glass Scraping Tool for Glass Ceramic Hobs, 5 pieces

Number of Blades	5
Usage	Ceramic Stove Top

- Replacement blades for Xavax glass scraping tool for glass ceramic hobs
- Ground on both sides, thereby doubling the service life



Replacement Blades for Glass Scraper, Plastic and Metal

Number of Blades	10
Usage	Jack-holder

- Metal and plastic blades for flexible use: e.g. on glass, hobs, tiles
- Whether it be food spills on a ceramic hob or glue and paint splashes from the crafting table: with the two blades made from plastic or metal, unwanted residue can be removed super-quickly and super-easily
- Gentle cleaning with plastic blades on scratch-sensitive surfaces, such as furniture

00110726		
24	BK	

00111761		
12	HB	

Cleaners & Care Products

WASHING & IRONING

Household Cleaner



Iron Cleaning Spray, 50 ml

Content	50 ml
Suitable for	Electric Iron
Usage	Steam Iron

- The cleaner acts fast, protects and maintains cleanliness for longer thanks to highly effective additives
- Suitable for aluminium, stainless steel and ceramic soleplates
- Easy to use thanks to the micro-atomiser and microfibre cloth supplied
- Ensures superb gliding properties of the iron over laundry



Washing Machine Cleaner with Fresh Scent, 250 ml

Content	250 ml
Suitable for	Washing Machine
Usage	Washing Machine

- Also cleans unreachable parts such as hoses, chambers, filters, spray nozzles and the entire drum
- The heating performance remains the same, the washing machine can heat up quickly without having to expend more energy to do so
- The most common causes of odours and deposits are low-temperature washes below 40°C and economy programmes that counteract the regular cleaning of your machine
- Provides a pleasant fresh scent and a clean and well-maintained machine
- Regular care also reduces the risk of malfunctions and the washing performance is improved
- Each new appliance is checked by the manufacturer and using the washing machine cleaner in the first wash cycle removes any possible traces of testing water

Cleaning Kit



Washing Machine Care Kit, Descaler + Cleaner

- Washing Machine Cleaner
- Removes grease and limescale deposits from the interior of the machine
- Cleans functionally important components such as the heating bar, hoses, filters and spray nozzles, protecting them from blockages
- The heating performance remains the same, the washing machine can heat up quickly without having to expend more energy to do so
- Unpleasant odours and detergent deposits are banished
- Such deposits can impair the rinsing / washing result and lead to expensive repairs

- Washing Machine Descaler
- Dissolves hardened limescale deposits on heating rods, hoses and valves
 - Optimises heating performance and saves energy, since the machine is able to heat up again faster
 - Limescale residue no longer gets into the laundry, improving the wash results
 - Protects plastic and rubber parts

00111762
60 HB

00111723
12 K.A.

00110797
32 PO

Descaler



**Descaler for Steam Irons,
250 ml**

Safety Lock	Twist Off Top
Content	250 ml
Usage	Steam Iron

- Practical ready to use solution for descaling steam irons
- Effectively descales steam irons and prevents the formation of new limescale deposits
- Special mixture for high-quality steam irons (does not endanger the inside sole of the iron)
- Applying the descaler to cold irons is unproblematic, chalky deposits do not crumb, does not lead to problems when ironing

00111727

12 K.A.



Universal Descaler, 500 ml

Safety Lock	Twist Off Top
Content	500 ml
Usage	Universally Usable

- For water digesters, pots, shower nozzles, tap filters, irons, immersion heaters, filter coffee and tea machines etc.
- Added high-quality additives provide for corrosion protection at the metal and plastic parts
- Lime can also be removed from high-grade steel, tiles and ceramics

00110734

30 K.A.



**Quick descaler made from
100% pure citric acid, 250 ml**

Safety Lock	Twist Off Top
Content	250 ml
Usage	Universally Usable

- Suitable for all tea, coffee, espresso, pod machines and fully automatic coffee makers, egg cookers, kettles, immersion heaters, pots, stainless steel pans, sinks, stainless steel surfaces, chrome, ceramic, plastic etc. that must be descaled with particular care
- Based on citric acid, so there is no subsequent aftertaste or odour development during the descaling process

00111734

74 K.A.



**Washing Machine Descaler,
250 ml**

Safety Lock	Twist Off Top
Content	250 ml
Usage	Washing Machines

- Dissolves hardened limescale deposits on heating rods, hoses and valves
- The heating performance remains the same, the washing machine can heat up quickly without having to expend more energy to do so
- Limescale residue no longer gets into the laundry, improving the wash results
- Protects plastic and rubber parts

00111724

12 K.A.

DESCALERS

Household Cleaner



DESCALERS



Limescale Catcher for Kettles and Boilers, Stainless Steel, 2 Pcs

Suitable for	Electric Kettle/Kettle
--------------	------------------------

- For kettles and boilers
- Easy to use: Place the limescale catchers in kettles or boilers, add the water and bring to the boil
- The limescale rings can be left permanently in the kettle or boiler for the recommended ten-day cleaning period
- Can also be used for other appliance used to heat water
- Limescale deposits onto the limescale remover's stainless steel material with each use, preventing limescale from building up on the appliance's base and walls
- Descaling method without the use of additional chemical agents
- Can be reused a virtually unlimited number of times
- Made from rust-free stainless steel

			00110729
	30	HB	

Household Cleaner



Cleaning Tablets for Bottles,
20 Units

Suitable for	Bottles
Usage	Glass

- Ideal for bottles with narrow necks that are hard to clean
- Reliable removal of deposits in bottles, e.g. due to syrups, limescale, tea or water marks
- Allow hygienic cleaning and prevent the development of bad odours
- Suitable for all materials, e.g. glass, aluminium, stainless steel or plastic bottles
- Especially easy dispensing and use thanks to tablet form
- Chlorine-free, phosphate-free

				00111756
		20	HB	



Cleaning Tablets for Bottles,
30 Packs in Display

Content	0 ml
Suitable for	Bottles
Usage	Glass

- Ideal for bottles with narrow necks that are hard to clean
- Reliable removal of deposits in bottles, e.g. due to syrups, limescale, tea or water marks
- Allow hygienic cleaning and prevent the development of bad odours
- Suitable for all materials, e.g. glass, aluminium, stainless steel or plastic bottles
- Especially easy dispensing and use thanks to tablet form
- Chlorine-free, phosphate-free

				00111757
		30	SC	





Accessories for household appliances

at a glance

Device Connection (Sanitary)

Device Connection (Electric)

Washing & Drying

Cooling & Freezing

Electric Stove

Cooking Hood

Special Bulb

Microwave

Deep Fryer

Vacuum cleaner accessories

Heating



Household Accessories | Heating & Plumbing

DEVICE CONNECTION (SANITARY)



xavax®

Tube
"Water stop hose for washing machines, dishwashers"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Connection Nut, straight
Burst Pressure	50 bar
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Operating Pressure	10 bar
Maximum Temperature	90 °C

- The outer protective sleeve prevents water damage in the event of leaks or breakage of the hose
- Protects the appliance from rust particles thanks to integrated sieve
- Stops the supply of water in the event of leaks or breakage of the hose
- Leak is indicated by a red colour display

1.5 m	00111444
8 HB	
2.5 m	00111445
5 HB	



xavax®

Tube
"Cold water for washing machines and dishwashers"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Connection Nut, straight
Burst Pressure	60 bar
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Operating Pressure	10 bar
Maximum Temperature	25 °C

- Protection of the device from rust particles thanks to integrated sieve
- Safety against leaking water thanks to rubber seal
- Angled union nut for connection to the machine, straight union nut for connection to the water pipe
- VDE-tested

1.5 m	00111833
8 HB	
2.5 m	00111834
8 HB	
3.5 m	00111835
8 HB	



xavax®

Backflow Preventer for Washing Machines/Dishwashers, with 3/4" Gasket

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Temperature	65 °C

- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- For preventing backflow from supply hoses on electrical domestic appliances
- Recommended for connecting washing machines and dishwashers
- The adapter is installed between the mains connection and the supply hose
- No tools are required for installation

00220756
120 HB




xavax®

Hose Extension
"Reinforced Hose, Extension"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Threatfitting External Threat
Material	Steel Wire Braiding (Rustproof)
Maximum Temperature	93 °C

- Extreme kink resistance, excellent flexibility and high flow capacity
- Offers the greatest possible protection against water damage for washing machines, dishwashers or connections to drinking water purification systems (ice cube makers, boilers, side-by-side refrigerators, etc.)
- Also ideally suited for extending fixed-connection supply hoses with water stop devices (Aquastop)
- High-quality woven material made from rust-free stainless steel wire
- DVGW type examination certificate: DW-0304BT0257
- Approval as a hose line for drinking water installation (Group I) with DVGW tests W 543, W 270 and BGA KTW-A 0304 confirming excellent microbiological purity and mechanical resilience

3 m	00111892
8 HB	
2 m	00111891
8 HB	
1 m	00111890
8 HB	



Cold Water Supply Hose Extension, 2.5 m

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threading External Thread
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Temperature	25 °C

- Protection against leaking water thanks to rubber seal
- Union nut for connection to the machine, connector for connection to the supply hose
- VDE tested

2.5 m	00111836
	8 HB

Tube



Drain Hose for all Washing Machines, Dishwashers, 1.5 m

Type of Connection	Straight
Material	Polypropylene (PP)
Inner Diameter	21 mm
Outside Diameter	27 mm

- Connection: 2x straight 21 mm/19 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals

1.5 m	00111877
	18 HB

Stop Valve



Non-return Valve, with 2 Hose Clamps, for max. Ø 10 mm

- If a washing machine and a condensing or heat pump dryer is connected to a single siphon connection, the waste water could be pumped from one machine to the other
- A non-return valve in the waste water pipe prevents this backflow
- Suitable for drain hoses with an inner diameter of up to 10 mm
- With 2 hose clamps 10 - 16 mm

	00220733
	180 HB

Plugs & Sockets | Electrical Installation

DEVICE CONNECTION (ELECTRIC)

Power Plug




Plug with Earth Contact, 5-Pin, Angled, Reconnectable, 400 V / 16 A

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Angled plug compliant with DIN 49446
- Plug can be reconnected
- For indoor use

			00220799
	36	HB	

Connection Cable for Household Appliances



Connection Cable for Household Appliances "Electric Stove Supply Line"

Shade of colour	White
Number of Wires	5
Wire Cross-Section	2.5 mm²

2.5 m			00220797
	12	HB	
1.5 m			00220796
	24	HB	

Power Cable




Device Connection Cable with Angled Power Plug, for Cookers etc., 2 m

Shade of colour	Black
-----------------	-------

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Cable with wire end ferrules
- Angled plug compliant with DIN 49446
- For indoor use

			00220798
	20	HB	

Cleaning Cloth



xavVax®
Microfibre Cloths, 30 x 30 cm,
blue/green/yellow/red

Material	15% Polyamide, 85% Polyester
Width x Length	30 x 30 cm

- Removes dust, grease and dirt
- Excellent cleaning results with moist and dry cleaning
- One extra cloth for every surface, with different textures for more hygiene (device surfaces - red/glass - blue/ universal - yellow/kitchen - green)
- Can be used with or without cleaning agents
- Washable, can therefore be used for a long time

Blue/Green/Red/Yellow	00111391
6	HB

Anti-Slip Mat



xavVax®
Anti-Slip Mat for Washing
Machines

Width x Length	60 x 60 cm
----------------	------------

- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Odour-neutral
- Extremely resilient and tear-resistant thanks to high density
- Highly-specific rubber granulate bonded to polyurethane
- Rot-resistant
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Germany
- Width x length x height: 60 x 60 x 0.6 cm

Grey	00111362
10	



xavVax®
Anti-Slip Pads with Vibration
Protection, 10 x 10 x 1.5 cm,
Set of 4

Width x Length	10 x 10 cm
----------------	------------

- Set of 4 pads for all 4 corners of the device or appliance involved
- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Highly-specific rubber granulate bonded to polyurethane
- Rot-resistant
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Europe

Black	00220770
36	HB

Lashing Strap



xavVax®
Safety Lashing Strap with
Ratchet for Laundry Drier

Length	600 cm
--------	--------

- Wrap the strap around the entire column (comprising the washing machine and laundry drier), thread it through the ratchet and lash tight
- After tensioning, the drier sits firmly on the washing machine
- This prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Max. lashing strength: 250 daN
- Material: impregnated polyester

	00111896
12	HB

WASHING & DRYING



Exhaust hose adapter for laundry driers

Type of Connection	Straight
Material	Polyvinyl Chloride (PVC)
Outside Diameter	102 mm

- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- suitable for all 102-mm exhaust air hoses
- ideal for dryers with a 100 mm connection
- easy to insert into wall boxes or wall penetrations
- enables easy connection and disconnection of the exhaust air hose (advantageous if it can only be installed during drying)
- sits firmly, therefore no hose clamp necessary

0.05 m	20	HB	00220757
--------	----	----	----------



Tube "Laundry Dryer"

Material	Polyvinyl Chloride (PVC)
Outside Diameter	102 mm

- Flexible PVC hose mounted on a spring steel helix wire
- Can be cut to length just as one likes
- Incl. 2 hose brackets, 90-110 mm

2 m	24	HB	00110944
4 m	12	HB	00110945



Condenser Box for Vented Tumble Dryers

Shade of colour	White
Material	Plastic Material
Size	28.5 x 23,5 x 23 cm

- No annoying laying of the exhaust air hose through the window opening or hole in the wall
- Just attach the exhaust air hose to the extra large and sturdy condensate box (capacity: 7l)
- With additional, removable container for ice which ensures an even better condensation of the warm water vapour

2	SC	00111341
---	----	----------



Household Appliance Stacking Kit „Stack Classic for washing machine/dryer, up to 250kg“

Material	Polypropylene (PP)
Width x Depth	60 x 55 cm

- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Great quality is within easy reach: this product is manufactured in Europe, enabling us to avoid long transport routes
- The stacking kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm
- Also suitable for washing machines with a sloping or curved front and for machines where the detergent drawer extends to the lid, as well as for dryers that have a cleaning flap in the lower part of the front
- Special side rails prevent the dryer from moving, for example, when the washing machine is spinning
- Particularly stable and resilient: Despite its low dead weight, the frame has a considerable load-bearing capacity of up to 250 kg

Black				00220763
White				00220762
		6	SC	



Household Appliance Stacking Kit „Stack Slide for washing machine/dryer, with pull-out drawer“

Material	Aluminium/Metal/ Plastic Material/Wood
Width x Depth	60 x 55 cm
Load Leaf	12 kg

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- The connecting frame is made from metal and the worktop with pull-out from stable wood, which can effortlessly keep even the full washing basket at the right height
- The handle on the otherwise fully assembled intermediate mounting frame is quick to install, and, with the help of the clear instructions, the tower of washing machine and tumble dryer can be assembled promptly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Great quality is within easy reach: this product is manufactured in Europe, enabling us to avoid long transport routes
- The stacking kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm

Black	00220761
White	00220760
	5 SC



Intermediate Frame for Washing Machine and Dryer, with Pull-out Shelf

Material	Metal
Width x Depth	60 x 55.5 cm
Load Leaf	12 kg

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- The connecting frame is made from metal and the worktop with pull-out from stable wood, which can effortlessly keep even the full washing basket at the right height
- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- The intermediate kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm
- Extendable worktop with a shelf of 52 x 40 cm, can be loaded with up to 12 kg
- Also suitable for washing machines with a sloping or curved front and for machines where the detergent drawer extends to the lid as well as for dryers that have a cleaning flap in the lower part of the front
- Special side rails prevent the dryer from moving, for example, when the washing machine is spinning
- Particularly stable and resilient: the frame itself weighs only 4.7 kg but has a load capacity of up to 150 kg

White	00111363
	5 SC



Stacking Kit for Washing Machines / Dryers, Integrated Laundry Maiden

Material	Metal
Width x Depth	61 x 60 cm
Load Leaf	10 kg

- Universal, compatible with most washing machines and tumble dryers with a work surface of 60 x 60 cm
- Integrated, pull-out laundry maiden (max. load up to 10 kg) for hanging up smaller items of laundry at a comfortable working height or as a handy storage area for the laundry basket
- Practical handle on the laundry maiden for easier operation
- With safety lashing strap - prevents the dryer from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install without screw fixings, since it is pre-assembled

White	00110225
	5 SC



"Smart" Stacking Kit for Washing Machine / Dryer, Pull-Out Plate, Plastic

Material	Plastic Material
Width x Depth	55 x 60 cm
Load Leaf	10 kg

- Incl. pull-out plate (max. load up to 10 kg), handy storage and work surface at a comfortable working height (e.g. for folding laundry, tidying, etc.)
- With practical handle on the pull-out plate for easier operation
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Structure made of high-resistance, reinforced technopolymer ensures the stability of household appliances
- Side castors so the drawer is easier to pull out
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install, since it is pre-assembled
- Universally suitable for all appliances with a worktop of 60 x 60 cm
- Can be screwed on if necessary

White	00110223
	4 SC

WASHING & DRYING



Intermediate Frame (open front) for Washing Machine and Dryer, 55 - 66 cm

Material	Metal
Width x Depth	55 cm

- Xavax in-house development
 - Frame with an expanding system, therefore easy to transport as well as quick and easy to mount
 - Universally compatible with all units with a width from 55 to 66 cm, can be adapted individually to the width of the washing machine cover
 - Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door
- Also suitable for:
- Washing machines with an oblique or arched front
 - Washing machines with a washing powder drawer that reaches up to the lid
 - Dryers with a cleaning flap at the lower part of the front

White	00111379
12	HB



Intermediate Frame for Washing machine/Dryer

Material	Metal
Width x Depth	60 x 60 cm

- Quick and easy to install
 - Universally suitable for all appliances with a surface of 60 x 60 cm
- Not suitable for:
- Washing machines with an angled or curved front
 - Washing machines with a detergent drawer that reaches to the cover
 - Dryers that have a cleaning flap in the front lower section

White	00110815
8	SC



"Stack Frame" stacking kit for washing machine/dryer, up to 150 kg, white

Material	Aluminium/Steel
Width x Depth	60 x 57.5 cm

- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
 - FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
 - the stacking kit is suitable for most washing machines with a width of 60 cm and a depth of 60 cm
 - with pre-mounted foam strips
 - Particularly stable and resilient: Despite its low dead weight, the aluminium frame has a considerable load-bearing capacity of up to 150 kg
- Not suitable for:
- Washing machines with an angled or curved front
 - Washing machines with a detergent drawer that reaches to the cover
 - Dryers that have a cleaning flap in the front lower section

White	00220764
8	SC




Dryer Fixing Plates for Adhesion, set of 4

Material	Plastic Material
Width x Depth	6,5 x 5,5 cm

- When a washing machine and dryer are combined to form a column, the fixing plates are stuck under the feet of the dryer
- In addition to the extremely strong adhesion, the dryer secures itself due to its weight as the fixings next to the border also have a bottom plate on which lies the dryer weight
- The glue is insensitive to moisture and changes in temperature
- Suitable for dryer feet up to a diameter of 45 mm

White	00111310
48	HB




Dryer Fixing Plates for Adhesion, Non-slip, Set of 4, black

Material	Plastic Material
Width x Depth	6,5 x 5,5 cm

- When combining the washing machine and dryer in a column, the fixing plates are stuck under the dryer's feet
- In addition to extremely strong adhesion, the dryer is secured also by its own weight since the fixings also have a base plate next to the edge on which the dryer's weight is supported
- Resilient dryer underlay: adhesive is unaffected by moisture or temperature fluctuations
- Suitable for dryer feet up to 45 mm in diameter

Black	00220758
48 HB	

Household Appliance Base



"Giant" Washing Machine Base Unit, 50 cm Tall, 60 x 60 cm with Shelf

Maximum Load Capacity	150 kg
Height	50 cm
Length	60 cm
Width	60 cm

- A storage compartment open on all sides offers sufficient space under the pedestal for detergent, fabric softener and so on
- Each foot is individually adjustable up to 1 cm in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- With a support surface of 60 x 60 cm, the base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances weighing up to 150 kg
- The large shelf area is therefore also suitable for washing machines with a capacity of 7 - 10 kg
- The high-quality metal base is particularly stable and resilient; this also reduces vibrations, for example when the washing machine is spinning
- The underframe protects your machine from the backflow of water from the drain, flood water up to 50 cm and wetness on the ground, for example from loose hoses

White	00111380
1 SC	



Washing Machine Base Cabinet 60x60 cm with Shelf, 40 cm Height, 150 kg Load

Maximum Load Capacity	150 kg
Height	40 cm
Length	60.6 cm
Width	60.6 cm

- Storage compartment open on three sides can be individually attached at a height of 5 cm, 10 cm or 15 cm and offers sufficient space under the pedestal for detergent, fabric softener and so on
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- With a support surface of 60 x 60 cm, the base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances weighing up to 150 kg
- The cross struts of the storage shelf make the high-quality metal base particularly stable and resilient; at the same time, they reduce vibrations, for example when the washing machine is spinning
- The underframe protects your machine from the backflow of water from the drain, flood water up to 40 cm and wetness on the ground, for example from loose hoses
- The floor under the washing machine or other household appliances can be cleaned quickly and easily without having to move the heavy appliances out of the way

White	00111078
1 SC	



"Base Slide" Base for Washing Machine/Dryer, with Pull-out, white

Maximum Load Capacity	150 kg
Height	40 cm
Length	60 cm
Width	60 cm

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- The base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances measuring up to 60 x 60 cm and weighing up to 150 kg
- The high-quality steel base is particularly stable and durable
- Pull-out working top with a surface measuring 59 x 47 cm, load capacity up to 10 kg, with castors for easy pulling-out and for attachment at a height of 14 cm, 19 cm or 24 cm
- With self-adhesive foam strips to protect the surface and to prevent sliding
- The washing machine platform protects machines and more from the backflow of water from the drain, flood water up to 40 cm and wetness on the floor from loose hoses, for example

White	00220765
2 SC	

Household Accessories

WASHING & DRYING



xavax®

"Base Store" Base, For Washing Machine/Dryer, with Storage, white

Maximum Load Capacity	150 kg
Height	40 cm
Length	60 cm
Width	60 cm

- A storage compartment open on all sides offers sufficient space under the pedestal for detergent, fabric softener and so on
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- The base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances measuring up to 60 x 60 cm and weighing up to 150 kg
- The high-quality steel base is particularly stable and durable
- The 59 x 59 cm storage drawer can be attached at a height of 8 cm, 13 cm or 18 cm and can support loads up to 15 kg
- With self-adhesive foam strips to protect the surface and to prevent sliding
- The washing machine platform protects machines and more from the backflow of water from the drain, flood water up to 40 cm and wetness on the floor from loose hoses, for example

White				00220767
	2	SC		




xavax®

Furniture Mover with 4 Heavy-duty Castors, Height-adjustable Feet, 150 kg Load Capacity

Maximum Load Capacity	150 kg
Height	11 cm

- Sturdy swivel castors with one brake per castor for comfortable transport and a secure stand; the plastic castors absorb vibrations so that washing machines and other appliances can be operated on the rolling board
- Each foot is individually adjustable in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- The flexible surface can be adjusted from 50 x 50 cm to a size of up to 70 x 70 cm thanks to pull-out rails. The transport rollers can therefore be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture, heavy plants or warehouse and transport boxes with a weight of up to 150 kg
- The anti-slip surface and special reinforcements on the corners make the base unit particularly stable and resilient, allowing the machine to be transported safely without it moving around
- The underframe protects your machine from the backflow of water from the drain, flood water up to 11 cm and wetness on the ground, for example from loose hoses

White				00110233
	5	SC		



xavax®

Washing Machine Base Frame, Adjustable, 13-18 cm Height, 150 kg Load Capacity

Maximum Load Capacity	150 kg
-----------------------	--------

- Each foot is individually adjustable in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- The flexible surface can be adjusted from 52 x 52 cm to a size of up to 72 x 72 cm thanks to pull-out rails. The base unit can therefore be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture as heavy or warehouse and transport boxes with a weight of up to 150 kg
- The anti-slip plastic surface and special reinforcements on the corners make the base unit particularly stable and resilient, keeping the machine steady even when spinning and stopping it from moving around
- The underframe protects your machine from the backflow of water from the drain, flood water up to 18 cm and wetness on the ground, for example from loose hoses
- The floor under the washing machine or other household appliances can be cleaned quickly and easily without having to move the heavy appliances out of the way

White				00110232
	4	SC		



xavax®

Furniture Roller + „Base Roll“ Base Frame, for Washing Machine/Dryer, white

Maximum Load Capacity	200 kg
Height	10 cm

- Sturdy swivel castors with one brake per castor for comfortable transport and a secure stand; the plastic castors absorb vibrations so that washing machines and other appliances can be operated on the rolling board
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- FSC recycled: The paper, board and carton used for our packaging are made from 100 % certified recycled material
- Flexible resting surface: adjustable from 40 x 40 cm to 60 x 60 cm via pull-out rails, load capacity up to 200 kg
- This means that the furniture roller can be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture, heavy plants or storage and transport boxes
- Non-slip surface with good grip and special reinforcements at the corners: this makes the base particularly stable and durable, allowing washing machines etc. to be transported safely without sliding around
- With centimetre scale on the underside of the corners for simple and even size adjustment
- The underframe protects your machine from the backflow of water from the drain, flood water up to 10 cm and wetness on the ground, for example from loose hoses

White				00220768
	4	SC		



"Base Slide" Base for Washing Machine/Dryer, with Pull-out, black

Maximum Load Capacity	150 kg
Height	40 cm
Length	60 cm
Width	60 cm

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- The base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances measuring up to 60 x 60 cm and weighing up to 150 kg
- The high-quality steel base is particularly stable and durable
- Pull-out working top with a surface measuring 59 x 47 cm, load capacity up to 10 kg, with castors for easy pulling-out and for attachment at a height of 14 cm, 19 cm or 24 cm
- With self-adhesive foam strips to protect the surface and to prevent sliding
- The washing machine platform protects machines and more from the backflow of water from the drain, flood water up to 40 cm and wetness on the floor from loose hoses, for example

					00220766
		2	SC		

Home Appliance Vibration Damper




Vibration Damper, 4 Pcs

Number of Dampers	4
Diameter	45 mm
Height	22 mm

- For absorbing the operational vibrations of washing machines, dishwashers and tumble dryers
- For increased stability and for noise attenuation
- Prevents sliding on smooth floors
- Protects tiles from scratches
- Can be used anywhere and is easy to attach
- Made from thermoplastic material (TPE)
- Diameter: internal 4.5 cm; external 6.5 cm
- Can hold up to 90 kg

White					00220752
		48	HB		




Vibration Damper, 4 Pcs, black

Number of Dampers	4
Diameter	45 mm
Height	22 mm

- For increased stability and for noise attenuation
- Prevents sliding on smooth floors
- Protects tiles from scratches
- Can be used anywhere and is easy to attach
- Made from thermoplastic material (TPE)
- Diameters: internal 4.5 cm; external 6.5 cm
- Can hold up to 90 kg

Black					00220759
		48	HB		

Wash/Dryer Ball



Wool Dryer Balls, 3 Units

Shade of colour	Cream Nature
Temperature Resistance up to	100 °C
Diameter	75 mm

- 100% natural, made from sheep's wool
- Improves the wearing comfort of laundry
- Reduces static charge on textiles
- Laundry becomes less creased while drying
- Soft laundry without chemicals (e.g. detergents, softeners, drying sheets): the dryer ball therefore saves money and means fewer chemicals end up in rivers and bodies of water
- Ideal for sensitive skin
- Hypoallergenic, ideal for allergy sufferers and babies
- Can be reused a virtually unlimited number of times
- Ideal for the care of down jackets and duvets
- Dryer balls made from wool make less noise than plastic dryer balls
- Easy to use: pop all three dryer balls with the laundry into the dryer

					00111377
		48	HB		



Drying Balls, 2 pcs

Shade of colour	Blue, Green
Temperature Resistance up to	125 °C
Diameter	60 mm

- Simply place both drying balls in the tumble dryer with the laundry
- Can help to reduce the drying time
- Soft laundry without chemicals (e.g. detergents, softeners, drying sheets): the dryer ball therefore saves money and means fewer chemicals end up in rivers and bodies of water
- Ideal for allergy sufferers
- Fewer creases in laundry and less lint build-up
- Can be reused a virtually unlimited number of times

				00111013
		12	SC	



"Power Pearls" wash ball

Shade of colour	Green
Temperature Resistance up to	90 °C
Diameter	100 mm

- Plastic ball filled with 120 g ceramic wash pearls
- The vast micro surface of the pearls filters the water and allows for improved detergent distribution
- Detergent quantity can be reduced to 1/4 of the usual amount with no sacrifice to usual cleanliness
- Ideal for those who suffer from skin irritations or allergies caused by detergent residues, as the natural pearls emit no fragrances
- Textiles are protected, colours remain brighter for longer, since the amount of chemicals per wash is vastly reduced, resulting in possible wash temperatures from cold to 90°
- The specially shaped wash ball with its internal balls moves atypically within the drum, thus supporting the mechanical wash in the washing machine, as it rubs against textiles and thus releases dirt from fibres, disperses the wash more efficiently, and unfolds laundry more effectively
- Due to the movement of the beads, the detergent is released and foamed more efficiently in the water - so more oxygen is introduced into the wash water
- Can be used with all liquid or powder detergents
- Used correctly, the wash ball can be used for around 2 years, before the mineral balls become depleted

				00110226
		60	SC	




"Power Pearls" wash ball

Shade of colour	Green
Temperature Resistance up to	90 °C
Diameter	100 mm

- Plastic ball filled with 120 g ceramic wash pearls
- The vast micro surface of the pearls filters the water and allows for improved detergent distribution
- Detergent quantity can be reduced to 1/4 of the usual amount with no sacrifice to usual cleanliness
- Ideal for those who suffer from skin irritations or allergies caused by detergent residues, as the natural pearls emit no fragrances
- Textiles are protected, colours remain brighter for longer, since the amount of chemicals per wash is vastly reduced, resulting in possible wash temperatures from cold to 90°
- The specially shaped wash ball with its internal balls moves atypically within the drum, thus supporting the mechanical wash in the washing machine, as it rubs against textiles and thus releases dirt from fibres, disperses the wash more efficiently, and unfolds laundry more effectively
- Due to the movement of the beads, the detergent is released and foamed more efficiently in the water - so more oxygen is introduced into the wash water
- Can be used with all liquid or powder detergents
- Used correctly, the wash ball can be used for around 2 years, before the mineral balls become depleted

				00220769
		60	HB	



Dryer Balls, Set of 2

Shade of colour	Blue, Green
Temperature Resistance up to	95 °C

- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Simply place both drying balls in the tumble dryer with the laundry
- Can help to reduce the drying time
- Ideal for down jackets
- Soft laundry without chemicals (e.g. detergents, softeners, drying sheets): the dryer ball therefore saves money and means fewer chemicals end up in rivers and bodies of water
- Ideal for allergy sufferers
- Fewer creases in laundry and less lint build-up
- Can be reused a virtually unlimited number of times
- Also suitable for use in washer-dryers

				00220755
		32	HB	

Thermometer



xavVax®

Analogue Thermometer for Refrigerator, Freezer and Chest Freezer

Display	Analogue
Width x Depth x Height	2.2 x 2 x 21 cm

- When the temperature is set correctly, dishes remain fresh for longer and bacteria growth is reduced
- Colour scale for easier reading
- Hanging hook and eyelet for easy attachment
- Temperature display in degrees Celsius

White	00111019
	115 HB



xavVax®

Analogue Thermometer for Refrigerator, Freezer and Chest Freezer, Round

Display	Analogue
Width x Depth x Height	5.3 x 1.3 x 7 cm

- When the temperature is set correctly, dishes remain fresh for longer and bacteria growth is reduced
- Colour scale for easier reading
- Thermometer can be stuck (adhesive pad on the back) or hung in a suitable place
- Temperature display in degrees Celsius

White	00111309
	85 HB



xavVax®

Analogue Thermometer for Refrigerator, Freezer and Chest Freezer

Display	Analogue
Width x Depth x Height	2.4 x 1 x 15.3 cm

- When the temperature is set correctly, dishes remain fresh for longer and bacteria growth is reduced
- The thermometer helps to avoid unnecessary energy consumption and save electricity costs
- Colour scale for easier reading
- Hanging hook for easy attachment
- Temperature display in degrees Celsius

White	00110822
	34 HB



xavVax®

Thermometer "for fridge, freezer and chest freezer, digital"

Display	Digital
Width x Depth x Height	6.7 x 2.5 x 4.3 cm

- When the temperature is set correctly, dishes remain fresh for longer and bacteria growth is reduced
- Thermometer for placing, hanging or magnetically attaching
- Large digital display (50 x 25 mm) for easy reading
- Temperature indicator can be switched between Celsius and Fahrenheit

Black	00185853
White	00185854
	30 HB

Water Filter



xavVax®

Water Connection Kit for US Refrigerators

Usage	Side by Side Fridge
-------	---------------------

- Contains all the components needed for connection
- Quick-fasteners allow the cables and connections to be installed and removed without tools
- Consisting of: 6-metre water line (food safe) and a 5-piece plug and connection kit
- Securing rings ensure additional stability of the connection system

	00220739
	18 HB



xavVax®

External Universal Water Filter for Side-by-Side Refrigerators

Usage	Side by Side Fridge
-------	---------------------

- This filter cartridge is compatible with Samsung 10105J/Daewoo DD7098/EF9603, fits all upright refrigerators (side-by-side) that are connected to the water supply via a 1/4 inch (approx. 6 mm) plastic hose. These quick connections allow the plastic hoses to be connected in seconds
- This filter can be used universally as a pre-filter
- No sealing tape, no cumbersome adapters needed. After removing the stopper at the inlet/outlet, the integrated hose seal reliably shuts off the hose
- Contains a high-quality carbon block that has been manufactured especially for use in refrigerators. The carbon effectively removes up to 99% of chlorine
- The cartridge also removes other contamination such as solid particles dissolved in water, e.g. clay, sand, rust. The result is a significant improvement in taste and fewer deposits in your refrigerator's water and ice system
- Refrigerator filter replaces the following original filter types: DA29-10105J, WSF100, EF-9603, 3890JC2990A, 3650JD8050A, BL-9808, DD-7098, 3019974800, 497818, FUS001, 481931039257, USC-100, GXRTQ, GXITD and many others
- Tested according to EU 1935/2004

	00111822
	36 HB

ELECTRIC STOVE

Induction Hob Adapter



Induction Hob Adapter
"Consisting of Stainless Steel/
Aluminium"

Material	Metal
----------	-------

- The adapter conducts the heat from the hob to the pots, pans, roasters, kettles, etc.
- Suitable for aluminium, stainless steel, glass, copper and ceramic crockery
- Central part made from rust-free stainless steel with an aluminium core
- For containers with a similar diameter, max. 19 cm
- A long, insulated handle makes handling the induction hob adapter plate easier and prevents burns when lifting
- The plate can be easily cleaned under running water or in the dishwasher

19 cm				00111397
	12	SC		
23.5 cm				00111396
	10	SC		

Baking/Roast Thermometer



Digital Meat Thermometer
with Timer, cable sensor

Display	Digital
Measuring Range	-10°C to +250°C
Usage	Drinking Temperature, Oven, Roast Temperature

- The stainless steel probe (160 mm) with 1 m heat-resistant cable allows you to measure the inside temperature of food - simply insert the probe
- Ideal for vegetables, roasts, cakes and steaks as well as for soups, wine, tea water, baby food and much more
- For controlling different cooking levels by setting a specific temperature: an alarm can prevent the set temperature to be exceeded, this prevents food from overcooking
- Can be used as a timer or thermometer, countdown and countup timer adjustable up to maximally 99 minutes and 59 seconds
- Suitable for continuous operation, e.g. for the complete roasting time (insertion sensor in the oven and measuring body outside)
- Sturdy housing can be attached in many positions, e.g. by a magnet, built-in suspension eye and stand

				00111381
	6	HB		

Sealing Tape



Sealing Tape for Ceramic
Hob, 3 x 1.10 m

Material	Foam
Width x Length	15 x 1100 mm
Thickness	2 mm

- Protects against liquids that could run under the ceramic hob
- Ensures a firm grip for the hob on the worktop
- Also suitable for sealing kitchen sinks or as a universal insulating or sealing tape
- Self-adhesive on one side

Black				00220751
	60	HB		

Scraper




Special Glass Scraper for
Glass Ceramic Cooking
Surfaces

Usage	Glass Ceramic
-------	---------------

- Glass scraper in first equipment quality, specially developed for glass ceramic hobs
- Also removes colour or residues of stickers on glass, tiles, etc.
- When not in use, the blade can easily be retracted (protective function)
- Ergonomically shaped grip, can be hung up
- The blade can easily be replaced (replacement blades item no.: 00111096)
- Dimensions of the metal housing: 138 x 46 mm

				00111010
	12	BK		

Blades/holder




Replacement Blades for Glass Scraping Tool for Glass Ceramic Hobs

Number of Blades	5
Usage	Ceramic Stove Top

- Replacement blades for Xavax glass scraping tool for glass ceramic hobs (item no. 00111010)
- Ground on both sides, thereby doubling the service life

Hob frame



Compensation Frame for Hobs

Material	Stainless Steel
External Dimension W x D	61 x54 cm
Internal Dimension W x D	56x50 cm

- Easy and quick to use
- Saves buying and installing a new worktop or a larger and more expensive hob
- High-quality, rust-free stainless steel

			00111096
	24	BK	

			00111872
	5		

Household Filter



Activated Carbon Filter for Cooker Hoods, set of 2

Filter Type	Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- Many odours are trapped to a large extent due to the addition of activated carbon
- Can be individually cut to size
- Fire protection class according to ISO 9772 (HF1)

				00110832
		18	PO	



Extractor Flat/Activated Charcoal Filter, Set of 2

Filter Type	Grease Trap, Odour Filter
Size	470 x 570 mm
Usage	Fume Hood

- Kit comprising one charcoal odour filter and one flat filter
- With saturation display (indicator colour changes from grey-brown to red)
- Replace the filter when indicated by the red saturation display
- The addition of activated charcoal traps most cooking odours
- Can be trimmed to size
- Flat filter: fire safety class ISO 9772 (UL 94 HBF)
- Activated charcoal filter: fire safety class ISO 9772 (HF1)

				00110871
		30	PO	



Fleece Filter for Cooker Hoods, 2 pcs./set

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- Special, particularly absorbent texture made of fibres
- can be individually cut to size

				00110831
		18	PO	




Flat Filter for Cooker Hoods, set of 2

Filter Type	Grease Trap
Size	470 x 570 mm
Usage	Fume Hood

- With saturation indicator (indicator colour discolours from grey-brown into red)
- Replace filter when the saturation indicator is red
- Can be individually cut to size
- Fire protection class according to ISO 9772 (UL 94 HBF)

				00110830
		120	PO	

Reducer



Reducer
"Fume Hood"

Shade of colour	White
Material	Plastic Material

100 - 125 mm	00111061
10	HC
125 - 150 mm	00110836
10	HC

COOKING HOOD

Lamps



Oven Light, 15 W, Heat-resistant to 300°, E14, Pear Shape, clear

Colour Reproduction Index RA (min.)	95
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2000 K
Design / Diameter / Height	Pear Shape / 22 mm / 48 mm
Lamp socket	E 14

- Heat-resistant to 300° Celsius



LED Filament, E14, 470 lm Replaces 40W, for Refrigerators/Extractor Hoods

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	T25 Bulb / 25 mm / 86 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	40 W

- High light yield
- Very low energy consumption of just 4W
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- No mercury or lead



LED Filament, E14, 250 lm Replaces 25W, for Refrigerators/Extractor Hoods

Colour Reproduction Index RA (min.)	80
Light Colour	Warm White
Can be Dimmed	No
Colour Temperature	2700 K
Design / Diameter / Height	T25 Bulb / 25 mm / 83 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- High light yield
- Very low energy consumption of just 2W
- Low heat generation without UV radiation
- Full lighting power instantly after switch-on
- No mercury or lead



Oven Bulb, 25 W, Heat-resistant to 300°, E14, Pear Shape, clear

Colour Reproduction Index RA (min.)	90
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2200 K
Design / Diameter / Height	T25 Bulb / 25 mm / 54 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	25 W

- Heat-resistant to 300° Celsius
- Light bulb: pear shape
- Bulb diameter: 26 x 58 mm
- Clear
- 25 W; E 14; Voltage: 230 V

00111440

10 BK

00111450

10 BK

00111449

10 BK

00111443

10 BK



LED Refrigerator Bulb, 2W, E14, neutral white

Colour Reproduction Index RA (min.)	80
Light Colour	Neutral White
Can be Dimmed	No
Colour Temperature	4000 K
Design / Diameter / Height	T25 Bulb / 25 mm / 59 mm
Lamp socket	E 14
Power Consumption of an Equivalent Incandescent Lamp	20 W

- With a total length of 60 mm, this bulb fits into virtually any refrigerator or freezer
 - Also ideal for freezer cabinets, bottle coolers, sewing machines, guide lights and night lights in which only small illuminants can be used
- Operating Temperature: -20°C to +40°C

00111446			
	10	HB	



Halogen Extractor Hood Bulb, 25W, Tube Shape, Clear, E14

Colour Reproduction Index RA (min.)	100
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2700 K
Design / Diameter / Height	26 / 80 mm
Lamp socket	E 14

- Immune to vibration
- Optimum light distribution

00111439			
	12	BK	



Halogen Oven Bulb 28 W, Heat-Resistant up to 300°, G9, clear

Colour Reproduction Index RA (min.)	99
Light Colour	Warm White
Can be Dimmed	Yes
Colour Temperature	2800 K
Design / Diameter / Height	Compact / 14 mm / 42 mm
Lamp socket	G 9

- Heat-resistant to 300° Celsius
- Clear
- 1 blister-packaged unit


00111451			
	12	BK	

SPECIAL BULB

Holders | Tableware & Cutlery

MICROWAVE

Holder



Holder
"for Microwave"

Attachment	Screw-On Mounting
Material	Metal
Maximum Load Capacity	30 kg

- Space-saving and simple installation
- The width and depth can be adjusted
- Punched recesses ensure device stability
- Maximum load capacity: 30kg
- Max. width: 43 cm
- Retaining arms can be extended from 36.5 to 51 cm depth

White	00110930
Silver	00110931
	4 SC

Microwave Cover



"S-Capo" Microwave Cover

Temperature Range	-30°C to 110°C
Diameter	22 cm
Height	10.3 cm

- Shortens cooking time by reducing the cooking space
- Contains all splashes
- Allows built up steam to be released
- Especially high, practical handle for easily removing the cover from a dinner plate
- Large handle and centred steam vents prevent burns when the cover is removed

	24
--	----



"M-Capo" Microwave Cover

Temperature Range	-30°C to 110°C
Diameter	26 cm
Height	10.3 cm

- Shortens cooking time by reducing the cooking space
- Contains all splashes
- Allows built up steam to be released
- Especially high, practical handle for easily removing the cover from a dinner plate
- Large handle and centred steam vents prevent burns when the cover is removed

	14
--	----



"Basic" Microwave Cover

Temperature Range	-5°C bis 80°C
Diameter	26 cm
Height	6,5 cm

- Reliable spray protection
- Shortens the cooking time by reducing the cooking space
- Steam outlet openings on the outer edge avoid excess pressure
- Handy recesses in the middle for easy removal of the cover from dishes

	48 PO
--	-------

Household Filter



Universal Comb Filter for Fryers

Filter Type	Grease Trap, Odour Filter
Size	330 x 296 mm
Usage	Deep-Fat Fryer

- A charcoal odour filter and a grease filter with saturation display (indicator colour changes from grey-brown to red)
- Replace the filter when indicated by the red saturation display
- Can be trimmed to size (saves buying expensive filter cassettes)
- Flat filter: fire safety class ISO 9772 (UL 94 HBF)
- Activated charcoal filter: fire safety class ISO 9772 (HF1)

00110872		
60	PO	

DEEP FRYER

Holders | Filters | Household Accessories

VACUUM CLEANER ACCESSORIES



Pedestal **"Organizer for cordless Vacuum Cleaners"**

Material	Aluminium
VESA Standard	No Specifications
Recommended Screen Size	No Specifications
Version	Fix

- Stable stand for vacuum cleaners, tidy organiser for accessories in the individual holders
- Space for two floor nozzles
- Aluminium design for an elegant look
- Drill-free installation
- Silicone pad under the base prevents the base from slipping and scratching the floor
- Generous cable guide hole for easy cable winding - ideal for charging battery-powered vacuum cleaners
- Also compatible with Dyson, Bosch, AEG, Philips, Rowenta and models with similar designs thanks to the numerous mounting holes for the charging station

Black/Silver	00110235
Black	00181562
	4 SC



Motor Filter for Vacuum Cleaner, Universal, Activated Charcoal Filter, 3 Pc

Width x Length	12 x 17 cm
----------------	------------

- Trimming to size allows the filter to be adapted easily to almost all common vacuum cleaner models
- Activated charcoal content filters and reduces unpleasant odours

	00181565
	135 PO



Vacuum Cleaner Bags AE 09

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 92 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Suitable for:
 - AEG vacuum cleaner bags with the designation: Size 51
 - AEG appliances with the designation: Smart 460; Smart 470; Smart 485; VOZ Y
 - Delta appliances with the designation: KS 1202
 - FIF appliances with the designation: KS 1202; KS 1204
 - Primera appliances with the designation: EVC 175
 - Electrolux appliances with the designation: E 59
 - Progress appliances with the designation: P 61

	00181553
	26 HB




Vacuum Cleaner Bags XA 02

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	82 x 84 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Suitable for Bomann vacuum cleaner bags with the designation:
 - Size: B 52
- Suitable for Clatronics:
 - Size: SSB 98
- Suitable for Hoover:
 - Size: H 55
- Suitable for Progress:
 - Size: P 56; P 67/S
- Suitable for Severin:
 - Size: SB 9022
- Suitable for Taurus:
 - Size: 948.603; 948.623
- Suitable for Schott:
 - Size: ST 31 EC
- Suitable for Chromex:
 - Size: CH 960; CH 283; CH 284; CH 285
- Suitable for De Sina:
 - Size: 1090641
- Suitable for Silva:
 - Size: TB 13
- Also suitable for various vacuum cleaner bags from:

	00181557
	26 HB



Vacuum Cleaner Bags NI 02

Exhaust Air/Motor Filter	Not Needed
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	97 x 82 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- Suitable for
- Nilfisk vacuum cleaner bags with the designation: 818 460 00; 223 595 00
- Nilfisk appliances with the designation: Arnoldi; Extreme X 110 > 300; GM 200 > 499; GM 500 > 599; GMD 400 > 430; Home; Hygienic; King 510; King 520; King 530; King 540; King Great Dane; King Special; Mocca; Seasons; Siena; Special; DS ZS N
- Team appliances with the designation: ST 16

				00181561
		26	HB	



AE 01 Vacuum Cleaner Bags, 4 Pcs

Exhaust Air/Motor Filter	Trimmed to Size
Number of Vacuum Cleaner Bags	4
Retaining Plate W x H	112 x 90 mm

- MicroMultiFleece with a filtration of 99.9%, prevents germ formation and mould growth; the multi-layer structure effectively traps fine dust and allergens like pollen and mites
- Additional layers of special, patented fleece neutralise odours and ensure a pleasant indoor climate
- With dust seal
- Highly resilient plastic connector

Replacement for AEG vacuum cleaner bags with the designation:

- Size 28, ACE... series, CE series, (Eco) Vampyr 5000 series

Replacement for Electrolux vacuum cleaner bags with the designation:

- E 53

Replacement for Progress vacuum cleaner bags with the designation:

- P 60

Replacement for Volta vacuum cleaner bags with the designation:

- V 31

Replacement for Hoover vacuum cleaner bags with the designation:

- AE 23

Also suitable for various vacuum cleaner bags from:

				00181550
		26	HB	

Vacuum Cleaner Nozzle



"Comfort" Universal Floor Nozzle

Tube Connection	32, 35
Nozzle Type	Combined Vacuum Cleaner Nozzle

- Especially flat construction, ideal for reaching under low sofas and cabinets
- Air intake channel across the entire width: very good cleaning across the entire nozzle width thanks to newly designed air channel, ideal for large surfaces
- The double thread lifter effectively removes hair and fabric fibres
- Convenient foot switch (carpet - hard floor)
- Stainless steel base plate for an especially long service life
- Excellent agility thanks to combined turn and tilt joint so that the suction pipe can be placed on the floor
- Very smooth running and gentle on the floor thanks to rubberised rollers
- with all-round brush crown: for the best suction results on all smooth surfaces
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

				00110287
		12	HB	



"Basic" Universal Floor Nozzle

Tube Connection	32, 35
Nozzle Type	Combined Vacuum Cleaner Nozzle

- The double thread lifter effectively removes hair and fabric fibres
- Excellent cleaning across the entire nozzle width
- Circumferential brush bar for good cleaning results on all hard floors
- Stainless steel base plate for an especially long service life
- Excellent agility thanks to combined turn and tilt joint
- Convenient foot switch (carpet - hard floor)
- Compact, space-saving design
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

				00110298
		12	HB	



"Basic" Hard Floor Nozzle

Tube Connection	32, 35
Nozzle Type	Hard Floor Nozzle

- The two rubberised castors are very free-running and prevent the fibres from wearing out quickly
- Flat construction, ideal for reaching under low sofas and cabinets
- Excellent cleaning across the entire nozzle width
- Nozzle with swivel joint
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

				00110246
	6	BK		



Hard Floor Nozzle with Hor-sehair

Tube Connection	32, 35
Nozzle Type	Parquett Nozzle

- The two rubberised castors are very free-running and prevent the natural fibres from wearing out quickly
- Flat construction, ideal for reaching under low sofas and cabinets
- Excellent cleaning across the entire nozzle width
- Nozzle with swivel joint
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)

				00110237
	6	BK		



Turbo Brush with Universal Connection, for Vacuum Cleaners

Nozzle Type	Turbo Brush
-------------	-------------

- With rotating brush roller, ideal for pet hair, fabric threads and similar dirt
- Removes deep-seated dirt, eliminates footprints and refreshes the carpet pile
- Also suitable for hard floors
- Brush is powered by the air current (does not require an additional power connection)
- With cleaning flap for easy cleaning of the turbines
- With cleaning flap for cleaning of the brush roller
- Very smooth running and gentle on the floor thanks to 4 rubberised rollers
- Compatible with virtually all vacuum cleaners thanks to universal tube connection 31 - 37 mm

				00110234
	6	HB		



Crevice Tool

Tube Connection	32, 35
Nozzle Type	Crevice Tool

- Especially long, slimline design (for cars, upholstered furniture, etc.)
- Suitable for virtually all vacuum cleaners
- Pipe connection: 35 mm (also suitable for 32 mm via enclosed adapter)
- Total nozzle length approx. 220 mm

				00110245
	6	BK		



Upholstery Nozzle

Tube Connection	32, 35
Nozzle Type	Upholstery Nozzle

- Fits virtually all vacuum cleaners
- 35 mm tube connection, also suitable for 32 mm tubes with included adapter
- The compact shape means it can also be used in small areas
- The double thread lifter very effectively removes hair and fabric fibres
- Ideal for car seats and upholstered furniture, for example

00110244		
6	BK	



Furniture Nozzle

Tube Connection	32, 35
Nozzle Type	Hardfloor Accessories

- Stubborn dust and fluff will be removed by the fibres (e.g. on uneven surfaces or furniture decoration)
- The rectangular shape means it can also be used in larger areas
- Also suitable for use in the car
- For vacuum cleaners with a 35 mm tube connection (incl. adapter for 32 mm tubes)

00110247		
6	BK	

Thermostat Valve Adapter



Adapter for Heating Valve,
M28 x 1.5 mm, metal

External Connection Thread	M 30 x 1,5
Internal Connection Thread	M 28 x 1.5
Material	Aluminium/Stainless Steel

- Thermostat adapter for the installation of all smart thermostat heads
- Smart home extension: smart thermostats can also be installed
- For retrofitting or renovating: make energy saving easy by replacing radiator thermostats for smart / electronic heating controllers
- The adapter for thermostatic valves is compatible with almost all commercially available radiator valves with an M28 x 1.5 mm connection thread
- Manufacturers offering this size include: Herz, Vaillant, Fritz, Danfoss, MMA, Remagg, TA, Comap, Markaryds, SAN, Slovarm, etc.
- Installation simply involves twisting the valves on - no special tools are required

			00111945
	6	HB	



Service Assortment

at a glance

Supply hoses

Supply hose accessories

Drain hoses

Drain hose accessories

Siphon connection

Exhaust hose

Exhaust hose accessories

Cooling

Washing/Drying

Cooking

Cleaning and care

SUPPLY HOSES



xavax®
Tube „Water Stop Hose for Washing Machines, Dish-washers., Polyb., New“

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Connection Nut, straight
Burst Pressure	50 bar
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Operating Pressure	10 bar
Maximum Temperature	90 °C

- For all washing machines, dish-washers, etc.
- Connection: 3/4" (1.91 cm) straight/3/4" (1.91 cm) angled
- The outer protective sleeve prevents water damage in the event of leaks or breakage of the hose
- Leak is indicated by colour signal

1.5 m				00111447
		14	PO	
2.5 m				00111448
		8	PO	



xavax®
Tube „Cold Water Hose for Washing Machines, Dish-washers, Polybag“

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Connection Nut, straight
Burst Pressure	60 bar
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Operating Pressure	10 bar
Maximum Temperature	25 °C

- Connection: 3/4" (1.91 cm) straight sleeve nut; 3/4" (1.91 cm) angled sleeve nut
- Sieve and rubber seal
- VDE approved

1.5 m				00110952
		15	PO	
2.5 m				00110953
		10	PO	
3.5 m				00110954
		12	PO	



xavax®
Reinforced Water Supply Hose, 2 m, 1 piece/poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, angled/Connection Nut, straight
Burst Pressure	90 bar
Material	Steel Wire Braiding (Rustproof)
Maximum Operating Pressure	10 bar
Maximum Temperature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified

2 m				00110968
		15	PO	




xavax®
Hose Extension "Armored hose, Extension, Polypropylene"

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threading External Thread
Material	Steel Wire Braiding (Rustproof)
Maximum Temperature	93 °C

- Offers the highest level of safety against water damage from washing machines, preparation equipment for drinking water or dishwasher connections (ice cube makers, boilers, side by side refrigerators, etc.)
- Also ideal for extending permanently attached supply hoses with water stop devices
- High-quality stainless steel wire braid
- DVGW type test certificate: DW-0304BT0257
- Approved as a hose line for drinking water installation (group I) with the DVGW tests W 543, W 270 and BGA KTW-A 0304, excellent microbiological purity and mechanical resistance certified

2 m				00110960
		20	PO	
1 m				00110959
		20	PO	
0.5 m				00111393
		20	PO	



Cold Water Supply Hose
Extension, 2.5 m, 1 piece/
poly bag

Nominal Diameter/ mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/ mm 2	3/4" (DN:20), 26.9 mm
Type of Connection	Connection Nut, straight, Threatfitting External Threat
Material	Nylon, Polyvinyl Chloride (PVC)
Maximum Tempe- rature	25 °C

- Connection: 3/4" (1.91 cm) straight /
straight
- VDE tested

2.5 m	00110955
	15 PO

SUPPLY HOSES

SUPPLY HOSE ACCESSORIES

Protection



xaVax®

Hose break protection for supply hose

Nominal Diameter/mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/mm 2	3/4" (DN:20), 26.9 mm
Material	Brass

- For washing machines and dishwashers
- Easy installation (even afterwards), is easily screwed between the water tap and the supply hose

00220740		
96	HB	

Stop Valve



xaVax®

Non-return Valve, with 2 Hose Clamps, for max. Ø 10 mm

- If a washing machine and a condensing or heat pump dryer is connected to a single siphon connection, the waste water could be pumped from one machine to the other
- A non-return valve in the waste water pipe prevents this backflow
- Suitable for drain hoses with an inner diameter of up to 10 mm
- With 2 hose clamps 10 - 16 mm

00220733		
180	HB	

Hose Connector



xaVax®

Brass Supply Hose Connector, for 3/4 Inch

Nominal Diameter/mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/mm 2	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Temperature	120 °C

- Professional design in metal also suitable for high water pressures and hot water connections- External thread: 2 x 3/4" (26.9 mm)

00220741		
96	HB	



xaVax®


Y-Distributor for Supply Hoses, for Ø 3/4 Inch (26.9 mm)

Nominal Diameter/mm 1	3/4" (DN:20), 26.9 mm
Nominal Diameter/mm 2	3/4" (DN:20), 26.9 mm
Nominal Diameter/mm 3	3/4" (DN:20), 26.9 mm
Material	Brass
Maximum Temperature	120 °C

- Professional design in metal, robust and temperature-resistant
- Also suitable for high water pressure and hot water connections
- Seal guarantees protection from water leaks
- Y-distributor suitable for common thread ID/nominal width/mm 3/4" (DN:20) 26.9 mm
- Internal thread: 1 x 3/4" for connection to the tap
- External thread: 2 x 3/4" for connecting two supply hoses

00220735		
96	HB	

Appliances-Water Connection




Machine connection

Connection	Copper Tube Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	3/8" (DN:10), 17.2 mm

- For installation, only the angle valve needs to be closed (shutting off the domestic water supply is not necessary)
- The machine connection is easily inserted into the pipe to the water tap
- Hose connection can be individually shut off
- Chrome-plated

00220742		
48	HB	



Corner valve with machine connection

Connection	Copper Tube Connection, Water Connection
Hose Connection	3/4" (DN:20), 26.9 mm
Tube Connection	3/8", (tube: 10 mm)
Water Connection	1/2" (DN:15), 21.3 mm

- Direct attachment of water connection pipes with 1/2" (21.3 mm) connection
- Hose connection 3/4" (26.9 mm) for dishwashers / washing machines, can be individually shut off
- Copper pipe connection 10 mm to the water tap, can be individually shut off
- Chrome-plated

00220743		
48	HB	

DRAIN HOSES



Tube
"Extension, Polybag"

Type of Connection	Straight
Material	Polypropylene (PP)
Maximum Temperature	100 °C
Inner Diameter	20 mm
Outside Diameter	25 mm

- High pressure resistance (crush resistance)
- High resistance to chemicals
- Connection: 2x straight

1.5 m	00110962
2.5 m	00110963



Drain Hose Extension, Uni-
versal, Flexible, 2.5 m

Type of Connection	Straight
Material	Polypropylene (PP)
Maximum Temperature	90 °C
Inner Diameter	20 mm
Outside Diameter	25 mm

- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Great quality is within easy reach: this product is manufactured in Europe, enabling us to avoid long transport routes
- For extending fixed-connection supply hoses
- Connection: 2x straight
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Flexible drain hose extension: adapts to the structural conditions of the washbasin, vanity unit, existing pipes, etc.

2.5 m	00220754
-------	----------



Drain Hose for Washing Ma-
chines and Dishwashers, 4 m

Type of Connection	Straight
Material	Polypropylene (PP)
Maximum Temperature	90 °C
Inner Diameter	21 mm
Outside Diameter	29 mm

- Great quality is within easy reach: this product is manufactured in Europe, enabling us to avoid long transport routes
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Connection: straight: 21 mm/straight: 21 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Flexible drain hose: adapts to the structural conditions of the washbasin, vanity unit, existing pipes, etc.

4 m	00220753
-----	----------



Drain Hose for Washing Ma-
chines and Dishwashers, 4 m,
1 Pc/Poly Bag

Type of Connection	Straight
Material	Polypropylene (PP)
Maximum Temperature	90 °C
Inner Diameter	21 mm
Outside Diameter	29 mm

- Great quality is within easy reach: this product is manufactured in Europe, enabling us to avoid long transport routes
- Connection: straight: 21 mm/straight: 21 mm
- Complete with hanging clip
- High pressure resistance (crush resistance)
- High resistance to chemicals
- Flexible drain hose: adapts to the structural conditions of the washbasin, vanity unit, existing pipes, etc.

4 m	00181566
-----	----------



Drain hose set for condenser dryers

Type of Connection	Straight
Material	Polyethylene (PE)
Maximum Temperature	70 °C
Inner Diameter	10 mm
Outside Diameter	15 mm

- Consisting of: 1 x drain hose 1.5 m, 1 x siphon connection with seal, 3 x hose clamps, 1 x non-return valve
- High pressure resistance (crush resistance)


			00220747
	32	HB	

DRAIN HOSES

Mounting Materials | Household Accessories

DRAIN HOSE ACCESSORIES

Clamp



Clamp
"10 Piece"

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- For inlet and drain hoses
- Band and body made from stainless steel
- Galvanized screw

20 - 32 mm	00110981
26	SC

Hose Connector



Drain Hose Connector, Brass,
for Ø 20 mm

Material	Brass
Maximum Temperature	120 °C

- Professional design in metal, robust and temperature-resistant
- Connector suitable for common drain hoses with an internal diameter of 20 mm
- With 2 hose clamps 20 - 32 mm

180	HB	00220732
-----	----	----------




Drain Hose Connector, for
Ø 20 mm

Material	Acrylonitrile-Butadiene-Styrene (ABS)
Maximum Temperature	120 °C

- Connector suitable for common drain hoses with an internal diameter of 20 mm
- Max. temperature 120 °C
- With 2 hose clamps 20 - 32 mm

120	HB	00220729
-----	----	----------




Y-Connector for Drain Hoses,
for Ø 20 mm

Material	Acrylonitrile-Butadiene-Styrene (ABS)
Maximum Temperature	120 °C

- Y-distributor suitable for common drain hoses with an internal diameter of 20 mm
- The Y-distributor itself has an internal diameter of 17 mm
- Max. temperature 120 °C

8	HB	00220731
---	----	----------

Siphon/-accessoires



xavVax®

In-Wall Waste Pipe Connection without Opening for Cleaning, 10 pieces/PB

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Connect the drain hose to the in-wall syphon
- Conical drain hose connection fits hoses with a diameter of 20 mm, 23 mm and 3/4 inches

xavVax®

Double Appliance Connection Grommet with Backflow Preventer, for Recessed Siphon

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Ideal for connecting two appliances with a waste water connection to just one siphon connection
- Made from impact-resistant polypropylene with backflow preventer
- Backflow preventer only opens when water is draining, thus preventing water from being pumped from one machine into the other
- Easy to fit to recessed siphons (gasket fixed onto the pipe)
- 1" union nut; 2 x hose connection 20 - 24 mm



xavVax®

Siphon Connection for Wall-mounted Siphons without Cleaning Opening

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- drain hose can be secured to the wall connection
- Conical drain hose connection suitable for hoses with a diameter of 20 mm, 23 mm and 3/4 inch
- Thread designation/nominal bore/mm 1" (DN:25) 33.7 mm
- With 1 hose clamp 20 - 32 mm
- Seal guarantees protection from water leaks




xavVax®

Flexible 1 1/2" Siphon, 1 piece/poly bag

Gland 1	20 mm
Material	Plastic Material

- Suitable for wall connection from 40 mm to 50 mm
- With two 1" (2.54 cm) siphon connections for washing machines and dishwashers
- Including 2 odor traps
- Tested according to DIN EN 274/19545



SIPHON CONNECTION

00110978

10 PO

00220746

48 HB

00220737

48 HB

00110967

15 PO

SIPHON CONNECTION



Siphon Connector with Union Nut

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Drain hose connection suitable for hoses 18 - 23 mm in diameter
- Includes hose clamp

00220744		
48	HB	



Siphon Connection with Condensation Trap, for Drain Hoses

Gland 1	8 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Second connection for condensing dryer outlet hose
- 1" (33.7 mm) union nut
- 1 x 20 mm connection, for washing machine and dishwasher outlet hose
- 1 x 8 mm connection, for dryer condensate outlet hose connection
- Seal guarantees protection from water leaks

00220736		
96	HB	



Y-Connector for Drain Hoses, with 1" Seal

Gland 1	23 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Adapter turns a single connection into a double connection: ideal if multiple appliances with a waste water connection are to be connected to a single siphon
- Seal guarantees protection from water leaks
- Easy, safe installation: Hose clamps secure the drain hose to the double-appliance connection, with union nuts for tightening the adapter to the siphon
- Y-adapter 19 - 23.5 mm hose connection is suitable for hoses with interior dimensions of 19 - 23 mm
- Thread designation/nominal bore/mm 1" (DN:25) 33.7 mm
- With 2 hose clamps 20 - 32 mm

00220738		
96	HB	



Siphon Connection for Drain Hoses

Gland 1	20 mm
Nominal Diameter/ mm 1	1" (DN:25), 33.7 mm
Material	Plastic Material

- Thread designation/nominal bore/mm 1" (DN:25) 33.7 mm
- Hose connection suitable for common drain hoses with an internal diameter of 20 mm
- With 1 hose clamp 20 - 32 mm
- Seal guarantees protection from water leaks

00220734		
120	HB	

Tube



Exhaust hose adapter for laundry driers

Type of Connection	Straight
Material	Polyvinyl Chloride (PVC)
Outside Diameter	102 mm

- Packaging with a clear conscience: our packaging is 100% plastic-free, enabling us to reduce plastic waste and increase its recyclability
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- suitable for all 102-mm exhaust air hoses
- ideal for dryers with a 100 mm connection
- easy to insert into wall boxes or wall penetrations
- enables easy connection and disconnection of the exhaust air hose (advantageous if it can only be installed during drying)
- sits firmly, therefore no hose clamp necessary

0.05 m	00220757
20	HB



Tube "Laundry Dryer"

Material	Polyvinyl Chloride (PVC)
Outside Diameter	102 mm

- Flexible PVC hose mounted on a spring steel helix wire
- Can be cut to length just as one likes
- Incl. 2 hose brackets, 90-110 mm

2 m	00110944
24	HB
4 m	00110945
12	HB

EXHAUST HOSE

Mounting Materials

EXHAUST HOSE ACCESSORIES

Clamp



Clamp
"10 Piece"

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- To fix exhaust pipes of laundry dryers
- Band and body made from stainless steel
- Galvanized screw

90 - 110 mm	00110982
1	SC



Hose Clamp, 110-130 mm,
2 Pcs

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- Ribbon and housing made from rust-free steel, galvanised screw

110 - 130 mm	00220745
6	HB



Hose Clamp, 90-110 mm,
2 Pcs

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- For attaching exhaust pipes / tubes (max. pipe diameter: 110 mm) to laundry dryers, for extensions and wall break-throughs
- Ribbon and housing made from rust-free steel, galvanised screw

90 - 110 mm	00220748
6	HB



Hose Clamp, 20 - 32 mm

Material	Steel (Rustproof, Galvanized)
----------	-------------------------------

- For supply and drain hoses
- Ribbon and housing made from rust-free steel
- Tinned screw
- Hexagon head screw with cross recess enables easy screwing on and tightening by hand or with a cordless screwdriver
- Also suitable for attaching hoses for water pumps, solar systems, cars, boats and pool heating

20 - 32 mm	00220730
180	HB



Water Connection Kit for US Refrigerators

- | Usage | Side by Side Fridge |
|--|---------------------|
| <ul style="list-style-type: none">• Contains all the components needed for connection• Quick-fasteners allow the cables and connections to be installed and removed without tools• Consisting of: 6-metre water line (food safe) and a 5-piece plug and connection kit• Securing rings ensure additional stability of the connection system | |



External Universal Water Filter for Side-by-Side Refrigerators


- | Usage | Side by Side Fridge |
|---|---------------------|
| <ul style="list-style-type: none">• This filter cartridge is compatible with Samsung 10105J/Daewoo DD7098/EF9603, fits all upright refrigerators (side-by-side) that are connected to the water supply via a 1/4 inch (approx. 6 mm) plastic hose. These quick connections allow the plastic hoses to be connected in seconds• This filter can be used universally as a pre-filter• No sealing tape, no cumbersome adapters needed. After removing the stopper at the inlet/outlet, the integrated hose seal reliably shuts off the hose• Contains a high-quality carbon block that has been manufactured especially for use in refrigerators. The carbon effectively removes up to 99% of chlorine• The cartridge also removes other contamination such as solid particles dissolved in water, e.g. clay, sand, rust. The result is a significant improvement in taste and fewer deposits in your refrigerator's water and ice system• Refrigerator filter replaces the following original filter types: DA29-10105J, WSF100, EF-9603, 3890JC2990A, 3650JD8050A, BL-9808, DD-7098, 3019974800, 497818, FUS001, 481931039257, USC-100, GXRTQ, GXITD and many others• Tested according to EU 1935/2004 | |

00220739		
18	HB	

00111822		
36	HB	

WASHING/DRYING

Anti-Slip Mat



Anti-Slip Mat for Washing Machines

Width x Length	60 x 60 cm
----------------	------------

- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Odour-neutral
- Extremely resilient and tear-resistant thanks to high density
- Highly-specific rubber granulate bonded to polyurethane
- Rot-resistant
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Germany
- Width x length x height: 60 x 60 x 0.6 cm

Grey	00111362
10	

Anti-Slip Pads with Vibration Protection, 10 x 10 x 1.5 cm, Set of 4




Anti-Slip Pads with Vibration Protection, 10 x 10 x 1.5 cm, Set of 4

Width x Length	10 x 10 cm
----------------	------------

- Set of 4 pads for all 4 corners of the device or appliance involved
- Absorbs vibrations and prevents appliances moving around
- Provides sound insulation and reduces noise pollution
- Highly-specific rubber granulate bonded to polyurethane
- Rot-resistant
- Resistant to household chemicals, as well as certain acids and alkalis
- Protects flooring of all kinds, equipment and machinery
- Made in Europe

Black	00220770
36 HB	

Lashing Strap



Safety Lashing Strap with Ratchet for Laundry Drier

Length	600 cm
--------	--------

- Wrap the strap around the entire column (comprising the washing machine and laundry drier), thread it through the ratchet and lash tight
- After tensioning, the drier sits firmly on the washing machine
- This prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Max. lashing strength: 250 daN
- Material: impregnated polyester

00111896	
12 HB	

Household Appliance Stacking Kit



Household Appliance Stacking Kit „Stack Classic for washing machine/dryer, up to 250kg“

Material	Polypropylene (PP)
Width x Depth	60 x 55 cm

- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Great quality is within easy reach: this product is manufactured in Europe, enabling us to avoid long transport routes
- The stacking kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm
- Also suitable for washing machines with a sloping or curved front and for machines where the detergent drawer extends to the lid, as well as for dryers that have a cleaning flap in the lower part of the front
- Special side rails prevent the dryer from moving, for example, when the washing machine is spinning
- Particularly stable and resilient: Despite its low dead weight, the frame has a considerable load-bearing capacity of up to 250 kg

Black	00220763
White	00220762
6 SC	



Household Appliance Stacking Kit „Stack Slide for washing machine/dryer, with pull-out drawer“

Material	Aluminium/Metal/ Plastic Material/Wood
Width x Depth	60 x 55 cm
Load Leaf	12 kg

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- The connecting frame is made from metal and the worktop with pull-out from stable wood, which can effortlessly keep even the full washing basket at the right height
- The handle on the otherwise fully assembled intermediate mounting frame is quick to install, and, with the help of the clear instructions, the tower of washing machine and tumble dryer can be assembled promptly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
- Great quality is within easy reach: this product is manufactured in Europe, enabling us to avoid long transport routes
- The stacking kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm

White	00220760
Black	00220761
	5 SC



Intermediate Frame for Washing Machine and Dryer, with Pull-out Shelf

Material	Metal
Width x Depth	60 x 55.5 cm
Load Leaf	12 kg

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- The connecting frame is made from metal and the worktop with pull-out from stable wood, which can effortlessly keep even the full washing basket at the right height
- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
- Including tensioning strap for secure and optimised fastening, prevents the dryer from falling over
- The intermediate kit is universally suitable for all washing machines and also for slim washing machines with a width of 60 cm and a depth of at least 45 cm up to a maximum of 60 cm
- Extendable worktop with a shelf of 52 x 40 cm, can be loaded with up to 12 kg
- Also suitable for washing machines with a sloping or curved front and for machines where the detergent drawer extends to the lid as well as for dryers that have a cleaning flap in the lower part of the front
- Special side rails prevent the dryer from moving, for example, when the washing machine is spinning
- Particularly stable and resilient: the frame itself weighs only 4.7 kg but has a load capacity of up to 150 kg

White	00111363
	5 SC



Stacking Kit for Washing Machines / Dryers, Integrated Laundry Maiden

Material	Metal
Width x Depth	61 x 60 cm
Load Leaf	10 kg

- Universal, compatible with most washing machines and tumble dryers with a work surface of 60 x 60 cm
- Integrated, pull-out laundry maiden (max. load up to 10 kg) for hanging up smaller items of laundry at a comfortable working height or as a handy storage area for the laundry basket
- Practical handle on the laundry maiden for easier operation
- With safety lashing strap - prevents the dryer from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install without screw fixings, since it is pre-assembled

White	00110225
	5 SC



"Smart" Stacking Kit for Washing Machine / Dryer, Pull-Out Plate, Plastic

Material	Plastic Material
Width x Depth	55 x 60 cm
Load Leaf	10 kg

- Incl. pull-out plate (max. load up to 10 kg), handy storage and work surface at a comfortable working height (e.g. for folding laundry, tidying, etc.)
- With practical handle on the pull-out plate for easier operation
- Also fits washing machines with angled or curved washing machine front and washing machines with a detergent drawer that reaches the cover
- Suitable for slim washing machines (depth 45 cm) as well as for standard washing machines
- Structure made of high-resistance, reinforced technopolymer ensures the stability of household appliances
- Side castors so the drawer is easier to pull out
- With safety lashing strap for optimal securing - prevents the drier from tipping over, e.g. as a result of strain forces on the door
- Quick and easy to install, since it is pre-assembled
- Universally suitable for all appliances with a worktop of 60 x 60 cm
- Can be screwed on if necessary

White	00110223
	4 SC

WASHING/DRYING



Intermediate Frame (open front) for Washing Machine and Dryer, 55 - 66 cm

Material	Metal
Width x Depth	55 cm

- Xavax in-house development
 - Frame with an expanding system, therefore easy to transport as well as quick and easy to mount
 - Universally compatible with all units with a width from 55 to 66 cm, can be adapted individually to the width of the washing machine cover
 - Comes with a lashing strap for optimally securing the device - it can e.g. prevent the dryer from falling down due to tensile loads at the door
- Also suitable for:
- Washing machines with an oblique or arched front
 - Washing machines with a washing powder drawer that reaches up to the lid
 - Dryers with a cleaning flap at the lower part of the front

White	00111379
12	HB



Intermediate Frame for Washing machine/Dryer

Material	Metal
Width x Depth	60 x 60 cm

- Quick and easy to install
 - Universally suitable for all appliances with a surface of 60 x 60 cm
- Not suitable for:
- Washing machines with an angled or curved front
 - Washing machines with a detergent drawer that reaches to the cover
 - Dryers that have a cleaning flap in the front lower section

White	00110815
8	SC



"Stack Frame" stacking kit for washing machine/dryer, up to 150 kg, white

Material	Aluminium/Steel
Width x Depth	60 x 57.5 cm

- The intermediate frame is already fully assembled and, with the help of the clear instructions, the tower of the washing machine and dryer can be set up quickly and safely
 - FSC-certified: the paper and cardboard used in our packaging comes from sustainable forest management - enabling us to take a resources-sparing approach to the raw material of wood
 - the stacking kit is suitable for most washing machines with a width of 60 cm and a depth of 60 cm
 - with pre-mounted foam strips
 - Particularly stable and resilient: Despite its low dead weight, the aluminium frame has a considerable load-bearing capacity of up to 150 kg
- Not suitable for:
- Washing machines with an angled or curved front
 - Washing machines with a detergent drawer that reaches to the cover
 - Dryers that have a cleaning flap in the front lower section

White	00220764
8	SC



Dryer Fixing Plates for Adhesion, set of 4

Material	Plastic Material
Width x Depth	6,5 x 5,5 cm

- When a washing machine and dryer are combined to form a column, the fixing plates are stuck under the feet of the dryer
- In addition to the extremely strong adhesion, the dryer secures itself due to its weight as the fixings next to the border also have a bottom plate on which lies the dryer weight
- The glue is insensitive to moisture and changes in temperature
- Suitable for dryer feet up to a diameter of 45 mm

White	00111310
48	HB




Dryer Fixing Plates for Adhesion, Non-slip, Set of 4, black

Material	Plastic Material
Width x Depth	6,5 x 5,5 cm

- When combining the washing machine and dryer in a column, the fixing plates are stuck under the dryer's feet
- In addition to extremely strong adhesion, the dryer is secured also by its own weight since the fixings also have a base plate next to the edge on which the dryer's weight is supported
- Resilient dryer underlay: adhesive is unaffected by moisture or temperature fluctuations
- Suitable for dryer feet up to 45 mm in diameter

Black	00220758
48 HB	

Household Appliance Base



"Giant" Washing Machine Base Unit, 50 cm Tall, 60 x 60 cm with Shelf

Maximum Load Capacity	150 kg
Height	50 cm
Length	60 cm
Width	60 cm

- A storage compartment open on all sides offers sufficient space under the pedestal for detergent, fabric softener and so on
- Each foot is individually adjustable up to 1 cm in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- With a support surface of 60 x 60 cm, the base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances weighing up to 150 kg
- The large shelf area is therefore also suitable for washing machines with a capacity of 7 - 10 kg
- The high-quality metal base is particularly stable and resilient; this also reduces vibrations, for example when the washing machine is spinning
- The underframe protects your machine from the backflow of water from the drain, flood water up to 50 cm and wetness on the ground, for example from loose hoses

White	00111380
1 SC	



Washing Machine Base Cabinet 60x60 cm with Shelf, 40 cm Height, 150 kg Load

Maximum Load Capacity	150 kg
Height	40 cm
Length	60.6 cm
Width	60.6 cm

- Storage compartment open on three sides can be individually attached at a height of 5 cm, 10 cm or 15 cm and offers sufficient space under the pedestal for detergent, fabric softener and so on
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- With a support surface of 60 x 60 cm, the base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances weighing up to 150 kg
- The cross struts of the storage shelf make the high-quality metal base particularly stable and resilient; at the same time, they reduce vibrations, for example when the washing machine is spinning
- The underframe protects your machine from the backflow of water from the drain, flood water up to 40 cm and wetness on the ground, for example from loose hoses
- The floor under the washing machine or other household appliances can be cleaned quickly and easily without having to move the heavy appliances out of the way

White	00111078
1 SC	



"Base Slide" Base for Washing Machine/Dryer, with Pull-out, white

Maximum Load Capacity	150 kg
Height	40 cm
Length	60 cm
Width	60 cm

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- The base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances measuring up to 60 x 60 cm and weighing up to 150 kg
- The high-quality steel base is particularly stable and durable
- Pull-out working top with a surface measuring 59 x 47 cm, load capacity up to 10 kg, with castors for easy pulling-out and for attachment at a height of 14 cm, 19 cm or 24 cm
- With self-adhesive foam strips to protect the surface and to prevent sliding
- The washing machine platform protects machines and more from the backflow of water from the drain, flood water up to 40 cm and wetness on the floor from loose hoses, for example

White	00220765
2 SC	

Household Accessories

WASHING/DRYING



xavax

"Base Store" Base, For Washing Machine/Dryer, with Storage, white

Maximum Load Capacity	150 kg
Height	40 cm
Length	60 cm
Width	60 cm

- A storage compartment open on all sides offers sufficient space under the pedestal for detergent, fabric softener and so on
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- The base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances measuring up to 60 x 60 cm and weighing up to 150 kg
- The high-quality steel base is particularly stable and durable
- The 59 x 59 cm storage drawer can be attached at a height of 8 cm, 13 cm or 18 cm and can support loads up to 15 kg
- With self-adhesive foam strips to protect the surface and to prevent sliding
- The washing machine platform protects machines and more from the backflow of water from the drain, flood water up to 40 cm and wetness on the floor from loose hoses, for example

White				00220767
	2	SC		




xavax

Furniture Mover with 4 Heavy-duty Castors, Height-adjustable Feet, 150 kg Load Capacity

Maximum Load Capacity	150 kg
Height	11 cm

- Sturdy swivel castors with one brake per castor for comfortable transport and a secure stand; the plastic castors absorb vibrations so that washing machines and other appliances can be operated on the rolling board
- Each foot is individually adjustable in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- The flexible surface can be adjusted from 50 x 50 cm to a size of up to 70 x 70 cm thanks to pull-out rails. The transport rollers can therefore be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture, heavy plants or warehouse and transport boxes with a weight of up to 150 kg
- The anti-slip surface and special reinforcements on the corners make the base unit particularly stable and resilient, allowing the machine to be transported safely without it moving around
- The underframe protects your machine from the backflow of water from the drain, flood water up to 11 cm and wetness on the ground, for example from loose hoses

White				00110233
	5	SC		



xavax

Washing Machine Base Frame, Adjustable, 13-18 cm Height, 150 kg Load Capacity

Maximum Load Capacity	150 kg
-----------------------	--------

- Each foot is individually adjustable in height, so the substructure frame can be ideally aligned even on uneven floors
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- The flexible surface can be adjusted from 52 x 52 cm to a size of up to 72 x 72 cm thanks to pull-out rails. The base unit can therefore be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture or heavy or warehouse and transport boxes with a weight of up to 150 kg
- The anti-slip plastic surface and special reinforcements on the corners make the base unit particularly stable and resilient, keeping the machine steady even when spinning and stopping it from moving around
- The underframe protects your machine from the backflow of water from the drain, flood water up to 18 cm and wetness on the ground, for example from loose hoses
- The floor under the washing machine or other household appliances can be cleaned quickly and easily without having to move the heavy appliances out of the way

White				00110232
	4	SC		



xavax

Furniture Roller + „Base Roll“ Base Frame, for Washing Machine/Dryer, white

Maximum Load Capacity	200 kg
Height	10 cm

- Sturdy swivel castors with one brake per castor for comfortable transport and a secure stand; the plastic castors absorb vibrations so that washing machines and other appliances can be operated on the rolling board
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- FSC recycled: The paper, board and carton used for our packaging are made from 100 % certified recycled material
- Flexible resting surface: adjustable from 40 x 40 cm to 60 x 60 cm via pull-out rails, load capacity up to 200 kg
- This means that the furniture roller can be used universally for washing machines, dryers, freezers, refrigerators and other household appliances, furniture, heavy plants or storage and transport boxes
- Non-slip surface with good grip and special reinforcements at the corners: this makes the base particularly stable and durable, allowing washing machines etc. to be transported safely without sliding around
- With centimetre scale on the underside of the corners for simple and even size adjustment
- The underframe protects your machine from the backflow of water from the drain, flood water up to 10 cm and wetness on the ground, for example from loose hoses

White				00220768
	4	SC		




"Base Slide" Base for Washing Machine/Dryer, with Pull-out, black

Maximum Load Capacity	150 kg
Height	40 cm
Length	60 cm
Width	60 cm

- Practical pull-out shelf and work surface, ideal for placing the laundry basket or for sorting and folding laundry
- Special rubber attachments on the feet for a firm stand without slipping; the attachments also act as vibration dampers that reduce vibrations and protect the floor from scratches
- With the help of the clear instructions, the washing machine base frame can be set up in a few minutes
- 10-year warranty: a warranty promise on longevity that goes far beyond the statutory guarantee
- The base is universally suitable for washing machines, dryers, freezers, refrigerators and other household appliances measuring up to 60 x 60 cm and weighing up to 150 kg
- The high-quality steel base is particularly stable and durable
- Pull-out working top with a surface measuring 59 x 47 cm, load capacity up to 10 kg, with castors for easy pulling-out and for attachment at a height of 14 cm, 19 cm or 24 cm
- With self-adhesive foam strips to protect the surface and to prevent sliding
- The washing machine platform protects machines and more from the backflow of water from the drain, flood water up to 40 cm and wetness on the floor from loose hoses, for example

				00220766
	2	SC		

Home Appliance Vibration Damper




Vibration Damper, 4 Pcs

Number of Dampers	4
Diameter	45 mm
Height	22 mm

- For absorbing the operational vibrations of washing machines, dishwashers and tumble dryers
- For increased stability and for noise attenuation
- Prevents sliding on smooth floors
- Protects tiles from scratches
- Can be used anywhere and is easy to attach
- Made from thermoplastic material (TPE)
- Diameter: internal 4.5 cm; external 6.5 cm
- Can hold up to 90 kg

White				00220752
	48	HB		




Vibration Damper, 4 Pcs, black

Number of Dampers	4
Diameter	45 mm
Height	22 mm

- For increased stability and for noise attenuation
- Prevents sliding on smooth floors
- Protects tiles from scratches
- Can be used anywhere and is easy to attach
- Made from thermoplastic material (TPE)
- Diameters: internal 4.5 cm; external 6.5 cm
- Can hold up to 90 kg

Black				00220759
	48	HB		

COOKING




Holder
"for Microwave"

Attachment	Screw-On Mounting
Material	Metal
Maximum Load Capacity	30 kg

- Space-saving and simple installation
- The width and depth can be adjusted
- Punched recesses ensure device stability
- Maximum load capacity: 30kg
- Max. width: 43 cm
- Retaining arms can be extended from 36.5 to 51 cm depth

Silver	00110931
White	00110930
	4 SC




Connection Cable for Household Appliances „Electric Stove Supply Line, Polybag“

Shade of colour	White
Number of Wires	5
Wire Cross-Section	2.5 mm ²

- Prefabricated connection cable
- Open ends with conductor end sleeves
- Cable: H05VV-F 5 x 2.5mm²

2.5 m	00110971
	30 PO
1.5 m	00110970
	36 PO




Kitchen Connection Splitter for Electrical Appliances

Depth	26 mm
-------	-------

- Incl. connection cable for cooker connection socket (2.0 m) - H05VV-F 5G2.5mm²
- Incl. connection cable for hob (2.0 m) - H05VV-F 4G2.5mm²
- Incl. connection cable (2.0 m) with earthed socket for ovens - H05VV-F 3G1.5mm²
- Can be installed and with reusable clamps
- No routing of additional sockets
- Existing cooker connection socket can continue to be used
- Flat design for low installation depths of 26 mm (housing dimensions: 100 x 100 x 26 mm)
- Installation socket can be installed on both sides with two drill holes
- Max. overall connected load: 11 kW
- 3 x 16A (1 x 16A for the oven and 2 x 16A for the hob)

00220777
10 HB



Kitchen Connection Splitter for Electrical Appliances, 2 Cable Solution

Depth	26 mm
-------	-------

- Incl. connection cable for cooker connection socket (2.0 m) - H05VV-F 5G2.5mm²
- Incl. connection cable with earthed socket for ovens (2.0 m) - H05VV-F 3G1.5mm²
- Cable inlet for connecting existing stove cables to the stove top
- Can be installed and with reusable clamps
- No routing of additional sockets
- Existing cooker connection socket can continue to be used
- Flat design for low installation depths of 26 mm (housing dimensions: 100 x 100 x 26 mm)
- Installation socket can be installed on both sides with two drill holes
- Max. overall connected load: 11 kW
- 3 x 16A (1 x 16A for the oven and 2 x 16A for the hob)

00220778
10 HB

Power Cable



Device Connection Cable with Angled Power Plug, for Cookers etc., 2 m

Shade of colour	Black
-----------------	-------

- For heavy and 3-phase AC current connections
- Max. rated load 400 V / 16 A
- Cable with wire end ferrules
- Angled plug compliant with DIN 49446
- For indoor use

				00220798
	20	HB		

Sealing Tape



Sealing Tape for Ceramic Hob, 3 x 1.10 m

Material	Foam
Width x Length	15 x 1100 mm
Thickness	2 mm

- Protects against liquids that could run under the ceramic hob
- Ensures a firm grip for the hob on the worktop
- Also suitable for sealing kitchen sinks or as a universal insulating or sealing tape
- Self-adhesive on one side

Black				00220751
	60	HB		

Hob frame



Compensation Frame for Hobs

Material	Stainless Steel
External Dimension W x D	61 x 54 cm
Internal Dimension W x D	56x50 cm

- Easy and quick to use
- Saves buying and installing a new worktop or a larger and more expensive hob
- High-quality, rust-free stainless steel

				00111872
	5			

COOKING

Cleaners & Care Products

CLEANING AND CARE

Descaler



Washing Machine Descaler,
250 ml

Safety Lock	Twist Off Top
Content	250 ml
Usage	Washing Machines

- Dissolves hardened limescale deposits on heating rods, hoses and valves
- The heating performance remains the same, the washing machine can heat up quickly without having to expend more energy to do so
- Limescale residue no longer gets into the laundry, improving the wash results
- Protects plastic and rubber parts

Household Cleaner



Dishwasher Cleaner with
Fresh Fragrance, 250 ml

Content	250 ml
Suitable for	Dishwasher
Usage	Dishwasher

- Removes deposits such as limescale, grease and food residues in the interior, in hoses and valves
- Descals the heating rods
- The heating performance remains the same, the dishwasher can heat up quickly without having to expend more energy to do so
- Provides a pleasant fresh scent and a clean and well-maintained machine
- Regular maintenance reduces the risk of malfunctions and thus subsequent costs due to repairs
- Limescale deposits in the machine lead to longer heating times of your appliance with higher electricity costs



Glass Ceramic Cleaner,
250 ml

Content	250 ml
Suitable for	Ceremic glas-/ Induction-Hobs
Usage	Cooking Plate

- Removes stubborn grime and can be used on a daily basis
- The cleaner leaves an invisible film on the surface when rubbed dry; this makes the next cleaning process easier and gives the hob a lovely shine



Washing Machine Cleaner
with Fresh Scent, 250 ml

Content	250 ml
Suitable for	Washing Machine
Usage	Washing Machine

- Also cleans unreachable parts such as hoses, chambers, filters, spray nozzles and the entire drum
- The heating performance remains the same, the washing machine can heat up quickly without having to expend more energy to do so
- The most common causes of odours and deposits are low-temperature washes below 40°C and economy programmes that counteract the regular cleaning of your machine
- Provides a pleasant fresh scent and a clean and well-maintained machine
- Regular care also reduces the risk of malfunctions and the washing performance is improved
- Each new appliance is checked by the manufacturer and using the washing machine cleaner in the first wash cycle removes any possible traces of testing water

				00111724
	12	K.A.		

				00111725
	12	K.A.		

				00111726
	12	K.A.		

				00111723
	12	K.A.		

Overview of all products from A to Z

A				R	
Anti-Slip Mat	14, 39, 76	Hose Connector	36, 66, 70	Reducer	51
Appliances-Water Connection	67	Hose Extension	36, 64	S	
B		Household Appliance Base	43, 79	Scraper	28, 48
Baking/Roast Thermometer	48	Household Appliance Stacking Kit	40, 76	Sealing Tape	48, 83
Blades/holder	29, 49	Household Cleaner	19, 26, 27, 30, 32, 33, 84	Siphon/-accessoires	71
Box	14	Household Filter	50, 55	Stop Valve	37, 66
C		I		T	
Clamp	70, 74	Induction Hob Adapter	48	Tampfer Kit	13
Cleaner tabs	22	L		Tea & Coffee Maker	15
Cleaning Cloth	39	Lamps	52	Thermal Mug	10
Cleaning Kit	21, 28, 30	Lashing Strap	39, 76	Thermometer	47
Coffee/Tee Container	7	Lubricant	22	Thermostat Valve Adapter	60
Condenser Box	40	M		Tube	18, 36, 37, 40, 64, 68, 73
Connection Box for Kitchen Appliances	82	Measuring Spoon	16	V	
Connection Cable for		Microwave Cover	54	Vacuum Cleaner Bag	56
Household Appliances	38, 82	Milk Frother	18	Vacuum Cleaner Motor Filter	56
Container for Coffee Pads	6	Milk Jug	17	Vacuum Cleaner Nozzle	57
D		P		B	
Descaler	19, 31, 84	Pedestal	56	Wash/Dryer Ball	45
H		Permanent Filter	11	Water Filter	47, 75
Hob frame	49, 83	Pillar	8		
Holder	54, 82	Power Cable	38, 83		
Home Appliance Vibration Damper	45, 81	Power Plug	38		
		Protection	66		



Made and distributed by
Hama GmbH & Co KG
Dresdner Str. 9, 86653
Monheim/Germany
www.xavax.eu

All listed brands are trademarks of the
respective companies.
Errors and omissions excepted,
and subject to technical changes.
Our general terms of business are applied.
The depicted articles are
colour patterns which may slightly differ
from the original.

Printed in Germany.

